

DOOR FRAME DETAIL (JAMB VIEW)
 (FD-1) HEAD SIMILAR 3' = 1'-0"

DOOR FRAME DETAIL (JAMB VIEW)
 (FD-2) HEAD SIMILAR 3' = 1'-0"

DOOR FRAME DETAIL (JAMB VIEW)
 (FD-3) HEAD SIMILAR 3' = 1'-0"

DOOR FRAME DETAIL (JAMB VIEW)
 (FD-4) 1st FLOOR SILL 3' = 1'-0"

HOLLOW METAL FRAME DETAIL
 (FD-5) 3' = 1'-0"

HOLLOW METAL FRAME DETAIL
 (FD-6) 3' = 1'-0"

VERTICAL MULLION (PLAN VIEW)
 (b) 3' = 1'-0"

Labels and Callouts:

- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- SEE CONSTRUCTION PLAN FOR PARTITION TYPE. (TYP.)
- DOUBLE METAL STUD W/ SOLID 2x WOOD BLOCKING WITHIN STUD AS SHOWN (TYP.)
- SOLID 2x WOOD BLOCKING & SHIMMING.
- WOOD BASE RECEIVED BY HOLLOW METAL FRAME (TYPICAL).
- SEE DOOR SCHEDULE FOR DOOR TYPE & SIZE
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- SEE CONSTRUCTION PLAN FOR PARTITION TYPE. (TYP.)
- DOUBLE METAL STUD W/ SOLID 2x WOOD BLOCKING WITHIN STUD AS SHOWN (TYP.)
- SOLID 2x WOOD BLOCKING & SHIMMING.
- WOOD BASE RECEIVED BY HOLLOW METAL FRAME (TYPICAL).
- SEE DOOR SCHEDULE FOR DOOR TYPE & SIZE
- HOLLOW METAL FRAME, CURRIES TYPE W/ WEATHERSTRIPPING W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- SEE CONSTRUCTION PLAN FOR PARTITION TYPE. (TYP.)
- DOUBLE METAL STUD W/ SOLID 2x WOOD BLOCKING WITHIN STUD AS SHOWN (TYP.)
- SOLID 2x WOOD BLOCKING & SHIMMING.
- WOOD BASE RECEIVED BY HOLLOW METAL FRAME (TYPICAL).
- SEE CONSTRUCTION PLAN FOR PARTITION TYPE. (TYP.)
- METAL STUD HEADER W/ ACOUSTIC BATT INSULATION. SEE STRUCTURAL DWGS.
- SOLID 2x WOOD BLOCKING & SHIMMING
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- HEAD (JAMB SIMILAR)
- CRL SLIDING GLASS TRACK ASSEMBLY WITH 1/4" FULLY TEMPERED WATER WHITE GLASS. PROVIDE ONE DOUBLE TRACK ASSY ALONG SIDE ONE SINGLE TRACK ASSY. (TYP.)
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- SOLID 2x WOOD BLOCKING & SHIMMING (TYP.)
- SILL
- SEE CONSTRUCTION PLAN FOR PARTITION TYPE. (TYP.)
- SOLID 2x WOOD BLOCKING & SHIMMING
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- HEAD (JAMB SIMILAR)
- 1" FULLY TEMPERED WATER WHITE GLASS (TYP.)
- 5/8" x 5/8" FIXED METAL STOP
- 5/8" x 5/8" REMOVABLE METAL GLASS STOP W/ COUNTERSUNK FASTENERS (TYP.)
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- SILL
- SEE CONSTRUCTION PLAN FOR PARTITION TYPE. (TYP.)
- SOLID 2x WOOD BLOCKING & SHIMMING
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- HEAD (JAMB SIMILAR)
- 1" FULLY TEMPERED WATER WHITE GLASS (TYP.)
- 5/8" x 5/8" FIXED METAL STOP
- 5/8" x 5/8" REMOVABLE METAL GLASS STOP W/ COUNTERSUNK FASTENERS (TYP.)
- HOLLOW METAL FRAME W/ MIN. 3 MTL. STUD ANCHORS PER JAMB & HEAD.
- SILL
- HOLLOW METAL SIDELITE FRAME.
- SOLID 2x WOOD BLOCKING.
- FINISH FLOOR (TYP.)
- 1st FLOOR SILL

1 DOOR DETAIL
SCALE: 3/4"=1'-0"

2 DOOR DETAIL
SCALE: 3/4"=1'-0"

3 DOOR DETAIL
SCALE: 3/4"=1'-0"

1R DOOR DETAIL
SAME AS TYPE 1 - FIRE RATED

2R DOOR DETAIL
SAME AS TYPE 2 - FIRE RATED



7.	6/01/2021	ISSUED FOR BID
6.	5/07/2021	RE-ISSUED FOR BUILDING PERMIT REVIEW
5.	2/01/2021	ISSUED FOR BUILDING PERMIT REVIEW
4.	10/14/2020	ISSUED FOR PLANNING BOARD REVIEW
3.	9/23/2020	RESUBMITTED FOR ZONING REVIEW
2.	8/28/2020	ISSUED FOR PRELIMINARY DOB REVIEW
1.	1/10/2020	ISSUED FOR DD ESTIMATE
No.	Date	Revision/Submission
STRUCTURAL & SITE CIVIL ENGINEER DOMINICK R. FILLA ASSOCIATES, P.C. 143 MAIN STREET NYACK, NY 10960 845-727-7793		
MEP ENGINEER JMW CONSULTING ENGINEERING, P.C. 37 W. 39 STREET, STE 703 NEW YORK, NY 10018 212-652-9855		ROOFING CONSULTANT WATSKY ASSOCIATES 20 MADISON AVENUE VALHALLA, NY 10595 914-948-3450

	Stamp
--	-------

<p>Project Title</p> <p>IONA PREPARATORY SCHOOL ADDITION AND ALTERATION TO THE PAUL VERNI FINE ARTS CENTER</p>

Project Address
IONA PREPARATORY SCHOOL 255 Wilmot Road New Rochelle, NY 10804

Drawing Title
DOOR DETAILS

Scale	Job No.	Date	Drawing No.
AS NOTED	1618	04/03/2019	A-901

Peter Gisolfi Associates
Architects Landscape Architects, LLP
566 Warburton Avenue
Hastings on Hudson, NY 10706
914 478 3677

PETER GISOLFI ASSOCIATES