
SYSTEM VALUES AHU-1			BUILDIN	G/EQUII	PMENT VEN	ITILATION CALC	ULATION	٧S				
	Vps 305 (CORRECTED OA) Vot 132	50 (UNCORRECTED OA) Vou 1223				ZONE ID	-		MI	NIMUM VENT	ILATION RAT	ES T
	OA% 4	43 Ev 0.92	EQUIPMENT NUMBER	ROOM NUMBER	ROOM NAME	OCCUPANCY CLASSIFICATIO	Az - AREA (SF)	Pz - ZONE OCCU.	ZONE OCCU. (	Rp CFM/ RpF	G Ra (CFM/SF)	RaA Vbz (CFM)
	ADDITIONAL OA%	8						#/1000 FT	Р	erson)		
SYSTEM VALUES AHU-2	Vps 336	60 (UNCORRECTED OA) Vou 1457		24 25	CARPENTRY COMPUTER LAB	WOOD/METAL SHOPS COMPUTER LAB	1354 534	20 25	27 13	10     271       10     134	4 0.12	244     515       64     198
	(CORRECTED OA) Vot 171 OA% 5	15     D     1.00       51     Ev     0.85	AHU-1	26 27	STORAGE STORAGE	STORAGE ROOMS STORAGE ROOMS	91 332	0	0	0 0 0 0	0.12	11     11       40     40
	ADDITIONAL OA%	18		28 111	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	,	35 35	34 33	10 343 10 329		118     461       113     442
SYSTEM VALUES AHU-3			AHU-2	113 115	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	,	35	43 33	10 428 10 328	2 2 2 10 10 10 10 10 10 10 10 10 10 10 10 10	147 574 112 440
	Vps 334 (CORRECTED OA) Vot 175	40     (UNCORRECTED OA) Vou     1479       50     D     1.00		180	CLASSROOM	CLASSROOMS (AGE 9 PLUS	5) 767	35	27	10 268	3 0.12	92 360
	OA% 5 ADDITIONAL OA% 1	52 Ev 0.84	AHU-3	182 183	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	5) 802	35	28	10 281	I 0.12	96 377
SYSTEM VALUES AHU-4				184 132	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS		35 35	27 27	1027010270		93 362 93 363
		40 (UNCORRECTED OA) Vou 1473	AHU-4	133 189	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	<b>)</b> ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	35 35	26 28	10 258 10 278		88 346 95 373
	(CORRECTED OA) Vot 175 OA% 5	50     D     1.00       52     Ev     0.84		190	CLASSROOM	CLASSROOMS (AGE 9 PLUS	6) 834	35	29	10 292	2 0.12	100 392
	ADDITIONAL OA% 1	19	AHU-5	165 166	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	5) 811	35	27 28	10     266       10     284		91 358 97 381
SYSTEM VALUES AHU-5			Ano-o	167 171	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS		35 35	28 27	10 283 10 268		97 380 92 360
	Vps     334       (CORRECTED OA) Vot     174	40     (UNCORRECTED OA) Vou     1479       40     D     1.00		185 186	CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	5) 762	35	27	10     267       10     284	7 0.12	91 358 97 382
	OA% 5 ADDITIONAL OA%	52 Ev 0.85	AHU-6	187	CLASSROOM	CLASSROOMS (AGE 9 PLUS	5) 807	35	28	10 282	2 0.12	97 379
SYSTEM VALUES AHU-6				188 105	CLASSROOM LAY DOWN	CLASSROOMS (AGE 9 PLUS STORAGE ROOMS	5) 766 212	35 0	27 0	10 268 0 0	3 0.12 0.12	92 360   25 25
		40 (UNCORRECTED OA) Vou 1479		106 107	OFFICE PRACTICE	OFFICE SPACES CLASSROOMS (AGE 9 PLUS	313 5) 70	5 35	2 2	5 8 10 25	0.06	19     27       8     33
	(CORRECTED OA) Vot 174 OA% 5	40     D     1.00       52     Ev     0.85	A.L. 11 7	108	PRACTICE	CLASSROOMS (AGE 9 PLUS	5) 50	35	2	10 18 10 13	0.12	6     24       5     18
	ADDITIONAL OA%	18	AHU-7	109 175	PRACTICE CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS		35	1 40	10 13 10 397		136 533
SYSTEM VALUES AHU-7				175A 175B	STORAGE STORAGE	STORAGE ROOMS STORAGE ROOMS	78 81	0	0	0 0 0 0	0.12	9 9 10 10
	(CORRECTED OA) Vot 158	40     (UNCORRECTED OA) Vou     1204       85     D     1.00		176 209	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	,	35	39 27	10 391 10 266	I 0.12	134 525 91 357
	ADDITIONAL OA%	47 Ev 0.76	AHU-8	211	CLASSROOM	CLASSROOMS (AGE 9 PLUS	6) 833	35	29	10 292	2 0.12	100 392
SYSTEM VALUES AHU-8				213 215	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS		35	28 26	1027810259	a conservation and	95     374       89     347
		40 (UNCORRECTED OA) Vou 1469		271 272	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	-	35 35	27 28	10 266 10 284		91 358 97 382
	(CORRECTED OA) Vot 172 OA% 5	20 D 1.00 51 Ev 0.85	AHU-9	273	CLASSROOM	CLASSROOMS (AGE 9 PLUS	6) 807	35	28	10 282	2 0.12	97 379
	ADDITIONAL OA% 1	17		274 208	CLASSROOM	CLASSROOMS (AGE 9 PLUS	5) 760	35 35	27	10 266	§ 0.12	92     361       91     357
SYSTEM VALUES AHU-9			AHU-10	210 212	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS		35 35	29 28	10 292 10 278		100 392 95 374
	Vps     334       (CORRECTED OA) Vot     172	40     (UNCORRECTED OA) Vou     1480       25     D     1.00		214 224	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS		35	26 27	10 259 10 267		89 347 92 359
	OA% 5	52 Ev 0.86	AHU-11	226	CLASSROOM	CLASSROOMS (AGE 9 PLUS	5) 811	35	28	10 284	4 0.12	97 381
SYSTEM VALUES AHU-10				228 230	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS CLASSROOMS (AGE 9 PLUS	-	35 35	28 27	1028310268		97 380 92 360
		40 (UNCORRECTED OA) Vou 1470		235 235S	CLASSROOM STORAGE	CLASSROOMS (AGE 9 PLUS STORAGE ROOMS	5) 1204 189	35 0	42 0	10 421 0 0	0.12 0.12	144 566 23 23
	(CORRECTED OA) Vot 172 OA% 5	20 D 1.00 51 Ev 0.85	AHU-12	239	CLASSROOM	CLASSROOMS (AGE 9 PLUS	6) 1055	35	37	10 369	0.12	127 496
	ADDITIONAL OA% 1	17		241 234	STORAGE CLASSROOM	STORAGE ROOMS CLASSROOMS (AGE 9 PLUS	686 5) 1150	35	40	10 U	0.12 3 0.12	82     82       138     541
SYSTEM VALUES AHU-11			AHU-13	236 238	STORAGE CLASSROOM	STORAGE ROOMS CLASSROOMS (AGE 9 PLUS	169 5) 1029	0 35	0 36	0 0 10 360	0.12	20 20 123 484
	Vps     334       (CORRECTED OA) Vot     174	40     (UNCORRECTED OA) Vou     1480       40     D     1.00		240 142	CLASSROOM CHORAL	CLASSROOMS (AGE 9 PLUS MUSIC/THEATER/DANCE	5) 793 2644	35 35	28 93	10 278 10 925		95 373 159 1084
	OA% 5	52 Ev 0.85	DOAS-1	143	BAND	MUSIC/THEATER/DANCE	1291	35	45	10 452	2 0.06	77 529
SYSTEM VALUES AHU-12	·			143A 223	MUSIC STORAGE LIBRARY	STORAGE ROOMS LIBRARIES	410 2516	10	25	0 0 5 126	0.12 6 0.12	49 49   302 428
		40 (UNCORRECTED OA) Vou 1167		223-2 223-3	OFFICE COMPUTER LOUNGE	OFFICE SPACES CLASSROOMS (AGE 9 PLUS	115 5) 350	5 35	1 12	5 3 10 123	0.06	7 10 42 165
	(CORRECTED OA) Vot 148 OA% 4	B5     D     1.00       47     Ev     0.79		223-4 223S1	MAKER SPACE STUDY POD	CLASSROOMS (AGE 9 PLUS		35 10	11	10 113	3 0.12	39 152 9 12
	ADDITIONAL OA% 2	27	LIBRARY AHU		STUDY POD	LIBRARIES LIBRARIES	83	10	1	5 4 5 4	0.12	9 12   10 14
SYSTEM VALUES AHU-13				223S3 223S4	STUDY POD STUDY POD	LIBRARIES LIBRARIES	190 190	10 10	2 2	5 10 5 10	0.12	23     32       23     32
	(CORRECTED OA) Vot 163			223S5 223S6	STUDY POD STUDY POD	LIBRARIES	78	10 10	1	5 4	0.12	9 13 9 13
	OA% 5 ADDITIONAL OA% 1	52 Ev 0.87 15		22356 219A	LIBRARY	LIBRARIES	78	10	8	5 4 5 40		9 13 95 134
SYSTEM VALUES DOAS-1	I					OR AIR RATE, Vbz = BREATHI						√oz = ZONE OUT[
	·	75 (UNCORRECTED OA) Vou 1663				OOR AIR FRACTION, Vps = SYS <sup>-</sup> UPANT DIVERSITY, Ev = SYSTEN			UTDOOR AIR INT	AKE FLOW,		
	(CORRECTED OA) Vot 207 OA% 10	75 D 1.00 00 Ev 0.80										
	ADDITIONAL OA%	25										
SYSTEM VALUES LIBRARY AHU	Vps 520	00 (UNCORRECTED OA) Vou 1006			DIII	LDING/EQUIPN						
	(CORRECTED OA) Vot 136			1	DUI	ZONE ID						<b>D</b> NTILATION RATE
	OA% 2 ADDITIONAL OA% 3	35 EV 0.74	EQUIPMENT NUMBER	ROOM	ROOM NAM	CCUP/	ANCY		Pz - ZONE CCU. #/1000	ZONE	Rp	" <sub>D</sub> Ra
				NUMBER 35	CLASSROO	CLASSIFIC		(SF) 0	FT 35		Person)	77 0.12
			UV-1	36	STORAGE	STORAGE	ROOMS	175	0	0	0	0 0.12
			UV-2	39 37	CLASSROC STORAGE			800 144	35 0	28 0	10 2 0	80 0.12 0 0.12
			UV-3	38	CLASSROC	M CLASSROOMS (	AGE 9 PLUS)	1011	35	35	10 3	54 0.12
			UV-4 UV-5	207 205	CLASSROC			603 728	35	21 25		11     0.12       55     0.12
			UV-6 UV-7	217 204	CLASSROC			823 718	35	29 25		88 0.12 51 0.12
			UV-7 UV-8	206	CLASSROC	M CLASSROOMS (	AGE 9 PLUS)	615	35	25 22	10 2	15 0.12
			UV-9 UV-10	216 204	CLASSROC			820 1258	35	29 44		87 0.12 40 0.12
			UV-11	206	CLASSROC	M CLASSROOMS (	AGE 9 PLUS)	1044	35	37	10 3	65 0.12
			UV-12 NOTES:	216	CLASSROC	M CLASSROOMS (	AGE 9 PLUS)	1266	35	44	10 4	43 0.12
						TDOOR AIR RATE, Vbz = BRI ONE OUTDOOR AIRFLOW	EATHING ZONE	OUTDOOR AIR	FLOW ,			
					1 = 0 $(0, 1)$ $(0, 2)$ $(0, 2)$ $(0, 2)$							

EQUIPMENT NUMBER AHU-1	ROOM NUMBER			-	<u> </u>			r					-		
		ROOM NAME	OCCUPANCY CLASSIFICATION	Az - AREA (SF)	Pz - ZONE OCCU. #/1000 FT	ZONE OCCU.	Rp (CFM/ Person)	RpP	Ra (CFM/SF)	RaA	Vbz (CFM)	EZ	Voz (CFM)	Vpz (CFM)	Zp
	24	CARPENTRY	WOOD/METAL SHOPS	1354	20	27	10	271	0.18	244	515	0.8	645	1350	0.48
	25	COMPUTER LAB	COMPUTER LAB	534	25	13	10	134	0.12	64	198	0.8	245	550	0.4
	26 27	STORAGE STORAGE	STORAGE ROOMS STORAGE ROOMS	91 332	0	0	0	0	0.12 0.12	11 40	11 40	0.8 0.8	15 50	50 100	0.3
	27	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	980	35	34	10	343	0.12	118	40	0.8	575	100	0.5
	111	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	940	35	33	10	329	0.12	113	442	0.8	550	940	0.5
AHU-2	113	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1222	35	43	10	428	0.12	147	574	0.8	720	1480	0.4
	115	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	937	35	33	10	328	0.12	112	440	0.8	550	940	0.5
	180	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	767 806	35 35	27	10	268	0.12 0.12	92 97	360 379	0.8 0.8	450 475	760 910	0.5
AHU-3	182 183	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS) CLASSROOMS (AGE 9 PLUS)	808	35	28 28	10 10	282 281	0.12	97	379	0.8	475	910	0.5
	184	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	771	35	27	10	270	0.12	93	362	0.8	455	760	0.6
	132	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	772	35	27	10	270	0.12	93	363	0.8	455	760	0.6
AHU-4	133	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	736	35	26	10	258	0.12	88	346	0.8	430	760	0.5
74101	189	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	793	35	28	10	278	0.12	95	373	0.8	465	910	0.5
	190 165	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	834 761	35 35	29 27	10	292	0.12	100	392	0.8	490	910	0.5
	165	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS) CLASSROOMS (AGE 9 PLUS)	761 811	35	27	10 10	266 284	0.12 0.12	91 97	358 381	0.8 0.8	445 475	760 910	0.5
AHU-5	167	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	808	35	28	10	283	0.12	97	380	0.8	475	910	0.5
	171	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	766	35	27	10	268	0.12	92	360	0.8	450	760	0.5
	185	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	762	35	27	10	267	0.12	91	358	0.8	450	760	0.5
AHU-6	186	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	812	35	28	10	284	0.12	97	382	0.8	475	910	0.5
	187	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	807	35	28	10	282	0.12	97	379	0.8	475	910	0.5
	188 105	CLASSROOM LAY DOWN	CLASSROOMS (AGE 9 PLUS) STORAGE ROOMS	766 212	35 0	27 0	10 0	268 0	0.12 0.12	92 25	360 25	0.8 0.8	450 30	760 150	0.5
	105	OFFICE	OFFICE SPACES	313	5	2	5	8	0.12	19	25	0.8	35	600	0.0
	107	PRACTICE	CLASSROOMS (AGE 9 PLUS)	70	35	2	10	25	0.12	8	33	0.8	40	50	0.8
1	108	PRACTICE	CLASSROOMS (AGE 9 PLUS)	50	35	2	10	18	0.12	6	24	0.8	30	50	0.6
AHU-7	109	PRACTICE	CLASSROOMS (AGE 9 PLUS)	38	35	1	10	13	0.12	5	18	0.8	20	50	0.4
	175	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1135	35	40	10	397	0.12	136	533	0.8	665	1120	0.5
	175A	STORAGE	STORAGE ROOMS	78	0	0	0	0	0.12	9	9	0.8	10	100	0.1
	175B 176	STORAGE		81	0 35	0 39	0	0 391	0.12	10	10 525	0.8 0.8	10 655	100 1120	0.1
	209	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS) CLASSROOMS (AGE 9 PLUS)	1117 759	35	27	10 10	266	0.12 0.12	134 91	357	0.8	445	760	0.5
	211	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	833	35	29	10	292	0.12	100	392	0.8	490	910	0.5
AHU-8	213	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	795	35	28	10	278	0.12	95	374	0.8	465	910	0.5
	215	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	739	35	26	10	259	0.12	89	347	0.8	435	760	0.5
	271	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	761	35	27	10	266	0.12	91	358	0.8	445	760	0.5
AHU-9	272	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	812	35	28	10	284	0.12	97	382	0.8	475	910	0.5
	273 274	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS) CLASSROOMS (AGE 9 PLUS)	807 768	35 35	28 27	10 10	282 269	0.12 0.12	97 92	379 361	0.8 0.8	475 450	910 760	0.5
	208	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	760	35	27	10	266	0.12	92	357	0.8	430	760	0.5
	210	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	833	35	29	10	292	0.12	100	392	0.8	490	910	0.5
AHU-10	212	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	795	35	28	10	278	0.12	95	374	0.8	465	910	0.5
	214	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	739	35	26	10	259	0.12	89	347	0.8	435	760	0.5
	224	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	763	35	27	10	267	0.12	92	359	0.8	450	760	0.5
AHU-11	226 228	CLASSROOM CLASSROOM	CLASSROOMS (AGE 9 PLUS) CLASSROOMS (AGE 9 PLUS)	811 808	35 35	28 28	10 10	284 283	0.12 0.12	97 97	381 380	0.8 0.8	475 475	910 910	0.5
	220	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	766	35	20	10	263	0.12	97	360	0.8	475	760	0.5
	235	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1204	35	42	10	421	0.12	144	566	0.8	705	1300	0.5
AHU-12	235S	STORAGE	STORAGE ROOMS	189	0	0	0	0	0.12	23	23	0.8	30	100	0.3
ANU-12	239	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1055	35	37	10	369	0.12	127	496	0.8	620	1060	0.5
	241	STORAGE	STORAGE ROOMS	686	0	0	0	0	0.12	82	82	0.8	105	680	0.1
	234 236	CLASSROOM	CLASSROOMS (AGE 9 PLUS) STORAGE ROOMS	1150 169	35 0	40 0	10 0	403 0	0.12 0.12	138 20	541 20	0.8 0.8	675 25	1150 100	0.5
AHU-13	236	STORAGE CLASSROOM	CLASSROOMS (AGE 9 PLUS)	169 1029	35	0 36	10	0 360	0.12	123	20 484	0.8 0.8	605	100	0.2
	230	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	793	35	28	10	278	0.12	95	373	0.8	465	800	0.5
	142	CHORAL	MUSIC/THEATER/DANCE	2644	35	93	10	925	0.06	159	1084	0.8	1355	1355	1.0
DOAS-1	143	BAND	MUSIC/THEATER/DANCE	1291	35	45	10	452	0.06	77	529	0.8	660	660	1.0
	143A	MUSIC STORAGE	STORAGE ROOMS	410	0	0	0	0	0.12	49	49	0.8	60	60	1.0
	223			2516	10 E	25	5	126	0.12	302	428	0.8	535	2700	0.2
	223-2 223-3	OFFICE COMPUTER LOUNGE	OFFICE SPACES CLASSROOMS (AGE 9 PLUS)	115 350	5 35	1 12	5 10	3 123	0.06 0.12	7 42	10 165	0.8 0.8	10 205	120 440	0.0
	223-3	MAKER SPACE	CLASSROOMS (AGE 9 PLUS)	350	35	12	10	123	0.12	42 39	152	0.8	190	440	0.4
	223S1	STUDY POD	LIBRARIES	73	10	1	5	4	0.12	9	12	0.8	15	80	0.4
LIBRARY AHU	22382	STUDY POD	LIBRARIES	83	10	1	5	4	0.12	10	14	0.8	20	80	0.2
	223S3	STUDY POD	LIBRARIES	190	10	2	5	10	0.12	23	32	0.8	40	200	0.2
	223S4	STUDY POD	LIBRARIES	190	10	2	5	10	0.12	23	32	0.8	40	200	0.2
	223S5	STUDY POD	LIBRARIES	78	10	1	5	4	0.12	9	13	0.8	15	80	0.1
	223S6 219A	STUDY POD LIBRARY	LIBRARIES	78 791	10 10	1 8	5	4 40	0.12 0.12	9 95	13 134	0.8 0.8	15 170	80 800	0.1

		BUILDII	NG/EQUIPMENT V	ENTILA	TION CA	ALCUL	ATIO	NS					
	-		ZONE ID				MINIMUM	VENTIL	ATION RATE	ES		_	
EQUIPMENT NUMBER	ROOM NUMBER	ROOM NAME	OCCUPANCY CLASSIFICATION	Az - AREA (SF)	Pz - ZONE OCCU. #/1000 FT	ZONE OCCU.	Rp (CFM/ Person)	RpP	Ra (CFM/SF)	RaA	Vbz (CFM)	EZ	Voz (CFN
UV-1	35	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1077	35	38	10	377	0.12	129	506	0.9	560
00-1	36	STORAGE	STORAGE ROOMS	175	0	0	0	0	0.12	21	21	0.9	25
UV-2	39	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	800	35	28	10	280	0.12	96	376	0.9	420
UV-3	37	STORAGE	STORAGE ROOMS	144	0	0	0	0	0.12	17	17	0.9	20
00-5	38	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1011	35	35	10	354	0.12	121	475	0.9	530
UV-4	207	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	603	35	21	10	211	0.12	72	283	0.9	315
UV-5	205	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	728	35	25	10	255	0.12	87	342	0.9	380
UV-6	217	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	823	35	29	10	288	0.12	99	387	0.9	430
UV-7	204	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	718	35	25	10	251	0.12	86	337	0.9	375
UV-8	206	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	615	35	22	10	215	0.12	74	289	0.9	320
UV-9	216	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	820	35	29	10	287	0.12	98	385	0.9	430
UV-10	204	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1258	35	44	10	440	0.12	151	591	0.9	655
UV-11	206	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1044	35	37	10	365	0.12	125	491	0.9	545
UV-12	216	CLASSROOM	CLASSROOMS (AGE 9 PLUS)	1266	35	44	10	443	0.12	152	595	0.9	660

Vps	3050	(UNCORRECTED OA) Vou	1223
(CORRECTED OA) Vot OA%	1325 43	D Ev	1.00
ADDITIONAL OA%	8		0.92
Vps	3360	(UNCORRECTED OA) Vou	1457
(CORRECTED OA) Vot	1715	D	1.00
OA%	51	Ev	0.85
ADDITIONAL OA%	18		
Vps	3340	(UNCORRECTED OA) Vou	1479
(CORRECTED OA) Vot OA%	1750 52	D Ev	1.00 0.84
ADDITIONAL OA%	18		0.0-
Vps	3340	(UNCORRECTED OA) Vou	1473
(CORRECTED OA) Vot	1750	D	1.00
OA%	52	Ev	0.84
ADDITIONAL OA%	19		
	3340	(UNCORRECTED OA) Vou	1479
(CORRECTED OA) Vot OA%	1740 52	D Ev	1.00 0.8
ADDITIONAL OA%	18		
Vps	3340	(UNCORRECTED OA) Vou	1479
(CORRECTED OA) Vot	1740	D	1.00
OA% ADDITIONAL OA%	<b>52</b> 18	Ev	0.8
	3340		100
Vps (CORRECTED OA) Vot	1585	(UNCORRECTED OA) Vou D	1204
OA%	47	Ev	0.70
ADDITIONAL OA%	32		_
Vps	3340	(UNCORRECTED OA) Vou	146
(CORRECTED OA) Vot	1720	D	1.00
OA% ADDITIONAL OA%	<b>51</b> 17	Ev	0.8
Vinc	3340	(UNCORRECTED OA) Vou	148
Vps (CORRECTED OA) Vot	1725	(UNCORRECTED OA) VOU	1.00
OA%	52	Ev	0.86
ADDITIONAL OA%	17		
Vps	3340	(UNCORRECTED OA) Vou	147(
(CORRECTED OA) Vot	1720	D	1.00
OA% ADDITIONAL OA%	<b>51</b> 17	Ev	0.8
Vps	3340	(UNCORRECTED OA) Vou	148
(CORRECTED OA) Vot	1740	D	1.0
OA%	52	Ev	0.8
ADDITIONAL OA%	18		
	3140 1485	(UNCORRECTED OA) Vou D	116
Vps (CORRECTED OA) Vot	1460		
Vps (CORRECTED OA) Vot OA%	1485 47	Ev	0.7
(CORRECTED OA) Vot		Ev	0.7
(CORRECTED OA) Vot OA%	47	Ev	0.7
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps	47 27 3110	(UNCORRECTED OA) Vou	141
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot	47 27 3110 1630	(UNCORRECTED OA) Vou D	1417
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps	47 27 3110	(UNCORRECTED OA) Vou	1417
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA%	47 27 3110 1630 52	(UNCORRECTED OA) Vou D	1417
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA%	47 27 3110 1630 52	(UNCORRECTED OA) Vou D	1417 1.00 0.87
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA%	47 27 3110 1630 52 15	(UNCORRECTED OA) Vou D Ev	1417 1.00 0.87
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot	47 27 3110 1630 52 15 2075 2075 2075 100	(UNCORRECTED OA) Vou D Ev (UNCORRECTED OA) Vou	141 1.00 0.8 1663 1.00
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot	47 27 3110 1630 52 15 2075 2075	(UNCORRECTED OA) Vou D Ev (UNCORRECTED OA) Vou D	141 <sup>-</sup> 1.00 0.8 <sup>-</sup> 166: 1.00
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA%	47 27 3110 1630 52 15 2075 2075 2075 100 25	(UNCORRECTED OA) Vou D Ev (UNCORRECTED OA) Vou D Ev	141 <sup>-</sup> 1.0 0.8 166 1.0 0.8
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA%	47 27 3110 1630 52 15 2075 2075 2075 100 25	(UNCORRECTED OA) Vou D Ev (UNCORRECTED OA) Vou D Ev U	141 <sup>-</sup> 1.00 0.8 <sup>-</sup> 1663 1.00 0.80
(CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA% Vps (CORRECTED OA) Vot OA% ADDITIONAL OA%	47 27 3110 1630 52 15 2075 2075 2075 100 25	(UNCORRECTED OA) Vou D Ev (UNCORRECTED OA) Vou D Ev	0.79 1417 1.00 0.87 1663 1.00 0.80



complex world

Drawn By: DPM/jtk

Project No.: