
PIPING LEGEND


xx	PIPING BELOW GRADE
xx	EXISTING PIPING
CW	COLD WATER
———— HW ————	HOT WATER
HWR	HOT WATER RECIRCULATING
SAN	SANITARY SEWER
ST	STORM
LPG-	PROPANE GAS
FOS FOS	FUEL OIL SUPPLY
FOR	FUEL OIL RETURN
——— FP ———	FIRE PROTECTION/SPRINKLER
V	VENT
/////////////////////////////////////	PLUMBING TO BE REMOVED
WH-A	WATER HEATER ZONE ONE
WH-B	WATER HEATER ZONE TWO
EXP	EXPANSION
ETR	EXISTING TO REMAIN

FIXTURES & FITTINGS LEGEND

+Ot	TEE OUTLET - UP	co ⊩	CLEAN OUT
	TEE OUTLET - DOWN	FCO	FLOOR CLEAN OUT
	CONNECTION - TOP	wco ⊩	WALL CLEAN OUT
Ot	ELBOW - TURNED UP	НВ	HOSE BIBB
C+	ELBOW - TURNED DOWN	NFHB	NON FREEZE HOSE BIBB
E	PIPE CAP	FD O	FLOOR DRAIN
	UNION	FS	FLOW SWITCH
	FLANGE		PRESSURE SWITCH
δ	BALL VALVE		AQUASTAT
───────────	BALANCING VALVE	$\langle \cdot \rangle$	
	CHECK VALVE		
I [i	BUTTERFLY VALVE		THERMOMETER
	PLUG VALVE		STRAINER
₹P	PRESSURE RELIEF VALVE		INLINE PUMP
	TEMPERATURE-PRESSURE RELIEF VALVE		WATER HAMMER ARRESTER
	PRESSURE REDUCING VALVE	RPZ	REDUCED PRESSURE ZONE BACK FLOW PREVENTER
X	COMBO ISOLATION, CHECK, BALANCE	DCV	DOUBLE CHECK VALVE ASSEMBLY
₽	GAS PRESSURE REGULATOR	ж	SPRINKLER HEAD
		P	POINT OF CONNECTION
		R	POINT OF REMOVAL




PLUMBING EQUIPMENT & FIXTURE SCHEDULE												
MARK	MARK FIXTURE CW HW ST V GAS DESCRIPTION		DESCRIPTION	REMARKS								
RD-1	ROOF DRAIN	-	-	3	-	-	ROOF DRAIN, 12" DIA DOME WITH ADJUSTABLE COLLAR, SUMP RECEIVER, UNDER DECK CLAMP WITH PRIMARY SECONDARY DRAIN	1				
REMARKS												



2ND FLOOR HALLWAY DEMO PLAN SCALE: 1/8" = 1'-0" P203

KEY DEMO NOTES:

- 1 REMOVE EXISTING ROOF DRAIN. REMOVE ALL ASSOCAITED PIPING AND HANGINGS BACK TO POINTS INDICATED. PATCH HOLES, COORDINATE WITH ARCHITECTURAL.
- (2)REMOVE PIPING TO RISER. PREPARE RISER FOR EXTENSION TO 3RD FLOOR.





KEY NOTES: (1) CONNECT STORM PIPING TO EXISTING STORM MAIN.

