

© Kevin P. Hengst, Architect. All rights reserved. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Kevin P. Hengst, Architect. These plans are not to be reproduced, changed or copied without the express written permission of Kevin P. Hengst, Architect. They are prepared for the use of the client and are not to be used for any other project without the express written permission of Kevin P. Hengst, Architect.

1		2		3		4		5		
D	ROOF GENERAL NOTES			GENERAL NOTES				CODED NOTES		
	A. PAINT ALL NEW GAS PIPING ON ROOF. B. PROVIDE CRICKETS ON BACKWATER SIDE OF ALL NEW ROOFTOP EQUIPMENT CURBS. C. PREP DECKING FOR NEW PAINTED FINISH WHERE NEEDED IN NEW ROOMS EXPOSED TO DECK. D. PATCH ALL ABANDONED ROOF DECK OPENINGS (I.E. REMOVED RTU'S, EXHAUST SYSTEMS, ETC.) WITH NEW ROOF DECKING TO MATCH EXISTING. NO ROOF OPENINGS ARE PERMITTED.			A. REFER TO ELECTRICAL DRAWINGS FOR LIGHT FIXTURE SCHEDULE. B. REFER TO FINISH SCHEDULE FOR CEILING TYPES. C. ELECTRICAL CONTRACTOR TO BE RESPONSIBLE FOR ALL LOCAL CODE REQUIREMENTS CONCERNING SEISMIC BRACING AND LATERAL SUPPORT REQUIREMENTS. D. COORDINATE EXIT SIGNS LOCATIONS/HEIGHTS WITH LOCAL FIRE MARSHAL. GC TO VERIFY THAT EXIT SIGNS WILL NOT INTERFERE WITH TENANTS INTERIOR GRAPHICS OR LIGHTING. E. G.C. IS RESPONSIBLE FOR STRAIGHTENING/RE-ALIGNING LIGHTING ROWS AFTER FIXTURES INSTALLATION IS COMPLETED. F. ROUTE ALL WATER, GAS, VENT PIPING IN JOIST SPACE OR TO IMMEDIATE UNDERSIDE OF JOIST. MODIFY ANY EXISTING UTILITIES AS REQUIRED. G. MODIFY EXISTING SPRINKLER SYSTEM AS REQUIRED TO OBTAIN LIGHTING HEIGHTS AS SHOWN AND AVOID ANY OTHER ELECTRICAL, MECHANICAL, AND PLUMBING SYSTEMS AS SHOWN ON THESE CONSTRUCTION DRAWINGS. H. CEILING, LIGHTING, ETC. SUPPORTING SYSTEMS SHALL ATTACH TO STRUCTURAL MEMBERS ONLY. ARE NOT PERMITTED TO BE ATTACHED TO ROOF DECKING, BRIDGING OR WIND BRACING, AND SHALL COMPLY WITH SEISMIC ZONING BRACING REQUIREMENTS. DESIGN OF THE SUPPORTING SYSTEM IS TO FOLLOW THE MANUFACTURERS INSTALLATION REQUIREMENTS AND IS THE CONTRACTORS RESPONSIBILITY. I. ANY EXISTING CEILING ITEMS THAT ARE TO REMAIN IN OPERATION (FOR EXAMPLE: EXISTING ROOF DRAINAGE PIPING, EXISTING GENERAL PIPING, EXISTING CONDUITS, EXISTING DUCT WORK OR ANY OTHER EXISTING BUILDING SYSTEM ELEMENTS) ARE TO BE RAISED AS REQUIRED FOR LIGHT FIXTURE INSTALLATION. G.C. TO COORDINATE AS REQUIRED. J. NOT USED. K. EXISTING SPRINKLER SYSTEM (MAINS, BRANCH LINES, ETC.) TO BE RAISED IN THE JOIST SPACE TO AVOID ALL OTHER SYSTEMS (LIGHT FIXTURES, DUCT WORK, ETC.). LIGHT FIXTURE HEIGHTS GOVERN OVER ALL MECHANICAL, ELECTRICAL AND PLUMBING SYSTEM HEIGHTS. MODIFY SPRINKLER SYSTEM AS REQUIRED FOR NEW WALL LAYOUT AND NEW MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SHOWN ON THE CONSTRUCTION DOCUMENTS. TURN HEADS UP AND PAINT LINES PER THE FINISH SCHEDULE WHEN EXPOSED TO VIEW CONDITIONS OCCUR. L. NEW SPRINKLER SYSTEM (MAINS, BRANCH LINES, ETC.) TO BE INSTALLED IN THE JOIST SPACE TO AVOID ALL OTHER SYSTEMS (LIGHT FIXTURES, DUCT WORK, ETC.). LIGHT FIXTURE HEIGHTS GOVERN OVER ALL MECHANICAL, ELECTRICAL AND PLUMBING SYSTEM HEIGHTS. COORDINATE INSTALLATION WITH ANY NEW MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SHOWN ON THE CONSTRUCTION DOCUMENTS. TURN HEADS UP AND PAINT LINES PER THE FINISH SCHEDULE WHEN EXPOSED TO VIEW CONDITIONS OCCUR.				1. NOT USED. 2. REPLACE ACOUSTIC CEILING TILES WITH NEW ACT-2 MOISTURE RESISTANT ACOUSTIC CEILING TILES IN EXISTING GRID. 3. NEW EXTENDED GRID AND MOISTURE RESISTANT ACOUSTIC TILE AT 10'-0" A.F.F. 4. NOT USED. 5. NEW SURFACE MOUNTED LED LIGHT FIXTURES INSTALLED WITH 2" SPACERS AND WRAP AROUND LENS. REFER TO ELECTRICAL DRAWINGS FOR DETAILS. 6. RELOCATED LIGHT FIXTURES SUSPENDED AT 11'-0" A.F.F. USING GRIPPLE LOOP WITH EXPRESS FASTENER CABLE SYSTEM. REFER TO ELECTRICAL DRAWINGS FOR DETAILS. 7. NEW LIGHT FIXTURE SUSPENDED AT 11'-0" A.F.F. USING GRIPPLE LOOP WITH EXPRESS FASTENER CABLE SYSTEM. REFER TO ELECTRICAL DRAWINGS FOR DETAILS. 8. NEW DUCTWORK INSTALLED AT MAX. HEIGHT. EXPOSED TO VIEW DUCTWORK TO BE FABRICATED WITH PAINT GRIP FINISH. PAINT ALL EXPOSED DUCTWORK INCLUDING SUPPLY AND RETURN DROPS PER THE FINISH SCHEDULE. REFER TO MECHANICAL DRAWINGS FOR DETAILS. 9. NEW VANITY LIGHT IN EXISTING RESTROOM. SEE ELECTRICAL DRAWINGS FOR DETAILS.		
03		NOT USED			SCALE: 1" = 1'-0"					
B	<div><div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div></div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div></div></div><div><div><div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div></div></div></div><div>3" RADIUS TOLERANCE (TYP.)</div><div>SPRINKLER (TYP.)</div><div>NOTE: SPRINKLER SHALL BE POSITIONED AS SHOWN WITH A 3" TOLERANCE (IN 2'x4' AND 2'x2' TILE). HOWEVER, SHOULD ANY PART OF THE TOLERANCE BE USED, ALL SPRINKLERS IN THE ROW SHALL BE OFFSET BY THE SAME DISTANCE, IN THE SAME DIRECTION.</div></div>									
	06		SPRINKLER HEAD LOCATION DETAIL		SCALE: N.T.S.					
A										
	02		NOT USED		01			REFLECTED CEILING PLAN		SCALE: 1/8" = 1'-0"

Date  
05/28/2021  
08/06/2021

Issue  
Bid Permit Set  
Addendum A

Kevin P. Hengst,  
Architect

1250 Old River Road  
Suite 201  
Cleveland Ohio 44113-1243  
216 586 0440 f  
216 325 0535 t

Job No. 21256

**PET SUPPLIES PLUS**  
Store #4175 Stony Point, NY  
Interior Renovation

22 Holt Dr. Suite 107,  
Stony Point, NY 10980

Reflected Ceiling Plan