



Kevin P. Hengst,
Architect

1250 Old River Road Suite 201 Cleveland Ohio 44113-1243 216 586 0440 f 216 325 0535 t

Job No. 21256

PET SUPPLIES PLUS
Store #4175 Stony Point, NY
Interior Renovation

22 Holt Dr. Suite 107,
Stony Point, NY 10980

Details

A 8.0

<p>1</p> <p>18 NOT USED</p> <p>SCALE: N.T.S.</p>	<p>2</p> <p>17 NOT USED</p> <p>SCALE: 3" = 1'-0"</p>	<p>3</p> <p>NOTE: CAULK FRP AT ALL TOPS AND TERMINATION POINTS.</p> <p>FRP PANEL. FRP PANEL TO END AT QUARRY TILE BASE.</p> <p>TERMINATE FRP INTO J-CHANNEL.</p> <p>MOISTURE RESISTANT GYPSUM BOARD.</p> <p>WRAP WATERPROOF MEMBRANE UP WALL MIN. 12" BEHIND NEW 6" HIGH COVED QUARRY TILE BASE.</p> <p>SLIP RESISTANT FLOOR FINISH AS SCHEDULED SET IN LATEX-PORTLAND CEMENT MORTAR.</p> <p>FLOOR SLAB.</p> <p>SCHLUTER-KERDI WATERPROOF MEMBRANE SET IN COMPATIBLE ADHESIVE. WRAP WATERPROOFING MEMBRANE UP WALL BEHIND WALL BASE.</p> <p>16 BASE DETAIL @ GROOMING / BATHING</p> <p>SCALE: 3" = 1'-0"</p>	<p>4</p> <p>15 NOT USED</p> <p>SCALE: 3" = 1'-0"</p>	<p>5</p> <p>14 NOT USED</p> <p>SCALE: 6" = 1'-0"</p>
<p>13 NOT USED</p> <p>SCALE: N.T.S.</p>	<p>12 NOT USED</p> <p>SCALE: 1" = 1'-0"</p>	<p>11 NOT USED</p> <p>SCALE: 1/4" = 1'-0"</p>	<p>10 NOT USED</p> <p>SCALE: 6" = 1'-0"</p>	<p>09 NOT USED</p> <p>SCALE: N.T.S.</p>
<p>08 NOT USED</p> <p>SCALE: 1" = 1'-0"</p>	<p>07 NOT USED</p> <p>SCALE: 1" = 1'-0"</p>	<p>06 CONTROL JOINT FOR ONE-HOUR RATED PARTITION</p> <p>5/8" FIRECODE TYPE 'X' GYPSUM PANEL.</p> <p>5/8" FIRECODE TYPE 'X' GYPSUM PANEL.</p> <p>SHEETROCK ZINC CONTROL JOINT NO. 093 BOTH SIDES.</p> <p>NOTE: MAX. SPACING TO BE 30'-0" ADHERE TO MANUF. WRITTEN ATTACHMENT REQUIREMENTS.</p> <p>1/2" MAX.</p> <p>3-1/8" MAX.</p> <p>5/8" FIRECODE TYPE 'X' GYPSUM PANEL.</p> <p>06 CONTROL JOINT FOR ONE-HOUR RATED PARTITION</p> <p>SCALE: 3" = 1'-0"</p>	<p>05 GYPSUM BOARD CONTROL JOINT</p> <p>5/8" GYPSUM PANEL.</p> <p>5/8" GYPSUM PANEL.</p> <p>SHEETROCK ZINC CONTROL JOINT NO. 093 BOTH SIDES.</p> <p>NOTE: MAX. SPACING TO BE 30'-0" ADHERE TO MANUFACTURER'S WRITTEN ATTACHMENT REQUIREMENTS.</p> <p>1/2" MAX.</p> <p>5/8" GYPSUM PANEL.</p> <p>05 GYPSUM BOARD CONTROL JOINT</p> <p>SCALE: 3" = 1'-0"</p>	<p>04 NOT USED</p> <p>SCALE: 1 1/2" = 1'-0"</p>
<p>03 NOT USED</p> <p>SCALE: N.T.S.</p>	<p>02 NOT USED</p> <p>SCALE: 1/2" = 1'-0"</p>	<p>01 SLAB TRENCH DETAIL</p> <p>#4x1'-0" INTO EXISTING SLAB @ 24" EVERY OTHER SIDE - 48" O.C. DRILL & EPOXY DOWEL W/ HILT HIT-HY 150 MAX.</p> <p>4" MIN. THICK CONCRETE INFILL WITH 6x6-W2.1xW2.1 WWF.</p> <p>VAPOR BARRIER AS REQUIRED BY LOCAL CODE.</p> <p>PLUMBING TRENCH.</p> <p>6" EMBED. TYP.</p> <p>COMPACTED GRANULAR SUB-BASE.</p> <p>01 SLAB TRENCH DETAIL</p> <p>SCALE: 1 1/2" = 1'-0"</p>		<p>01 SLAB TRENCH DETAIL</p> <p>SCALE: 1 1/2" = 1'-0"</p>

© Kevin P. Hengst, Architect. All drawings, specifications, and notes are the property of Kevin P. Hengst, Architect. No part of these drawings, specifications, or notes may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Kevin P. Hengst, Architect. THE ENGINEER OR ARCHITECT DISCLAIMS RESPONSIBILITY FOR THESE PLANS AND SPECIFICATIONS IF THEY ARE ALTERED OR USED IN WHOLE OR IN PART AT ANY OTHER SITE OR PROJECT THAN THE ONE FOR WHICH THEY WERE SPECIFICALLY PREPARED. THESE PLANS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED WITHOUT THE EXPRESS WRITTEN PERMISSION OF KEVIN P. HENGST, ARCHITECT.