



- GENERAL NOTES:**
1. KEEP DUCT AND PIPING AS HIGH AS POSSIBLE TO MAXIMUM HEAD ROOM IN BASEMENT.
 2. NO PIPING OR DUCTWORK SHALL BE LOCATED IN THE ELEVATOR MACHINE ROOM (B7) EXCEPT FOR REFRIGERANT AND CONDENSATE PIPE SERVING AC-2.

BASEMENT HVAC PLAN
SCALE: 1/4" = 1'-0"

NEW YORK
STATE OF
OPPORTUNITY.

**Parks, Recreation
and Historic Preservation**

Governor Andrew M. Cuomo

Commissioner Erik Kulesold

IT IS A VIOLATION OF STATE EDUCATION LAW FOR ANY PERSON, UNLESS UNDER THE DIRECTION OF A LICENSED ARCHITECT/ENGINEER TO ALTER THE DOCUMENT IN ANY WAY. ALTERATIONS MUST HAVE THE SEAL AFFIXED ALONG WITH A DESCRIPTION OF THE ALTERATIONS. DATE AND ARCHITECT'S/ENGINEER'S SIGNATURE. COPYRIGHT © 2021

Architect:
Saratoga Associates
21 Congress Street, Suite 201
Saratoga Springs, NY 12866

SARATOGA ASSOCIATES
Landscape Architecture, Architecture, Engineers, and Planners, P.C.

Engineer:
Barton and Loguidice
443 Electronics Parkway
Liverpool, NY 13088

Barton & Loguidice

Exhibit Designer:
AMAZE DESIGN
PO Box 51905
Boston, MA 02205-9761

amaze DESIGN

NYS OPRHP Taconic Region
9 Old Post Rd, PO Box 308
Staatsburg, New York 12580
(845) 889-4100
Regional Director: Linda Cooper
District Manager: Garrett Jobson

Project Title:
Philipse Manor Hall State Historic Site
Construction of Elevator/Restroom
Addition, Interior and Exterior
Rehabilitation and Site Enhancements

Project Location:
29 Warburton Ave, Yonkers, NY, 10701

Key Plan

REVISIONS		
Rev No	Description	Date

Drawn By:
RAD

Design By:
SLW

Checked By:
DGM

Approved By:
DGM

Date:
5/28/2021

Seal and Signature

Sheet Title:
BASEMENT
HVAC PLAN

Bid Documents

Project Number:
1299.029.001

Drawing Number:

M101

Sheet: