SECTION 102800

TOILET AND BATH ACCESSORIES

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Toilet and bath, shower, washroom accessories.
- B. Grab bars.
- C. Section 06100 Rough Carpentry: Placement of concealed anchor devices.

1.2 SYSTEM DESCRIPTION

A. Conform to applicable code for installing work in conformance with ANSI A117.1.

1.2 SUBMITTALS

A. Product Data: Provide data on accessories describing size, finish, details of function, attachment methods.

PART 2 PRODUCTS

2.1 MATERIALS

A. Manufacturers: American Specialties, Inc., or equal.

A&J Washroom Accessories

Bobrick Washroom Accessories

- B. Sheet Steel: ASTM A366.
- C. Stainless Steel Sheet: ASTM A167 Type 304.
- D. Tubing: ASTM A269 stainless steel.
- E. Plastic Laminate: General Purpose; 1/16 inch thick, finish, color, pattern, as selected.
- F. Adhesive: Two component epoxy, waterproof.
- G. Fasteners, Screws, and Bolts: Hot dip galvanized steel.

2.2 FABRICATION

- A. Form surfaces flat without distortion. Weld and grind joints smooth.
- B. Shop assemble components and package with anchors and fittings.
- C. Back paint components to prevent electrolysis.
- D. Provide steel anchor plates, adapters, and anchor components for installation.
- E. Hot dip galvanize exposed and painted ferrous metal and fastening devices.

2.3 FINISHES

- A. Anchors: Galvanize to 1.25 oz/sq yd.
- B. Ferrous Metals Shop Primed: Pre-treat and clean, spray apply one coat primer and bake.
- C. Enamel: Pre-treat, one coat primer and two coats electrostatic baked enamel.
- D. Chrome/Nickel Plating: ASTM B456, Type SC 2; satin polished finish.
- E. Stainless Steel: No. 4 satin luster finish.

PART 3 EXECUTION

3.1 EXAMINATION AND PREPARATION

- A. Verify exact location of accessories for installation.
- B. Deliver inserts & rough-in frames to site. Provide templates & rough-in measurements as required.

3.2 INSTALLATION

- A. Install fixtures, accessories and items in accordance with manufacturers' instructions.
- B. Install plumb and level, securely and rigidly anchored to substrate.

3.3 ACCESSORIES SCHEDULE

| MK | Name | Description | MFR | Cat. No. | Remarks |
|------------------|---------------------|----------------------------------|--------|--------------------|--|
| MC | Medicine Cabinet | Surf. Mtd. | Jensen | 18x30 SS8 WB/ST | 18" x 30" surface mount, single door, medicine cabinet |
| M-1 | Mirror | Surf. Mtd. | - | - | 18"x36", Beveled Edge, Provide cutout Soap Dispenser |
| TPH-1 | Tissue Holder | Single Roll -Surf Mtd | A & J | UC41 | |
| TPH-2 | Tissue Holder | Double Roll-Surf Mtd | A & J | U804 | Lock |
| GB-18 | Grab Bar | 1 1/2" dia. x 18" L | A & J | UG130A | Provide Blocking |
| GB-36 | Grab Bar | 1 1/2" dia. x 36" L | A & J | UG130A | Provide Blocking |
| GB-42 | Grab Bar | 1 1/2" dia. x 42" L | A & J | UG130A | Provide Blocking |
| TB-12, 18, 24 | Towel Bar | Towel Bar Length as Indicated | A & J | UC31 | Provide Blocking |
| Н | Towel Hook | Double Towel Hook | A & J | UC12 | Provide Blocking |

| L'Dor Assisted L | iving | | | |
|------------------|-------|-----|-------|----|
| West Clarkstown | Road, | New | City, | NY |

Toilet and Bath Accessories Section 102800 - 3

| CR | Curtain Rod | 1" dia. x 60" L | A & J | UX163 | Provide Blocking |
|-----|---|-----------------|-------|---------|------------------------------|
| SD | Sensor Activated Soap Dispenser | Surf. Mtd | A & J | U135 EA | Provide Batteries & Blocking |
| PTD | Sensor Activated Paper Towel Dispenser | Surf. Mtd | A & J | U199 | Provide Batteries & Blocking |

END OF SECTION