

# George Latimer, Westchester County Executive

General Requirements and Proposals Information for Bidders General and Special Clauses Technical Specifications

HOUSE REFURBISHMENT 41 CHURCH STREET BEDFORD, NEW YORK

Contract No. 21-527

**Bid Opening: December 8, 2021** 

By Bidder (Please Print)	For Official Use Only
Firm/Business Name:	
Address:	

DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION

Division of Engineering

County of Westchester New York

# ADDENDA TO THE BID DOCUMENTS

Addenda to the Bid Documents will be published on the Empire State Purchasing Group website at (<a href="http://www.bidnetdirect.com/new-york">http://www.bidnetdirect.com/new-york</a>) It is the responsibility of each potential bidder to check the website on a regular basis for further information relative to the bid documents including information relating to any and all addenda prior to submitting its bid. All Bidders are deemed to have reviewed and considered all addendums in their Bid.

# **SUBMISSION OF BIDS**

Bidders should not submit the entire bid document with its bid submission. Instead, each bidder is required to submit the full set of designated Proposal Pages. The Proposal Pages are denoted by a border and are titled on the bottom as "Proposal Page \_\_\_\_". The Proposal Pages must be accompanied by the "Bid Bond and Consent of Surety" (as set forth in the Proposal Pages) attached to the outside of the sealed bid. A Bid Bond is NOT required for contracts of \$100,000 or less. Failure to submit in this manner may cause the bid to be rejected.

The successful bidder will be required to furnish a Performance and Payment Bond.

County of Westchester New York

# **MANDATORY PRE-BID SITE INSPECTION**

A. Superseding the first paragraph of Article "3. PRE-BID SITE INSPECTION" of the Information for Bidders, Bidders are required to attend a Mandatory Pre-Bid Site Inspection at 10:00 a.m. on Tuesday, November 30, 2021 at a meeting at the 41 Church St., Bedford, New York, at which time they will examine the work site under escort by the County's representative.

# BIDS FROM CONTRACTORS NOT IN ATTENDANCE AT THIS MEETING, OR THOSE WHO FAIL TO SIGN THE ATTENDANCE SHEET-WILL BE REJECTED

- B. Bidders shall indicate their interest in the Mandatory Pre-Bid Site Inspection by contacting Adam Kaplinski, R.A., Department of Public Works, Division of Engineering at 914-995-3991.
- C. All other portions of Article "3. PRE-BID SITE INSPECTION" of the Information for Bidders shall remain in full force and effect.

County of Westchester New York

# JOINT VENTURES OR CONTRACTORS COMPRISED OF MORE THAN ONE LEGAL ENTITY

- (a) If the Contractor is a joint venture or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purpose of undertaking this agreement, each such entity, partner and/or participant acknowledges and hereby affirmatively represents and agrees that each has the power to bind the Contractor and each of the others hereunder; and as such, each acts both as principal and agent of the Contractor and of each of the others hereunder. Each further acknowledges and agrees that all such entities, participants and/or partners of the joint venture associated for the purposes of undertaking this agreement expressly agree to be jointly and severably liable for any and all obligations and/or liabilities of the Contractor arising in any way out of and in connection with this agreement.
- (b) If the Contractor is a joint venture, or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purposes of undertaking this agreement, the Contractor represents and warrants to the County that it is duly organized under the laws of the State of New York, and that each and every entity, partner, participant or joint venture of Contractor agrees to separately execute the agreement, by its own authorized representative, with the appropriate acknowledgment and verification.
- (c) If the Contractor is a joint venture or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purpose of undertaking this agreement, either at least one such entity, partner and/or participant comprising the Contractor and on behalf of the Contractor or the Contractor itself, shall comply with all requirements of the bid specifications herein and prerequisites to submit a bid, including but not limited to attendance of any mandatory pre-bid meetings, if any, and obtaining the bid documents and any addenda from the Empire State Purchasing Group website, or any successor website for posting of bid documents.
- (d) If the Contractor is a joint venture or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purposes of undertaking this agreement, each such entity, partner and/or participant acknowledges and hereby affirmatively represents and agrees that the respective rights, duties and liabilities of each hereunder shall be governed by the laws of the State of New York, including but not limited to the New York Partnership Law.

County of Westchester New York

#### MINORITY PARTICIPATION POLICY

Contractors must comply with the County's Minority Participation Policy, including, but not limited to, the requirement that contractors make a demonstrated good faith effort to utilize Minority Owned Businesses ("MOB") and Women Owned Businesses ("WOB") (see IFB Article 36). To assist contractors in this effort the County has made available a list of MOB and WOB at <a href="http://mwbe.westchestergov.com/">http://mwbe.westchestergov.com/</a> Contractors are also encouraged to utilize other sources to identify potential MOB and WOB as subcontractors and suppliers.

All bidders must submit as part of their bid package the Minority/Women Owned Business Enterprise Questionnaire located in the Proposal Page section of the bid documents.

County of Westchester New York

# **ALTERNATES**

This contract consists of the Base Bid and One (1) Add Alternate as defined in the Specifications and on the Drawings.

It is the goal of the County to award the Base Bid and Alternate 1 if the low bid for both items are within the amount budgeted for this project. If the Base Bid and Alternate 1 exceed the amount budgeted for this project, the contract will be awarded to the bidder submitting the lowest Base Bid.

# ALTERNATE 1

For providing all labor, material and equipment necessary to complete all work as shown on the contract drawings and in accordance with the specifications for:

Removal / abatement of asbestos containing vinyl tile at the Attic & installation of 1/4" luan plywood sub-floor over entire attic floor sheathing.

County of Westchester New York

#### **INSURANCE REQUIRED:**

In addition to the insurance requirements listed in Section 2 of the Information for Bidders, the Contractor, at their own cost and expense, shall provide and maintain the following:

# **BUILDERS RISK INSURANCE**

The Contractor must provide and maintain a **Builder's Risk Form, All Risk Insurance**Contract. The coverage shall be written for 100% of the completed value, with the County of Westchester named as loss payee as its interest may appear. In formulating its proposal, the Contractor shall include the costs for this coverage. In the event that claims, for which the County may be liable, in excess of the insured amounts provided herein are filed by reason of Contractor's negligent acts or omissions under the Agreement or by virtue of the provisions of the labor law or other statute or any other reason, the amount of excess of such claims or any portion thereof, may be withheld from payment due or to become due the Contractor until such time as the Contractor shall furnish such additional security covering such claims in form satisfactory to the County of Westchester.

#### OWNERS PROTECTIVE LIABILITY POLICY

Contractor must provide an Owners Protective Liability Policy naming the County of Westchester as insured, with a minimum limit of liability per occurrence of \$3,000,000. NOTE: Owners And Contractors Protective Liability (OCP) coverage is required for work involving climbing, scaffolding, cranes, or other lift devices.

#### CRANE, RIGGING & CRANE OPERATOR (RIGGER LIABILITY) INSURANCE

Crane, Rigging, & Crane Operator (Rigger Liability) Insurance with a minimum combined single limit of \$10,000,000 unless otherwise indicated in the contract specifications. This insurance shall include coverage for bodily injury and property damage and name the "County of Westchester" as additional insured. This total minimum limit may be achieved through any combination of primary, excess, or umbrella policies.

In addition, any cranes or equipment used to lift material up to the roofs shall be approved with the County minimum 72 hr. prior to use. Contractor to obtain all permits for such cranes or equipment as required by local authorities, the State of New York and OSHA. The Contractor is

# CONTRACT NO. 21-527

required to provide NYS PE stamped shop drawings for all such equipment, cost of which shall be included in the contractors bid. Any required road closures or use of adjacent parking lots shall require approval of Westchester County.

County of Westchester New York

#### CHANGES IN THE WICKS LAW

Effective July 1, 2008, construction contracts of one million five hundred thousand dollars or less will not require the preparation of separate contracts for plumbing and gas fitting; steam heating, hot water heating, ventilation and air conditioning apparatus; and electric wiring and standard illuminating fixtures and general construction.

Each bidder on a public work contract, where the preparation of separate contracts is not required shall, to the full extent applicable, submit with its bid a separate sealed list that names each Subcontractor that the bidder will use to perform work on the contract and the agreed upon price to be paid to each for (a) plumbing and gas fitting, (b) steam heating, hot water heating, ventilating and air conditioning apparatus and (c) electric wiring and standard illuminating fixtures and (d) general construction. The submission (Proposal Page 6) that contains the agreed upon price shall be acknowledged by both Contractor and Subcontractor. For purposes of this paragraph, the acknowledgment from the Subcontractor may contain the facsimile signature of an officer of the Subcontractor.

After the low bid is announced, the sealed list of subcontractors submitted with the bid shall be opened and the names of such subcontractors shall be announced. Thereafter, any changes of subcontractors or agreed-upon amount to be paid to each shall require the approval of the County upon a showing of legitimate construction need for such change.

The Successful low bidder, before award of the contract, must procure and provide to the County, from each of the above denoted Subcontractors, a Contract Disclosure Statement and the Required Disclosure of Relationships to County forms.

The sealed lists of Subcontractors submitted by unsuccessful bidders shall be destroyed after the contract award.

THIS PROJECT IS NOT SUBJECT TO THE REQUIREMENTS OF THE "WICKS LAW". ACCORDINGLY, EACH BIDDER IS REQUIRED TO SUBMIT SPECIFIC INFORMATION PERTAINING TO ITS PROPOSED SUBCONTRACTORS. PLEASE SEE THE "NOTICE TO CONTRACTORS" THAT FORMS A PART OF THESE BID DOCUMENTS.

County of Westchester New York

# **COMPLETION OF GRANT FUNDING FORMS**

The bidders are hereby notified that if this project, or any portion thereof, is funded by a grant then the contractor will be responsible to complete all appropriate forms as required by the grant agency in order to complete the application.

# PROMPT EXECUTION AND RETURN OF CONTRACT

- A. The successful bidder is required to return the completed contract to the County within ten (10) days of receipt of the execution copy of the contract. The contract must be signed, notarized and returned to the County with all insurance certificates, bonds and supporting documentation, including all required Subcontractor information.
- B. The County reserves all of its rights, including, but not limited to, proceeding against the bid bond, if the successful bidder fails to submit the complete executed package within the above time frame.

County of Westchester New York

# PROOF OF PAYMENT BY CONTRACTOR TO SUBCONTRACTORS AND MATERIALMEN.

In addition to and without limiting any of the provisions set forth in Section 23 of the Information for Bidders, after the Contractor completes 50% of the work under the contract, the Contractor shall supplement each requisition submitted to the County with documentation that establishes that the Contractor has timely and properly paid its subcontractors and materialmen as required by Section 23 of the Information For Bidders. Such documentation shall include copies of both sides of cancelled check(s) paid to the order of the subcontractors and materialmen and such other documentation as may be reasonably requested by the Commissioner. If the Contractor fails to submit such documentation, the Commissioner may, in his sole discretion, withhold payment of the requisition until such time as the documentation is properly submitted. Nothing herein is intended or shall be construed to confer upon or give any subcontractor or materialman, or its successors and assigns, any third party beneficiary rights, remedies or basis for reliance upon, under or by reason of the contract or this Special Notice provision.

County of Westchester New York

# **PREVAILING WAGE**

All public works contracts are subject to the payment of the prevailing wage and supplements as set forth by the laws of the State of New York, including, but not limited to, Articles 8 and 9 of the New York Labor Law (the "Prevailing Wage Laws"). Westchester County has an active Prevailing Wage Enforcement Officer who enforces the Prevailing Wage Laws within the County for public works contracts, including reviewing certified payroll records, visiting job sites, interviewing the employer and employees (See IFB Article 12) and, if necessary, requesting copies of cancelled checks.

Any Contractor who fails to comply with the Prevailing Wage Laws, including, but not limited to, failing to pay the prevailing wage rates and supplements, failing to submit certified payroll records to the County or failing to post the prevailing wage rates and supplements at the work site, will be subject to enforcement as provided for in the Contract and laws of the State of New York through the Westchester County District Attorney's office, the Commissioner of the New York State Department of Labor, the County and/or the employee who suffered the underpayment. This enforcement could include, but is not limited to, criminal penalties, civil penalties, debarment from future bid awards, the withholding of payment under the Contract to satisfy the unpaid wages and supplements, including interest and civil penalty. In addition, such a failure shall constitute grounds for cancellation of the Contract (IFB 8(C)). Moreover, a prime contractor is responsible for its subcontractor's failure to comply with, or evasion of, the provisions of the Prevailing Wage Laws.

County of Westchester New York

# **MANDATORY OSHA CERTIFICATION**

When a public works contract is in excess of \$250,000.00, all employees are required to have successfully completed the OSHA 10 hours training class. All contractors and subcontractors must attach copies of proof of completion of the OSHA 10 hour course by all employees to the first certified payroll submitted to the County and on each succeeding payroll where any new or additional employee is first listed. Employees may be requested by the County's representative to verify compliance with the OSHA 10 hour course by showing their OSHA card.

When a public works contract is in excess of \$1,000,000.00, all employees are required to have successfully completed the OSHA 30 hours training class. All contractors and subcontractors must attach copies of proof of completion of the OSHA 30 hour course by all employees to the first certified payroll submitted to the County and on each succeeding payroll where any new or additional employee is first listed. Employees may be requested by the County's representative to verify compliance with the OSHA 30 hour course by showing their OSHA card.

In addition, on any contract that includes excavation of underground facilities, the excavator is required to be certified and have completed the training and education program provided by the one-call notification system (Dig Safely New York, Inc. Certified Excavator Program in Safe Digging Best Practices) or any other provider authorized by the public service commission to administer such training and education program.

County of Westchester New York

# JOINT VENTURES OR CONTRACTORS COMPRISED OF MORE THAN ONE LEGAL ENTITY

- (a) If the Contractor is a joint venture or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purpose of undertaking this agreement, each such entity, partner and/or participant acknowledges and hereby affirmatively represents and agrees that each has the power to bind the Contractor and each of the others hereunder; and as such, each acts both as principal and agent of the Contractor and of each of the others hereunder. Each further acknowledges and agrees that all such entities, participants and/or partners of the joint venture associated for the purposes of undertaking this agreement expressly agree to be jointly and severably liable for any and all obligations and/or liabilities of the Contractor arising in any way out of and in connection with this agreement.
- (b) If the Contractor is a joint venture, or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purposes of undertaking this agreement, the Contractor represents and warrants to the County that it is duly organized under the laws of the State of New York, and that each and every entity, partner, participant or joint venture of Contractor agrees to separately execute the agreement, by its own authorized representative, with the appropriate acknowledgment and verification.
- (c) If the Contractor is a joint venture or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purpose of undertaking this agreement, either at least one such entity, partner and/or participant comprising the Contractor and on behalf of the Contractor or the Contractor itself, shall comply with all requirements of the bid specifications herein and prerequisites to submit a bid, including but not limited to attendance of any mandatory pre-bid meetings, if any, and obtaining the bid documents and any addenda from the Empire State Purchasing Group website, or any successor website for posting of bid documents.
- (d) If the Contractor is a joint venture or otherwise comprised of more than one legal entity or any group of partners, participants or joint ventures associated for the purposes of undertaking this agreement, each such entity, partner and/or participant acknowledges and hereby affirmatively represents and agrees that the respective rights, duties and liabilities of each hereunder shall be governed by the laws of the State of New York, including but not limited to the New York Partnership Law.

#### **NOTICE TO CONTRACTORS**

County of Westchester New York

Sealed proposals for the following construction work:

CONTRACT NO: <u>21-527</u> ADVERTISING: <u>November 19, 2021</u>

MANDATORY PRE-BID INSPECTION: November 30, 2021

# HOUSE REFURBISHMENT 41 CHURCH STREET BEDFORD, NEW YORK

will be received by the Board of Acquisition and Contract in Room 528, Michaelian Office Building, 148 Martine Ave., White Plains, New York until 11:00 a.m., **Wednesday**, **December 8**, **2021**, and immediately thereafter, the bids will be publicly opened and read aloud in Room 527 of the said building. The bid opening also will be made accessible to the public via the livestreaming service WebEx. The livestreaming of the bid opening via WebEx is in addition to and not in place of the publicly bid opening to be held in Room 527 of the Michaelian Office Building. For additional bidding information or questions call (914) 995-2274.

Instructions for livestreaming via WebEx. Attendees may join by computer browser at <a href="https://westchestergov.webex.com/meet/bac-bidopening">https://westchestergov.webex.com/meet/bac-bidopening</a> or by phone 1-415-655-0001 US Toll or 1-844-621-3956 US Toll Free. The Access Code is 614 981 028.

The Bid Documents (General Requirements, Information for Bidders, Technical Specifications, etc. with Authorized Proposal Pages)

MUST BE OBTAINED from the Empire State Purchasing Group website at the following web address:

http://www.bidnetdirect.com/new-york.

There is no cost to the bidder for this service. Bid documents will be available after 1:00 p.m. on the advertising date.

PLEASE TAKE NOTICE: IN ORDER TO SUBMIT A BID, BIDDERS MUST REGISTER AND DOWNLOAD THE BID DOCUMENTS FROM THE EMPIRE STATE PURCHASING GROUP WEBSITE AND MUST REGISTER USING THE NAME OF THE PERSON OR BUSINESS ENTITY THAT WILL BE SUBMITTING THE BID. IN ORDER TO ENSURE THAT COUNTY BID DOCUMENTS HAVE NOT BEEN ALTERED IN ANY WAY, THE COUNTY WILL NOT ACCEPT BIDS FROM PERSONS OR BUSINESS ENTITIES THAT HAVE NOT FOLLOWED THIS REQUIREMENT.

The Bid Documents include Contract Drawings which MAY BE OBTAINED at no cost on the Empire State Purchasing Group website at the following web address: <a href="http://www.bidnetdirect.com/new-york">http://www.bidnetdirect.com/new-york</a>, after 1:00 p.m. on the advertising date.

If the bidder is unable to utilize the electronic version of the Contract Drawings that are available on the Empire State Purchasing Group Website, the bidder may purchase copies of the Contract Drawings. Contract Drawings may be obtained from the Office of the Board of Acquisition and Contract at the above address after 1:00 p.m. on the advertising date and between the hours of 9:00 a.m. to 4:00 p.m. Monday thru Friday. Copies of the Contract Drawings shall be made available upon payment of a personal check, company check or money order made payable to the County of Westchester, in the amount of \$100.00 per set. For bidders, the deposit for each set of drawings will be refunded in full if returned in good condition within thirty days after award or rejection of bids. For non-bidders, only fifty percent of the deposit will be refunded. No refunds will be made to the successful bidder.

Each bidder is required to submit the full set of authorized Proposal Pages and all bids over \$\frac{\$100,000.00}{\$}\$ must also be accompanied by the "Bid Bond and Consent of Surety" (as set forth in the Proposal Pages) attached to the outside of the sealed bid. Failure to submit in this manner may cause the bid to be rejected. The successful bidder, no matter the amount of its bid, will be required to furnish a Performance and Payment Bond with its signed contract.

To the full extent applicable, each bidder shall submit with its bid a separate sealed list that names each Subcontractor that the bidder will use to perform work on the contract and the agreed upon price to be paid to each for: (a) plumbing and gas fitting, (b) steam heating, hot water heating, ventilating and air conditioning apparatus and (c) electric wiring and standard illuminating fixtures and (d) general construction. The submission (Proposal Page 41) that contains the agreed upon price shall be acknowledged by both Contractor and Subcontractor. For purposes of this paragraph, the acknowledgment from the Subcontractor may contain the facsimile signature of an officer of the Subcontractor.

The Successful low bidder, before award of the contract, must obtain and provide to the County, from each of the above denoted Subcontractors, fully completed and signed Contract Disclosure Statement (Proposal Pages 24-32) and Required Disclosure of Relationships to County (Proposal Pages 33) forms.

The sealed lists of Subcontractors submitted by unsuccessful bidders shall be destroyed, unless you request that it be returned by checking the applicable box on Proposal Page 5.

The County of Westchester reserves the right to waive any informalities in the bids, or to reject any or all bids. No bidder may withdraw its bid within forty-five (45) days after the date of the bid opening.

Pursuant to Chapter 308 of the Laws of the County of Westchester, it is the goal of the County to use its best efforts to encourage, promote, and increase the participation of business enterprises owned and controlled by persons of color or women - Minority Business Enterprise (MBE) and Women Business Enterprise (WBE).

REMINDER: All required licenses should be submitted with the Bid.

COUNTY OF WESTCHESTER, NEW YORK DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION

BY: Hugh J. Greechan, Jr., P.E., Commissioner

# **SECTION 1: GENERAL REQUIREMENTS AND PROPOSALS**

General Requirer	<u>nents</u>	
1. Description	on Of The Work	1.1
	acting & Direct Employment Of Labor	
	Time For Completion Of The Work	
	Regulations	
•	for Bonds and Insurance	
	l Insurance Requirements	
Contract Drawing	<u>gs</u>	
Contract Drawing	gs	
Proposal Forms		
Bidder's Identific	ation	Proposal Page 1
	ments and Addendum Receipt	
	idding Certification	
	nowledgement	
	nowledgement (Corporation/Sole Officer)	1 0
	Company Acknowledgement	
•	thority	1
	thority-Limited Liability Company	1
	Insent of Surety	
	on Program Requirement (Contractors)	
	raining Program Requirement	
	ense (Electrical)	
	ense (Plumbing)	
	ense (Hauler)	1
	tion Prevention Certification	1 0
	Rates and Supplement	
	ram Questionnaire	
_	osure Statement	
	ure of Relationships to County	
	Veterans Questionnaire	
	minal Background Disclosure	1
	ealed Bid Submission	

# **SECTION 2: INFORMATION FOR BIDDERS**

1.	Addenda And Interpretation	2.1
2.	Voided Clauses	2.1
3.	Pre-Bid Site Inspection	2.1
4.	Bid Security	2.1
5.	Performance And Payment Bond	2.2
6.	Indemnification Agreement	
7.	Insurance Requirements	
8.	Prevailing Wage Rates And Supplements	2.6
9.	Labor And Compliance With Labor Law	
10.	Contractor's Report Of Employment And Weekly Affidavit	2.13
11.	Laws/Regulations And Appropriations	
12.	Refusal To Answer Questions	
13.	Bid Requirements	2.14
14.	Miscellaneous Additional Work (Item W-800)	2.14
15.	Correction Of Errors	
16.	Shown Quantities	2.15
17.	Qualification Of Bidders	2.15
18.	Required Experience	2.16
19.	Increase Or Decrease Of Quantities: Elimination Of Items	2.16
20.	Breakdown Cost Of Lump Sum Items And Contracts	2.16
21.	Engineering Charges	
22.	Estimates And Payments	2.17
23.	Payments To Subcontractors And Materialmen By Contractor	2.21
24.	Time Of Starting	2.22
25.	Safety And Health Regulations For Construction And Demolition Work	2.22
26.	Accident Prevention And First Aid Facilities	2.23
27.	Fire Prevention And Control	2.23
28.	State And Local Sales Tax Exemption	2.24
29.	Apprentices	2.24
30.	Affirmative Action Provision	2.24
31.	Affirmative Action Program Requirement	2.24
32.	Authority To Do Business In New York	2.25
33.	License Requirements (Electrical)	2.25
34.	License Requirements (Plumbing)	2.26
35.	License Requirements (Haulers)	2.27
36.	Minority Participation Policy	2.30
37.	Sexual Harassment Policy	2.32
38.	Smoke-Free Workplace Policy	2.33
39.	County Energy Efficient Purchasing Policy	2.33
40.	Restriction On Use Of Tropical Hardwoods	
41.	Disclosure Of Relationships To County	2.34
42.	Contractor Disclosure Statement	2.34
43.	Criminal Background Information	2.34
44.	Mandatory OSHA Construction Safety And Health Training	2.36

# **SECTION 3: GENERAL CLAUSES**

1.	Material And Workmanship	3.1
2.	Definitions	3.1
3.	Boundaries Of Work	3.2
4.	Overlapping Work	3.2
5.	Proper Method Of Work And Proper Materials	3.4
6.	Control Of Area	
7.	Permits, Fees, Etc.	3.5
8.	Traffic	3.5
9.	Inspection	3.5
10.	Stopping Work	3.5
11.	Dimensions	3.6
12.	Payments To County	3.6
13.	Protection Of Utilities And Structures	3.6
14.	Protection Of Water Resources & The Environment	3.6
15.	Sanitary Regulations	3.8
16.	Cleaning Up	3.8
17.	Prevention Of Dust Hazard	3.8
18.	Representative Always Present	3.9
19.	Work In Bad Weather	
20.	Protection Of Work Until Completion	3.9
21.	Removal Of Temporary Structures And Cleaning Up	3.9
22.	Gross Loads Hauled On Highway	
23.	Concrete Batch Proportions - Yield	
24.	Damage Due To Contractor's Operations	
25.	Property Damage	3.10
26.	Claims For Damages	
27.	Extensions Of Time	3.11
28.	Request For Approval Of Equal	3.12
29.	Substitution	3.15
30.	Extra Work: Increased Compensation/Decreased Work: Credit To The Owner	3.18
31.	Disputed Work - Notice Of Claims For Damages	3.20
32.	Contractor's Subcontracts And Material Lists	
33.	Assignment Of Contract	3.22
34.	Payment For General Provisions	
35.	Costs Incurred By County	
36.	Guarantee Of Work	
37.	Separate Contracts	
38.	Cooperation With Owner	
39.	Job Meetings & Project Superintendant	

<u>SEC</u>	LION 5: GENERAL CLAUSES	
40.	Patent Warranty	3.25
41.	Materials	3.26
42.	Standard Of Quality	3.29
43.	Proprietary Item	3.29
44.	Shop Drawings	3.30
45.	Sequence Of Construction Operations	3.34
46.	Protection	3.36
47.	Cleanup And Removal Of Debris	3.36
48.	Temporary Service	3.36
49.	Operating Tests	3.37
50.	Operating Instructions And Parts Lists	3.37
51.	Cutting And Patching	
52.	Conflicts Among Contract Documents	
53.	Record Drawings	3.39
54.	Time	3.40
55.	Acceleration Of The Work	3.40
56.	Ultra Low Sulfur Diesel Fuel	3.40
57.	Qualified Transportation Fringe Program	3.42
58.	Use of Fluorescent Light Bulbs & Energy Efficient Bulbs	
59.	County of Westchester Phosphorus-Free Lawn Fertilizer Policy	

# SAMPLE FORMS AND ATTACHMENTS

Sam	ple	<b>Forms</b>

Affirmative Action Program Requirement – Subcontractor(s)	Forms Page 1
Contractor's Report Of Employment And Weekly Affidavit	Forms Page 2
Monthly Employment Utilization Report	Forms Page 4
Shop Drawing Schedule	Forms Page 5
Shop Drawing ID	Forms Page 6
Request For Approval Of Equal	
Request For Approval Of Substitutions	Forms Page 8
Contractor's Ultra Low Sulfur Diesel Fuel Affidavit	Forms Page 9
Contractor's Ultra Low Sulfur Diesel Fuel-LOG	Forms Page 10
Electronic Funds Transfer (EFT)-Vendor Direct Payment Authorization Form	Forms Page 11
Sample Contract And Bond	
Sample Contract And Bond For Construction	A-1
Schedule Of Hourly Rates And Supplements	
Schedule Of Hourly Rates And Supplements	R_1

# **TECHNICAL SPECIFICATIONS**

# CONTRACT NO. 21-527

# HOUSE REFURBISHMENT – 41 CHURCH RD. BEDFORD, NEW YORK

INDEX - INDEX TO TECHNICAL SPECIFICATIONS		INDEX	1
DIVISION 1– GENE	RAL REQUIREMENTS		
Section 011000	DESCRIPTION OF WORK	011000	1
Section 011400	SITE SPECIFIC REQUIREMENTS	011400	5
Section 011500	SPECIAL PROJECT PROCEDURES	011500	5
Section 012300	ALTERNATES	012300	1
Section 012500	PRODUCT OPTIONS AND SUBSTITUTIONS	012500	4
Section 013113	PROJECT COORDINATION	013113	3
Section 013130	PROJECT SCHEDULE	013130	2
Section 013300	SUBMITTAL REQUIREMENTS	013300	6
Section 013513	SPECIAL REQUIREMENTS	013513	4
Section 013529	HEALTH AND SAFETY PLAN	013529	2
Section 015719	ENVIRONMENTAL PROTECTION DURING CONSTR.	015719	2
Section 016100	MATERIAL AND EQUIPMENT	016100	3
Section 017329	CUTTING AND PATCHING	017329	3
Section 017419	CONSTRUCTION WASTE MANAGEMENT	017419	2
Section 017700	PROJECT CLOSEOUT	017700	2
Section 017719	PROJECT RECORD DOCUMENTS	017719	2
DIVISION 2 – EXIS	TING CONDITIONS		
Section 020750	ASBESTOS ABATEMENT – Alternate # 1	020750	5
Section 020730	SELECTIVE DEMOLITION	024119	4
Section 024119	REMOVAL AND DISPOSAL OF LEAD	024117	
500 doi: 020000	CONTAMINATEDING MATERIALS	028300	6
DIVISION 3 - CONC	CRETE		
Section 033000	CAST IN PLACE CONCRETE	033000	9
DIVISION 6 - CARE	PENTRY		
Section 061000	WOOD CARPENTRY	061000	5
DIVISION 7 - THER			
	ASPHALT ROOF REPAIRS	073250	3
Section 073350	GUTTER AND LEADER REPAIRS	073350	3

TOC – Technical Specifications 1 (18-503-B)

DIVISION 8 - OPEN	IINGS		
Section 081443	DOOR, FRAME & HARDWARE	081443	2
DWW.	*****		
DIVISION 9 - FINIS			
Section 092900	GYPSUM BOARD	092900	7
Section 096516	RESILIENT FLOORING	096516	2
Section 099100	PAINTING AND FINISHES	099100	8
DIVISION 11 FOLI	UDMENT		
DIVISION 11 - EQU		440500	
Section 112700	KITCHEN AND BATHROOM CABINETS	112700	3
DIVISION 22 - PLU	MBING		
Section 220523	GENERAL DUTY VALVES FOR PLUMBING	220253	4
<b>Section 220719</b>	PLUMBING PIPING INSULAION	220719	3
Section 221116	DOMESTIC WATER PIPING	221116	7
<b>Section 221119</b>	DOMESTIC WATER PIPING SPECIALTIES	221119	2
Section 221316	SANITARY WASTE & VENT PIPING	221316	4
DIVISION 23 - MEC	THANICAI		
Section 230719		230719	7
			•
	HTDRONIC PIPING	232113	5
Section 235223	CAST IRON BOILERS & RELATED ACCESSORIES	235223	3



# 1. GENERAL REQUIREMENTS AND PROPOSALS

# DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION Division of Engineering

#### 1. DESCRIPTION OF THE WORK

Work under this Contract includes all necessary labor, materials and equipment required to:

Refurbish the House at 41 Church St., Bedford, NY. The project includes interior and exterior repairs, painting, repairs to kitchen counters & cabinets, rear porch masonry & roofing repairs & a new boiler, as well as other work as depicted in the Specifications and on the accompanying Contract Drawings.

It is not intended that this description of work mention each particular item required, but that it give information concerning the general scope and areas of work for the convenience of the bidders.

THIS PROJECT IS NOT SUBJECT TO THE REQUIREMENTS OF THE "WICKS LAW". ACCORDINGLY, EACH BIDDER IS REQUIRED TO SUBMIT SPECIFIC INFORMATION PERTAINING TO ITS PROPOSED SUBCONTRACTORS. PLEASE SEE THE "NOTICE TO CONTRACTORS" THAT FORMS A PART OF THESE BID DOCUMENTS.

#### 2. SUBCONTRACTING & DIRECT EMPLOYMENT OF LABOR

The Contractor shall not subcontract more than ninety (90%) percent of its bid. The Contractor must directly employ at least ten (10%) percent of the personnel working on this contract as measured in man-days worked.

"Directly employ" shall be construed to include only workers employed and paid directly by the Contractor, usually for wages or salary.

The Contractor expressly acknowledges that any violation of this provision constitutes a default under this contract.

# 3. REQUIRED TIME FOR COMPLETION OF THE WORK

Notification to commence the work will require the mandatory submission of all the executed contracts and the Certificates of Insurance after receipt of authority to award.

The Contractor shall commence the work embraced in this contract within ten (10) days of the service of Notice by the County to do so and shall complete the said work within  $\underline{180}$  consecutive calendar days computed from the date of such Notice to commence.

# 4. <u>SECURITY REGULATIONS</u>

# Security Regulations For all County Facilities except County Correctional Facilities:

- A. Contractor's attention is called to the fact that this work is to be performed on property which is the responsibility of the County; therefore, all personnel associated with this contract are subject to special conditions affecting security and control of the facilities operations. Every person required to enter the work site will be issued an ID card and be required to fill out appropriate applications. There is a \$30.00 processing fee for each lost ID card; remitted by check made payable to the County of Westchester. All ID processing will be scheduled by the Construction Administrator.
- B. The Contractor/Subcontractor shall issue a copy of the security regulations (Paragraph C) to all personnel engaged on this project.
- C. All Contractor/Subcontractor personnel shall be bound by the following security regulations for the duration of this contract.
  - 1) All personnel must conspicuously display the ID card and identify themselves upon request.
  - 2) If an ID card is misplaced or lost, report this immediately to the Inspector.
  - 3) All Contractor/Subcontractor personnel are responsible for all tools and equipment and you must report any loss immediately to the Construction Administrator.
  - 4) All personnel must observe all orders of the Owner.
  - 5) All personnel are to report any unusual incidents or problems to the Construction Administrator immediately.
  - 6) All personnel shall not possess or consume any alcoholic beverage or illegal drug or medication while on the property, or report to work under the influence of alcohol or drugs.
  - 7) Any vehicle left on the property must be locked and the ignition keys must be removed. Vehicles will not be left overnight without prior approval.
  - 8) All personnel shall not enter any other areas of the premises (except the areas agreed to) without prior approval of the Construction Administrator.

# **Security Regulations For County Correctional Facilities:**

A. Contractor's attention is called to the fact that this work is to be performed on property adjacent and/or within the County's Correctional Facilities; therefore, all personnel associated with this project are subject to special conditions affecting security and control of the Correctional Facility Operations. Every person required to enter the work site will be fingerprinted, processed for a photo ID card and be required to fill out appropriate applications. There is a \$100.00 processing fee for each person, checks made payable to the Commissioner of Finance. All ID processing will be scheduled by the Construction Administrator.

- B. All Contractors and Subcontractors shall issue a copy of the security regulations (Paragraph C) to all personnel to be engaged on this project.
- C. All Contractor's and Subcontractor's personnel shall be bound by the following security regulations for the duration of this project.
  - 1) All personnel entering the Penitentiary, Jail or Women's Unit must stop and identify themselves to the Control or Desk Officer who will issue the appropriate pass after ascertaining that they have been cleared to enter the facility. Only workers with valid ID will be permitted entry. **NO HELPERS**.
  - 2) All personnel must sign in the Visitor's Book, to include the following information: PERSON'S NAME, COMPANY NAME, REASON FOR ENTRY, WORK LOCATION IN BUILDING.
  - 3) All personnel must conspicuously display the ID card and identify themselves upon request.
  - 4) If ID card is misplaced or lost, report this loss immediately to the Shift Captain or Associate Warden.
  - 5) All tradesmen will be required to perform a tool inventory inspection of all tools in their possession to demonstrate to the admitting Correction Officer that the typed inventory list matches the tools each time they enter and leave the building. The tradesmen are responsible for keeping all tools and equipment locked when not in immediate use and they must report any loss of tools or equipment immediately to the Shift Captain or Associate Warden.
  - 6) All tradesmen and helpers shall carry all tools in a locked and secured tool box or tool cart. A typed inventory sheet shall be carried with the tool box/cart listing all hand and power tools. A manufacturer's MSD Sheet shall be carried with the tool box/cart for any chemical compound that the tradesman has in his/her possession.
  - 7) All debris (i.e. packaging, demolition, etc) shall be removed from the worksite at the end of each workday.
  - 8) All personnel are subject to search at all times.
  - 9) All personnel must observe all orders of Correctional Staff.
  - 10) All personnel are to report any unusual incidents or problems to a Correction Officer, Shift Captain or the Associate Warden immediately.
  - 11) All personnel shall not possess or consume any alcoholic beverage or illegal drug or medication while on County property, or report to work under the influence of alcohol or drugs.
  - 12) Any vehicle left on County property must be locked and the ignition keys must be removed. Vehicles will not be left over-night on County property without prior approval.
  - 13) All personnel shall not enter any other areas of the prison (except the areas agreed to) without prior approval of the Shift Captain or the Associate Warden.

- 14) All personnel shall not bring anything in for any inmate/detainee or staff member or take out anything for any inmate/detainee or staff member.
- 15) All personnel shall not engage in any unnecessary conversations with any inmate/detainee.
- 16) Weapons, i.e., guns, knives, blackjacks, to include any tool activated by gunpowder or other explosive charge is prohibited in the building (i.e., stud gun). Violators of this rule are subject to arrest.
- 17) All personnel must sign out when leaving and must return the ID card to the Control/Desk Officer before leaving.
- 18) Failure of the contractor to follow these procedures will result in the contractor being denied access to the facility.

#### 5. PAYMENT FOR BONDS AND INSURANCE

The amount bid for contract bonds and insurance shall not exceed 3% of the total contract price excluding the bid price for Miscellaneous Additional Work (Item W800) and Field Testing Equipment (W851), where applicable. Should the bidder exceed the foregoing three percent (3%), the Department will make the necessary adjustment to determine the total amount bid based on the arithmetically correct proposal.

The amount bid shall be payable with the first contract payment.

#### 6. ADDITIONAL INSURANCE REQUIREMENTS

- 1. The successful bidder shall submit with their bid, copies of the Insurance Policies in the types and amounts as stipulated above in the Information for Bidders Section "Insurance Requirements". In addition to the "claims made" insurance policies, the contractor shall maintain an Asbestos and Lead Abatement General Liability Occurrence Policy, in amounts not less than \$1,000,000 and naming owner as the certificate holder.
  - "The County of Westchester" must be included as an Additional Named Insured under all insurance policies associated with this project.
- 2. The hauler carrying asbestos and lead to the disposal site in addition to the types and amounts stipulated in the Information of Bidders section "Insurance Requirements", shall carry Pollution Liability Insurance covering Transit, Sudden & Accidental, and Clean-up in the amount not less than \$1,000,000. Endorsements to existing policy will be acceptable

#### CONTRACT DRAWINGS:

#### CONTRACT NUMBER 20-404

The Design Drawings, as listed on the Contract Drawing Index, herewith made a part of these Specifications, shows in general and/or in detail the work to be done under this Contract and/or the various Contracts forming the entire work for the Project, as described herein.

After sending the executed contract to the County and prior to the first job meeting, the Contractor is responsible for obtaining from Public Works, Division of Engineering, Michaelian Office Building, White Plains, a maximum of five gratis copies of the Contract Drawings and Specifications; for the Contractor's permanent possession. Additional sets, requested by the Contractor, beyond the permitted number and time limit, will be furnished by Public Works; but at the Contractor's expense.

DRAWING NO.	TITLE	SHEET NO.
61-00-T-130-0	Titles, Index, Code Information	<b>T</b> -1
61-00-A-131-0	Floor Plans – Demolition	<b>A-</b> 1
61-00-A-132-0	Exterior Elevations	A-2
61-00-A-133-0	Kitchen & Bathroom: New Work	A-3
61-00-P -134-0	Plumbing Plan	P-1
61-00-M-135-0	Mechanical Details & Notes	M-1
61-00-M-136-0	Mechanical Plan	M-2

Submit all proposal pages in this section, including all executed and unexecuted pages and fasten with a clip at the upper left hand corner.



**George Latimer, Westchester County Executive** 

# **PROPOSAL PAGES**

HOUSE REFURBISHMENT 41 CHURCH STREET BEDFORD, NEW YORK

Contract No. 21-527

**Bid Opening: December 8, 2021** 

By Bidder (Please Print)	For Official Use Only
Firm/Business Name:	
Address:	

DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION

**Division of Engineering** 

# **BIDDER'S IDENTIFICATION**

CONTRA	ACT NO	
To the Commissioner of Public the first part.	c Works, Westchester County, New York, ac	cting for the party of
Proposal made by as party of the second part.		
Whose business address is		
Whose telephone number is		
Whose E-mail address is		
Whose Federal ID number is		
Is bidder an individual, a partnership or a corporation?		
If a partnership or corporation, give the names of all partners or officers with their titles		
TC	landa de la constitución de Cardificación de Cardificació	. 1 61 1 41

If operating under a trade name or as partners, has the required Certificate been filed with a County Clerk in accordance with the General Business Law, Section 130?

If the answer is NO, Certificate must be filed before the contract can be executed.

**NOTE:** the bid <u>must</u> be submitted using the Contractor's legal name, not just the "doing business as" (i.e. DBA) name.

# **COMPLETE THIS FORM USING BLACK INK ONLY**

- 1. The undersigned, the bidder, does hereby declare that it has carefully read the contract specifications and has carefully studied the relevant plans, profiles and other drawings (as defined in Article "Contract Drawings" of the General Requirements) relating to the contract work, and has inspected the site(s) of the work..
- 2. The undersigned does hereby declare that it is the only one interested in its indicated bid; that the bid is in all respects without fraud or reservations; and that no official of the County or of the participating municipalities (if any), or any person in the employ of the County of participating municipalities (if any) is directly interested in the contract bid or in the supplies, equipment or works to which it relates, or in any part of the profits resulting there-from.
- 3. The undersigned does hereby offer and agree to furnish all materials, to fully and faithfully construct, perform and execute all work under the contract in accordance with the plans, profiles, other drawings and specifications relating thereto, and to furnish all labor, tools, implements, machinery, forms, transportation and materials necessary and proper for said purpose at the following indicated lump sum price for the total work and/or the following indicated unit prices for the various items of the work.
- 4. The undersigned does hereby declare that the indicated price(s) cover all expenses of every kind incidental to the completion of the contract work, including all claims affecting the work, labor and materials, which may arise through any cause whatsoever, excepting as provided for in Article "Disputed Work-Notice Of Claims For Damages: of the General Clauses.
- 5. The undersigned hereby agrees that in the event that the quantities of contract work actually performed by the undersigned are less than the approximate quantities indicated in the specifications it will make no claim(s) for loss of anticipated profits.
- 6. The undersigned does hereby agree that it will execute a contract containing all the terms, conditions, provisions and covenants necessary to complete the work according to the appropriate plans and specifications, within ten working days after receipt by the undersigned of the contract from the County, and that if it fails to execute said contract within said period of time the County may rescind the contract award and may retain as liquidated damages and not as a penalty, any amounts submitted as the bid security accompanying the undersigned's proposal, and/or demand from the Bidder's Surety Company that executed the required Bid Bond and Consent of Surety to pay to the County the difference between the amount bid and the amount for which such contract is thereafter awarded, together with the cost to the County of reletting said contract up to the maximum aggregate amount of 25% of the amount bid.
- 7. The undersigned does hereby agree to commence the work encompassed under the contract within ten days after notification in writing from the Commissioner of Public Works or his authorized designee, unless a definite earlier or later start has been specified, and will complete the work fully and in every respect on or before the specified completion date; and further agrees that the County has the right to employ such combination of labor, equipment

and materials as may be required for the proper completion of the contract work and to deduct all costs from such monies as may be due the undersigned, in the event the contract work is not completed by the specified completion date.

- 8. The undersigned does hereby agree to comply with all relevant provisions of the Labor Laws of the State of New York, and agrees to adhere to the provisions relating to the eight-hour day and five-day week, the payments of minimum rates for labor, and the latest laws relative to payments for wages for labor on public contracts.
- 9. The undersigned does hereby agree to insure all persons connected with the contract work against accident, at its own expense, as prescribed by the Workmen's Compensation Law of the State of New York; and that it will be responsible for payments by itself, its subcontractors and vendors of all taxes applicable to the work, and all other payments as may be required by various laws and rules and regulations of the Federal Government, the State of New York and its political subdivisions and agencies, such payments including but not limited to the following:
  - A. Federal Social Security Taxes on employees' wages.
  - B. Applicable Federal Excise Taxes.
  - C. New York State Unemployment Insurance and Disability Payments, based on employees' wages.
- 10. The undersigned does hereby agree to accept their indicated lump sum price for the total work and/or their indicated unit prices for the various items of the work as the sole basis in the determination of the value of addition to, or deletions from the specified scope of the contract work.

11. ADDENDUM RECEIPT - CONTRACT	Г NO
(The undersigned shall fill in corbelow.)	ntract number above, and the required information
The undersigned does hereby acknown contract specifications:	owledge receipt of the below listed addenda to the
Addendum No	Dated

# COMPLETE THIS FORM USING BLACK ONLY

12. Bidders should <u>not</u> submit the entire Bid document with its bid submission. Instead, Bidders must submit ALL of the Proposal Pages. Proposal Pages are denoted by a border and are titled on the bottom as "Proposal Page \_\_\_".

Be sure that, where required, the forms have been completed and signed by a notary public.

**Proposal Page 12** must be completed by a surety company and submitted with the bid if a Performance and Payment Bond is required in accordance with the "Notice to Contractors".

#### 13. NON-COLLUSIVE BIDDING CERTIFICATION

Made pursuant to Section 103-d of the General Municipal Law of the State of New York as amended by the Laws of 1966.

- A. By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of his knowledge and belief:
  - 1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
  - 2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and
  - 3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.
- B. A bid shall not be considered for award nor shall any award be made where a. (1), (2) and (3), above, have not been complied with; provided however, that if any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefore. Where a. (1), (2) and (3), above, have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not added for the purpose of restricting competition."
- 14. The undersigned and each person signing in behalf of the undersigned hereby executes the foregoing Affirmative Action Questionnaire, Proposal, Addendum Receipt and Non-Collusive Bidding Certification.
- 15. The undersigned and each person signing on behalf of the undersigned hereby certifies that

the person, firm or corporation submitting this proposal as the bidder has not been found guilty of a willful violation of the New York State Labor Law for failure to pay prevailing wages and supplements, as those terms are defined by the New York State Labor Law, within the twelve (12) months immediately preceding the submission of this bid.

16. The undersigned, by submitting the Proposal Pages, acknowledges that it has read the complete bid package including any and all addenda thereto and its bid includes all of the terms and conditions set forth in the bid documents, including, but not limited to, the Notice to Contractors, General Requirements and Proposals, Contract plans/drawings (if any), Proposal Forms, Information for Bidders, General Clauses, Sample Forms and Attachments, Sample Contract and Bond, Schedule of Hourly Rates and Supplements, Technical Specifications, any Special Notices and all applicable laws, rules and regulations. The undersigned further acknowledges that by submitting this bid the above denoted items are incorporated by reference and constitute an integral part of its bid.

Subcontractors submitted v	with its bid can be	destroyed by the County. Please check the Subcontractors returned to you.
Ç		
Dated	, 20	Legal Name of Person, Firm or Corporation
		(Seal of Corporation)
	-	
	Busin	ess Address of Person, Firm or Corporation
By		T:41
Signature		Title

COMPLETE THIS FORM USING BLACK INK ONLY

LUMP SUM PROPOSAL

CONTRACT NO. <u>21-527</u>

### BASE BID ITEMS

ITEM	DESCRIPTION	<b>BID PRICE IN FIGURES</b>	IGURES
		DOLLARS	CENTS
A	For providing all labor, material and equipment necessary to complete all work as shown on the contract drawings and in accordance with the specifications for the House Refurbishment, 41 Church Street, Bedford, NY.		
В	Contract Bonds and Insurance (Must not exceed 3.00% of Item A above)		
C	Necessary for miscellaneous additional work per Article "Miscellaneous Additional Work (Item W-800)" of the Information for Bidders, as directed.	\$ 10,000	00

AMOUNT BID FOR BASE BID ITEMS A, B, C (Written in Figures)	
TOTAL SUM OF AMOUNT BID FOR BA	

**CENTS** 

TEM	NOLLAIBUSEG	BID PRICE IN FIGURES	GURES	
	3	DOLLARS	CENTS	

LUMP SUM PROPOSAL – ALTERNATE

ALTERNATE LUMP SUM ITEM

# **ALTERNATE 1**

For providing all labor, material and equipment necessary to complete all work as shown on the contract drawings and in accordance with the specifications for:

# Removal / abatement of asbestos containing vinyl tile at the Attic & installation of 1/4" luan plywood sub-floor over entire attic floor sheathing.

COMPLETE THIS FORM USING BLACK INK ONLY

PROPOSAL PAGE 6A

(WC DPW&T Version 5/14)

127
5
21
Ö.
Ž
$\Gamma$
$\subseteq$
[RA
Z
$\bar{\mathbb{Q}}$
$\cup$

# GROSS SUM OF TOTAL BID AMOUNT

Ale I" (written in Figures)	SE BID (Written in Figures)	CONTRACTOR: ADDRESS:	BY:	Signature/Title
TOTAL BID FOR "BASE BID + ALTERNATE 1" (Written in Figures)	TOTAL BID FOR "BASE BID (Written in Figures)	COMPLETE THIS FORM USING BLACK INK ONLY ADDRESS	B	

## **3ASIS OF AWARD**

It is the goal of the County to award the Base Bid and Alternate 1 if the low bid for both items are within the amount budgeted for this project. If the Base Bid and Alternate 1 exceed the amount budgeted for this project, the contract This contract consists of the Base Bid and ONE (1) Add Alternate as defined in the Specifications and on the Drawings. will be awarded to the bidder submitting the lowest Base Bid.

PROPOSAL PAGE 6B

### CONTRACTOR'S ACKNOWLEDGMENT (If Corporate)

STATE OF NEW YORK) COUNTY OF WESTCHESTER) ss.:
On this day of, 20, before me personally came
to me known and known to me to be the
executed the within instrument, who being by me duly sworn did depose and say that he the said_
resides at of said corporation and knows the corporate
seal of the said corporation; that the seal affixed to the within instrument is such corporate seal and that it was so affixed by order of the Board of Directors of said corporation, and that he signed his name thereto by like order.
Notary Public
CONTRACTOR'S ACKNOWLEDGMENT
(If Individual)
STATE OF NEW YORK) COUNTY OF WESTCHESTER) ss.:
On thisday of, 20, before me personally came
and who executed the within instrument and he duly acknowledged to me that he executed the same for the purpose herein mentioned and, if operating under the trade name, that the certificate required by the New York State General Business Law Section 130 has been filed with the County Clerk of Westchester County.
Notary Public
CONTRACTOR'S ACKNOWLEDGMENT
(If Co-Partnership)
STATE OF NEW YORK) COUNTY OF WESTCHESTER) ss.:
On thisday of, 20, before me personally came
to me known, and known to me to be a member of the firm of
and the person described in, and who executed the within instrument in behalf of said firm, and he acknowledged to me that he executed the same in behalf of, and as the act of said firm for the purposes herein mentioned and that the certificate required by the New York State General Business Law Section 130 has been filed with the County Clerk of Westchester County.
Notary Public

### **CONTRACTOR'S ACKNOWLEDGMENT**

(If Corporation/Sole Officer) STATE OF NEW YORK ) ss.: **COUNTY OF** On this \_\_\_\_\_\_ day of \_\_\_\_\_\_\_, 20\_\_\_, before me personally came \_\_\_\_\_\_ to me known and (Name) of \_\_\_\_\_\_\_, the corporation described in and which (Name of Corporation) executed the within instrument, who being by me duly sworn did depose and say that he/she, resides at \_\_\_\_\_ and that he/she signed the within instrument, on behalf of said corporation, in his/her capacity as the \_\_\_\_\_\_ and sole officer and director of said corporation (Title) and that he/she owns all the issued and outstanding capital stock of said corporation.

Notary Public

### LIMITED LIABILITY COMPANY ACKNOWLEDGMENT STATE OF NEW YORK ) ss.: **COUNTY OF** On this \_\_\_\_\_\_ day of \_\_\_\_\_\_\_, 20\_\_\_, before me personally came \_\_\_\_\_\_ to me known to be the individual (Name of individual who signed agreement) who executed the foregoing instrument, and who, being duly sworn by me, did depose and say that (s)he is (the)(a) \_\_\_\_\_\_ of \_\_\_\_\_, (name of limited liability company) (member)(manager) a \_\_\_\_\_ limited liability company, and that (s)he has authority (name of state) to sign the same, and acknowledged that (s)he executed the same as the act and deed of said limited liability company. Sworn to before me this \_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_ Notary Public My Commission Expires on: \_\_\_\_\_

### **CERTIFICATE OF AUTHORITY**

I,	
(Officer other than office	er executing proposed documents)
certify that I am	of the
	(Title)
(Name o	of Contractor)
(the "Contractor"), a corporation duly organize	ed and in good standing under the
(Law under which organized, e.g., t	the New York Business Corporation Law)
named in the foregoing agreement; that	
	(Person executing proposal documents)
who signed said agreement on behalf of the Co	ontractor was, at the time of execution the
(Title of such person)	_ of the Contractor; that said agreement was
duly signed for and in behalf of said Contractor	or by authority of its Board of Directors, thereunto
duly organized, and that such authority is in fu	all force and effect at the date hereof.
	(Signature)
	(SEAL)
STATE OF NEW YORK ) ) ss.: COUNTY OF )	
On this day of, the of	, 20, before me personally came to me known, and known to me to be , the
Corporation described in and which executed depose and say that he, the said	the above certificate, who being by me duly sworn d resides
Corporation; that the seal affixed to the above	and that he is and that he is Corporation and knows the Corporate Seal of the said certificate is such Corporate Seal and that it was so said Corporation, and that he signed his name thereto
	Notary Public

### COMPLETE THIS FORM IN BLACK INK ONLY

### CERTIFICATE OF AUTHORITY-LIMITED LIABILITY COMPANY

I,(men	nber or manager other	than person executing the agreemen	${nt)}$
certify that I am a _	(member/manager)	of (Name of Limited Liabilit	y Company)
(the "LLC") duly or	ganized under the Law	vs of the State of(Name of S	; that
(Person Exe	cuting Agreement)	who signed said agreement on be	half of the LLC.
was, at the time of e behalf of said LLC	execution, a manager of and as the act of said L	f the LLC; that said Contract was du LC for the purposes herein mention	lly signed for and on ed.
		(Signature	)
STATE OF NEW Y	ec ·		
On this	day of , to me know	, 20, before me on, and known to me to be the	e personally came
described in and wh that he resides at (member/manager)	o executed the above constitution of said LLC; that he is	certificate, who being be me duly sw duly authorized to execute said cert bursuant to such authority.	orn did depose and sa
		Notary Public	County
	My C	Commission Expires on:	

### Required for all Bids over \$100,000 where a Performance & Payment Bond is Required in accordance with the "Notice to Contractors"

CONTR	ACT NO.	

### **BID BOND AND CONSENT OF SURETY**

	RSONS BY THESE PRESENTS, That(Nat	me of Contractor)
	(Address)	<del></del>
(hereinafter calle	d the "Principal") and the	a
	ted and existing under the laws of the State of	
(I	PRINT FULL ADDRESS OF SURETY)	•
sum of <i>Twenty-F</i> America, for the Principal binds the	lly bound unto the County of Westchester (hereinafter Five (25%) Percent of the Attached Bid, good and la payment of which said sum of money, well and themselves (himself/herself, itself), their (his/her, its) ssigns, and the said Surety binds itself, its successor resents:	awful money of the United States of truly to be made and done, the said heirs, executors and administrators,
	AS, the said Principal has submitted to the County of Contract Number: Project Title:	

WHEREAS, under the terms of the Laws of the State of New York as above indicated, the said Principal has filed or intends to file this bond to guarantee that the Principal will execute all required contract documents, furnish all required insurance and furnish such Performance and Payment Bonds or other bonds as may be required in accordance with the terms of the Principal's said proposal/bid.

NOW, THEREFORE, the Surety agrees:

- (i) if the Contract for which the preceding estimate and proposal is made, is awarded to the Bidder by the County, the Surety shall become bound as Surety and guarantor for the faithful performance of the Contract and shall execute and deliver a Performance & Payment Bond, in a form acceptable to the County, in the amount of 100% of the total Contract price, or such other amount as may be specified in the Bid documents, and shall execute the Contract as party of the third part when required to do so by the Board of Acquisition and Contract of the County; and
- (ii) if the Bidder shall, upon award of the Contract to the Bidder, fail or refuse to execute the Contract and furnish the necessary bonds and insurance certificates, the Surety shall, on demand by the County, pay to the County the difference between the amount bid and the amount for which such contract is thereafter awarded, together with the cost to the County of reletting said Contract, up to the maximum aggregate amount of this bond.
- (iii) the condition of the foregoing obligation is such, that if the said Principal shall promptly execute and submit, and the County shall accept, all required contract documents including insurance and such Performance and Payment Bond or other bonds, all as may be required in accordance with the terms of the Principal's said bid/proposal, then this obligation shall be null and void, otherwise to remain in full force and virtue.

The Surety, for value received, the receipt of which is hereby acknowledged by the Surety, hereby stipulates and agrees that the obligation of the Surety and of its bond shall remain absolute and shall be in no way impaired, affected or discharged by an extension of time, mutually agreed to by the County and the Bidder, within which the County may award said Contract, and the Surety hereby waives notice of any such extension.

IN TESTIMONY WHEREOF, the said Prince said Surety has caused this instrument to be signed200	•	
Signed and delivered this day of	20 in the presence of:	
(Print Name of Contractor)		
	Principal	
(Signature)	•	
(Title of Authorized Officer)		
	(Print Name of Surety)	_
Ву		_ Surety
, <u> </u>	(Signature)	_ ,
(Title	e of Authorized Officer)	_

(The Surety Company shall append a single copy of a statement of its financial condition, a copy of the resolution authorizing the execution of Bonds by officers of the Surety Company, Power of Attorney, Surety Acknowledgment.)

### AFFIRMATIVE ACTION PROGRAM REQUIREMENT

### Affirmative Action Program

An approved Affirmative Action Plan shall be required in all contracts for public work where the awarded contract amount exceeds \$50,000 or more than fourteen (14) persons are employed by the Contractor and/or his subcontractors.

Does the Contractor participate in an approved Affirmative Action Program? Yes [ ] No [ ]
If Yes, give name of Program:
If No, how many employees (total) does the Contractor employ. Please also include in your count the number of employees the Contractor and its Subcontractors expect to use on this
project:
An approved Affirmative Action Program shall mean a plan approved or adopted by Westchester County including but not limited to, the Home-Town Plan, the Recruitment Training Program or any other program approved or meeting the requirements of the State or Federal government.

The "Monthly Employment Utilization Report" of the Sample Forms, shall be filled out by the Contractor and/or Subcontractor(s) who are required to have an Affirmative Action Program, prior to the start of the work.

Before any subcontractor is approved for use on this contract it will have to complete and submit the "Affirmative Action Program Requirement- Subcontractors" form of the Sample Forms.

### **APPRENTICESHIP TRAINING PROGRAM REQUIREMENT**

### **Apprenticeship Training Program**

An approved Apprenticeship Training Program shall be required in all contracts for public work where the awarded contract amount exceeds \$50,000. and more than fourteen (14) persons are employed by the Contractor or Subcontractor(s).

Will the Contractor utilize apprentices for this
Contract? Yes [ ] No [ ]
If Contractor Yes, do the apprentices participate in an approved Apprenticeship Training Program? Yes [ ] No [ ]
If Contractor Yes, give the name of the Program:
Will the Subcontractor(s) utilize apprentices for this
Contract? Yes [ ] No [ ]
If Subcontractor(s) Yes, do the apprentices participate in an approved Apprenticeship Training Program? Yes [ ] No [ ]
If Subcontractor(s) Yes, give the name of the Program:

AN APPROVED APPRENTICESHIP TRAINING PROGRAM SHALL MEAN A NEW YORK STATE REGISTERED APPRENTICESHIP TRAINING PROGRAM AS DEFINED UNDER THE NEW YORK STATE LABOR LAW.

### **CERTIFICATE OF LICENSE**

### (TO BE COMPLETED BY AN ELECTRICAL BIDDER ONLY)

		, being duly sworn
	(Name)	
depos	ses and says that the following statements are true:	
(1)	I am the	of the
	(Title)	
		, the bidder named on the
	(Name of Contractor)	

bid proposal, and I have read and am familiar with: a) the electrical license requirements contained in the Information for Bidders of the bid, b) Chapter 277 Article XVII of the Laws of Westchester County entitled Electrical Licensing Board and the Licensing of Master Electricians, and c) the Westchester County Electrical Licensing Board Rules and Regulations.

(2) I am familiar with, and this bid is being submitted in compliance with, the Westchester County Electrical Licensing Board Rules and Regulations, in particular No. 11, which states as follows:

No individual holding a Master Electrician's License shall lend such License to any person or allow any other person to carry on, engage in, or labor at the business as defined herein of installing, removing, altering, testing, replacing, or repairing electrical systems. A violation of this section by any person holding a License shall be sufficient cause for revocation of such License.

However, nothing herein shall be construed to prohibit the use of a License by the holder thereof for or on behalf of a partnership, corporation or other business association, provided that fifty-one (51) percent or more of the control of the voting capital stock of such partnership, corporation, or other business association is owned by one (1) or more holders of a Westchester County Master Electrical License and that all work performed by such partnership, corporation or other business association is performed by or under the direct supervision of such License holder or holders.

(3) That, as of this date, the bidder submitting the bid possesses the applicable valid Master/"Special" Electrician's license issued by the Westchester County Electrical Licensing Board; that this License is being used in compliance with the Laws of Westchester County and Westchester County Electrical Licensing Board Rules and Regulations; and I have provided a copy of such license with the sealed bid proposal.

### **CERTIFICATE OF LICENSE (Continued)**

### (TO BE COMPLETED BY AN ELECTRICAL BIDDER ONLY)

- (4) That all electrical work shall be performed in accordance with the requirements of Chapter 277 Article XVII of the Laws of Westchester County entitled Electrical Licensing Board and the Licensing of Master Electricians and the Westchester County Electrical Licensing Board Rules and Regulations.
- (5) That I make this statement in connection with the submission of the bid as proof of the required electrical license, knowing that this statement will be relied upon by the County in the evaluation of that bid.

	Signature
Sworn to before me this day of	C
unsuay oi	
	License No.
Notary Public - State of New York	

### **CERTIFICATE OF LICENSE**

### (TO BE COMPLETED BY A PLUMBING BIDDER ONLY)

		, being duly sworn
	(Name)	
depos	ses and says that the following statements are true:	
(1)	I am the	of the
	(Title)	
		, the bidder named on the
	(Name of Contractor)	

bid proposal, and I have read and am familiar with: a) the plumbing license requirements contained in the Information for Bidders of the bid, b) Chapter 277 Article XV of the Laws of Westchester County entitled Westchester County Board of Plumbing Examiners and Countywide Plumbing License, and c) the Westchester County Board of Plumbing Examiners Rules and Regulations.

- (2) I am familiar with, and this bid is being submitted in compliance with, Section 277.509A of Article XV of Chapter 277 of the Laws of Westchester County, which states as follows:
  - A. No holder of a license or certification issued under this article shall authorize, consent to or permit the use of his or her license or certification by or on behalf of any other person. No person who has not qualified or obtained a license or certification under this article shall represent himself or herself to the public as holder of a license or certification issued under this article, either directly, by means of signs, sign cards metal plates or stationery, or indirectly in any other manner whatsoever. However, nothing herein shall be construed to prohibit the use of a license by the holder thereof for or on behalf of a partnership, corporation or other business association, provided that 51 percent or more of the control of the voting capital stock of such partnership, corporation or other business association is owned by one or more holders of a Westchester County master plumbing license and that all work performed by such partnership, corporation or other business association is performed by or under the direct supervision of such license holder or holders.
- (3) That, as of this date, the bidder submitting the bid possesses a valid Master Plumber's license issued by the Westchester County Board of Plumbing Examiners; that this License is being used in compliance with the Laws of Westchester County and the Westchester County Board of Plumbing Examiners Rules and Regulations; and I have provided a copy of such license with the sealed bid proposal.

### **CERTIFICATE OF LICENSE (Continued)**

### (TO BE COMPLETED BY A PLUMBING BIDDER ONLY)

- (4) That all plumbing work shall be performed in accordance with the requirements of Chapter 277, Article XV of the Laws of Westchester County entitled Westchester County Board of Plumbing Examiners and County-wide Plumbing License, and the Westchester County Board of Plumbing Examiners Rules and Regulations.
- (5) That I make this statement in connection with the submission of the bid as proof of the required plumbing license, knowing that this statement will be relied upon by the County in the evaluation of that bid.

	Signature
Sworn to before me this day of	
	License No.
Notary Public - State of New York	

### **CERTIFICATE OF LICENSE**

### (TO BE COMPLETED BY A HAULING BIDDER OR SUBCONTRACTOR ONLY)

	, being duly sworn
(Name)	
deposes and says that the following statements are true:	
(1) I am the	of the
(Title)	
, the bidder/su (Name of Contractor)	abcontractor (circle one)
named on the foregoing bid proposal, and I have read and am fa requirements contained in the Information for Bidders of the foreg	
issued by the Westchester County Solid Waste Commission.	
(3) That all hauling work shall be performed in accordance with 826-a of the Laws of Westchester County.	ith the requirements of Chapter
(4) That I make this statement in connection with the subm proof of the required hauling license, knowing that this statemed County in the evaluation of that bid.	
Signature	
Sworn to before me this day of	
License No.	
Notary Public - State of New York	

### STORMWATER POLLUTION PREVENTION CERTIFICATION

I certify under penalty of law that I understand and agree to comply with the terms and conditions of the Stormwater Pollution Prevention Plan ("SPPP") for the construction site identified in such SPPP as a condition of authorization to discharge stormwater. I also understand the operator must comply with the terms and conditions of the New York State Pollutant Discharge Elimination System ("SPDES") general permit for stormwater discharges from construction activities and it is unlawful for any person to contribute to a violation of water quality standards.

			Signature	
Sworn to bef	fore me			
This	day of	, 200		
Notary Publi	c – State of New	York, County of		
My Commis	sion Expires on			

This Certification will also have to be signed by your subcontractors. Additional copies of this form can be acquired from the Department of Public Works.

### PREVAILING WAGE RATES AND SUPPLEMENTS

Compliance with the New York State Construction (Article 1, Section 17) and the New York State Labor Law (Section 220) Is your firm in full compliance with the New York State Labor Law? (Please check one) Yes \_\_\_\_\_ No \_\_\_\_\_ Are the wage supplements paid into a Federally approved program? (Please check one) Yes \_\_\_\_\_ No \_\_\_\_ If Yes, please indicate which program: If No, please indicate how the supplements are being paid: Yes, I have read and understand the terms of this Contract and the laws of this Agreement: Date: \_\_\_\_\_ Signature

### COMPLETE THIS FORM USING BLACK INK ONLY

Notary Public

### MINORITY/WOMEN BUSINESS ENTERPRISE PROGRAM QUESTIONNAIRE QUESTIONNAIRE REGARDING BUSINESS ENTERPRISES OWNED AND CONTROLLED BY WOMEN OR PERSONS OF COLOR

As part of the County's program to encourage the meaningful and significant participation of business enterprises owned and controlled by persons of color or women in County contracts, and in furtherance of Section 308.01 of the Laws of Westchester County, completion of this form is required.

A "business enterprise owned and controlled by women or persons of color" means a business enterprise, including a sole proprietorship, limited liability partnership, partnership, limited liability corporation, or corporation, that either:

- 1.) meets the following requirements:
  - a. is at least 51% owned by one or more persons of color or women;
  - b. is an enterprise in which such ownership by persons of color or women is real, substantial and continuing;
  - c. is an enterprise in which such ownership interest by persons of color or women has and exercises the authority to control and operate, independently, the day-to-day business decisions of the enterprise; and
  - d. is an enterprise authorized to do business in this state which is independently owned and operated.
- 2.) is a business enterprise <u>certified</u> as a minority business enterprise ("MBE") or women business enterprise ("WBE") pursuant to Article 15-a of the New York State Executive Law and the implementing regulations, 9 New York Code of Rules and Regulations subtitle N Part 540 et seq., **OR**
- 3.) is a business enterprise <u>certified</u> as a small disadvantaged business concern pursuant to the Small Business Act, 15 U.S.C. 631 et seq., and the relevant provisions of the Code of Federal Regulations as amended.

Please note that the term "persons of color," as used in this form, means a United States citizen or permanent resident alien who is and can demonstrate membership of one of the following groups:

- (a) Black persons having origins in any of the Black African racial groups;
- (b) Hispanic persons of Mexican, Puerto Rican, Dominican, Cuban, Central or South American descent of either Indian or Hispanic origin regardless of race;
- (c) Native American or Alaskan native persons having origins in any of the original peoples of North America; or
- (d) Asian or Pacific Islander persons having origins in any of the Far East countries, South East Asia, the Indian subcontinent or the Pacific Islands.

1. Are you a business enterprise owned and controlled by women or persons of color in accordance with the standards listed above?	th
No	
Yes	
Please note: If you answered "yes" based upon certification by New York State and/or the Federal government, official documentation of the certification must be attached.	
2. If you answered "Yes" above, please check off below whether your business enterprise is owned and controlled by women, persons of color, or both.	d
Women	
Persons of Color (please check off below all that apply)	
Black persons having origins in any of the Black African racial groups Hispanic persons of Mexican, Puerto Rican, Dominican, Cuban, Central South American descent of either Indian or Hispanic origin regardless race Native American or Alaskan native persons having origins in any of the original peoples of North America Asian or Pacific Islander persons having origins in any of the Far East countries, South East Asia, the Indian sub-continent or the Pacific Islander	of
Name of Business Enterprise:	
Address:	
Name and Title of person completing questionnaire:	
Signature:	
Notary Public Date	

### **Instructions:**

The County of Westchester, in order to insure that it employs responsible contractors for its major construction projects, requires all bidders for construction contracts (which includes reconstruction and repair) with an estimated value of One Hundred Thousand (\$100,000.00) or more Dollars to answer completely and swear to the questions below. If a Contractor Disclosure Statement has been included with this bid specification, then the County has determined that it is applicable to this bid. All subcontractors whose contract has a value of One Hundred Thousand (\$100,000.00) or more Dollars must also submit a Contractor Disclosure Statement.

Please read the questions carefully and answer them completely. Before you answer these questions, please read the definitions of terms used in these questions. While you may contact the Department of Public Works if you have questions about this form, the County cannot provide you with any legal advice for which you must contact your own lawyer. FAILURE TO COMPLETE THIS CONTRACTOR DISCLOSURE STATEMENT IN GOOD FAITH MAY RESULT IN THE REJECTION OF YOUR BID.

If you have previously filled out a Contractor Disclosure Statement for another County bid and only some but not all of your responses have changed, attach a copy of the prior Contractor Disclosure Statement and check #2 below indicating changes only and only answer those questions which have changed since you last filled out the Contractor Disclosure Statement.

If you have previously completed a Contractor Disclosure Statement for another County bid and nothing has changed in your responses to the questions, then check #3 and fill out the attached No Change Affidavit. Attach a copy of the prior Contractor Disclosure Statement to the No Change Affidavit.

NOTE IF THE SPACES PROVIDED FOR ANSWERS ARE NOT SUFFICIENT FOR YOU TO COMPLETE YOUR ANSWER TO A PARTICULAR QUESTION, THEN ATTACH ADDITIONAL PAGES TO THIS CONTRACTOR DISCLOSURE STATEMENT WHICH INDICATE THE NUMBER OF THE QUESTION THAT YOU ARE COMPLETING THE ANSWER FOR.

ALSO DO NOT LEAVE ANY ANSWERS BLANK. IF A QUESTION IS NOT APPLICABLE, ANSWER - N/A – AND OFFER A BRIEF EXPLANATION AS TO WHY THE QUESTION DOES NOT APPLY.

### **Definitions:**

**Affiliate** – is another Business Entity in which the Contractor or one or more of the Principals of the Contractor has an ownership interest of more than fifty (50%) percent. An Affiliate is also another Business Entity in which the Parent of the Contractor owns more than fifty (50%) percent of that other Business Entity.

**Agency or Government Agency** – is any Federal, State, City or other local agency including, but not limited to, departments, offices, quasi-public agencies, public authorities and

corporations, boards of education and higher education, public development corporations and local development corporations.

**Assignee** – is a person or Business Entity to whom an assignment (e.g., a transfer to another of any property, real or personal, including a transfer of any rights in such property) is made.

**Business Address** – is the location of principal executive offices and is also the primary place of business in Westchester County, if different.

**Business Entity** – is any profit-seeking business including, but not limited to, corporations, limited and general partnerships, joint ventures and individual (sole) proprietorships.

**Contract** – is any binding agreement with any Government Agency or other Business Entity for the provision of goods, or services including, but not limited to, construction.

**Contractor** – is the Business Entity submitting this Contractor Disclosure Statement.

**Contractor Disclosure Statement** – is this document.

**Control** – A Business Entity controls another Business Entity when:

- The controlling Business Entity owns more than fifty (50%) percent of the controlled Business Entity, or
- The controlling Business Entity directs or has the right to direct daily operations of the controlled Business Entity, or
- The same person is a Principal in both businesses and directs the daily operations of the controlled Business Entity.

**Investigations** – is any official inquiry by any Government Agency, with the exception of background investigations for employment.

**Officer** – is any individual who serves in the function of chief executive officer, chief financial officer or chief operating officer of the Business Entity by whatever titles known.

**Parent** – is a Business Entity which owns more than fifty (50%) percent of another Business Entity.

**Principal** – is an individual, partnership, joint venture or corporation which holds ten (10%) percent or more ownership interest in the Business Entity.

**Partner** – shall mean a person or Business Entity that has a joint ownership in a particular business, but the ownership interest is not as a shareholder of a corporation.

**Successor** – is a person or Business Entity that takes the place that another has left. With reference to a corporation, a successor shall mean another corporation which, through amalgamation, consolidation, or other legal succession, becomes invested with the rights and assumes the burdens of the first corporation.

### CONTRACT NO.: Check if Subcontractor Type Of Submission (Put a X or $\sqrt{next}$ to the applicable type of submission) 1. Fully Completed Contractor Disclosure Statement \_\_\_\_\_ (Sign Oath on last page of Disclosure Statement) 2. Changes Only Contractor Disclosure Statement (Attach copy of previously filed Contractor Disclosure Statement that you are amending. Denote any changes on the following Contractor Disclosure Statement. Sign Oath on last page of this Disclosure Statement) 3. No Change (Fill out "No Change Affidavit" [below] and attach copy of previously filed Contractor Disclosure Statement) **NO CHANGE AFFIDAVIT** I swear that the attached Contractor Disclosure Statement was submitted to the County of Westchester on \_\_\_\_\_ and was true as signed, and that (Date) since the above date nothing has occurred which changes in any way the responses made to the questions contained in the attached Contractor Disclosure Statement. Submitted by: \_\_\_\_\_ (Signature) Name (Print): \_\_\_\_\_\_ Title (Print): \_\_\_\_\_ Sworn to before me this \_\_\_\_ day of \_\_\_\_\_, 200\_ **NOTARY PUBLIC**

CONTRACTOR'S DISCLOSURE STATEMENT

COMPLETE THIS FORM USING BLACK INK ONLY

### **Questions**:

List the Business Addresses and primary telephone numbers for such locations, if different from answer to #1 above, where Contractor has been located over the last five (5) years.
List all other names and taxpayer identification numbers under which the Contractor, or the Principals and Officers of Contractor, have conducted business within the prior five (5) years.
For any response to #3 above, list any and all Westchester County contracts that were awarded to such "other name" Business Entity.
List the type of Business Entity that the Contractor is presently organized as (for example sole proprietorship, partnership, joint venture or corporation).

### **COMPLETE THIS FORM USING BLACK INK ONLY**

6.	If Contractor is a corporation, list the date that the Contractor was incorporated. Also list the name of the Government Agency and location of said Agency in which a certificate of incorporation, certificate of doing business or equivalent, has been filed and the date of any amendments thereto. If, however, the Contractor is a partnership, list the date that the partnership was formed and the name of the Government Agency and location of said Agency in which a business certificate for partnership or equivalent has been filed.
7.	List all the names, current Business Addresses and business telephone numbers of the Principals and Officers of the Contractor. If the Contractor is a partnership, list all partners and their business telephone numbers.
8.	List the names, current Business Addresses, telephone numbers and taxpayer identification numbers of all Affiliates of the Contractor.
9.	List all the names, Business Addresses and telephone numbers of the Principals and Officers of the Affiliates listed in response to #7 above. If the Affiliate is a partnership, list the Business Addresses and business telephone numbers of all partners.

### COMPLETE THIS FORM USING BLACK INK ONLY

10.	Is the Contractor Controlled by another Business Entity?YesNo. If you answered yes, please identify the name, Business Address and telephone number of that Controlling Business Entity and list any contracts that the Controlling Business Entity has had with Westchester County in the past five (5) years?
11.	If the Contractor has Control of any other Business Entity that has had a Contract with the County of Westchester in the past five (5) years, please identify the name, Business Address and telephone number of that Controlled Business Entity.
12.	List any and all contract sanctions imposed on the Contractor or on a Business Entity listed in response to #3 above that was imposed by a Government Agency during the prior five (5) years, including, but not limited to, all cautions, suspensions, debarments, cancellations of a contract based on business conduct, declarations of default, determinations of ineligibility to bid or whether any proceedings to determine eligibility to bid are pending.
13.	List the contract sanction history for the past five (5) years, as defined in #12 above, for any Affiliate of the Contractor.

### COMPLETE THIS FORM USING BLACK INK ONLY

-	above for the Controlling Business Entity during the past five (5) years.
-	
-	
-	
-	
-	
,	List any and all prevailing wage or supplement payment violations; state labor law violations deemed willful and any other federal or state citations, notices, violation orders, pending administrative hearings or proceedings or determinations of a violation any labor law or regulation regarding the Contractor.
-	
-	
-	
-	
-	
-	
-	
	List all Investigations of the Contractor, its Principals and Officers or, if a partnership, on the Contractor's Partners. Also list all investigations of Affiliates, their Principals and
	Officers or, if a partnership, of their Partners.
-	
-	
-	
-	

17.	Have all Federal and State income tax returns, if required, been filed by Contractor during the last five (5) years?YesNo If you answered no, please explain why such returns were not filed.
18.	Are there any criminal proceedings pending against the Contractor or any Principal or Officer of the Contractor or partner, if Contractor is a partnership?YesNo If you answered yes, please provide details of the pending criminal proceedings.
19.	List the record of all criminal convictions of the Contractor, any Principal or Officer or partner, if Contractor is a partnership, and of any former Principal or Officer, of the Contractor or former partner, if Contractor is a partnership, for any crime related to truthfulness or business conduct and for any felony committed within the prior ten (10) years.
20.	List all bankruptcy proceedings that the Contractor or its Affiliates have been the subject of within the past seven (7) years, whether pending or completed.

### COMPLETE THIS FORM USING BLACK INK ONLY

21. Is the Contractor a successor, assignee or Affiliate of a Business Entity that has ever been denied a Contract or deemed ineligible to bid on a Government Agency contract?
Yes No If you answered yes, explain below.
OATH
I swear that all of the above answers are true based on my knowledge of the facts, or are believed by me to be true, based upon a review of records containing the facts or based upon information I obtained from someone who has knowledge of the facts; and that I have authority to sign this document; and that the answers given above have not been made in a manner intended to deceive or to defeat the purpose of the Contractor Disclosure Statement, which is to assist the County of Westchester in determining if the Contractor is a responsible bidder.
Submitted by:
(Signature)
Name (Print):
Title (Print):
Sworn to before me this day of, 20
NOTARY PUBLIC

COMPLETE THIS FORM USING BLACK INK ONLY

Proposal Page 32

### REQUIRED DISCLOSURE OF RELATIONSHIPS TO COUNTY

(Prior to execution of a contract by the County, a potential County contractor must complete, sign and return this form to the County)

### Contract Name and/or ID No.:

(To be filled in by County)

### **Name of Contractor:**

(To be filled in by Contractor)

A potential County contractor must complete this form as part of the proposed County contract.

1.)	Are any of the employees that the Contractor will use to carry out this contract also a County officer or employee, or the spouse, child, or dependent of a County officer or employee?			
	Yes No			
	If yes, please provide details (attach extra pages, if necessary):			
2.)	are any of the owners of the Contractor or their spouses a County officer or employee?			
	Yes No			
	If yes, please provide details (attach extra pages, if necessary):			
3.)	Do any County officers or employees have an <b>interest</b> <sup>1</sup> in the Contractor or in any approved subcontractor that will be used for this contract?			
	Yes No			
	If yes, please provide details (attach extra pages, if necessary):			
By signing below, I hereby certify that I am authorized to complete this form for the Contractor.				
	Nama			
	Name: Title:			
	Date:			
1				
	erest" means a direct or indirect pecuniary or material benefit accruing to a County officer or employee, his/her spouse, or dependent, whether as the result of a contract with the County or otherwise. For the purpose of this form, a County			

officer or employee shall be deemed to have an "interest" in the contract of:

<sup>1.)</sup> His/her spouse, children and dependents, except a contract of employment with the County;

<sup>2.)</sup> A firm, partnership or association of which such officer or employee is a member or employee;

<sup>3.)</sup> A corporation of which such officer or employee is an officer, director or employee; and

<sup>4.)</sup> A corporation of which more than five (5) percent of the outstanding capital stock is owned by any of the aforesaid parties.

### QUESTIONNAIRE REGARDING BUSINESS ENTERPRISES OWNED AND CONTROLLED BY SERVICE-DISABLED VETERANS

The County believes it is a laudable goal to provide business opportunities to veterans who were disabled while serving our country, and wants to encourage the participation in County contracts of certified business enterprises owned and controlled by service-disabled veterans. As part of the County's program to encourage the participation of such business enterprises in County contracts, and in furtherance of Article 17-B of the New York State Executive Law, we request that you answer the questions listed below.

The term "Certified Service-Disabled Veteran-Owned Business" shall mean a business that is a certified service-disabled veteran-owned business enterprise under the New York State Service-Disabled Veteran-Owned Business Act (Article 17-B of the Executive Law).

1. in acco	Are you a business ente ordance with the standard	-		by a service-disabled veteran
	No			
	Yes			
2.	Are you certified with the	ne State of New	York as a Certified	Service-Disabled Veteran-
Owne	d Business?			
	No			
	No Yes			
3.	If you are certified with	the State of Ne	ew York as a Certifie	d Service-Disabled Veteran-
Owne	d Business, please attach	a copy of the co	ertification.	
Name	of Firm/Business Enterp	rise:		
	Title of Person completing			
STAT	E OF NEW YORK	)		
COLIN	JTV OF	) ss.:		
COUR	NI I OF	)		
				Notary Public
			Date:	Trotting I done

### SCHEDULE "F" CRIMINAL BACKGROUND DISCLOSURE INSTRUCTIONS

Pursuant to Executive Order 1-2008, the County is required to maintain a record of criminal background disclosure from all persons providing work or services in connection with any County contract, including leases of County-owned real property and licenses:

- a.) If any of the persons providing work or services to the County in relation to a County contract are not subject to constant monitoring by County staff while performing tasks and/or while such persons are present on County property pursuant to the County contract; and
- b.) If any of the persons providing work or services to the County in relation to a County contract may, in the course of providing those services, have access to sensitive data (for example SSNs and other personal/secure data); facilities (secure facilities and/or communication equipment); and/or vulnerable populations (for example, children, seniors, and the infirm).

In those situations, the persons who must provide a criminal background disclosure ("Persons Subject to Disclosure") include the following:

- a.) Consultants, Contractors, Licensees, Lessees of County-owned real property, their principals, agents, employees, volunteers or any other person acting on behalf of said Contractor, Consultant, Licensee, or Lessee who is at least sixteen (16) years old, including but not limited to Subconsultants, subcontractors, Sublessess, or Sublicensees who are providing services to the County, and
- b.) Any family member or other person, who is at least sixteen (16) years old, residing in the household of a County employee who lives in housing provided by the County located on County property.

Under Executive Order 1-2008, it is the duty of every County Consultant, Contractor, Licensee, or Lessee to inquire of each and every Person Subject to Disclosure and disclose whether they have been convicted of a crime or whether they are subject to pending criminal charges, and to submit this form with that information. Accordingly, you are required to complete the attached Criminal Background Disclosure Form and Certification.

Please note that under no circumstances shall the existence of a language barrier serve as a basis for the waiver of or an exception from the disclosure requirements of Executive Order 1-2008. If translation services are required by the Consultant, Contractor, Licensee, or Lessee to fulfill this obligation, it shall be at the sole cost and expense of the Consultant, Contractor, Licensee, or Lessee.

Please also note that the conviction of a crime(s) and/or being subject to a pending criminal charge(s) will not automatically result in a denial of a person's right to work on a County contract, right to be on County property, or license, but may, if the County determines that the prior conviction(s) or pending criminal charge(s) create an unacceptable risk. However, if a person fails to list or falsifies any part of his/her conviction history or any pending criminal charge(s) for any reason, he/she may be prohibited from working or being on County property without any risk assessment. If it is later determined that a Person Subject to Disclosure failed to disclose a criminal conviction or pending criminal charge for any reason, his/her right to work on a County contract, be on County property, or license may be terminated at any time.

Please further note that, pursuant to Executive Order 1-2008, and subject to the applicable provisions of New York Correction Law §§ 752 and 753, the County has the right to bar a Person Subject to Disclosure from providing work or services to the County or from being on County property if any such person has:

- a.) A conviction of a crime(s);
- b.) A pending criminal proceeding for a crime(s); or
- c.) Refused to answer questions concerning his/her criminal background

<sup>&</sup>lt;sup>1</sup> For these disclosures, a "crime" or "pending criminal charge" includes all felonies and misdemeanors as defined under the New York State Penal Law or the equivalent under Federal law or the laws of any other State.

Please finally note that any failure by a County Consultant, Contractor, Licensee, or Lessee to comply with the disclosure requirements of Executive Order 1–2008 may be considered by the County to be a material breach and shall be grounds for immediate termination by the County of the related County contract.

### **Exemptions**

Executive Order 1-2008 exempts from the aforementioned disclosure requirements Persons Subject to Disclosure:

- a.) for whom the County has already conducted a background check and issued a security clearance that is in full force and effect; and
- b.) for whom another state or federal agency having appropriate jurisdiction has conducted a security and/or background clearance or has implemented other protocols or criteria for this purpose that apply to the subject matter of a County contract that is in full force and effect.

If you are claiming an exemption for one or more Persons Subject to Disclosure, you must notify the Procuring Officer<sup>2</sup>. The Procuring Officer will then determine whether the Person(s) Subject to Disclosure are actually exempt, and provide written notification of his/her determination. If the Procuring Officer determines that a Person Subject to Disclosure is not exempt, the Procuring Officer will notify you of that determination, and you will have to include disclosures for that person on your Criminal Background Disclosure Form and Certification.

<sup>&</sup>lt;sup>2</sup> Procuring Officer" shall mean the head of the department or the individual or individuals authorized by the head(s) of the department(s) undertaking the procurement and with respect to those matters delegated to the Bureau of Purchase and Supply pursuant to Section 161.11(a) of the Laws of Westchester County, the Purchasing Agent.

### Subconsultants, Subcontractors, Sublessees, or Sublicensees

Under Executive Order 1-2008, it is your duty to ensure that any and all approved subconsultants, subcontractors, sublessees, or sublicensees complete and submit the attached Criminal Background Disclosure Form and Certification for all of their respective Persons Subject to Disclosure. This must be done before such a subconsultant, subcontractor, sublessees, or sublicensees can be approved to perform work on a contract.

### New Persons Subject to Disclosure

Under Executive Order 1-2008, you have a **CONTINUING OBLIGATION** to maintain the accuracy of the Criminal Background Disclosure Form and Certification (and any accompanying documentation) for the duration of this contract, including any amendments or extensions thereto. Accordingly, it is your duty to complete and submit an updated Criminal Background Disclosure Form and Certification whenever there is a new Person Subject to Disclosure for this contract. **NO NEW PERSON SUBJECT TO DISCLOSURE SHALL PERFORM WORK OR SERVICES OR ENTER ONTO COUNTY PREMISES UNTIL THE UPDATED CRIMINAL BACKGROUND DISCLOSURE FORM AND CERTIFICATION IS FILED WITH THE PROCURING OFFICER.** You shall also provide the County with any other updates that may be necessary to comply with the disclosures required by Executive Order 1-2008.

PLEASE CONTINUE TO THE

Criminal Background Disclosure Form and Certification

BEGINNING ON THE NEXT PAGE

$\Gamma \Omega$	N	TI	<b>A</b>	CT	`#:
$-\mathbf{v}$	T.	11	$\mathbf{L}$	U I	. TT •

Name of Consultant, Contractor, Lessee, or Licensee:

### CRIMINAL BACKGROUND DISCLOSURE FORM AND CERTIFICATION

	TOTAL TANKS CONTINUES TO THE CONTINUE THE CONTINUES TO THE CONTINUES TO THE CONTINUES TO THE CONTINUE THE CONTINUES TO THE CONTINUE THE CONTINUES TO THE CONTINUE THE CONTINUE THE CONTINUES TO THE CONTINUE THE CONTINUE THE CONTI
please co	form is being completed by a subconsultant, subcontractor, sublessee, or sublicensee, nsider all references in this form to "consultant, contractor, lessee, or licensee" to mean ltant, subcontractor, sublessee, or sublicensee" and check here:
I,(Nam	, certify that I am a principal or a ne of Person Signing Below)
representative of the	e Consultant, Contractor, Lessee, or Licensee and I am authorized to complete and execute this and Disclosure Form and Certification. I certify that I have asked each Person Subject to
dei of em sta	ive you or your company ever been convicted of a crime (all felonies and misdemeanors as fined under the New York State Penal Law or the equivalent under Federal law or the laws any other State) including, but not limited to, conviction for commission of fraud, abezzlement, theft, forgery, bribery, falsification or destruction of records, making false attements or receiving stolen property?  The you or your company subject to any pending criminal charges (all felonies and
Fe	sdemeanors as defined under the New York State Penal Law or the equivalent under deral law or the laws of any other State)?  mes and titles of Persons Subject to Disclosure who refused to answer either of the questions
2	
3	
4	
5	
(If more sp	pace is needed, please attach separate pages labeled "REFUSED to Answer - Continued.")

1	
2	
3	
4	
5	
(If more space is needed, please attach separate pages labeled "YES Answers -	Continued."

I certify that the names and titles of Persons Subject to Disclosure who answered "Yes" to either of the questions

Each Person Subject to Disclosure listed above who has either **been convicted of a crime(s)** and/or **is subject to a pending criminal charge(s)** must answer additional questions. Those questions are below.

A Person Subject to Disclosure who has **been convicted of a crime(s)** must respond to the following (please attach separate pages with responses for each person, with their name and title):

- 1.) Describe the reason for being on County property if applicable, identify the specific duties and responsibilities on this project which you intend to perform for the County, including but not limited to, access to sensitive data and facilities and access to vulnerable populations.
- 2.) Please list all criminal convictions along with a brief description of the crime(s) (including all felonies and misdemeanors as defined under the New York State Penal Law or the equivalent under Federal law or the laws of any other State).
- 3.) Please provide the date and place of each conviction.
- 4.) Please provide your age at the time of each crime for which you were convicted.
- 5.) Please provide the legal disposition of each case.
- 6.) Please provide any information either produced by yourself or someone on your behalf in regards to your rehabilitation and good conduct.

A Person Subject to Disclosure who is subject to a pending criminal charge(s) must respond to the following (please attach separate pages with responses for each person, with their name and title):

- 1.) Describe the reason for being on County property and if applicable, identify the specific duties and responsibilities on this project which you intend to perform for the County, including but not limited to, access to sensitive data and facilities and access to vulnerable populations.
- 2.) Please identify all pending criminal charges (all felonies and misdemeanors as defined under the New York State Penal Law or the equivalent under Federal law or the laws of any other State).
- 3.) Please briefly describe the nature of the pending charges and the date upon which it is alleged that a crime was committed.

I hereby certify that all of the information provided herein (and in any and all attachments) is true and accurate and that all disclosures required by Executive Order 1-2008 and this Criminal Background Disclosure Form and Certification have been completed. By my signature below, I hereby affirm that all of the facts, statements and answers contained herein (and in any and all attachments) are true and correct. I understand that providing false or incomplete information or withholding by omission or intention pertinent information will be cause for refusing further consideration of my being utilized under this contract.

It is understood and agreed that no Person Subject to Disclosure shall perform work or services or enter onto County property until this required Criminal Background Disclosure Form and Certification is filed with the Procuring Officer.

	e consultant, contractor, lessee, or licensee has a continuing Criminal Background Disclosure Form and Certification fo	
duration of this contract, including any am	nendments or extensions thereto, and shall provide any upd to comply with the requirements of Executive Order 1-200	ates to
	to comply what one requirements of fine the Crust I for	
	Name:	
	Title:	
	Date:	
Notary Public	 Date	

# SUBCONTRACTOR'S SEALED BID SUBMISSION

Westchester County Contract No.:			
Name of Subcontractor:Address:			
E-mail address:			
Name of Contractor to whom this bid is submitted:			
	Subcontractor (e.g., electrical, plumbing, HVAC):		
performance of the Subcontractor'			
\$:			
. 3,	thousand dollars and xx/100):		
<u>Subcontractor</u>	Contractor		
Signature	Signature		
By			
(print name & title)	(print name & title)		

THE SUCCESSFUL LOW BIDDER, BEFORE AWARD OF THE CONTRACT, MUST PROCURE AND PROVIDE TO THE COUNTY, FROM EACH OF THE ABOVE DENOTED SUBCONTRACTORS, A CONTRACT DISCLOSURE STATEMENT (PROPOSAL PAGES 24-32) AND THE REQUIRED DISCLOSURE OF RELATIONSHIPS TO COUNTY (PROPOSAL PAGES 33-34)

# **COMPLETE THIS FORM USING BLACK INK ONLY**

Proposal Page 41



# 2. <u>INFORMATION FOR BIDDERS</u>

DEPARTMENT OF PUBLIC WORKS

**Division of Engineering** 

#### 1. ADDENDA AND INTERPRETATION

No interpretation of the meaning of the plans, specifications or other contract documents will be made to any bidder orally. Every request for such interpretation should be in writing addressed to the Westchester County Department of Public Works, Division of Engineering, Room 512, Michaelian Office Building, White Plains, New York, and to be given consideration must be received at least five (5) days prior to the date fixed for the opening of bids. Any and all such interpretations and any supplemental instructions will be in the form of written addenda to the specifications which, if issued, will be posted on the internet not later than three (3) days prior to the date fixed for the opening of bids. Revisions to plans or drawings requiring the issuance of additional or revised drawings will be noted on the internet with instructions how to acquire copies of such revised plans or drawings. Failure of any bidder to receive any such addendum or interpretation or any other form, instrument or document shall not relieve any bidder from any obligation under its bid as submitted. All addenda so issued shall become part of the contract documents.

A bidder's failure to request a clarification, interpretation, etc. of any portion of the plans, specifications, or contract or to point out any inconsistency therein will preclude such bidder from thereafter claiming any ambiguity, inconsistency, or error which should have been discovered by a reasonably prudent bidder and from asserting any claim for damages arising directly or indirectly therefrom.

#### 2. <u>VOIDED CLAUSES</u>

Wherever in this booklet any page is stamped "VOID", only the section(s) or paragraph(s) so stamped are void. All other sections(s) and paragraph(s) remain in full force and effect.

#### 3. PRE-BID SITE INSPECTION

Unless otherwise stated, on building construction work, bidders are free and encouraged to examine the work site during normal work hours preceding the date on which bids are to be opened. For those bidders requesting further clarification of the conditions, an appointment with the County's representative, on the eighth day (Tuesday) prior to the bid opening date, can be requested, by contacting the, Department of Public Works, Division of Engineering at (914) 995-2553.

Each bidder must inform itself fully of the conditions relating to the work to be performed. Failure to do so will not relieve a successful bidder of the obligation to furnish all material and labor necessary to carry out the provisions of the contract documents and to complete the contemplated work for the consideration set forth in its Bid.

At the time of the opening of bids each bidder will be presumed to have inspected the sites and to have read and to be thoroughly familiar with the Plans and Contract Documents (including all addenda).

#### 4. BID SECURITY

Bid Security shall be provided in accordance with the "Notice to Contractors." Where

a Performance and Payment bond is required in the Notice to Contractors, the executed "Bid Bond and Consent of Surety" of the Proposal Pages must be submitted with the Bid when the bid is more than \$100,000. The successful bidder, no matter the size of its bid, will be required to furnish a Performance and Payment Bond.

Where a Performance and Payment Bond is not specified in the Notice to Contractors, then the required Security may be furnished in the form of a Certified Check; drawn to the order of "County of Westchester, clipped to the top of the front cover and submitted with the Bid.

Certified checks submitted will be returned to all bidders submitting certified checks within three (3) days after the opening of bids unless the bidder or bidders submitting certified checks are among the two lowest bidders. At any time after the opening of bids, the second lowest bidder, if the second lowest bidder has submitted a certified check, may substitute a bid bond for the certified check by presenting the bond to the Secretary of the Board of Acquisition and Contract. This bond shall be in the form and coverage required by the County and shall be in an amount not less than the amount of the bidder's certified check. After receipt, approval and acceptance of the bond by the County, the County will forward to the bidder a County check in an amount equal to the bidder's certified check.

All certified checks submitted will be returned to the two lowest bidders within 48 hours after the successful bidder executes the required contract and furnishes the County with all necessary bonds and insurance certificates.

In the event that the successful bidder has not executed the required contract and furnished the required bonds and insurance certificates within forty-five (45) days after the opening of bids, the County, upon demand from a bidder (except for the successful bidder), will send a County check to the bidder in the amount of the bidder's certified check.

Failure of the successful bidder to execute the contract and furnish the necessary bonds and insurance certificates shall result in forfeiture of the bid security, such sum to be retained by the County as liquidated damages.

#### 5. PERFORMANCE AND PAYMENT BOND

# If required pursuant to "Notice to Contractors."

If a Performance and Payment bond is required in accordance with the "Notice to Contractors", the "Bid Bond and Consent of Surety" of the Proposal Pages must be executed by the Contractor's Surety Company and submitted with the Bid for all bids over \$100,000.

Simultaneously with its delivery of the executed contract, the successful bidder shall deliver to the County an executed bond in the amount of one hundred percent of the accepted bid as security for the faithful performance of its contract and in the amount of one hundred percent for the payment of all persons performing labor or furnishing materials in connection therewith, prepared in satisfactory form and having as surety thereon such bond underwriter or surety that appears on the U.S. Treasury's listing of approved sureties (Department Circular 570), and is licensed to transact business in New York State. In the event such Surety ceases to appear on the U.S. Treasury's listing of approved sureties (Department Circular 570) or ceases to be licensed to transact business in New York State or becomes insolvent or enters liquidation proceedings, the Contractor, at its sole cost, shall furnish a replacement bond from a surety satisfactory to the County.

The form of contract and Performance and Payment Bond to be used in connection with this Contract and to become a part of the contract documents is attached in the section entitled "Sample Contract and Bond for Construction".

#### 6. INDEMNIFICATION AGREEMENT

#### The Contractor agrees:

- A. that except for the amount, if any, of damage contributed to, caused by or resulting from the negligence of the County, the Contractor agrees to indemnify and hold harmless the County of Westchester, its officers, employees, elected officials, and agents from and against any and all liability, damage, claims, demands, costs, judgments, fees, attorneys' fees or loss arising directly or indirectly out of the performance or failure to perform hereunder by the Contractor or third parties under the direction or control of the Contractor; and
- B. to provide defense for and defend, at its sole expense, any and all claims, demands or causes of action directly or indirectly arising out of the Agreement and to bear all other costs and expenses related thereto.

#### 7. INSURANCE REQUIREMENTS

The Contractor, upon award of the contract and throughout the term of the Agreement, shall obtain at its own cost and expense the required insurance as delineated below from insurance companies licensed in the State of New York, carrying a Best's financial rating of A or better. Contractor shall provide evidence of such insurance to the County of Westchester ("County"), either by providing a copy of policies and/or certificates as may be required and approved by the Director of Risk Management of the County ("Director"). The policies or certificates thereof shall provide that ten (10) days prior to cancellation or material change in the policy, notices of same shall be given to the Board of Acquisition and Contract of the County of Westchester by registered mail, return receipt requested, for all of the following stated insurance policies, with a copy also sent to the Director of Risk Management of the County. All notices shall name the Contractor and identify the Contract Number.

If at any time any of the policies required herein shall be or become unsatisfactory to the Director, as to form or substance, or if a company issuing any such policy shall be or become unsatisfactory to the Director, the Contractor shall upon notice to that effect from the County, promptly obtain a new policy, and submit the policy or the certificate as requested by the Director to the Office of Risk Management of the County for approval by the Director. Upon failure of the Contractor to furnish, deliver and maintain such insurance, the Agreement, at the election of the County, may be declared suspended, discontinued or terminated.

Failure of the Contractor to take out, maintain, or the taking out or maintenance of any required insurance, shall not relieve the Contractor from any liability under the Agreement, nor shall the insurance requirements be construed to conflict with or otherwise limit the contractual obligations of the Contractor concerning indemnification.

All property losses shall be made payable to the "County of Westchester" and adjusted with the appropriate County personnel.

In the event that claims, for which the County may be liable, in excess of the insured amounts provided herein are filed by reason of Contractor's negligent acts or omissions under the

agreement or by virtue of the provisions of the labor law or other statute or any other reason, the amount of excess of such claims or any portion thereof, may be withheld from payment due or to become due the Contractor until such time as the Contractor shall furnish such additional security covering such claims in form satisfactory to the Director.

In the event of any loss, if the Contractor maintains broader coverage and/or higher limits than the minimums identified herein, the County shall be entitled to the broader coverage and/or higher limits maintained by the Contractor. Any available insurance proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the County.

The Contractor shall provide proof of the following coverage. (Other coverage may be required by the County of Westchester based on specific needs. If such other coverages are required for a specific contract, those coverages will be described in the "Special Clauses" of the contract specifications):

a) Workers' Compensation and Employer's Liability. Certificate form C-105.2 or State Fund Insurance Company form U-26.3 is required for proof of compliance with the New York State Workers' Compensation Law. State Workers' Compensation Board form DB-120.1 is required for proof of compliance with the New York State Disability Benefits Law. Location of operation shall be "All locations in Westchester County, New York."

Where an applicant claims to not be required to carry either a Workers' Compensation Policy or Disability Benefits Policy, or both, the employer must complete NYS form CE-200, available to download at: <a href="http://www.wcb.ny.gov">http://www.wcb.ny.gov</a>.

If the employer is self-insured for Workers' Compensation, he/she should present a certificate from the New York State Worker's Compensation Board evidencing that fact (Either SI-12, Certificate of Workers' Compensation Self-Insurance, or GSI-105.2, Certificate of Participation in Workers' Compensation Group Self-Insurance).

- b) Commercial General Liability Insurance with a combined single limit of \$1,000,000 (c.s.1) per occurrence and a \$2,000,000 aggregate limit naming the "County of Westchester" as an additional insured on a primary and non-contributory basis. This insurance shall include the following coverages:
  - i. Premises Operations.
  - ii. Broad Form Contractual.
  - iii. Independent Contractor and Sub-Contractor.
  - iv. Products and Completed Operations.

NOTE: Additional insured status shall be provided by standard or other endorsement that extends coverage to the County of Westchester for both on-going and completed operations.

All Contracts involving the use of explosives, demolition and/or underground work shall provide proof that XCU is covered.

- c) Commercial Umbrella/Excess Insurance: \$2,000,000 each Occurrence and Aggregate naming the "County of Westchester" as additional insured, written on a "follow the form" basis.
- d) Owners Protective Liability Policy naming the County as insured, with a minimum limit of liability per occurrence of \$3,000,000 (where applicable, or as determined by the Director, Risk Management)
- e) Automobile Liability Insurance with a minimum limit of liability per occurrence of \$1,000,000 for bodily injury and a minimum limit of \$100,000 per occurrence for property damage or a

combined single limit of \$1,000,000 unless otherwise indicated in the contract specifications. This insurance shall include for bodily injury and property damage the following coverages and name the "County of Westchester" as additional insured:

- i. Owned automobiles.
- ii. Hired automobiles.
- iii. Non-owned automobiles.
- f) Construction Insurance: For the construction, renovation or repair of bridges, viaducts or similar structures, the Contractor at its own cost and expense shall provide and maintain a "Bridge Builder's Risk Form, All Risk Insurance Contract," with flat premium endorsement, until the construction contract is accepted by the Board of Acquisition and Contract of the County of Westchester. The coverage shall be written for 100% of the completed value, covering the Contractor and County of Westchester as the insureds. The Contractor shall provide the original and duplicate policy to the County (unless the County shall accept, in lieu thereof, all contained endorsements including all applicable provisions and coverages).

For the construction of (a) new buildings and (b) for additions or repairs of existing buildings or structures, the Contractor at its own cost and expense shall provide and maintain a "Builder's Risk Form, All Risk Insurance Contract," with flat premium endorsement, until the construction contract is accepted by the Board of Acquisition and Contract of the County of Westchester. The coverage shall be written for 100% of the completed value, covering the Contractor and County of Westchester as the insureds. The Contractor shall provide the original and duplicate policy to the County (unless the County shall accept, in lieu thereof, all contained endorsements including all applicable provisions and coverages).

All policies of the Contractor shall be endorsed to contain the following clauses:

- (a) Insurers shall have no right to recovery or subrogation against the County (including its employees and other agents and agencies), it being the intention of the parties that the insurance policies so effected shall protect both parties and be primary coverage for any and all losses covered by the above-described insurance.
- (b) The clause "other insurance provisions" in a policy in which the County is named as an insured, shall not apply to the County.
- (c) The insurance companies issuing the policy or policies shall have no recourse against the County (including its agents and agencies as aforesaid) for payment of any premiums or for assessments under any form of policy.
- (d) Any and all deductibles in the above described insurance policies shall be assumed by and be for the account of, and at the sole risk of, the Contractor.

THIS SECTION INTENTIONALLY LEFT BLANK

# 8. PREVAILING WAGE RATES AND SUPPLEMENTS

# A. Wages to be Paid and Supplements to be Provided

Each laborer, workman or mechanic employed by the Contractor(s), Sub-contractor(s) or other person(s) doing or contracting to do the whole or part of the work contemplated by this Contract, shall be paid the prevailing wages and provide the supplements (including but not limited to health, welfare and pension benefits) as required by Article 8 (Section 220-223) and Article 9 (230-239) of the New York State Labor Law.

# B. Schedule of Hourly Rates/Supplements

The "Schedule of Hourly Rates and Supplements" shows the prevailing hourly rates of wages to be paid and supplements to be provided. It is the County's preference that such supplements shall be paid to a Federally qualified Pension, Health and Welfare program and New York State Registered Apprentice Training Program.

Classifications not appearing on the rate sheet can be used only with the consent of the Commissioner of Public Works and then the rate to be paid will be given by the Commissioner of Public Works after advising with the State Department of Labor.

#### C. Grounds for Cancellation of Contract

In the event of a failure, to pay the prevailing wages and provide the supplements in accordance with the New York State Labor Law, and as described in this Contract, it shall be considered a material breach. For the breach or violation of this provision, without limiting any other rights or remedies to which the County or any individual may be entitled or any civil or criminal penalty for which any violator may be liable, the County shall have the right, in its discretion, to terminate this agreement immediately upon notice. In such event, the Contractor(s), Sub-Contractor(s), et al shall be liable to the County for any additional costs incurred by the County in the completion of the project.

In addition to any other remedies available to the County and irrespective of any applicable penalties pursuant to law, the County may deduct from the amount payable to the Contractor under this contract five hundred (\$500.00) dollars as reimbursement for the costs it incurs in investigating any violation of Section 220 of the Labor Law.

# D. Records to be kept on Site

The Contractor(s), Sub-contractor(s), et al. shall certify their payrolls and keep them on site and available, in addition to the following informative records:

- 1) Record of hours worked by each workman, laborer and mechanic on each day;
- 2) Record of days worked each week by each workman, laborer and mechanic;
- 3) Schedule of occupation or occupations at which each workman, laborer and mechanic on the project is employed during each work day and week;
- 4) Schedule of hourly wage rates paid to each workman, laborer and mechanic for each occupation.
- 5) A statement or declaration signed by each workman, laborer and mechanic attesting that they have been provided with a written notice, informing them of the prevailing wage rates and supplements requirement for this contract.

# E. Responsibility of the Contractor, Sub-Contractor, et al.

The Contractor(s), Sub-Contractor(s), et al. will display the posters in a conspicuous location at the site and distribute the wallet cards to the employees. These posters and wallet cards will inform the employees that they are entitled to receive the prevailing wages and supplements as determined by the Department of Labor and will list the

Department of Labor's Public Work field offices, with phone numbers for individuals to call if they believe their rights are being violated.

# F. Pay for a Legal Day's Work & Use of Apprentices

The wages to be paid for a legal day's work, as hereinbefore defined, to laborers, workmen or mechanics upon such public works, shall be not less than the prevailing rate of wages as hereinafter defined. Serving laborers, helpers, assistants and apprentices shall not be classified as common labor and shall be paid not less than the prevailing rate of wages as hereinafter defined. No employee shall be deemed to be an apprentice unless he is individually registered in an apprenticeship program which is duly registered with the Industrial Commissioner in conformity with the provision of Article 23 of the Labor Law. The wages to be paid for a legal day's work, as hereinbefore defined, to laborers, workmen or mechanics upon any material to be used upon or in connection therewith shall be not less than the prevailing rate for a day's work in the same trade or occupation in the locality within the state where such public work on, about or in connection with which such labor is performed in its final or completed form is to be situated, erected or used and shall be paid in cash; provided, however, that an employer may pay his employees by check upon a Certificate of the Industrial Commissioner to be issued only after a hearing upon the application to pay by check, which hearing shall be with notice of at least five days to be served personally or by mail on all interested persons, or if not served as aforesaid, then to be published in a manner directed by the Industrial Commissioner, which shall afford interested persons the opportunity to appear and to be heard at such hearing, and after proof has been furnished satisfactorily to the Industrial Commissioner of the employer's financial responsibility and the employer gives assurance that such checks may be cashed by employees without difficulty and for the full amount for which they are drawn. Such Contracts shall contain a provision that each laborer, workman or mechanic, employed by such Contractor, Subcontractor or other person about or upon such public works, shall be paid the wages herein provided.

# G. Fiscal Officer's Duty to Determine Schedule of Wages

It shall be the duty of the fiscal officer (the "New York State Commissioner of Labor"), to ascertain and determine the schedule of wages to be paid workmen, laborers and mechanics on each such public work, prior to the time of the advertisement for bids, and such schedule of wages shall be annexed to and form a part of the specifications for the work. Such fiscal officer shall file with the department having jurisdiction such schedule of wages to the time of the commencement of the advertisement for bids on all public works proposed to be constructed. The term "Contract" as used in this subdivision also shall include reconstruction and repair of any such public work.

Where Contracts are not awarded within ninety days of the date of the establishment of the prevailing rate of wages by the fiscal officer, the department of jurisdiction shall request of the fiscal officer a redetermination of a schedule of wages.

# H. Penalty for Payment of Less than Prevailing Wages

Any person or corporation that willfully pays after entering into such Contract, less than such stipulated wage scale as established by the fiscal officer shall be guilty of a

misdemeanor and upon conviction shall be punished for such first offense by a fine of five hundred dollars or by imprisonment for not more than thirty days, or both fine and imprisonment; for a second offense by a fine of one thousand dollars, and in addition thereto the Contract on which the violation has occurred shall be forfeited and no such person or corporation shall be entitled to receive any sum nor shall any officer, agent, or employee of the state, municipal corporation or commission or board appointed pursuant to law pay the same or authorize its payment from the funds under his charge or control to any person or corporation for work done upon any Contract, on which the Contractor has been convicted for a second offense in violation of the provisions of this section.

# 9. LABOR AND COMPLIANCE WITH LABOR LAW

#### A. Preference for Westchester Residents

The Contractor agrees that in the performance of the work under this Contract he will give preference, and so far as legally possible, to employ citizens and residents of Westchester County.

#### B. Certifications To Be Filed

It is agreed that, in accordance with Section 220-d of the Labor Law as amended before final payment by or on behalf of the County for any sum due on account of a Contract for a public improvement, the Contractor and each and every Subcontractor of the Contractor or a Subcontractor is required to file a statement in writing in form satisfactory to the Commissioner of Finance certifying to the amounts then due and owing from such Contractor or Subcontractor filing such statement to or on behalf of any and all laborers for daily or weekly wages or supplements on account of labor performed upon the work under the Contract, setting forth therein the names of the persons whose wages or supplements are unpaid and the amount due to each or on behalf of each respectively, which statement so to be filed shall be verified by the oath of the Contractor or Subcontractor as the case may be that he has read such statement subscribed by him and knows the contents thereof, and that the same is true to his own knowledge.

#### C. Retention of Funds

It is further agreed that in accordance with Section 220b of the Labor Law, as amended:

1) In case any interested person shall have previously filed a protest in writing objecting to the payment to any Contractor or Subcontractor to the extent of the amount or amounts due or become due to him/her for daily or weekly wages or supplements for labor performed on the public improvement for which such Contract was entered into, or if for any other reason it may be deemed advisable, the Commissioner of Finance may deduct from the whole amount of any payment on account thereof the sum or sums admitted by any Contractor or Subcontractor in such statement or statements so filed to be due and owing by him on account of labor performed on such public improvement before making payment of the amount certified for payment in any estimate or voucher, and may withhold the amount so deducted for the benefit of the laborers, workmen or mechanics whose

wages or supplements are unpaid or not provided, as the case may be, as shown by the verified statements filed by any Contractor or Subcontractor, and may pay directly to any person the amount or amounts shown to be due to him or his duly authorized collective bargaining labor organization, as the case may be, for such wages or supplements by the statements filed as hereinbefore required, thereby discharging the obligation of the Contractor or Subcontractor to the person or his duly authorized collective bargaining labor organization receiving such payment to the extent of the amount thereof, or

- When any interested person shall file a written complaint with the fiscal officer as defined in section 220-b of the Labor Law, alleging unpaid wages or supplements due for labor performed on a public improvement for which a Contract has been entered into, and said labor is alleged to have been performed within the two year period immediately preceding the date of the filing of said complaint, or if, on the fiscal officer's own initiative, unpaid wages or supplements appear to be due, the fiscal officer shall immediately so notify the financial officer of the civil division interested, or, if there are insufficient moneys still due to the Contractor or Subcontractor to satisfy said wages and supplements, including interest and penalty, the financial officer of another civil division which has entered or subsequently enters into a public improvement contract with the Contractor or Subcontractor, who shall withhold from any payment due or earned by the Contractor or Subcontractor executing said public improvement, sufficient moneys to satisfy said wages and supplements, including interest at the rate provided herein, and any civil penalty that may be assessed as provided herein, pending a final determination. The Commissioner of Finance shall immediately confirm in writing to the fiscal officer the amount of money withheld.
- 3) Moneys withheld pursuant to this section shall be held by the Commissioner of Finance for the sole and exclusive benefit of the workers employed on said public improvement and for payment of any civil penalty that may be assessed as provided herein and shall not be used for any other purpose except upon court order. Any person, partnership, association, corporation or governmental body who files a lien or commences a judicial proceeding with respect to any moneys withheld pursuant to this section shall notify the fiscal officer in writing of the lien or claim on or before the date of filing of the lien or commencement of the judicial proceeding. In any proceeding to obtain moneys withheld pursuant to this section by any person, partnership, association, corporation or governmental body, the Commissioner of Labor shall have the right to appear and be heard.
- 4) The fiscal officer shall then cause an investigation to be made to determine whether any amounts are due to the laborers, workmen or mechanics, or on their respective behalves, on such public improvement, for labor performed after the commencement of the three-year period immediately preceding the filing of the complaint or the commencement of the investigation on his own initiative, as the case may be, and shall order a hearing therein at a time and place to be specified and shall give notice thereof, together with a copy of such complaint, or a statement of the facts disclosed upon such investigation, which notice shall be served personally or by mail on all interested persons, including the person complained

against and upon the financial officer of the civil division; such person complained against shall have an opportunity to be heard in respect to the matters complained of, at the time and place specified in such notice, which time shall be not less than five days from the service of said notice. The fiscal officer in such an investigation shall be deemed to be acting in a judicial capacity and shall have the rights to issue subpoenas, administer oaths and examine witnesses. The enforcement of a subpoena issued under this section shall be regulated by the Civil Practice Law and Rules. Such investigation and hearing shall be expeditiously conducted, and upon such hearing and investigation, the fiscal officer shall determine the issues raised thereon and shall make and file an order in his office stating such determination and forthwith serve a copy of such order, either personally or by mail, together with notice of filing, upon the parties to such proceedings, and if the fiscal officer be the Comptroller, upon the Commissioner of the Department of Labor. Such order shall direct payment of wages or supplements found to be due, including interest at the rate of interest then in effect as prescribed by the Superintendent of Banks pursuant to Section fourteen (a) of the Banking law per annum from the date of the underpayment to the date of payment.

- 5) In addition to directing payment of wages or supplements, including interest found to be due, the order of the fiscal officer may direct payment of a further sum as a civil penalty in an amount not exceeding twenty-five percent of the total amount found to be due. In assessing the amount of the penalty, due consideration shall be given to the size of the employer's business, the good faith of the employer, the gravity of the violation, the history of previous violations of the employer or any successor or substantially-owned affiliated entity or any of the partners if the Contractor or Subcontractor is a partnership or any of the five largest shareholders of the Contractor or Subcontractor, as determined by the fiscal officer, and any officer of the Contractor or Subcontractor who knowingly participated in the violation of this article, and the failure to comply with record keeping or other non-wage requirements. Upon the fiscal officer's determination of the penalty, where the fiscal officer is the Commissioner of the Department of Labor, the penalty shall be paid to said Commissioner for deposit in the State Treasury.
- 6) Upon the entry and service of such order, the Commissioner of Finance shall pay to the claimant, from the moneys due to the Contractor or Subcontractor, the amount of the claim as determined by the fiscal officer and the amount of the civil penalty, if any, shall be paid as provided herein, provided that no proceeding pursuant to Article Seventy-Eight of the Civil Practice Law and Rules for review of said order is commenced by any party aggrieved thereby within thirty days from the date of said order was filed in the office of the fiscal officer. Said proceeding shall be directly in the appellate division of the Supreme Court. Where the fiscal officer is the Commissioner of the Department of Labor, the civil penalty shall be paid to said Commissioner for deposit in the State Treasury. In the event that such a proceeding for review is instituted, moneys sufficient to satisfy the claim and civil penalty shall be set aside by the Commissioner of Finance, subject to the order of the Court.

- 7) When final determination has been made and such determination is in favor of the complainant, said complainant may in addition to any other remedy provided by this article, institute an action in any Court of appropriate jurisdiction against the person or corporation found violating this article, any substantially-owned affiliated entity or any successor of the Contractor or Subcontractor, any officer of the Contractor or Subcontractor who knowingly participated in the violation of this article, and any of the partners if the Contractor or Subcontractor is a partnership or any of the five largest shareholders of the Contractor or Subcontractor, as determined by the fiscal officer, for the recovery of the difference between the sum, if any, actually paid to him by the Commissioner of Finance pursuant to said order and the amount found to be due him as determined by said order. Such action must be commenced, within three years from the date of the filing of said order, or if the said order is reviewed in a proceeding pursuant to Article Seventy-eight of the Civil Practice Law and Rules, within three years after the termination of such review proceeding.
- When two final determinations have been rendered against a Contractor, Subcontractor, successor, or any substantially owned affiliated entity of the Contractor or Subcontractor, any of the partners if the Contractor or Subcontractor is a partnership, any officer of the Contractor or Subcontractor who knowingly participated in the violation of this article, any of the five largest shareholders of the Contractor or Subcontractor or any successor within any consecutive six-year period determining that such Contractor, Subcontractor, successor, or any substantially-owned affiliated entity of the Contractor or Subcontractor, any of the partners or any of the five largest shareholders of the Contractor or Subcontractor, any officer of the Contractor or Subcontractor who knowingly participated in the violation of this article has willfully failed to pay the prevailing rate of wages or to provide supplements in accordance with this article, whether such failures were concurrent or consecutive and whether or not such final determinations concerning separate public work projects are rendered simultaneously, such Contractor, Subcontractor, successor, or any substantially-owned affiliated entity of the Contractor or Subcontractor, any of the partners if the Contractor or Subcontractor is a partnership or any of the five largest shareholders of the Contractor or Subcontractor, any officer of the Contractor or Subcontractor who knowingly participated in the violation of this article shall be ineligible to submit a bid on or be awarded any public work contract or subcontract with the State, any municipal corporation or public body for a period of five years from the second final determination, provided, however, that where any such final determination involves the falsification of payroll records or the kickback of wages or supplements, the Contractor, Subcontractor, successor, or any substantially-owned affiliated entity of the Contractor or Subcontractor, any partner if the Contractor or Subcontractor is a partnership or any of the five largest shareholders of the Contractor or Subcontractor, any officer of the Contractor or Subcontractor who knowingly participated in the violation of this article shall be ineligible to submit a bid on or be awarded any public work contract with the State, any municipal corporation or public body for a period of five years from the first final determination.

9) Nothing in this subdivision shall be construed as affecting any provision of any other law or regulation relating to the awarding of public contracts.

Pursuant to Section 220-C of the Labor law, any Contractor or Subcontractor who shall upon his oath verify any statement required to be filed herein, which is known by him to be false, shall be guilty of perjury and punishable as provided by the Penal Law.

#### 10. CONTRACTOR'S REPORT OF EMPLOYMENT AND WEEKLY AFFIDAVIT

Each week the Contractor shall furnish to the Commissioner of Public Works the "Contractor's Report Of Employment And Weekly Affidavit" of the Sample Forms.

#### 11. LAWS/REGULATIONS AND APPROPRIATIONS

- A. The Contractor shall, at its own cost and expense, comply with all provisions of the Labor Law (i.e. prevailing rate of wages and supplements), Lien Law, Workmen's Compensation Law and all other laws and ordinances affecting this contract or order, either Federal, State or local.
- B. It is recognized and understood by the Parties that when this Agreement is subject to future appropriation by the Westchester County Board of Legislators for funds not presently appropriated to pay for this Agreement; the County shall have no liability under this agreement beyond the funds, if any, that are appropriated and available for payment of the amounts due under this Agreement. The Parties understand and intend that the obligation of the County to pay the amounts due hereunder shall constitute a current expense of the County and shall not in any way be construed to be a debt of the County in contravention of any applicable constitutional or statutory limitations or requirements concerning the creation of indebtedness by the County, nor shall anything contained in this Agreement constitute a pledge of the general tax revenues, funds or monies of the County. The County shall pay amounts due under this Agreement exclusively from legally available funds appropriated for this purpose. Notwithstanding the foregoing, the County will do all things lawfully within its power to obtain, maintain, and properly request and pursue funds from which payments under this Agreement may be made, including: (i) the County Executive making provisions for such payments to the extent necessary in the annual budget submitted to the Board of Legislators for the purpose of obtaining funding; and (ii) using its reasonable efforts to have such portion of the budget approved.

#### 12. <u>REFUSAL TO ANSWER QUESTIONS</u>

It is understood and agreed by the Contractor that he/she bears an affirmative obligation to answer questions specifically or directly relating to this agreement before any official, board or agency authorized or empowered to inquire into such matters. This section shall not be construed as barring the Contractor, its directors, officers or employees from exercising their constitutional privilege against self-incrimination.

The foregoing, however, shall not be construed as limiting the rights and remedies of the County in the event of such refusal, and when such body or agency is wholly civil in nature,

failure or refusal to fully cooperate with and diligently answer the inquiries of such official, board or agency may constitute grounds for the termination of this agreement and/or the exercise of any and all other rights or remedies which the County may have by reason of such failure or refusal.

Any and all contracts made with the State, the County of Westchester, or any public department, agency or official thereof, since July 1, 1959 by such person and by any firm, partnership or corporation of which he is a member, partner, director or officer, may be canceled or terminated by the County of Westchester, without incurring any penalty or damages on account of such cancellation or termination, but any monies owing pursuant to said transaction or contract prior to the cancellation and termination, shall be paid.

The successful bidder will be required to make all books and records concerning this contract available during business hours, upon reasonable notice, to duly authorized County personnel for the purpose of ascertaining compliance and/or performance of all provisions of this contract. This provision shall survive the termination of this agreement and for a period of six (6) years thereafter.

# 13. BID REQUIREMENTS

The Bid must be made on the "Proposal Pages" included in this specification or as provided with an addendum. All blank spaces on said Proposal Pages must be filled in and no change shall be made in the phraseology or in the items as contained therein.

Any bid which fails to name a price per unit of measurement for each of the items for which quantities are given, may be held to be informal and rejected. Bids submitted on Proposal Pages that contain any omissions, alterations, additions or items not called for in the bid documents, or that are illegible, unbalanced, conditional, incomplete or contain irregularities of any kind, may be rejected as informal. If the various parts of the work have been divided into classes and/or items to enable the bidder to bid for different portions of the work in accordance with its estimate of their costs, in the event of any increase or decrease in the quantity will be paid for at the price bid for that particular item. The sum of the amounts for each class or item, obtained by multiplying the approximate quantity by the unit price, shall constitute the total sum bid.

In the event of a discrepancy between the written bid amount and the numerical bid amount, the written amount will take precedence and be controlling as to the amount of the Bid. Any such discrepancy shall be corrected as set forth in Article "Correction Of Errors" of the Information for Bidders.

#### 14. MISCELLANEOUS ADDITIONAL WORK (ITEM W-800)

- A. <u>Description</u> Under this item each Contractor shall furnish all labor, material and equipment required to accomplish miscellaneous additional work:
  - 1) Necessitated by encountering during the course of the work field conditions of a nature not determinable during design; or
  - 2) For which no unit prices are applicable.

- B. <u>Method of Measurement</u> Only that miscellaneous additional work shall be performed by the Contractor and will be paid for by the County, which has been authorized by the Commissioner or the Construction Administrator in writing, prior to its commencement.
- C. Article "Increase or Decrease of Quantities: Elimination of Items" of the Information for Bidders, will still apply relative to the percentage of the total awarded contract price that the work under the contract may be increased or decreased.
- D. <u>Payment</u> The total amount paid to the Contractor will be determined in strict accordance with the provisions of Article "Extra Work: Increased Compensation/ Decreased Work: Credit to the Owner" of the General Clauses, and such payment will include only that overhead and profit that is applicable to the work performed under this item.
- E. Each Contractor shall include in its total bid the lump sum printed in the Proposal and any bid other than the specified amount will be considered informal.

# 15. CORRECTION OF ERRORS

Relative to dollar bid items and the required computations as submitted and performed by bidders on the proposal sheets, if there are any inconsistencies derived in multiplying unit bid prices by the stated quantities, the Commissioner reserves the right to reconcile the unit bid prices or the products of the unit bid prices and the stated quantities, when in the Commissioner's professional opinion such reconciliation(s) would concur with the apparent intent of a bidder and the Commissioner's estimated values of the respective bid items of the proposed contract work. In addition to the foregoing, the Commissioner reserves the right to correct all mathematical errors in additions or subtractions.

# **16. SHOWN QUANTITIES**

All bids shall be submitted upon the following express conditions, which shall apply to and become a part of every bid received. The Bidders accept the quantities shown on the Proposal Pages opposite items of the work for which unit prices are to be bid as being approximate estimated quantities. Bidders shall satisfy themselves by personal examination of the location of the proposed work and surroundings thereof, and by such other means as they may prefer, as to the scope of the work and the accuracy of the approximate estimated quantities; and shall not at any time after submission of their bids dispute such approximate estimated quantities nor assert that there was any misrepresentation by the County or any misunderstanding by the Contractor in regard to the quantity or kind of materials to be furnished, or work to be done.

# 17. QUALIFICATION OF BIDDERS

The County may make such investigation as it deems necessary to determine the ability of the bidder to perform the work, and the bidder shall furnish all information and data for this purpose as may be requested. The County reserves the right to reject any bid if the evidence submitted by, or the investigation of such bidder fails to satisfy the County, in the County's sole discretion, that it is properly qualified to carry out the obligations of the contract and to complete the contemplated work.

#### 18. REQUIRED EXPERIENCE

The County requires that each contractor possess not less than five (5) year's experience in performing work substantially similar in scope and size to the work for which it is bidding. The contractor agrees that upon request of the County the contractor will furnish a detailed statement of each project that it has performed during the most recent five (5) years (including but not limited to the name and address of the project, the name of the awarding entity/owner, the name of the awarding entity's/owner's representative, a current telephone number where that representative can be reached, the description of the project, general scope of the contractor's work, contract price, dates of performance, whether the contract was terminated for cause or convenience, whether the contract was completed and whether liquidated damages were assessed against the contractor [and if so, provide a written explanation]). The County reserves the right to require additional information as it deems appropriate concerning the history of the contractor's performance of each such contract. The final determination of whether the contractor possesses the requisite experience rests in the sole discretion of the County.

# 19. INCREASE OR DECREASE OF QUANTITIES: ELIMINATION OF ITEMS

In entering into this contract, the Contractor agrees that quantities shown on the Proposal Pages opposite items of the work for which unit prices have been requested are approximate estimated quantities, and that during the progress of the work the County may find it advisable and shall have the right to omit portions of the work, and to increase or decrease the shown approximate estimated quantities, or the scope of the whole work; and that the County reserves the right to add to or take from the total amount of the work up to a limit of thirty percent of the total amount of the contract based upon the executed contract price for all the specified work.

The Contractor shall make no claim for anticipated profits or loss of profits, because of any difference between the quantities of the various classes of work actually done, or of the materials actually furnished, and the original specified scope of work and the shown approximate estimated quantities.

The aforesaid thirty- percent pertains to the total amount of the contract and not to any individual item. Individual items may be increased or decreased any amount or may be eliminated entirely if so ordered by the Commissioner, excepting that the total amount of the contract as adjusted shall not result in a net increase or decrease of more than thirty percent except by mutual agreement between both parties thereto.

The Contractor waives all claims of any nature due to a misunderstanding of the location, character, or other conditions surrounding the work or of the shown approximate estimated quantities of items of the work.

#### 20. BREAKDOWN COST OF LUMP SUM ITEMS AND CONTRACTS

After award of the contract and prior to actual start of the work, the successful bidder shall submit an itemized schedule of its estimated costs of lump sum items and or lump sum total contract work, for approval by the County. The schedule shall be submitted as an outline series with minor subdivisions, in accordance with the directives of the County. As part of

this Schedule, the Contractor will be required to include a sum sufficient, as determined in the County's sole discretion, for the preparation and submission of approved final "Asbuilts", record drawings, guarantees, warranties, and operations and maintenance manuals.

# 21. ENGINEERING CHARGES

In addition to any and all other remedies available to the County when the work embraced in the contract is not completed on or before the date specified herein, engineering and inspection expenses incurred by the County of Westchester upon the work from the completion date originally fixed in the contract to the final date of completion of the work may be charged to the Contractor and be deducted from monies due the Contractor. Consideration of any extra work or supplemental contract work added to the original contract, as well as extenuating circumstances beyond the control of the Contractor, will be given due consideration by the County before assessing engineering and inspection charges against the Contractor. Such charges will be assessed, however, in cases where in the opinion of the Commissioner, the Contractor has delayed the work.

#### 22. ESTIMATES AND PAYMENTS

As the work progresses but not more often than once a month and then on such days as the Construction Administrator may fix, the Contractor will submit a requisition in writing of the amount and value of the work performed and the materials and equipment provided to the date of the requisition, less any amount previously paid to the Contractor. Contractor must complete at least ten (10%) percent of the work before submitting any claims for mobilization. From each requisition, the County will retain five percent (5%) plus one hundred fifty percent (150%) of the amount necessary to satisfy any claims, liens or judgments against the Contractor that have not been suitably discharged. The Commissioner will thereupon cause the balance of the requisition therein to be paid to the Contractor. In lieu of all or part of the cash retainage the County shall only accept bonds or notes of United States of America, New York State or political subdivisions thereof. As a condition to the making of any progress payment as set forth in this paragraph, the County, in its sole discretion may require the Contractor to submit such document as may be reasonably required to establish that the Contractor (and its subcontractor(s)) have timely and properly paid their respective subcontractor(s) and materialmen of whatever tier.

VENDOR DIRECT PAYMENT: All payments made by the County to the Contractor will be made by electronic funds transfer ("EFT") pursuant to the County's Vendor Direct program. The Contractor is required to complete the Vendor Direct Payment Authorization Form, which is located in the Forms Section on page 11 and 12. Payments will be automatically credited to the Contractor's designated bank account at the Contractor's financial institution. Payments are anticipated to be deposited two business days after the voucher/invoice is processed for payment. Saturdays, Sundays, and legal holidays are not considered business days. Under the Vendor Direct program you will receive an e-mail notification two days prior to the day the payment will be credited to your designated account. The e-mail notification will come in the form of a remittance advice with the same information that currently appears on County check stubs and will contain the date that the funds will be credited to your account. If there is a discrepancy in the amount received please contact

your Westchester County representative as you would have in the past if there were a discrepancy in a check.

In the unlikely event that you do not receive the money in your designated bank account on the date indicated in the e-mail, please contact the Westchester County Accounts Payable Department at 914-995-3748. Whenever you change your bank or change or close your account a new Vendor Direct Payment Authorization Form must be submitted. Please contact the Westchester County Accounts Payable Department at 914-995-3748 and a new form will be e-mailed to you. When completing the payment authorization form you must either supply a voided check or have it signed by a bank official to ensure the authenticity of the account being set up to receive your payments. Failure to return the completed authorization form prior to award of the contract may result in the bid being considered non-responsive and the bid may be rejected.

When the work or major portion thereof, as contemplated by the terms of the contract (see Substantial Completion Payment and Final Payment later in this article), are substantially completed in the judgment of the Commissioner, the Contractor shall submit a requisition for the remainder of the contract balance. An amount equal to two (2) times the value of the remaining items to be completed plus one hundred fifty percent (150%) of the amount that the Commissioner deems necessary to satisfy to satisfy any claims, liens or judgments against the Contractor which have not been suitably discharged shall be deducted from the requisition. As the remaining items of work are satisfactorily completed or corrected, the County will, upon receipt of a requisition, pay for these items less one hundred fifty percent (150%) of the amount necessary to satisfy any claims, liens or judgments.

Contractor agrees, in the event of any withdrawal by the contractor of amounts retained from payments to the contractor pursuant to the terms hereof, that notwithstanding any contrary interpretation of Section 106 of the New York General Municipal Law, the contractor will be obliged to maintain the market value of securities deposited in an amount equal to the amount withdrawn pursuant to said Section 106. The Contractor will, within five (5) days of demand therefore by the fiscal officer of the County, deposit with such fiscal officer cash, or securities of the kind provided in Section 106, of a market value sufficient to maintain the market value of all securities on deposit at a level equal (as of the date such notice of the fiscal officer is given to the contractor) to the amount which the County shall be entitled to retain from payments to the contractor pursuant to the terms of the contract.

All estimates will be made for actual quantities for work performed and materials and equipment incorporated in the work as determined by the measurements of the Engineer, and this determination shall be accepted as final, conclusive and binding upon the Contractor. All estimates will be subject to correction in any succeeding estimate.

Payment will be made for materials pertinent to the project which have been delivered to the site or off-site by the Contractor and/or Subcontractor and suitably stored and secured in first-class condition as required by the Construction Administrator. Payment may be limited to materials in short and/or critical supply and materials specially fabricated for the project, as defined by the contract. Payment will be made only upon the written request of the contractor. The Contractor must submit certified copies of the manufacturer's or vendor's invoices or statements establishing the true purchase value of the material or equipment; freight bills, release of liens and certificate of insurance covering all equipment and materials. Then the County will include in the following monthly payment an amount not to

# <u>INFORMATION FOR BIDDERS</u>

exceed the lesser of the bid breakdown or the total purchase price of the stored equipment and materials less retainage provided that such equipment and materials are suitable for their intended use.

The Contractor shall be responsible for safeguarding stored equipment and materials against loss or damage of any nature whatsoever, shall retain title until incorporated into the work and acceptance by the County and in case of loss or damage, the Contractor shall replace such lost or damaged equipment and materials at no cost to the County.

After receipt of payment, the Contractor shall not remove from the site equipment and materials for which such payment was made without written authorization from the Commissioner.

No major equipment item shall be brought to the site until the following conditions are met:

- 1) The County must have received the manufacture's recommendations for on-site storage in writing.
- 2) The structure in which the equipment is to be installed is roofed (roofing must be watertight) and has such protection of doorways, windows, and other openings that will provide reasonable protection from the weather.
- 3) Prior to the County making a Partial Payment on a major equipment item the following conditions must be met:
  - a. The Contractor must certify to the County, in writing, that the equipment has been properly stored.
  - b. The Shop Drawings must be approved and the draft Operation and Maintenance Manuals must have been submitted.

The Contractor shall furnish to the Construction Administrator, prior to the making up of any Partial or Final Estimate, a copy of its and its Subcontractors' weekly payrolls for each and every preceding payroll period. The payroll submitted shall be a certified true copy and shall contain full information including but not limited to the number of hours worked, rate, classification and total sum paid each employee charged to or working on the job. With all except the first estimate, the Contractor shall furnish to the Construction Administrator a sworn statement listing all unpaid bills and liabilities incurred under the Contract.

# A. Substantial Completion Payment

- 1) Within thirty (30) days after receiving written notice from the Contractor of substantial completion of the work under this Agreement, the Commissioner will cause an inspection to be made of the work done under this contract. If, upon such inspection, the Engineer determines that the work is substantially complete, a Substantial Completion Payment to the Contractor for the work done under this Contract, less any and all deductions authorized to be made by the Commissioner under this contract or by law, will be issued.
- 2) Such a Payment shall be considered a Partial and not a Final Payment.
- 3) As a condition precedent to receiving payment therefore, the Contractor must have received County approval of all Shop Drawing submittals, the Operation and Maintenance Manuals, and As-Built Drawing(s). Together with its application for substantial completion payment the Contractor shall also deliver to the

Construction Administrator a verified statement certifying that all claims or liabilities arising from the completed work, including all charges for Extra Work, Change Orders, additional time, damages or credits (collectively referred to as "claims") have been presented to the County. All such claims shall be described in sufficient detail so as to be easily identified. The Contractor's failure to submit the verified statement shall constitute a full and final waiver of all claims against the County from the beginning of the project through the date of substantial completion as established by the County. The presentation of the verified statement to the County shall not constitute an acknowledgement by the County that any such claim is valid. The County expressly reserves its right to assert that any such claim(s) is waived or precluded by reason of other provisions of the contract documents. Only claims particularly identified on the Contractor's verified statement shall be preserved; all other claims whatever nature shall be deemed waived and released. It shall also submit proof of title of the materials and equipment covered by the contract. The Contractor shall also, prior to the issuance of said Substantial Completion Payment, supply to the County affidavits and certificates for labor, material and equipment (where applicable).

#### B. Final Payment

- 1) Within ten (10) days after receiving written notice from the Contractor of completion of all the work, the Engineer will make a final inspection. If upon inspection the Engineer determines that no further work is needed, the Commissioner will request that the Board of Acquisition and Contract approve the completion of the project and authorize payment of the Final Estimate. Also required prior to the Board of Acquisition and Contract approval is a Condition Report by the Contractor that any damage of public or privately owned properties resulting from the Contractor's work has been satisfactorily repaired.
- 2) As a condition precedent to receiving Final Payment therefore the Contractor shall submit a supplementary verified statement similar to that required under, "A. Substantial Completion Payment", hereof. This verified statement must include only those charges for Extra Work, Change Orders, additional time, damages or credits (collectively referred to as "claims") that accrued between substantial completion and final completion. The Contractor's failure to submit the verified statement shall constitute a full and final waiver of all claims against the County from the beginning of the project through the date of substantial completion as established by the County. The presentation of the verified statement to the County shall not constitute an acknowledgement by the County that any such claim is valid. The County expressly reserves its right to assert that any such claim is waived or precluded by reason of other provisions of the contract documents. Only claims particularly identified on the Contractor's supplementary verified statement shall be preserved; all other claims of whatever nature shall be deemed waived and released.
- 3) The Contractor shall also, prior to the issuance of Final Payment, supply to the County affidavits and certificates for labor, material and equipment (where applicable).

- 4) The County will, not less than thirty (30) days after the Final Acceptance of the work under this contract, by the Board of Acquisition and Contract, pay the Contractor upon the receipt of all required documentation the balance of funds due thereunder after deduction of all previous payments, liens and all percentages and amounts to be kept and retained under provision of this contract.
  - All prior Partial Payments, being merely estimates made to enable the Contractor to prosecute the work more advantageously, shall be subject to correction in the Final Estimate and Payment
- 5) The acceptance by the Contractor or by anyone claiming by or through him of the Final Payment shall operate as and shall be a release to the County and every officer and agent thereof, from any and all claims of the Contractor for anything done or furnished in connection with this work or project and for any act or omission of the County or of any others relating to or affecting the work. No payment, however, final or otherwise, shall operate to release the Contractor or its Sureties from any obligation under this contract or the Performance and Payment Bond. Should the Contractor refuse to accept the final payment as tendered by the County, it shall constitute a waiver of any rights to interest thereon. Nor shall refusal to accept final payment extend any applicable statute of limitation.

#### 23. PAYMENTS TO SUBCONTRACTORS AND MATERIALMEN BY CONTRACTOR

Within fifteen calendar days of the receipt of any payment from the County, the contractor shall pay each of its sub-contractors and materialmen the proceeds from the payment representing the value of the work performed and/or materials furnished by the subcontractor and/or materialmen as reflected in the payment from the owner less an amount necessary to satisfy any claims, liens or judgment against the subcontractor or materialman which have not been suitably discharged and less any retained amount as hereafter described. The contractor shall retain not more than five per centum of each payment to the subcontractor and/or materialman except that the contractor may retain in excess of five per centum but not more than ten per centum of each payment to the subcontractor provided that prior to entering into a subcontract with the contractor, the sub-contractor is unable or unwilling to provide a performance bond and a labor and material bond both in the full amount of the sub-contract at the request of the contractor. However, the contractor shall retain nothing from those payments representing proceeds owed the subcontractor and/or materialman from the County's payments to the contractor for the remaining amounts of the contract balance as provided in Article "Estimates and Payments" of the Information For Bidders. Within fifteen calendar days of the receipts of payment from the contractor, the subcontractor and/or materialman shall pay each of its subcontractors and materialmen in the same manner as the contractor has paid the subcontractor.

Nothing provided herein shall create any obligation on the part of the County to pay or to see the payment of any moneys to any subcontractor or materialman from any contractor nor shall anything provided herein serve to create any relationship in contract or otherwise, implied or expressed between the subcontractor or materialman and the County. Notwithstanding anything to the foregoing, the County may tender payments to the Contractor in the form of joint or dual payee checks.

#### **NOTICE:**

No direct payment will be made for work done or materials furnished under the General Clauses, Information for Bidders, General Clauses and Special Clauses, except where expressly stated elsewhere, but compensation shall be deemed to be included in the contract lump sum price for the total work and/or the contract unit prices for the various items of the work.

#### 24. TIME OF STARTING

Time being of the essence, all bidders shall take notice that the timely completion of the work called for under this contract is of the greatest importance. The contractor shall commence its work within ten (10) days after "notice to proceed" has been given it by the Commissioner (unless a definite starting date is stated). Prior to commencing its work, the Contractor shall notify the Director of Project Management, Division of Engineering and Department of Public Works, at least forty-eight (48) hours prior to the planned date of its "start", so that a Construction Administrator can be assigned to the work.

# 25. <u>SAFETY AND HEALTH REGULATIONS FOR CONSTRUCTION AND DEMOLITION WORK</u>

At all times the Contractor shall use all required and necessary precautions for the safety and protection of the public, County personnel, construction employees, and private and public property on or adjacent to the work.

The Contractor shall comply fully with all the applicable provisions of the following listed governmental regulations and standards, noting that in case of conflict, the Contractor shall comply with the most stringent rule or regulation:

- State of New York, Department of Labor, Bureau of Standards and Appeals, Industrial Code Rule 23 "Protection of Persons Employed in Construction and Demolition Work."
- 2) United States Department of Labor, Bureau of Labor Standards, "Safety and Health Regulations for Construction," as promulgated in accordance with the Occupational Safety and Health Act of 1970, Public Law 91-596; 84 Stat. 1590, Laws of 91st Congress 2nd Session.

It shall be the sole responsibility of the Contractor to ascertain which of the regulations and standards contained in the foregoing listed publications effect its construction activities, and it shall be solely responsible for the penalties resulting from its failure to comply with such applicable rules and regulations. Copies of the listed publications are available for reference purposes only, in the Westchester County Department of Public Works, Division of Engineering, Design Section, Room 500, Michaelian Office Building, White Plains, New York.

The West Nile Mosquito control program:

- 1) Routinely, the work site should be inspected for potential habitats (i.e. stagnant/standing water) for mosquitoes.
- 2) Conditions that would require remediation include: improper site grading, ruts/other depressions, water in debris (i.e. containers, tires, etc.), stored or

- discarded materials, and excavations, and those cited by the Construction Administrator.
- 3) Under the direction of the Construction Administrator, the Contractor shall take all necessary preventive and/or corrective action to eliminate the potential breeding grounds.

# 26. ACCIDENT PREVENTION AND FIRST AID FACILITIES

In addition to conforming to the applicable governmental regulations and standards referred to in Article "Fire Prevention And Control" of the Information For Bidders, the Contractor shall conduct its work in accordance with the recommendations contained in the latest edition of the "Manual of Accident Prevention in Construction," as published by the Associated General Contractors of America, Inc. and the most recent safety codes approved by the American Standards Association. In case of the conflict with the referenced governmental regulations and standards, the most stringent regulation, standard or recommendation shall govern.

Further, and without in any way limiting the Contractor's obligations hereunder, and in accordance with the instructions of the Construction Administrator, the Contractor shall provide barricades, warning lights, danger and caution signs and other safeguards at all places where the work in any way is a hazard to the public.

The Contractor shall also provide and maintain upon the site at each location where major work is in progress, a completely equipped first aid kit that shall be readily accessible when construction activities are in progress. Posted on each first aid kit shall be the name, location and telephone number of the nearest hospital or doctor with whom the Contractor has previously made arrangements for emergency treatment in case of accident.

#### 27. FIRE PREVENTION AND CONTROL

The Contractor shall abide by such rules and instructions as to fire prevention and control as the municipality having jurisdiction may prescribe. It shall take all necessary steps to prevent its employees from setting fires not required in the construction of the facility and shall be responsible for preventing the escape of fires set in connection with the construction.

It shall at all times provide the proper housekeeping to minimize potential fire hazards, and shall provide approved spark arresters on all steam engines, internal combustion engines and fuels.

Free access to fire hydrants and standpipe connections shall be maintained at all times during construction operations, and portable fire extinguishers shall be provided by the Contractor and made conveniently available throughout the construction site. The Contractor shall also notify its employees of the location of the nearest fire alarm box at all locations where work is in progress.

#### 28. STATE AND LOCAL SALES TAX EXEMPTION

The Contractor's attention is directed to Section 1115 of the Tax Law of New York State, Chapters 513 and 514 of the Laws of 1974. In connection with capital improvement contracts entered into on or after September 1, 1974, all tangible personal property which will become an integral component of a structure, building or real property of New York State, or any of its political sub-divisions, including the County of Westchester, is exempt from State and local retail sales tax and compensating use tax.

Bidders' proposals shall exclude dollar amounts for the payment of State and Local retail sales tax and compensating use tax, for tangible personal property defined above.

The successful bidder shall be obliged to file the required Contractor Exempt Purchase Certificates, which may be obtained from the New York State Department of Taxation and Finance (1-800-462-8100), in order to utilize such exemption.

# 29. APPRENTICES

The attention of all bidders is directed to Section 220(3-e) of the New York State Labor Law, which is hereby incorporated herein by reference, which requires, among other things, that "Apprentices who are registered under a Bona Fide New York State Registered Apprentice Training Program shall be permitted to work."

# 30. AFFIRMATIVE ACTION PROVISION

During the performance of this Contract, the Contractor agrees that it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin, age or handicap. Contractor shall take affirmative action to ensure that applicants are employed and that employees are treated during employment without regard to their race, color, religion, sex, national origin, age or handicap. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoffs or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. Contractor agrees to include, or require the inclusion of the above provision in any subcontract made pursuant to its contract with the County.

# 31. AFFIRMATIVE ACTION PROGRAM REQUIREMENT

Relative to the award of this Contract, it is required that all bidders completely answer all questions contained in the questionnaire entitled "Affirmative Action Program Requirement" of the Proposal Pages, and properly attest to same.

It is also required that all subcontractors completely answer all questions contained in the questionnaire entitled "Affirmative Action Program Requirement-Subcontractors" of the Sample Forms, and properly attest to same. This form is to be submitted with the request to utilize subcontractor(s).

#### 32. AUTHORITY TO DO BUSINESS IN NEW YORK

Any corporation not incorporated under the Laws of New York State, must furnish a copy of its certificate of authority, from the New York State Secretary of State, to do business in the State of New York, in accordance with Article 13 of the New York State Business Corporation Law.

# 33. LICENSE REQUIREMENTS (ELECTRICAL)

A. In accordance with the requirements of Local Law No. 20-1997 of Westchester County, no person shall perform work under any contract with the County of Westchester except (i) a licensed Master Electrician; (ii) a licensed "Special Electrician"; or (iii) a Journeyman Electrician working under the direct supervision and control of a Master Electrician.

In no event shall the County incur any liability to pay for any electrical work performed in violation of the licensing requirements of Local Law No. 20-1997 of Westchester County.

#### B. Contract with separate bids:

If the project is one where separate bid specifications are required pursuant to the provisions of the New York General Municipal Law, then any person, partnership, corporation, business organization or other business entity submitting a bid for the electrical portion of the project must possess, at the time of submission of the Bid, a valid Master/"Special" Electrician's license issued by the Westchester County Electrical Licensing Board in accordance with Chapter 277 Article XVII of the Laws of Westchester County and the Westchester County Electrical Licensing Board Rules & Regulations, in particular No. 11, which states as follows:

No individual holding a Master Electrician's License shall lend such License to any person or allow any other person to carry on, engage in, or labor at the business as defined herein of installing, removing, altering, testing, replacing, or repairing electrical systems. A violation of this section by any person holding a License shall be sufficient cause for revocation of such License.

However, nothing herein shall be construed to prohibit the use of a License by the holder thereof for or on behalf of a partnership, corporation or other business association, provided that fifty-one (51) percent or more of the control of the voting capital stock of such partnership, corporation, or other business association is owned by one (1) or more holders of a Westchester County Master Electrical License and that all work performed by such partnership, corporation or other business association is performed by or under the direct supervision of such License holder or holders.

#### C. Contract with single bid:

Where the project does not involve separate bids pursuant to the New York General Municipal Law but where some electrical work is contemplated along with other work, the person, firm, partnership or corporation engaged to perform said electrical work

must possess a valid Master/"Special" Electrician's license issued by the Westchester County Electrical Licensing Board.

- D. An electrical bidder must complete the "Certificate of License (Electrical)" of the Proposal Pages and will be required to furnish a copy of such license with the sealed Bid. Other bidders will be required to furnish a copy of such license for the applicable person engaged to perform the electrical work when request by the County, prior to awarding the contract.
- E. The license must be maintained at all times during the performance of the work contemplated under the contract. The suspension, revocation or the failure to maintain or renew such license shall, in addition to any other right or remedy available to the County, be grounds for immediate termination of the contract, effective immediately upon notice from the Commissioner.

# 34. LICENSE REQUIREMENTS (PLUMBING)

A. In accordance with the requirements of Chapter 277, Article XV of the Laws of Westchester County, no person shall perform plumbing work under any contract with the County of Westchester except (i) a licensed Master Plumber; (ii) a certified Journey Level Plumber employed by and under the direction of a licensed Master Plumber; or (iii) an Apprentice Plumber working under the direct supervision and control of a Master Plumber or under the direct supervision and control of a certified Journey Level Plumber in the employ of a licensed Master Plumber.

In no event shall the County incur any liability to pay for any plumbing work performed in violation of the licensing requirements of Chapter 277, Article XV of the Laws of Westchester County.

# B. Contract with separate bids:

If the project is one where separate bid specifications are required pursuant to the provisions of the New York General Municipal Law, then any person, partnership, corporation, business organization or other business entity submitting a bid for the plumbing portion of the project must possess, at the time of submission of the Bid, a valid Master Plumber's license issued by the Westchester County Board of Plumbing Examiners in accordance with the Westchester County Board of Plumbing Examiners Rules and Regulations and Chapter 277 Article XV of the Laws of Westchester County, in particular Section 277.509A, which states as follows:

A. No holder of a license or certification issued under this article shall authorize, consent to or permit the use of his or her license or certification by or on behalf of any other person. No person who has not qualified or obtained a license or certification under this article shall represent himself or herself to the public as holder of a license or certification issued under this article, either directly, by means of signs, sign cards metal plates or stationery, or indirectly in any other manner whatsoever. However, nothing herein shall be construed to prohibit the use of a license by the holder thereof for or on behalf of a partnership, corporation or other business association, provided that 51 percent or more of the control of the voting capital stock of such partnership, corporation or other business

association is owned by one or more holders of a Westchester County master plumbing license and that all work performed by such partnership, corporation or other business association is performed by or under the direct supervision of such license holder or holders.

# C. Contract with single bid:

Where the project does not involve separate bids pursuant to the New York General Municipal Law but where some plumbing work is contemplated along with other work, the person, firm, partnership or corporation engaged to perform said plumbing work must possess a valid Master Plumber's license issued by the Westchester County Board of Plumbing Examiners.

- D. A plumbing bidder must complete the "Certificate of License (Plumbing)" of the Proposal Pages and will be required to furnish a copy of such license and the County issued identity badge with the sealed Bid. Other bidders will be required to furnish a copy of such license and the County issued identity badge for the applicable person engaged to perform the plumbing work when request by the County, prior to awarding the contract.
- E. A restricted Master Plumber's license issued by the Westchester County Board of Plumbing Examiners shall satisfy the requirements of this section provided such restricted license authorizes the Master Plumber to engage in the business of plumbing within the local municipality in which the work under the contract is to be performed.
- F. The license must be maintained at all times during the performance of the work contemplated under the contract. The suspension, revocation or the failure to maintain or renew such license shall, in addition to any other right or remedy available to the County, be grounds for immediate termination of the contract, effective immediately upon notice from the Commissioner.

# 35. LICENSE REQUIREMENTS (HAULERS)

# (Haulers Of Solid Waste; Recyclables; Construction And Demolition Debris; Garden And Yard Waste And/Or Scrap Metal)

#### A. DEFINITIONS:

- "Class A" refers to all haulers except those whose hauling business is limited solely to Class C, Class D or Class E activities or whose recycling business is limited to Class B activities. Class A Licensees may also conduct Class B, Class C, Class D and Class E activities.
- "Class B" refers to Recyclable brokers. Class B Licensees may also conduct Class C, Class D and Class E activities.
- 3) "Class C" refers to haulers who exclusively handle construction and demolition debris. Class C Licensees may also conduct Class D and Class E activities. With respect to Class C haulers, the following shall apply: a. Class "C-1" shall refer to a business or subsidiary which generates construction and demolition debris, as defined herein, and which, incidental to such business, transports, stores, processes, transfers or disposes of the construction and demolition debris generated by the

operations of such business or subsidiary. Class "C-1" Licensees may also conduct Class E activities; b. Class "C-2" shall refer to all other businesses which otherwise transport, collect, store, transfer, process, or dispose of construction and demolition debris. Class "C-2" haulers may also conduct Class "C-1", Class D and Class E activities.

- 4) "Class D" refers to (i) haulers who collect, store, transport, transfer, process or dispose of garden and yard waste generated, originated or brought within the County where such garden and yard waste was previously generated by a person or entity other than the Licensees and/or (ii) haulers who collect, store, transport, transfer, process or dispose of garden and yard waste and which own, lease, or control one or more vehicles having three (3) or more axles which vehicles will be used in the collection, storage, transfer, transportation, processing or disposal of garden and yard waste generated, originated or brought within the County.
- 5) "Class E" refers to haulers who exclusively conduct a scrap peddler business.
- 6) "Construction and Demolition Debris" means uncontaminated Solid Waste resulting from the construction, remodeling, repair and demolition of structures and roads, and uncontaminated Solid Waste consisting of vegetation resulting from land clearing and grubbing, utility line maintenance and seasonal and storm-related cleanup. Such waste includes, but is not limited to, bricks, concrete and other masonry materials, soil, rock, wood, wall coverings, plaster, drywall, plumbing fixtures, non-asbestos insulation, roofing shingles, asphaltic pavement, glass, plastics that are not sealed in a manner that conceals other waste, electrical wiring and components containing no hazardous liquids, metals, and trees or tree limbs that are incidental to any of the above.
- 7) "Hauler" means any person excluding municipalities, the County and any County district including, but not limited to, Refuse Disposal District No. 1 and all County sewer and water districts, who, for a fee or other consideration, collects, stores, processes, transfers, transports or disposes of Solid Waste, Recyclables or construction and demolition debris that is generated or originated within the County or brought within the boundaries of the County for disposal, storage, transfer or processing.
- 8) "Recyclables" means those materials defined as "Recyclables" under Section 825.30 (8) of the Westchester County Source Separation Law.
- 9) "Scrap Peddler" shall mean any person who collects scrap materials for sale to a Recyclable broker using no more than one vehicle for collection and transportation of such materials.
- 10) "Solid Waste" means all putrescible and non-putrescible materials or substances, except as described in Paragraph 4 of 6 NYCRR Part 360-1.2(a), and/or regulated under 6 NYCRR Part 364, that are discarded or rejected as being spent, useless, worthless or in excess to the owners at the time of such discard or rejection including, but not limited to, garbage, refuse, commercial waste, rubbish, ashes, incinerator residue and construction and demolition debris. "Solid Waste" shall not be understood to include Recyclables as defined above.

B. PLEASE TAKE NOTICE - In accordance with the requirements of Chapter 826-a, Article III of the Laws of Westchester County, it is unlawful for any person to collect, store, transfer, transport or dispose of solid waste; recyclables; construction and demolition debris; garden and yard waste and/or scrap metal, as defined herein, that is generated or originated within the County or brought within the boundaries of the County for disposal, storage, transfer or processing, or to conduct any activities defined as Class A, Class B, Class C, Class D or Class E activities under Chapter 826-a of the Laws of Westchester County, in Westchester County (hereinafter collectively referred to as "hauling") without having first obtained a license therefore from the Westchester County Solid Waste Commission.

In no event shall the County incur any liability with respect to any hauling activities conducted by the bidder or any subcontractor of the bidder in violation of Chapter 826-a of the Laws of Westchester County.

- C. Where the project necessitates that hauling be performed, either the bidder or the person, partnership, corporation, business organization or other business entity engaged to perform such hauling work on behalf of the bidder (hereinafter the "subcontractor") must possess a valid license issued by the Westchester County Solid Waste Commission at the time of submission of the bid and throughout the duration of any contract issued pursuant thereto.
- D. A hauler bidder must complete the "Certificate of License (Hauler)" of the Proposal Pages and will be required to furnish a copy of such license with the sealed bid. Other bidders will be required to furnish a copy of such license for the applicable person engaged to perform the hauling work when requested by the County, prior to awarding the contract.
- E. The suspension, revocation, or the failure to maintain or renew such license may, in addition to any other right or remedy available to the County, be grounds for termination of the contract, effective immediately upon notice from the Commissioner. The bidder which is awarded the contract hereunder shall have a continuing obligation to notify the Commissioner, within (2) business days, of any suspension, revocation or other action taken with respect to any license issued by the Westchester County Solid Waste Commission which may limit or impair the bidder's ability, or the ability of any authorized subcontractor, to perform such hauling work in the County of Westchester.
  - It shall be the bidder's responsibility to ensure that any subcontractor who will perform the hauling services required under any contract issued pursuant to this bid specification has a valid license for the duration of the term of any contract awarded hereunder.
- F. In the event that a license held by the bidder or its subcontractor is revoked, suspended or otherwise discontinued by the Westchester County Solid Waste Commission, or in the event that the bidder is otherwise required to obtain the services of a new or alternate subcontractor for the hauling work, the bidder shall immediately notify the Commissioner and seek the Commissioner's approval for the use of such subcontractor to provide the hauling services which are required under the contract, and shall provide the Commissioner with a copy of the license issued by the Westchester County Solid Waste Commission to such subcontractor. No bidder or subcontractor shall provide

hauling services under the contract until a copy of its license has been provided to the Commissioner and the Commissioner has approved of such bidder or subcontractor.

#### 36. MINORITY PARTICIPATION POLICY

- A. Pursuant to Chapter 308 of the Laws of the County of Westchester, the County encourages the meaningful and significant participation of business enterprises owned by persons of color and women Minority Business Enterprise (MBE) and Women Business Enterprise(WBE); on County of Westchester contracts.
- B. It is the goal of the County of Westchester to use its best efforts to encourage, promote and increase participation of business enterprises owned and controlled by persons of color or women (MBE/WBE) in contracts and projects funded by all departments of the County and to develop a policy to efficiently and effectively monitor such participation.
- C. In recognition of the need to promote the development of business enterprises owned and controlled by persons of color and women to achieve a goal of equal opportunity, and overcome the existing under representation of these groups in the business community, the County of Westchester acting through its Office of Economic Development shall as a lawful public and County purpose provide technical and informational assistance to such business enterprises with a particular emphasis on education programs to encourage participation in the contract procurement process.
- D. For the purposes of this Local Law, a business enterprise owned and controlled by women or persons of color shall be construed to mean a business enterprise including a sole proprietorship, partnership or corporation that is: (a) at least 51% owned by one or more persons of color or women; (b) an enterprise in which such ownership by persons of color or women is real, substantial and continuing; (c) an enterprise in which such ownership interest by persons of color or women has and exercises the authority to control and operate, independently, the day-to-day business decisions of the enterprise; and (d) an enterprise authorized to do business in this state which is independently owned and operated. In addition, a business enterprise owned and controlled by persons of color or women shall be deemed to include any business enterprise certified as an MBE or WBE pursuant to Article 15-a of the New York State Executive Law and implementing regulations, 9 NYCRR Subtitle N Part 540 et seq., or as a small disadvantaged business concern pursuant to the Small Business Act, 15 U.S.C. 631 et seq., and the relevant provisions of the Code of Federal Regulations as amended.
- E. The Contractor hereby acknowledges and agrees:
  - 1) That in the hiring of employees for the performance of work under this contract or any subcontract hereunder, no contractor, subcontractor, nor any person acting on behalf of such contractor or subcontractor, shall be reason of race, creed, color, religion, gender, age, ethnicity, disability, sex, alienage or citizenship status, national origin, marital status, sexual orientation, familial status, genetic predisposition or carrier status discriminate against any citizen of the State of New York who is qualified and available to perform the work to which the employment relates;

- 2) That no contractor, subcontractor, nor any person on its behalf shall, in any manner, discriminate against or intimidate any employee hired for the performance of work under this contract on account of race, creed, color, religion, gender, age, ethnicity, disability, sex, alienage or citizenship status, national origin, marital status, sexual orientation, familial status, genetic predisposition or carrier status;
- 3) That there may be deducted from the amount payable to the contractor by the County under this contract a penalty of fifty (50) dollars for each person for each calendar day during which such person was discriminated against or intimidated in violation of the provisions of the contract;
- 4) That this contract may be canceled or terminated by the County, and all moneys due or to become due hereunder may be forfeited, for a second or any subsequent violation of the terms or conditions of this section of the contract; and
- 5) The aforesaid provisions of this section covering every contract for or on behalf of the County for the manufacture, sale or distribution of materials, equipment or supplies shall be limited to operations performed within the territorial limits of the State of New York.
- 6) Contractor agrees to include, or require the inclusion of the above provision in any subcontract made pursuant to its contract with the County.
- F. In furtherance of the Contractor's obligation to make documented good faith efforts to utilize Minority Business Enterprises (MBE) and Women's Business Enterprises (WBE) for the Work required by this Contract, the Contractor shall provide the Minority/Women Business Enterprise Questionnaire signed by an officer of the Contractor, and any additional information requested by the County, including but not limited to the following, which shall be delivered to the Construction Administrator and program Manager of Minority- and Women-Owned Business Program, County of Westchester, Room 911, 148 Martine Avenue, White Plains, New York 10601 coincident with the Contractor's delivery to the County of its bid and shall be provided by the Contractor with any request for approval of subcontractors:
  - 1 (a) The name, address, telephone number and contact person of each MBE and WBE solicited verbally by Contractor during the applicable period for the performance of any portion of the Contractor's Work and the date(s) that each such solicitation was made;
  - 1 (b) A description of the portion of the Contractor's Work for which each such solicitation is made.
  - 1 (c) A listing of the project documents, if any, furnished to each such MBE and WBE
  - 2. A copy of each written solicitation sent by the Contractor to each MBE and WBE and the name and address of each MBE and WBE to whom the solicitation was made.
  - The name and address of each MBE and WBE that performs any portion of the Contractor's Work, a description of such portion of the Work and the dollar

amount therefore.

- 4) A statement that the Contractor reviewed a list of MBE and WBE contractors in their outreach efforts. A list can be found at <a href="https://www.westchestergov.com/mwob">www.westchestergov.com/mwob</a>.
- 5) Indicate those MBE and WBE contractors found on the list that provided the type of subcontractor services required for this project. If none were found, please indicate.
- 6) Describe other outreach efforts, including other MBE and/or WBE lists, organizations or individuals that were contacted.

The failure of the low bidder to comply with the provisions of this subparagraph F may result in the County NOT awarding this contract to your firm. Failure of the Contractor to comply with the provisions of this subparagraph F may constitute a material breach of this Contract. Failure to comply with the Minority Participation Policy may be considered by the County when awarding contracts.

#### 37. SEXUAL HARASSMENT POLICY

- A. As with discrimination involving race, color, religion, age, sexual orientation, disability, and national origin, Westchester County also prohibits sex discrimination, including sexual harassment of its employees in any form. The County will take all steps necessary to prevent and stop the occurrence of sexual harassment in the workplace.
  - 1) This policy applies to all County employees and all personnel in a contractual relationship with the County. Depending on the extent of the County's exercise of control, this policy may be applied to the conduct of non-County employees with respect to sexual harassment of County employees in the workplace.
  - 2) This sexual harassment policy includes, but is not limited to, inappropriate forms of behavior described by the Equal Employment Opportunity Commission.
- B. Sexual advances that are not welcome, requests for sexual favors, and other verbal or physical conduct of a sexual nature constitutes sexual harassment when:
  - 1) Submission to such conduct is made either explicitly or implicitly a term or condition of an individual's employment; -OR-
  - 2) Submission to or rejection of such conduct by an individual is used as the basis for employment decisions, such as promotion, transfer, or termination, affecting such individuals; -OR-
  - 3) Such conduct has the purpose or effect of unreasonably interfering with an individual's work performance or creating an intimidating, hostile or offensive working environment.
- C. Sexual harassment refers to behavior that is not welcome, that is personally offensive, that fails to respect the rights of others, that lowers morale and that, therefore, interferes

with an employee's work performance and effectiveness or creates an intimidating, hostile or offensive working environment.

#### 38. <u>SMOKE-FREE WORKPLACE POLICY</u>

- A. By way of Executive Order No. 5 of 1998 and Local Law 3 of 2003, it is now the policy of the County of Westchester to institute a smoke-free "workplace".
- B. Every indoor County "workplace", shall become a smoke-free area. The smoking or carrying of lighted cigarettes, cigars, pipes, or any other tobacco-based products, or products that result in smoke, is hereby banned.
- C. Every indoor County "workplace" shall be covered under this Executive Order, including the County Jail in Valhalla and the Westchester County Center in White Plains. This Executive Order shall not, however, apply to County-owned facilities that are not County "workplaces", such as employees housing or privately run restaurants on County property (e.g. at the County golf courses).
- D. The Richard J. Daronco County Courthouse shall not, for purposes of this Executive Order, be considered a County "workplace", and therefore shall not be required to be smoke-free.
- E. This Executive Order is intended to be consistent with, and not modify, any provisions of the New York State Public Health Law.
- F. This Executive Order shall take effect immediately and remain in full force and effect until otherwise superseded or revoked.

# 39. COUNTY ENERGY EFFICIENT PURCHASING POLICY

- A. By way of Executive Order No. 9 of 2002, it is now the policy of the County of Westchester to institute an Energy Efficient Purchasing Policy.
- B. This policy shall apply to all purchases made by and for the County in accordance with applicable laws, rules and regulations.
- C. Wherever the price is reasonably competitive and the quality adequate for the purpose intended, purchase and utilization of products that meet Energy Star requirements for energy efficiency as determined by the United States Environmental Protection Agency and the United States Department of Energy is hereby recommended.
- D. If the Energy Star label is not available with respect to a particular product, than it is recommended that products in the upper twenty-five percent of energy efficiency as designated by the United States Federal Energy Management Program shall be purchased and utilized if the prices of those products are reasonably competitive and the quality adequate for the purpose intended.

# 40. RESTRICTION ON USE OF TROPICAL HARDWOODS

A. The bidder/proposer shall not use or propose to use any tropical hardwoods or tropical hardwood products in any form, except in accordance with State Finance Law § 165 (Use of Tropical Hardwoods), as may be amended from time to time. Pursuant to the

State Finance Law § 165, any bid/proposal which proposes or calls for the use of any tropical hardwood or wood product in the performance of the contract shall be deemed non-responsive.

#### 41. DISCLOSURE OF RELATIONSHIPS TO COUNTY

- A. The successful bidder is required to complete the form entitled "Required Disclosure of Relationships to County" on Proposal Pages 32-33 before award of the contract.
- B. In the event that any information provided on the completed Proposal Pages entitled "Required Disclosure of Relationships to County" changes during the term of this agreement, the Contractor shall notify the Commissioner in writing within ten (10) days of such event by submitting a revised "Required Disclosure of Relationships to County" form.

# 42. <u>CONTRACTOR DISCLOSURE STATEMENT</u>

The Contractor and each Major Subcontractor represents that all information provided by the Contractor and Major Subcontractor in the form entitled "Contractor Disclosure Statement" on Proposal Pages 23-31 is in all respects true and correct. In the event the information provided on that document changes during the term of this agreement or for a period of three (3) years after the date that the Contractor and/or the Major Subcontractor receives final payment under this agreement, the Contractor and/or Major Subcontractor shall notify the Commissioner in writing within ten (10) days of such event by submitting a revised "Contractor/Major Subcontractor Disclosure Statement". Bidders must complete the Required Disclosure of Relationships to County form. The Required Disclosure of Relationships to County form is located on Proposal Pages 32-33.

# 43. CRIMINAL BACKGROUND INFORMATION

Pursuant to Executive Order 1-2008 and subject to the applicable provisions of New York Correction Law §§ 752 and 753, the County shall have the right to bar the following "Persons Subject to Disclosure" (Persons shall mean individuals or legal entities) from providing work or services to the County or from being on County property:

- (a) Consultants, Contractors, Licensees, Lessees of County owned real property, their principals, agents, employees, volunteers or any other person acting on behalf of said Contractor, Consultant, Licensee, or Lessee who is at least sixteen (16) years old, including but not limited to Subconsultants, Subcontractors, Sublessees or Sublicensees who are providing services to the County; and
- (b) Any family member or other person, who is at least sixteen (16) years old, residing in the household of a County employee who lives in housing provided by the County located on County property.

If any of the above mentioned Persons Subject to Disclosure has either one of the following:

- (a) A conviction of a crime (all felonies and misdemeanors as defined under the New York State Penal Law or the equivalent under Federal law or the laws of any other State);
  - (b) A pending criminal proceeding for a crime(s) as defined above; or

(c) A refusal to answer such questions.

Where the following criteria apply:

- (a) If any of the Persons Subject to Disclosure providing work or services to the County in relation to a County Contract are not subject to constant monitoring by County staff while performing tasks and/or while such persons are present on County property pursuant to the County Contract; and
- (b) If any of the Persons Subject to Disclosure providing work or services to the County, in relation to a County Contract may, in the course of providing those services, have access to sensitive data (for example, Social Security Numbers and other personal/secure data); facilities (secure facilities and/or communication equipment); and/or vulnerable populations (for example, children, seniors and the infirm).

Accordingly, the Contractor is required to review the Instructions found in the instructions and complete "Contractor and all persons subject to Disclosure Certification Forms" located at Forms Pages 11-13 as well as any other applicable criminal disclosure forms (i.e., Forms Pages 14 through 19," together with Forms Pages 11-13 collectively referred to as "Disclosure Forms").

However, the following Persons Subject to Disclosure are **exempt** from Executive Order 1-2008: (i) those persons for whom the County has already conducted a background check and issued a security clearance that is in full force and effect; or (ii) those persons for whom another state or federal agency having appropriate jurisdiction has conducted a security and/or background clearance or has implemented other protocols or criteria for this purpose that apply to the subject matter of this Contract that is in full force and effect.

If a Person Subject to Disclosure is exempt from the disclosure described in Executive Order 1-2008 because of either "i" or "ii" above, then the Contractor shall notify the Procuring Officer in the respective Department of its claim of exemption and it shall be the responsibility of the Procuring Officer to verify each exemption. If the Procuring Officer determines that the Contractor is exempt under sections "i" or "ii" above, the Procuring Officer shall confirm same with the Contractor and maintain a written record including all supporting details of the verification of and acknowledgement of said exemption.

If the Procuring Officer determines that the Contractor is not exempt under sections "i" or "ii" above, the Procuring Officer shall notify the Contractor in writing, and the appropriate Disclosure Forms shall be required.

It shall be the Contractor's duty to disclose and to inquire of each and every Person Subject to Disclosure, whether they have been convicted of a crime or whether they are currently subject to pending criminal charges. It shall be the duty of the Contractor to submit a completed Certification Form "Forms Pages 11-13" annexed hereto as ," which certifies that the Contractor and every Person Subject to Disclosure has been asked whether they have been convicted of a crime or are currently subject to pending criminal charges.

Should the Contractor or any Person Subject to Disclosure (also referred to as "Person")

<sup>&</sup>lt;sup>1</sup> "Procuring Officer" shall mean the head of the department or the individual(s) authorized by the head(s) of the department(s) undertaking the procurement and with respect to those matters delegated to the Bureau of Purchase and Supply pursuant to Section 161.11(a) of the Laws of Westchester County, the Purchasing Agent.

affirmatively advise that they have been convicted of a crime said Person shall be identified in Forms Page 14 entitled "Names And Titles Of Persons Subject To Disclosure That Answered Yes" to any questions on Forms Pages 11-13 and shall complete Forms Pages 15-16 entitled, "Criminal Background Disclosure Form For Persons Who Have Been Convicted of A Crime."

Should the Contractor or any Person Subject to Disclosure advise that they are subject to pending criminal charges, said Person shall be identified in Forms Page 14 and shall complete the form annexed hereto as Forms Pages 17-18 entitled, "Criminal Background Disclosure Form For Persons Who Are Subject to Pending Criminal Charges."

Should the Contractor or any Person Subject to Disclosure refuse to answer whether they have been convicted of a crime or are currently subject to pending criminal charges, the name and title of said Person(s) shall be listed on Forms Page 19 entitled "Persons That refused To Answer".

It shall be the duty of the Contractor to submit to the Procuring Officer all of the attached applicable Disclosure Forms prior to the commencement of this Contract. It is the responsibility of each Contractor to assure that all of their proposed Subcontractors complete the criminal background and disclosure certification forms and submit the forms to the Procuring Officer before they will be approved to perform work on the contract.

Under no circumstances shall the existence of a language barrier serve as a basis for the waiver of or an exception to this obligation. If the Contractor needs to obtain translation services to fulfill this obligation, it shall be at the sole cost and expense of the Contractor.

The Contractor shall be required to make the same inquiry and forward updated Disclosure Forms to the Procuring Officer regarding additional Persons Subject to Disclosure in connection with this Contract during the term of this Contract. NO NEW PERSON SUBJECT TO DISCLOSURE SHALL PERFORM WORK OR SERVICES OR ENTER ONTO COUNTY PREMISES UNTIL THE UPDATED DISCLOSURE FORMS ARE FILED WITH THE PROCURING OFFICER.

THE CONTRACTOR HAS A CONTINUING OBLIGATION TO MAINTAIN THE ACCURACY OF THE DISCLOSURE FORMS FOR THE DURATION OF THIS CONTRACT, INCLUDING ANY AMENDMENTS OR EXTENSIONS THERETO AND SHALL PROVIDE ANY UPDATES TO THE PROCURING OFFICER AS NECESSARY TO COMPLY WITH THE DISCLOSURE REQUIREMENTS BY EXECUTIVE ORDER 1-2008.

Any failure by the Contractor to comply with the disclosure requirements of Executive Order 1–2008, absent proof of exemption deemed satisfactory by the County Procuring Officer, may be considered by the County, a material breach by the Contractor and may be grounds for immediate termination of this Agreement by the County.

#### 44. MANDATORY OSHA CONSTRUCTION SAFETY AND HEALTH TRAINING

Pursuant to NYS Labor Law §220-h – On all public work projects of at least \$250,000 all laborers, workers and mechanics employed, in the performance of the contract on the public work site, either by the contractor, sub-contractor or other person doing or contracting to do the

whole or a part of the work contemplated by the contract, are required to be certified as having successfully completed an OSHA construction safety and health course of at least 10 hours prior to performing any work on the project.



# DEPARTMENT OF PUBLIC WORKS

**Division of Engineering** 

#### 1. MATERIAL AND WORKMANSHIP

It is the intent of these specifications to require first-class work and new and best quality materials. For any unexpected features arising during the progress of the work and not fully covered herein the specifications shall be interpreted to require first-class work and materials, and such interpretations shall be binding upon the Contractor.

1) Upon award of the Contract, the Contractor shall furnish in writing to the Construction Administrator the sources of supply for concrete, and other materials that it proposes to use in the work, and material shall not be furnished from other sources of supply except after written approval by the Construction Administrator. The Contractor shall, before ordering equipment verify that Suppliers of equipment will provide the required warranties, guarantees, and maintenance services.

#### 2. DEFINITIONS

COMMISSIONER - The head of the Department of Public Works of the County of Westchester.

CONSTRUCTION ADMINISTRATOR- The representative of the Commissioner of Public Works at the project site who, unless specifically designated otherwise in the Contract, shall in the first instance, make such determinations as are necessary for the expeditious completion of the Work, except for those determinations that are reserved to the Commissioner.

CONTRACT - Shall mean each of the various parts of these documents both as a whole or severally and except for titles, subtitles, headings and table of contents, shall include the Notice to Bidders, Information for Bidders, the Proposal, the Specifications, the Performance Bond, the Plans, the Contract Form, and all addenda and provisions required by law.

CONTRACTOR - Party of the second part to the Contract acting directly or through its agents, subcontractors, or employees, and who is responsible for all debts pertaining to and for the acceptable performance of the work for which it had contracted.

COUNTY - Party of the first part to the Contract as represented by the Board of Acquisition and Contract and the Commissioner of Public Works for the County of Westchester.

ENGINEER - An Engineer or Architect that designed the project and is serving as the duly authorized representative of the Commissioner of Public Works who, in addition to the duties set forth in the Contract, shall, in the first instance, make such determinations as are necessary to ensure the Contractor's compliance with its obligations for the preparation and submission of shop drawings and all other submittals required for the Work. If there is no Engineer the duties of the Engineer shall be performed by the Construction Administrator and all references in this

Agreement to the Engineer shall be deemed to mean the Construction Administrator.

MAJOR SUBCONTRACTOR- Subcontractors performing all or a portion of the work for Electrical; Heating, Ventilating and Air Conditioning; Fire Prevention; General Construction; and/or any Subcontractor whose subcontract price is equal to or greater than ten percent (10%) of the Contract Price.

OWNER - The County of Westchester.

PLANS - All official drawings or reproductions of drawings pertaining to the

work or to any structure connected therewith.

SPECIFICATIONS - The body of directions, requirements, etc. contained in this present

volume, together with all documents of any descriptions and agreements made (or to be made), pertaining to the methods(or manner) of performing the work or to the quantities and quality. Specifications shall also include the Notice to Contractors, Instructions to Bidders, Bond, Proposal and Contract Agreement.

SURETY - The corporate body, which is bound with and for the Contractor and

which engages to be responsible for the faithful performance of the contract, and to indemnify the County against all claims for damages.

A.A.S.H.O. - American Association of State Highway Officials

A.R.E.A. - American Railway Engineering Association

A.S.T.M. - American Society for Testing Materials

A.W.W.A. - American Water Works Association

N.E.C. - National Electrical Code

N.E.M.A. - National Electric Manufacturers Association

# 3. BOUNDARIES OF WORK

The County will provide land or rights-of-way for the work specified in this Contract. Other contractors, employees or concessionaires of the county, may for all necessary purposes enter upon the work and premises used by the Contractor, and the Contractor shall give to other contractors and employees of the County all reasonable facilities and assistance for the completion of adjoining work.

## 4. OVERLAPPING WORK

The Contractor shall take notice that because of work on other contracts within and adjacent to the contract limits it may not have exclusive occupancy of the territory within or adjacent

to the contract limits, and that during the life of this contract the owners and operators of Public Utilities may make changes in their facilities.

The said changes may be made by utility employees or by contract within or adjacent to the contract limits and may be both temporary and permanent.

The Contractor shall cooperate with other Contractors and owners of various utilities and shall coordinate and arrange the sequence of its work to conform with the progressive operations of work already or to be put under contract. Cooperation with Contractors already or to be engaged upon the site is essential to properly coordinate the construction efforts of all Contractors, Utility Owners and Subcontractors engaged in work within and adjacent to the contract limits.

The Contractor shall coordinate the work of its various Subcontractors. Their respective operations shall be arranged and conducted so that delays are avoided. Where the work of the Contractor or Subcontractor overlaps or dovetails with that of other Contractors, materials shall be delivered and operations conducted so as to carry on the work continuously in an efficient and workmanlike manner. The Contractor shall coordinate its work to be done hereunder with the work of the other Contractor(s) and the Contractor shall fully cooperate with such other Contractor(s) and carefully fit its own work to that provided under other contracts as may be directed by the Construction Administrator. Construction Administrator shall determine that the Contractor is failing to coordinate its work with the work of the other Contractor(s) as the Construction Administrator has directed, then the Commissioner shall have the right, at its sole option, to withhold any payments otherwise due hereunder until the Construction Administrator's directions are complied with by the Contractor and/or deduct the costs incurred by the County due to the Contractor's failure or refusal to so cooperate. Delays or oversights on the part of the Contractor or Subcontractors or Utility Owners in performing their work in the proper manner thereby causing cutting, removing and replacing work already in place, shall not be the basis for a claim for extra compensation.

In the event of interference between operations of Utility Owners and other Contractors, or among the Contractors themselves, the Construction Administrator shall be the sole judge of the rights of each Contractor insofar as the sequence of work necessary to expedite the completion of the entire project, and in all cases its decision shall be final. The Contractor agrees that it has included in its unit prices bid for the various items of the contract the possible additional cost of performing the work under this contract because it may not have a clear site for its work and because of possible interference of roadway use, other Contractors and necessary utility work, and the necessity or desirability of opening certain sections of pavement to traffic before the entire work is completed. The County shall not be liable for any damages suffered by any Contractor by reason of another Contractor's failure to comply with the directions of the Construction Administrator, or by reason of another Contractor's default in performance or by any act or failure to act of any Utility Owner or anyone working on its behalf, it being understood that the County does not guarantee the responsibility or continued efficiency of any Contractor or Utility Owner and under no circumstances shall the County be liable to any Contractor or Utility Owner for any delays, interferences or any other impediment or hindrance to the Contractor's or Utility Owner's work.

Should the Contractor sustain any damage through any act or omission of any other contractor having a Contract with the County for the performance of work upon the site or of work which may be necessary to be performed for the proper prosecution of the work to be performed hereunder, or through any act or omission of a supplier or subcontractor of whatever tier of such contractor, the Contractor shall have no claim against the County for such damage, but shall have a right to recover such damage from the other contractor under the provision similar to the following provision that has been or will be inserted in the Contracts with such other contractors.

Should any other Contractor having or who shall hereafter have a Contract with the County for the performance of work upon the site sustain any damage through any act or omission of the Contractor hereunder or through the act or omission of any subcontractor of whatever tier of the Contractor, the Contractor agrees to reimburse such other Contractor for all such damages and to defend at his own expense any suit based upon such claim and if any judgment or claims against the County shall be allowed the Contractor shall pay or satisfy such judgment or claim and pay all costs and expenses, including attorney's fees, incurred by the County in connection therewith and to indemnify and hold the County harmless from all such claims.

The County's right to indemnification hereunder shall not be diminished or waived by its assessment against the Contractor of liquidated damages as may be provided elsewhere herein.

Delays in availability of any part of the site or any delays due to interference between the several Contractors and the Utility Owners shall be compensated for by the Construction Administrator solely through granting an extension of time in which to complete the work of the contract without assessment of Engineering charges. The Contractor in submitting its bid hereby agrees that it shall make no other claim against the County for any damages due to such delays or interference.

#### 5. PROPER METHOD OF WORK AND PROPER MATERIALS

The Construction Administrator shall have the power in general to direct the order and sequence of the work, which will be such as to permit the entire work under this contract to be begun and to proceed as rapidly as possible, and such as to bring the several parts of the work to a successful completion at about the same time.

If at any time before the commencement or during the progress of the work the materials and appliances used or to be used appear to the Construction Administrator as insufficient or improper for securing the quality of work required, or the required rate of progress, he may order the Contractor to increase their efficiency or to improve their character, and the Contractor shall promptly conform to such order; but the failure of the Construction Administrator to demand any increase of such efficiency or improvement shall not release the Contractor from its obligation to secure the quality of work or the rate of progress specified.

#### 6. CONTROL OF AREA

Unloading of materials and parking of equipment shall be subject to the orders of the Construction Administrator so far as he may find necessary for the protection and safety of the traveling public and the preservation of property.

# 7. PERMITS, FEES, ETC.

The County will obtain at its sole cost the necessary New York State Pollutant Discharge Elimination System ("SPDES") Permit and will sign the associated Notice of Intent ("NOI"). The Contractor and its subcontractors will sign the required Certification Statement (a copy of which is contained as Proposal Page ) when it signs the contract.

All necessary permits from County, State or other concerned Public Authorities shall be secured at the cost and expense of the Contractor. It shall also give all notices required by law, ordinance, or the rules and regulations of the concerned Public Bureaus or Departments, and also as a part of the Contract, comply without extra charge or compensation with all State Laws and all other Ordinances or Regulations that may be applicable to this work. Contractor, however, shall first notify the Commissioner before proceeding with securing of all necessary permits and the giving of required notices.

# 8. TRAFFIC

The General Contractor shall be responsible for the Maintenance and Protection of traffic at all times until the date of completion and acceptance of its work.

During the whole course of the work the Contractor shall so conduct its work and operations so as to interfere with traffic passing the work as little as possible and effect by every reasonable means the safety and comfort of pedestrians, vehicles and vehicle passengers passing the work.

#### 9. INSPECTION

The Contractor shall at all times provide convenient access and safe and proper facilities for the inspection of all parts of the work. No work, except such shop work as may be so permitted, shall be done except in the presence of the Construction Administrator or his/her assistants. No material of any kind shall be used upon the work until it has been inspected and accepted by the Construction Administrator. All materials rejected shall be immediately removed from the work and not again offered for inspection. Any materials or workmanship found at any time to be defective shall be remedied at once, regardless of previous inspection. The inspection and supervision of the work by the Construction Administrator is intended to aid the Contractor in supplying labor and materials in accordance with the specifications, but such inspection shall not operate to release the Contractor from any of its contract obligations.

## 10. STOPPING WORK

The Commissioner, Construction Administrator or Engineer may stop by written order any work or any part of the work under this contract if, in his/her opinion, the methods employed

or conditions are such that unsatisfactory work might result. When work is so stopped it shall not be resumed until the methods or conditions are revised to the satisfaction of the Commissioner, which must be signified in writing. The Contractor agrees to make no claim for increased costs arising from the issuance of any stop work order.

#### 11. DIMENSIONS

Figured dimensions on the plans shall be given preference over scaled dimensions, but shall be checked by the Contractor before starting construction. Any errors, omissions or discrepancies shall be brought to the attention of the Engineer and his/her decision thereon shall be final.

# 12. PAYMENTS TO COUNTY

Wherever in the Contract Documents the Contractor is required to make a payment to the County, the Contractor agrees that the County has the option to withhold such sum(s) from payments otherwise due to the Contractor and that all such sums withheld shall be deemed not to be earned by the Contractor.

# 13. PROTECTION OF UTILITIES AND STRUCTURES

The Contractor shall be responsible for the preservation of all public and private underground and surface utilities/structures at or adjacent to the construction work; insofar as they may be endangered by the work. This shall hold true whether or not they are shown on the contract drawings. If they are shown on the drawings, the County does not guarantee their locations even though the information will be from the best available sources.

The Contractor shall give ample and reasonable notice to all private, corporate or municipal owners before work is done near their utility or structure; shall properly protect all utilities/structures encountered; shall at their expense repair/replace any items that are damaged; and shall proceed with caution to prevent undue interruptions to utility services.

Investigation and/or on-site mark-out, by the County, must be done prior to excavation work at the Valhalla Campus. This investigation/mark-out is to serve as a guide for the Contractor and does not absolve the Contractor from the responsibility to repair/replace identified or non-identified utilities/structures, at no cost to the County.

All excavation work performed at the Valhalla Campus requires the submission of a completed "Ground Penetration" form/sketch(es) will be distributed to the appropriate utility owners. Therefore, the Contractor should assume that no excavation work can be performed until approximately twenty (20) working days after submission of the form/sketch(es), but not prior to approval by the DPW-BO Superintendent of Buildings.

## 14. PROTECTION OF WATER RESOURCES & THE ENVIRONMENT

The Contractor is responsible to review the specifications and drawings as they relate to this Agreement to ascertain what procedures must be followed in order to comply with all applicable stormwater management, water quality control, erosion, and sediment control

laws, rules, regulations and permits. If the Contractor is of the opinion that any work required, necessitated, or contained in the specifications or otherwise ordered conflicts with the applicable stormwater management, water quality control, erosion, and sediment control laws, rules, regulations, procedures, and permits, including, without limitation, all applicable provisions of the New York State Stormwater Management Design Manual, and the New York Standards and Specifications for Erosion and Sediment Control as they may be amended from time to time, it must promptly notify the First Deputy Commissioner of the Department of Public Works in writing.

In addition to all other requirements contained in this Agreement, the Contractor recognizes and understands that it is an essential element of this Agreement that the Contractor complies with the County's policies to protect water resources and the environment. The Contractor must comply with all applicable stormwater management, water quality control, erosion, and sediment control laws, rules, regulations, permits, procedures and specifications, including, without limitation, all applicable provisions of the New York State Stormwater Management Design Manual, 1, the New York Standards and Specifications for Erosion and Sediment Control as they may be amended from time to time. All of these documents should be obtained from the New York State Department of Environmental Conservation to ensure that the Contractor has the latest version. It should be noted that the standards set forth in the New York State Stormwater Management Design Manual, and the New York Standards and Specifications for Erosion and Sediment Control apply to ALL work done for the County, regardless of the size of the project. In case of a conflict among the governmental regulations and standards, the most stringent regulation, standard or recommendation shall apply to the work done under this Agreement.

The Contractor and its subcontractors shall execute the required Stormwater Pollution Prevention Certification, which is located at Proposal Page 20. In addition, the Contractor acknowledges that if the work required under this Agreement requires that a State Pollutant Discharge Elimination System ("SPDES") permit be obtained from the New York State Department of Environmental Conservation, then the Contractor must comply with the terms and conditions of the SPDES permit for stormwater discharges from construction activities and the Contractor will not take any action or fail to take any necessary action that will result in the County being held to be in violation of said permit or any other permit. The Contractor shall cooperate with the County in obtaining the permit and comply with the SPDES permit and all other applicable laws, rules, regulations and permits.

The Contractor shall provide, as the Commissioner or his designee may request, proof of compliance with the County's policies to protect water resources and the environment, and all applicable stormwater management, water quality control, erosion and sediment control laws, rules, regulations, permits, procedures and specifications.

The Contractor is responsible to ascertain which of the laws, rules, regulations, permits and standards referenced above affect its construction activities, and the Contractor shall be solely responsible for all costs and expenses, including any penalties or fines, incurred by the County, due to the Contractor's failure to comply with such applicable laws, rules,

\_

<sup>&</sup>lt;sup>1</sup> available at <a href="http://www.dec.state.ny.us/website/dow/swmanual/swmanual.html">http://www.dec.state.ny.us/website/dow/swmanual/swmanual.html</a> - The location of this reference is provided to assist the Contractor; it does not relieve the Contractor from the obligation of obtaining and complying with the latest version of the document.

permits, regulations, standards and County policies. The Contractor shall be responsible to defend and indemnify the County from any and all claims resulting from the Contractor's failure to comply with the applicable laws, rules, regulations, permits, standards and County policies.

Failure of the Contractor to comply with the County's policies to protect water resources and the environment, and all applicable stormwater management, water quality control, erosion and sediment control laws, rules, regulations, permits, procedures and specifications may result in the withholding of progress payments to the Contractor by the County. Such withholding of progress payments shall not relieve the Contractor of any requirements of the Agreement including the completion of the work within the specified time, and any construction sequence requirement of the Agreement.

The Contractor acknowledges that its failure to comply with the County's policies to protect water resources and the environment, and all applicable stormwater management, water quality control, erosion and sediment control laws, rules, regulations, permits, procedures and specifications shall constitute a material breach under this contract. For the breach or violation of this provision, without limiting any other rights or remedies to which the County may be entitled, the County shall have the right, in its sole discretion to suspend, discontinue or terminate this Agreement immediately upon notice to the Contractor. In such event, the Contractor shall be liable to the County for any additional costs incurred by the County in the completion of the project.

The failure of the Contractor to comply with these requirements could lead to a determination that the Contractor is not a responsible bidder when the Contractor is bidding on other projects.

## 15. SANITARY REGULATIONS

The Contractor shall obey and enforce such sanitary regulations and orders and shall take such precautions against infectious diseases as may be deemed necessary. The building of shanties or other structures for housing the men, tools, machinery or supplies will be permitted only at approved places, and the sanitary condition of the grounds in and at such shanties or other structures must be at all times maintained in a satisfactory manner.

# 16. CLEANING UP

Upon completion of the work, the Contractor shall remove all equipment, rubbish, debris and surplus materials from the buildings, and grounds, and provide a suitable dumping place for such materials. The premises shall be left in a neat, clean and acceptable condition.

No litter, debris of any kind shall be allowed to accumulate for more than one day in any portion of the buildings or grounds, and must be removed from the area at the end of each workday.

#### 17. PREVENTION OF DUST HAZARD

In accordance with the New York State Labor Law, Section 22a, in the event a silica or other harmful dust hazard is created due to construction operations under the contract, the Contractor shall install, maintain and keep in effective operation the appliances and methods

for the elimination of such silica dust or other harmful dust as have been recommended and approved by State and local authorities.

## 18. <u>REPRESENTATIVE ALWAYS PRESENT</u>

The Contractor in case of its absence from the work shall have a competent representative fluent in English or foreman present, who shall obey without delay, all instructions of the Construction Administrator in the prosecution and completion of the work in conformity with this contract, and shall have full authority to supply labor and material immediately.

# 19. WORK IN BAD WEATHER

During freezing, stormy or inclement weather, no work shall be done except such as can be done satisfactorily and in a manner to secure first-class construction throughout.

# 20. PROTECTION OF WORK UNTIL COMPLETION

The Contractor shall be responsible for the protection and maintenance of its work until the same has been accepted by the Owner and shall make good any damage to the work caused by floods, storms, settlements, accidents, or acts of negligence by its employees or others so that the complete work when turned over to the Owner will be in first-class condition and in accordance with the plans and specifications.

## 21. REMOVAL OF TEMPORARY STRUCTURES AND CLEANING UP

On or before the completion of the work the Contractor shall, without charge therefore, tear down and remove all buildings and other structures built by him for facilitating the carrying out of the work, shall remove all rubbish of all kinds from the grounds which he has occupied, shall do any small amount of additional trimming and grading and shall leave the entire work and premises clean, neat and in good condition. The Contractor shall provide at its own expense suitable dumping places for such material. When the necessity for protecting traffic ends, the Contractor shall remove all signs, lighting devices, barricades and temporary railings from the site of the work.

#### 22. GROSS LOADS HAULED ON HIGHWAY

The Contractor shall at no time during the construction of this contract, haul gross loads exceeding the legal limit prescribed by the Highway Law over the highways of access to, or the highway included in this contract.

# 23. CONCRETE BATCH PROPORTIONS - YIELD

No Construction Administrator or Engineer is authorized to instruct or inform the Contractor, or any of its agents or employees, or its concrete supplier as to the weights of the ingredients to be used to produce a cubic yard of concrete or as to the yield to be used to produce a cubic yard of concrete or as to the yield to be expected from any batch. The Contractor shall make its own determination and give its own instructions to its agents, employees and concrete supplier as to the total quantity of ingredients to be purchased as a

cubic yard of concrete. The right is reserved to the Construction Administrator and Engineer, however, to verify yields after batch weights have been established by the Contractor and to order a reduction in total weight per load in the event his/her calculations show that the rated capacity of truck mixers, if approved for use, will be exceeded.

# 24. DAMAGE DUE TO CONTRACTOR'S OPERATIONS

In the event that damage is caused to structures, surfacing, pavement, shrubbery, trees or to grassed areas through trucking operations, delivery of materials, the actual performance of the work, or other causes, the Contractor shall fully restore the same to their original condition at its own expense. In the event that more than one contractor causes damages to any one area, the Director of Project Management will apportion the amount of repair work to be done by each contractor. The decision of the Director of Project Management shall be final and binding upon the Contractor(s) and may not be challenged except pursuant to a proceeding brought pursuant to Article 78 of the Civil Practice Law and Rules.

#### 25. PROPERTY DAMAGE

The Contractor shall not enter upon nor make use of any private property along the line of work except when written permission is secured from the owner of that property. In case of any damage or injury done along the line of work in consequence of any act or omission on the part of the Contractor, or any one in its employ, in carrying out the contract, the Contractor shall at its own expense restore the same or make repairs as are necessary in consequence thereof in a manner satisfactory to the owner of the affected property; provided, however, that the obligation thus assumed by the Contractor shall not inure directly or indirectly to the benefit of any insurer of physical damage to property or loss of use, rents or profits of property regardless of whether the insurer has actually paid the claim or made only a loan to its insured, nor to the latter if it shall waive or abandon any claim against its insurer or insurers.

In case of failure on the part of the Contractor to restore or repair such property in a manner satisfactory to the owner of the affected property, the party of the first part may upon forty-eight hours notice to the Contractor proceed with such restoration or repair. The expense of such restoration or repair shall be deducted from any monies, which are due or may become due the Contractor under its contract. The Construction Administrator shall be the sole judge as to what constitutes failure to restore or repair as above stated and service of notice by mail addressed to the Contractor at the address stated in the proposal shall be sufficient.

## 26. CLAIMS FOR DAMAGES

The Contractor agrees that it will make no claim against the County or any of its representatives for damages for delay, interference or disruption of any kind in the performance of its Contract and further agrees that any such claim arising from acts or failure to act of the County or any of its representatives shall be fully and exclusively compensated for by an extension of time to complete the performance of the work as provided herein.

#### 27. EXTENSIONS OF TIME

An extension or extensions of time may be granted only by the Commissioner and only upon a verified application therefore by the Contractor. Each application for an extension of time must set forth in detail the nature of each cause of delay in the completion of the work, the date upon which each such cause of delay began and ended, and the number of days attributable to each of such causes. If the schedule for this project is based upon the Critical Path Method, the Contractor must also demonstrate that the delay for which an extension of time is sought occurred on the critical path. A formal written notice of the Contractor's intent to apply for an extension of time must be submitted to the Commissioner within seven (7) calendar days of the start of the alleged delay. The formal application for the extension of time must be submitted to the Commissioner no later than ten (10) calendar days after the end of the delay, but in no event later than the Contractor's submittal of its application for its substantial completion payment. The failure of the Contractor to timely submit either its formal written notice of its intent to apply for an extension of time or the application thereof shall be deemed a waiver of any entitlement to any extension of time.

The Contractor shall be entitled to an extension of time for delay in completion of the work caused solely (1) by the acts or omissions of the County, its officers, agents or employees; or (2) by the acts or omissions of other Contractors on this project; or (3) by supervening conditions entirely beyond the control of either party hereto (such as, but not limited to, Acts of God, excessive inclement weather, war, or any other national emergency making performance temporarily impossible or illegal, or strikes or labor disputes not brought about by any act or omission of the Contractor).

The Contractor shall not be entitled to receive a separate extension of time for each of several causes of delay operating concurrently, but, if at all, only for the actual period of delay in completion of the work as determined by the Engineer or Commissioner. If one of multiple causes of delay operating concurrently results from any act or omission of the Contractor or of its subcontractors of whatever tier, and would of itself (irrespective of concurrent causes) have delayed the work, no extension of time will be allowed for the period of delay resulting from such act or omission and the Contractor shall re-arrange his Progress Schedule and operations so as to complete the Work within the time set forth in the Contract and minimize the impact of the Work on the other Prime Contractors.

The determination made by the Commissioner or Engineer on an application for an extension of time shall be binding and conclusive on the Contractor and may not be challenged except in a proceeding commenced pursuant to Article 78 of the Civil Practice Law and Rules.

Permitting the Contractor to continue with the work after the time fixed for its completion has expired, or after the time to which such completion may have been extended has expired, or the making of any payment to the Contractor after such time, shall not operate as waiver on the part of the County of any of its rights or remedies under this contract nor shall it relieve the Contractor from his obligation under the Contract, including without limitations its liability to the County for liquidated damages, engineering costs, delays, damages, and/or costs incurred by the County.

If the Commissioner deems it advisable and expedient to have the Contractor complete and furnish the Work after the expiration of the time of Completion of Work (see "Required

Time For Completion Of The Work" of the General Requirements) and in order that the County's fiscal officers may be permitted to make payment to the Contractor for Work performed beyond that date, the Commissioner may extend the Contract solely for the purpose of enabling the Contractor to be paid for Work performed. This extension shall in no way relieve the Contractor from his obligation under the Contract, including without limitations its liability to the County for liquidated damages, engineering costs, delays, damages, attorney's fees and/or costs incurred by the County, nor shall such extension of time be asserted by the Contractor in any action or proceeding as evidence that it completed its work in a timely manner.

The time necessary for review by the Engineer of all submittals including vendors, shop drawings, substitutions, etc., and delays incurred by normal seasonal and weather conditions should be anticipated and is neither compensatory nor eligible for Extensions of Time.

When the Work embraced in the Contract is not completed on or before the date specified herein, engineering and inspection expenses incurred by the County of Westchester upon the Work from the completion date originally fixed in the Contract to the final date of completion of the Work may be charged to the Contract and be deducted from the final monies due the Contractor.

# 28. <u>REQUEST FOR APPROVAL OF EQUAL</u>

### A. GENERAL REQUIREMENTS

Wherever in the Contract Documents an article, material, apparatus, product or process is called for by trade name or catalog reference, or by the name of the patentee, manufacturer or dealer, it is understood that it constitutes the standard requirement to meet the contract specifications. Where two or more articles, materials, apparatus, products or processes are listed as acceptable by reference to trade name or otherwise, the choice of these will be optional to the bidder.

Bidders may base their bid on one of the specified items, or they may base their bid on an "equal". However, the bidder should be aware that the County makes the final determination as to what constitutes an equal.

If the Engineer shall reject the proposed equal as not being the equal of that specifically named in the contract, the successful bidder (Contractor) shall immediately proceed to furnish the designated article, material, apparatus, product or process as specified or an approved equal without additional cost or time delay to the County.

# B. REVIEW PROCESS

- 1) Within fifteen (15) days from the Notice to Proceed, requests for approval of equals must be proposed to the Commissioner on the "Request For Approval Of Equal" form of the Sample Forms. This Period for submitting requests will be strictly enforced. Such requests shall conform to the requirements of this Article.
- Requests for approval of equals will be received and considered from Prime Contractors only and not from manufacturers, suppliers, Subcontractors, or other third parties.
- 3) If the materials and equipment submitted are offered as equals to the Contract

Documents the Contractor shall advise the County and the Engineer of the requested equal and comply with the requirements hereinafter specified in this Article.

- Where the acceptability of an equal is conditioned upon a record of satisfactory operation and the proposed equal does not fulfill this requirement, the Engineer, at his/her sole discretion, may accept the equal if the Contractor provides a bond or cash deposit which guarantees replacement at no cost to the County for any failure occurring within the specified time. The equal item must meet all other technical requirements contained in the Specification.
- 5) The successful bidder shall furnish such information as required by the Engineer to demonstrate that the equal article, material, apparatus, product or process is the equal of that specified in quality, finish, design, efficiency and durability and has been elsewhere demonstrated to be equally serviceable for the purpose for which it is intended. The Contractor shall set forth the reasons for desiring to utilize the proposed equal.

#### 6) Contractor shall submit:

- a. For each proposed request for approved equal sufficient details, complete descriptive literature and performance data together with samples of the materials, where feasible, to enable the Engineer to determine if the proposed request for approved equal is equal, including manufacturer's brand or trade names, model numbers, description of specification of item, performance data, test reports, samples, history of service, and other data as applicable.
- b. Certified tests, where applicable, by an independent laboratory attesting that the proposed equal is equal.
- c. A list of installations where the proposed equal equipment or materials is performing under similar conditions as specified.
- 7) Requests for approval of equal after the period set forth in B. REVIEW PROCESS, Paragraph 1, above will not be accepted for evaluation except in case of strikes, discontinuance of manufacturer or other reason deemed valid by the Engineer whereby the specified products or those approved are unattainable. In such case the Contractor shall provide substantial proof that the acceptable products are unavailable.
- 8) Where the approval of an equal requires revision or redesign of any part of Work, including that of other Contracts, all such revision and redesign, and all new drawings and details required therefore, shall be provided by the Contractor at its own cost and expense, and shall be subject to the approval of the Commissioner.
- 9) In the event that the Engineer is required to provide additional engineering services, then the engineer's charges for such additional services shall be promptly paid by the Contractor to the County.
- 10) Any modifications in the Work required under other Contracts to accommodate the changed design will be incorporated in the appropriate Contracts and any resulting increases in Contract prices will be paid by the Contractor who initiated the

- changed design to the County.
- 11) In all cases the Engineer shall be the judge as to whether a proposed equal is to be approved. The Contractor shall abide by his/her decision when proposed equal items are judged to be unacceptable and shall in such instances furnish the item specified or indicated. No equal items shall be used in the Work without written approval of the Engineer.
- 12) In making request for approval of equal, Contractor represents that:
  - a. Contractor has investigated proposed equal, and determined that it is equal to or superior in all respects to the product, manufacturer or method specified.
  - b. Contractor will provide the same or better warranties or bonds for proposed equal as for product, manufacturer or method specified.
  - c. Contractor waives all claims for additional costs or extension of time related to proposed equal that subsequently may become apparent.
  - d. Contractor shall have and make no claim for an extension of time or for damages by reason of the time taken by the Engineer in considering an equal proposed by the Contractor or by reason of refusal of the Engineer to approve an equal proposed by the Contractor. Any delays arising out of consideration, approval, or utilization of an equal shall be the sole responsibility of the Contractor requesting the equal and it shall arrange its operations to make up the time lost.
- 13) Proposed Equal Will Not Be Accepted If:
  - a. Acceptance will require substantial revision of Contract Documents.
  - b. They will change design concepts or Technical Specifications.
  - c. They will delay completion of the Work, or the Work of other Contractors.
  - d. They are indicated or implied on a Shop Drawing and are not accompanied by a formal request for approval of equal from Contractor.
- 14) Only those products originally specified and/or added by approved requests for equals submitted in accordance with the preceding paragraphs may be used in the Work. Whenever requests for equals are approved, it shall be understood that such approval is conditional upon strict conformance with all requirements of the Contract and further subject to the following:
  - a. Any material or article submitted for approval in accordance with the above procedure must be equal, in the sole opinion of the Engineer, to the material or article specified. It must be readily available in sufficient quantity to prevent delay of any Work; it must be available in an equivalent color, texture, dimension, gauge, type and finish as to the item or article specified; it must be equal to the specified item in strength, durability, efficiency, serviceability, compatibility with existing systems, ease and cost of maintenance; it must be compatible with the design and not necessitate substantial design modifications; it must be equal in warranties and guarantees; its use must not impose substantial additional Work, or require substantial changes in the Work of any

- other Contractor. Availability of spare parts shall be assured for the useful life of the Project.
- b. The Engineer reserves the right to disapprove, for aesthetic reasons, any material or equipment on the basis of design or color considerations alone, without prejudice to the quality of the material or equipment, if the manufacturer cannot meet the required colors or design.
- c. All requests for approval of equals of materials or other changes from the contract requirements shall be accompanied by an itemized list of all other items affected. The Engineer shall have the right, if such is not done, to rescind any approvals for equals or changes and to order such Work removed and replaced with Work conforming to the specified requirements of the contract, all at the Contractor's expense, or to assess all additional costs resulting from the equal to the Contractor.
- 15) Approval of an equal will not relieve Contractor from the requirement to submit Shop Drawings or any of the provisions of the Contract Documents.
- 16) In the event that the Engineer is required to provide additional engineering services as a result of a request for approval of an equal of materials or equipment which are not "or equal" by the Contractor, or changes by the Contractor in dimension, weight, power requirements, etc., of the equipment and accessories furnished, or as a result of Contractor's errors, omissions or failure to conform to the requirements of the Contract Documents or if the Engineer is required to examine and evaluate any changes proposed by the Contractor solely for the convenience of the Contractor, or for evaluation of deviations from Contract Documents, then the Engineer's charges in connection with such additional services shall be paid by the Contractor to the County.
- 17) The Contractor shall respond to required submittals with complete information and with a degree of accuracy to achieve approvals within three (3) submissions. All costs to the Engineer involved with subsequent submissions requiring approval, will be paid by the Contractor to the County.

#### 29. SUBSTITUTION

A. Should the Contractor desire to substitute other articles, materials, apparatus, products or processes than those specified or approved as equal, the Contractor shall apply to the Engineer in writing for approval of such substitution. It should be noted that the bid shall not be based on a substituted article, material, apparatus, product or process. With the application shall be furnished such information as required by the Engineer to demonstrate that the article, material, apparatus, product or process he wishes to use is the equivalent of that specified in quality, finish, design, efficiency and durability and has been elsewhere demonstrated to be equally serviceable for the purpose for which it is intended. The Contractor shall set forth the reasons for desiring to make the substitution and shall further state what difference, if any, will be made in the construction schedule and the contract price for such substitution should it be accepted; it being the intent hereunder that any savings shall accrue to the benefit of the County.

- B. If the Engineer shall reject any such desired substitution as not being the equivalent of that specifically named in the contract, or if it shall determine that the adjustment in price in favor of the County is insufficient, the Contractor shall immediately proceed to furnish the designated article, material, apparatus, product or process.
- C. Request for substitutes must be proposed to the Commissioner on the "Request For Approval Of Substitution" form of the Sample Forms. Such requests shall conform to the requirements of this Article.
- D. Requests for substitutions shall include full information concerning differences in cost, and any savings in cost resulting from such substitutions shall be passed on to the County.
- E. Requests for utilization of substitutes will be reviewed during the course of the project. The impact on the project and the timeliness of submission will be of key consideration.
- F. The approval of utilization of a substitute is subject to the sole and final discretion of the Engineer.

#### G. REVIEW PROCESS

- Requests for approval of substitutions will be received and considered from Prime Contractors only and not from manufacturers, suppliers, Subcontractors, or other third parties.
- 2) If the materials and equipment submitted are offered as substitutions to the Contract Documents or approved equal the Contractor shall advise the County and the Engineer of the requested substitutions and comply with the requirements hereinafter specified in this Article.
- 3) Where the acceptability of substitution is conditioned upon a record of satisfactory operation and the proposed substitution does not fulfill this requirement, the Engineer, at his/her sole discretion, may accept the substitution if the Contractor provides a bond or cash deposit which guarantees replacement at no cost to the County for any failure occurring within the specified time. The substitution item must meet all other technical requirements contained in the Specification.
- 4) The Contractor shall furnish such information as required by the Engineer to demonstrate that the equal article, material, apparatus, product or process is the equivalent of that specified in quality, finish, design, efficiency and durability and has been elsewhere demonstrated to be equally serviceable for the purpose for which it is intended and/or that it offers substantial benefits to the County in saving of time and/or cost. The Contractor shall set forth the reasons for desiring to make this substitution.

#### 5) Contractor shall submit:

a. For each proposed request for approved substitute sufficient details, complete descriptive literature and performance data together with samples of the materials, where feasible, to enable the Engineer to determine if the proposed request for approval should be granted, including manufacturer's brand or trade names, model numbers, description of specification of item, performance data, test reports, samples, history of service, and other data as applicable.

- b. Certified tests, where applicable, by an independent laboratory attesting to the performance of the substitute.
- c. A list of installations where the proposed substitute equipment or materials is performing under similar conditions as specified.
- 6) Where the approval of a substitute requires revision or redesign of any part of Work, including that of other Contracts, all such revision and redesign, and all new drawings and details required therefore, shall be provided by the Contractor at its own cost and expense, and shall be subject to the approval of the Engineer.
- 7) In the event that the Engineer is required to provide additional engineering services, then the engineer's charges for such additional services shall be paid by the Contractor to the County.
- 8) Any modifications in the Work required under other contracts to accommodate the changed design will be incorporated in the appropriate contracts and any resulting increases in contract prices will be charged to the Contractor by the County who initiated the changed design.
- 9) In all cases the Engineer shall be the judge as to whether a proposed substitute is to be approved. The Contractor shall be bound by his/her decision. No substitute items shall be used in the Work without written approval of the Engineer.
- 10) In making request for approval of substitute, Contractor represents that:
  - a. Contractor has investigated proposed substitute, and determined that it is equal to or superior in all respects to the product, manufacturer or method specified or offers other specified advantages to the County.
  - b. Contractor will provide the same or better warranties or bonds for proposed substitute as for product, manufacturer or method specified.
  - c. Contractor waives all claims for additional costs or extension of time related to proposed substitute that subsequently may become apparent.
  - d. Contractor shall have and make no claim for an extension of time or for damages by reason of the time taken by the Engineer in considering a substitute proposed by the Contractor or by reason of failure of the Engineer to approve a substitute proposed by the Contractor. Any delays arising out of consideration, approval, or utilization of a substitute shall be the sole responsibility of the Contractor requesting the substitute and it shall arrange its operations to make up the time lost.
- 11) Proposed substitute will not be accepted if:
  - a. Acceptance will require substantial revision of Contract Documents.
  - b. They will substantially change design concepts or Technical Specifications.
  - c. They will delay completion of the Work, or the Work of other Contractors.
  - d. They are indicated or implied on a Shop Drawing and are not accompanied by a formal request for approval of substitute from Contractor.
- 12) The Engineer reserves the right to disapprove, for aesthetic reasons, any material or

- equipment on the basis of design or color considerations alone, without prejudice to the quality of the material or equipment, if the manufacturer cannot meet the required colors or design.
- 13) All requests for approval of substitutes of materials or other changes from the contract requirements, shall be accompanied by an itemized list of all other items affected by such substitution or change. The Engineer shall have the right, if such is not done, to rescind any approvals for substitutions and to order such Work removed and replaced with Work conforming to the specified requirements of the contract, all at the Contractor's expense, or to assess all additional costs resulting from the substitution to the Contractor.
- 14) Approval of a substitute will not relieve Contractor from the requirement to submit Shop Drawings or any of the provisions of the Contract Documents.
- 15) In the event that the Engineer is required to provide additional engineering services as a result of a request for approval of a substitute results in changes by the Contractor in dimension, weight, power requirements, etc., of the equipment and accessories furnished, or as a result of Contractor's errors, omissions or failure to conform to the requirements of the Contract Documents or if the Engineer is required to examine and evaluate any changes proposed by the Contractor solely for the convenience of the Contractor, or for evaluation of deviations from Contract Documents, then the Engineer's charges in connection with such additional services shall be paid by the Contractor.
- 16) Structural design shown on the Drawing is based upon the configuration of and maximum loading for major items of equipment as indicated on the Drawings and as specified. If the substituted equipment furnished differs from said features, the Contractor shall pay to the County all costs of redesign and for any construction changes required to accommodate the equipment furnished, including the Engineer's charges in connection therewith.
- 17) The Contractor shall respond to required submittals with complete information and with a degree of accuracy to achieve approvals within two (2) submissions. All costs to the Engineer involved with subsequent submissions of Shop Drawings, Samples or other items requiring approval, will be paid by the Contractor to the County, by deducting such costs from payments due for Work completed. In the event an approved item is requested by the Contractor to be changed or substituted for, all costs involved in the reviewing and approval process will likewise be backcharged to the Contractor unless determined by the Engineer that the need for such substitution and/or deviation from Contract Documents is beyond the control of the Contractor.

# 30. <u>EXTRA WORK: INCREASED COMPENSATION/DECREASED WORK: CREDIT TO</u> THE OWNER

The Director of Project Management may, at any time, by a written order, and without notice to the sureties, require the performance of Extra Work or require or approve changes in the work, or Decreased Work ("work" to include but not be limited to specified methods of performing work) as he may deem necessary or desirable. The amount of compensation

to be paid to the Contractor for any Extra Work, as so ordered, or credit to the Owner for such decreased work, as so ordered or approved, shall be determined as follows:

- 1) **First**: By such applicable unit prices, if any, as set forth in the Contract; or
- 2) **Second**: If no such prices are so set forth, then by unit prices or by a lump sum, or sums, mutually agreed upon by the Director of Project Management and the Contractor; or
- **Third:** If, in the opinion of the Director of Project Management, the aforesaid unit prices, under "First" above, are not applicable, or if the two parties hereto cannot reach agreement as to new unit prices or a lump sum, or sums, under "Second" above, then by the actual net cost in money to the Contractor of the materials and of the wages of applied labor (including cost of supplements provided and premiums for Workmen's Compensation Insurance, FICA, and Federal and State Unemployment Insurance) required for such Extra Work, plus twenty (20%) percent as compensation for all items of profit and costs or expenses including administration, overhead, superintendence, insurance (other than those specifically noted above) materials used in temporary structures, allowances made by the Contractor to subcontractors, including those made for overhead and profit, additional premiums upon the performance bond of the Contractor and the use of small tools and any and all other costs and expenses not enumerated above, plus such rental for plant and equipment (other than small tools) required and approved for such extra work. Where extra work is performed by a Subcontractor, the twenty percent stipulated above shall be divided between the Contractor and the Subcontractor as per their contractual agreement, or if not defined therein, then as the Contractor sees fit.

Rental rates for any power operated machinery, trucks or equipment, which it may be found necessary to use as in "Third" above, shall be reasonable and shall be based on those prevailing in the area of the County where such work is to be done, and they shall be agreed upon in writing before the work is begun.

In no case shall the rental rates submitted exceed the rates set up in the current edition of "Equipment Watch" plus the cost of fuel and lubricants.

These rates shall include all repairs, fuel, lubricants, applicable taxes, insurance, depreciation, storage and all attachments complete, ready to operate, but excluding operators. Operators shall be paid as stated here in above for labor.

For equipment, which is already on the project, the rental period shall start when ordered to work by the Construction Administrator, and shall continue until ordered to discontinue by him. The minimum payment for any one rental period shall be four hours, unless otherwise agreed upon between the Construction Administrator and the Contractor.

For equipment which has to be brought to the project, specifically for use as in "Third" above, the County will pay all loading and unloading costs, also all transportation costs will not be paid, if the equipment is used for work other than in "Third" above while on the project. The rental period shall begin at the time the equipment has been unloaded on the

project, and shall end on and include the day the order to discontinue the use of the equipment as in "Third" above is given to the Contractor by the Construction Administrator.

The daily rate shall apply for rental periods of four calendar days or less, the weekly rate shall apply for rental periods of more than four and not exceeding twenty-one calendar days, and the monthly rate shall apply for rental periods in excess of twenty-one calendar days. For fractional periods above the full unit rental period (day, week, month) reimbursement shall be proportioned on the basis of the applicable rental period. (Day-8 hrs.; Week-7 calendar days; Month-30 calendar days).

No percentage shall be added to the amounts of equipment rental prices agreed upon, but the price agreed upon shall be the total compensation allowed for the use of such equipment.

The provisions hereof shall not affect the power of the Contractor to act in case of emergency.

## 31. DISPUTED WORK - NOTICE OF CLAIMS FOR DAMAGES

If the Contractor is of the opinion that any work required, necessitated, or ordered violates or conflicts with or is not required by the terms and provisions of this Contract, it must promptly, within five (5) calendar days after being directed to perform such work, notify the Construction Administrator, in writing, of its contentions with respect thereto and request a final determination thereon. If the Construction Administrator determines that the work in question is contract and not extra work, or that the order complained of is proper, he will direct the Contractor in writing to proceed and the Contractor shall promptly comply. In order, however, to preserve its right to claim compensation for such work or damages resulting from such compliance, the Contractor must, within seven (7) calendar days after receiving notice of the Construction Administrator's determination and direction, notify the Construction Administrator, in writing that the work is being performed or that the determination and direction is being complied with, under protest. Failure of the Contractor to so notify shall be deemed as a waiver of claim for extra compensation or damages therefore.

While the Contractor is performing disputed work or complying with a determination or order under protest in accordance with this Article, in each such case the Contractor shall furnish the Construction Administrator daily with three copies of written statements signed by the Contractor's representatives at the site showing:

- 1) the name of each worker employed on such work or engaged in complying with such determination or order, the number of hours employed thereon, and the character of the work each is doing; and
- the nature and quantity of any materials, plant and equipment furnished or used in connection with the performance of such work or compliance with such order, and from whom purchased or rented.

It is expressly agreed that no dispute over the scope of the Contractor's work or any portion thereof shall cause any delay or interruption to the Contractor's work.

In addition to the foregoing statements, the Contractor shall, upon notice from the Board of Acquisition and Contract, produce for examination by the duly appointed representative of

the Board of Acquisition and Contract, all its books of accounts, bills, invoices, payrolls, subcontracts, time books, daily reports, bank deposit books, bank statements, check books and canceled checks, showing all of its acts and transactions in connection with or relating to or arising by reason of this contract, and submit itself, its agents, servants and employees for examination under oath by any duly appointed representative designated by the Board of Acquisition and Contract to investigate claims made against the County. Unless the aforesaid statements shall be made and filed within the time aforesaid and the aforesaid records submitted for examination and the Contractor, its agents, servants, and employees submit themselves for examination as aforesaid, the County shall be released from all claims arising under, relating to or by reason of this contract, except for the sums certified by the Construction Administrator to be due and agreed that no person has power to waive any of the foregoing provisions, and that in any action against the County to recover any sum in excess of the sums certified by the Construction Administrator to be due under or by reason of this contract, the Contractor must allege in its complaint and prove, at the trial, strict compliance with the provisions of this article.

Before final acceptance of the work by the County, all matters of dispute must be adjusted to the mutual satisfaction of the parties thereto. Determinations and decisions in case any question shall arise, shall constitute a condition precedent to the right of the Contractor to receive the money therefore, until the matter in question has been adjusted.

# 32. CONTRACTOR'S SUBCONTRACTS AND MATERIAL LISTS

Within fifteen (15) days after execution of the Contract, the successful bidder shall submit to the County for approval a list of the subcontractors, materialmen and materials that he/she plans to use in the performance of the work and statements of the work they are to perform. The format and content of the list shall be in accordance with directives from the Construction Administrator. He/sit shall also submit additional information regarding their qualifications as may be later requested by the County. No part of the work may be sublet until after the Contractor has received the County's approval.

The Contractor shall be fully responsible for all acts and omissions of its subcontractors and persons directly or indirectly employed by them, and the County's approval to sublet parts of the work will in no way relieve the Contractor of any of its obligations under the Contract. All dealings of the Construction Administrator with the subcontractors shall be through the Contractor, subcontractors being recognized by the County only as employees of the Contractor.

By executing the Agreement, the Contractor represents that the Contractor shall insert appropriate clauses in all subcontracts to bind the subcontractors to the Contractor by all applicable provisions of the Contract Documents executed between the Contract and the County, but this shall not be construed as creating any contractual relationships between subcontractors and the County. Prior to approval of the subcontractors, the County has the right to review and recommend changes in the subcontracts. The County reserves the right to reject any subcontractor proposed by the Contractor if in the reasonable opinion of the County such subcontractor lacks the experience, capability or integrity to perform its subcontract work or is otherwise non-responsible.

By executing the Agreement, the Contractor represents that the Contractor shall insert appropriate clauses in each subcontract that require that if the Contractor is terminated by the County either for default or convenience that at the sole option of the County the subcontract shall automatically attorn to the County and the subcontractor shall continue without delay or interruption to fully perform all of the obligations required by its subcontract.

Where the specifications permit the Contractor a choice of different materials or manufactured products, it shall state the choice he has made in making up its bid, with the understanding that all choices must subsequently be approved by the Commissioner, after award of the contract to the successful bidder. If the bidder wishes to propose utilization of materials or manufactured products other than those specified, it shall so state and submit the required information in accordance with Article "Request For Approval Of Equal" of the General Clauses."

# 33. ASSIGNMENT OF CONTRACT

The Contractor shall not assign, transfer, convey or otherwise dispose of the contract or any part of it or any monies due and payable under the contract, without prior written approval of the County. If such approvals are granted by the County, they shall in no way relieve the Contractor or from any obligations under the terms of this Contract.

All documents assigning the contract or any part of it or any monies due and payable under the contract shall contain a clause stating that all monies to be paid the assignee in accordance with the terms of the Contractor's contract with the County, are subject to a prior lien for services rendered or materials and equipment supplied, in favor of all persons, firms or corporations rendering such services or supplying such materials and equipment.

## 34. PAYMENT FOR GENERAL PROVISIONS

No direct payment will be made for work done or materials furnished in compliance with the General Provisions of the specifications, unless otherwise noted. All compensation to the Contractor for its performance of the requirements of any general provision shall be considered to have been included in the prices he has bid for the individual items if a unit price contract and/or for a lump sum price if a lump sum contract.

In the event the Contractor fails or refuses to proceed with its work and/or correct or repair deficient or defective work then without prejudice to any and all of the County's other rights and remedies, and upon three (3) days notice to Contractor, the County may perform and/or employ any other person or persons to correct and/or repair any or all such work. All costs incurred by the County pertaining thereto shall be paid forthwith by the Contractor to the County.

# 35. COSTS INCURRED BY COUNTY

Wherever in these Contract Documents the County is entitled to recover costs from the Contractor or charge the Contractor for the costs incurred for the correction, supervision or for any other reason related to the Contractor's work or arising from the Contractor's failure or refusal to proceed with its work in a timely manner, such costs and/or charges shall be

deemed to include, but not be limited to, the County's costs and fees for inspection(s), engineering, consultant(s) and attorneys.

#### 36. GUARANTEE OF WORK

- A. Except as otherwise specified, all work performed under the Contract shall be guaranteed by the Contractor against defects resulting from the use of inferior materials, equipment or workmanship for one year from the guarantee starting date (which shall be defined as the date of the County's approval of the final Certificate for Payment or the date of actual full occupancy of the building, whichever is earlier). The building, section thereof, or item of equipment, shall be occupied or put into actual use by the Owner only after judged completed by the Construction Administrator and Owner and approved by him as ready for occupancy.
- B. If, within any guarantee period, repairs or changes are required in connection with guaranteed work, which in the opinion of the Construction Administrator or Owner is rendered necessary as a result of the materials, equipment or workmanship which are inferior, defective, or not in accordance with terms of the Contract, the Contractor shall promptly upon receipt of notice from the Construction Administrator or Owner and without expense to the Construction Administrator or Owner:
  - 1) Place in satisfactory condition, in every particular, all of such guaranteed work, correct all defects thereof, and
  - 2) Make good all damages to the building or site, or equipment or contents thereof, and
  - 3) Make good any work or material, or equipment and contents of said building or site disturbed in fulfilling any such guarantee.
- C. In any case where in fulfilling requirements of the Contract or of any guarantee embraced in or required thereby the Contractor disturbs any work, it shall restore such disturbed work to a condition satisfactory to the Construction Administrator.
- D. If the Contractor, after notice, fails to proceed promptly to comply with terms of its guarantee, the Owner may have the defects corrected and the Contractor shall be liable for all expenses incurred.
- E. All special guarantees applicable to definite parts of the work that may be stipulated in the Specifications or other papers forming a part of the Contract shall be subject to the requirements and term of this article.

#### 37. SEPARATE CONTRACTS

- A. Contractor's attention is specifically directed to the fact that, because of the work of other contracts within and adjacent to the limits of this Contract they may not have exclusive occupancy of the territory within or adjacent to the limits of this Contract.
- B. Contractor's attention is further directed to the fact that, during the life of this Contract the owners and operators of Public Utilities may make changes in their facilities. These changes may be made by the Utility employees or by contract within the limit or adjacent to these contracts and may be both temporary and permanent.

- C. Contractor shall be required to cooperate with other contractors and the owners of the various utilities, and to coordinate and arrange the sequence of their work to conform to the progressive operations of the work already under contract and to be put under contract.
- D. Contractor shall be responsible for the coordination of the work of their various subcontractors. Their respective operations shall be arranged and conducted so that delays will be avoided. Where the work of a subcontractor overlaps or dovetails with that of other subontractors, materials shall be delivered and operations conducted so as to carry on the work continuously in an efficient and workmanlike manner. Delays or oversights on the part of Contractor or its subcontractors or utility owners in getting any or all of their work done in the proper way thereby causing cutting, removing and replacing work already in place, shall not be the basis for claim for extra compensation.
- E. In case of interference between the operations of the utility owners and different Contractors, the Construction Administrator will be the sole judge of the rights of each Contractor and the sequence of work necessary to expedite the completion of the entire project, and in all cases the Construction Administrators decision shall be accepted as final and may not be challenged except in a proceeding brought pursuant to Article 78 of the Civil Practice Law and Rules.

#### 38. COOPERATION WITH OWNER

Each Contractor shall cooperate with the Owner as to parking of vehicles, availability of storage and working areas and confining of activities and personnel to same. **NO PARKING FOR CONTRACTOR'S EMPLOYEES**.

#### 39. JOB MEETINGS & PROJECT SUPERINTENDANT

- A. An officer of the Contractor, or its project manager or superintendent, who is fluent in English and authorized to make binding decision on behalf of the Contractor shall attend job meetings with the Commissioner and/or the Construction Administrator, and any subcontractors whom the Inspector may designate; for the purpose of discussing expedition, execution and coordination of the work.
- B. Job meetings will be scheduled periodically (the first to be prior to commencement of construction) at a time and place designated by the Construction Administrator.
- C. The Contractor shall not commence any work prior to the first (pre-construction) meeting between the Contractor, Commissioner and/or Construction Administrator, client, and other concerned governmental and utility company representatives.
- D. At the pre-construction meeting, the scheduling of the work on an arrow-flow diagram (showing chronologically and in detail the sequence and methods that will be followed) will be provided, and details for the proper execution and special requirements of the work will be explained and discussed.
- E. The Contractor shall be responsible for providing a detailed construction schedule that provides for a Critical Path Method ("CPM") and which is compatible with any of the state of the art CPM Method scheduling software.

- F. Updated coordinated arrow-flow diagrams or CPM schedules, as the case may be, will be provided by the Contractor, as above, on a monthly basis to the County.
- The Contractor shall indicate on the construction schedules noted above, time for shop drawing preparation, approvals, fabrication and delivery of materials and equipment for major items. The County may request that additional important items be included on the schedule.
  - G. The Contractors hall ensure that its Project Superintendent shall be on site full time at all times when the Contractor's Work is being performed.

# **40. PATENT WARRANTY**

- A. Contractor expressly represents, warrants and agrees that he has the legal right to furnish and install and to authorize the County to purchase and use the equipment hereby offered and each and every one of its several parts and every feature thereof, under one or the other, or partly under one and partly under the other of the following representations.
  - 1) That the Contractor possesses a valid patent(s) covering the equipment to be furnished hereunder or part or features thereof or has or will obtain permit(s) and license(s) authorizing the Contractor to furnish and install same and to authorize the purchase and use thereof by the County.
  - 2) The Contractor is responsible before ordering material, equipment, parts, systems, etc, to verify that the suppliers of all such material, equipment, parts, systems, etc, will supply the required warranty, guarantee, O & P manual, and maintenance service schedule.
  - 3) That the equipment offered or certain parts or features thereof are not covered by any valid patent(s) within the knowledge of the Contractor.
- B. Contractor further warrants and agrees that if any patent(s) is hereafter issued to any person whatsoever with respect to the equipment or any part or features thereof, to be furnished and installed hereunder, the Contractor will obtain such permit(s) or license(s) from the Patentee as may be necessary to authorize the use of the equipment by the County.
- C. Contractor further represents, warrants and agrees that he and its sureties shall hold themselves responsible for and defend any claims made against the County for any infringement of patents due to the purchase and use by the County of said equipment or any part or feature thereof; that they will indemnify and save harmless the County from all costs, expenses and damages which it shall be obliged to pay by reason of any such infringement of patent(s); that in case the use of any such equipment is enjoined, they will bear the expenses of removing same and replacing same with equipment which will satisfactorily perform the function without constituting an infringement of any patent(s); and in case the use of any equipment shall be enjoined, that they shall pay to the County the sum of \$1,000.00 per day, as liquidated damages, for each and every day during which the County shall be enjoined from using the same up to the day on which such

- equipment is replaced by other equipment which will satisfactorily perform the same function but which will not constitute an infringement of any other patent(s).
- D. The Contractor further agrees in the event the use of any of the equipment is enjoined and the Contractor is unable within a reasonable time to devise other equipment which will satisfactorily perform the same functions without infringement on any patent(s), that he will remove the equipment and refund to the County the entire cost of its purchase and installation, plus the sum of \$1,000.00 per day as liquidated damages for each and every day until the substitute equipment has been purchased and installed by the County, excepting however that such period shall not exceed three months.
- E. The Contractor further agrees in the event that any claim or notice of claim for infringement of patent(s) are made or filed prior to the making of payment by the County for the equipment and/or material proposed to be furnished and installed hereunder, that the County may withhold any sum due to the Contractor for such equipment and/or material until such claims shall have been settled or adjudicated or until additional surety bonds or other guarantees of indemnification shall have been posted, if deemed necessary by the County for its protection.

# 41. MATERIALS

## A. Quality

- 1) It is the intent of these Specifications to describe definitely and fully the character of materials and workmanship required with regard to all ordinary conditions of the work and to require first-class work and new and best quality materials in all particulars. For unexpected conditions arising during the progress of the work and not fully covered herein, the Specifications shall be interpreted by the Construction Administrator to require first-class work and materials and such interpretations shall be accepted by the Contractor.
- 2) The Contractor is responsible before ordering material, equipment, parts, systems, etc, to verify that the suppliers of all such material, equipment, parts, systems, etc, will supply the required warranty, guarantee, O & P manual, and maintenance service schedule.
- 3) Where materials or devices are specified in these documents by reference to government, manufacturer's association, or professional society standards, the pertinent sections of the latest edition of such standards shall have the same force and effect as if set forth in full in these Specifications. The following abbreviations shall be used as indicated for the principal societies:

AASHO American Association of State Highway Officials

ACI American Concrete Institute

AIA American Institute of Architects

AISC American Institute of Steel Construction

ANSI American National Standards Institute

ASHRAE American Society of Heating, Refrigerating, and Air

Conditioning Engineers

ASTM American Society for Testing and Materials

AWWA American Water Works Association

AWI American Woodworking Institute

AWS American Welding Society

BHMA Builders Hardware Manufacturers Association

CS Commercial Standards
FS Federal Specifications

IEEE Institute of Electrical and Electronic Engineers

NEC National Electric Code

NEMA National Electrical Manufacturer's Association

NFPA National Fire Protection Association

SDI Steel Deck Institute

SMACNA Sheet Metal and Air Conditioning Contractors National

Association, Incorporated

TCA Tile Council of America, Incorporated
TMCA Tile and Marble Contractors of America

UL Underwriter's Laboratories, Incorporated

#### B. Delivery, Storage and Handling:

- Materials shall be delivered in manufacturer's original sealed containers with complete identification of contents and manufacturer, and kept sealed in original containers until used. Labels shall not be removed until materials have been installed and inspected.
- 2) Materials shall be delivered, stored, and handled with proper equipment and in a manner to protect them from damage.
- 3) The Contractor shall make arrangements for the receipt of materials delivered to the construction site. No representative of the County will accept any materials ordered by the Contractor.
- 4) Finish materials shall be protected from dirt and damage, and perishable materials shall be stored within appropriate weatherproof enclosures.
- 5) Delivery of materials shall be coordinated with the Operations Schedule.
- 6) The Contractor shall confine the apparatus, the storage of materials and the operations of the workmen to the limits indicated by law, ordinances, permits, or directions of the Construction Administrator, and shall not encumber the premises beyond the contract limits.

- 7) The Contractor shall not load or permit any part of the structure to be loaded with a weight that will endanger its safety.
- 8) Whenever the Contract Documents require delivery by the Contractor of any materials, equipment, or other items, the term delivery shall be deemed to include unloading and storing with proper protection where directed.

# C. Federal Regulations

Should the Federal Government, because of Declaration of an Emergency, or other cause, establish controls over the use of certain construction materials, then the Contractor, immediately after signing the Contract or immediately after Declaration of an Emergency, shall furnish the Commissioner with an itemized list of all critical materials required for use on the project. For each item, the quantity required and the approximate date on which delivery will be required shall be indicated.

#### D. Name Plates

- 1) Each piece of operable equipment to be furnished and installed by a Contractor under its Contract such as motors, pumps, heaters, fans, transformers, switch and fuse racks and other similar equipment shall be provided with a substantial name plate of non-corrodible metal securely fastened in place and clearly and permanently inscribed with the manufacturer's name, the model or type designation, the serial number, the principal rated capacities, the electrical or other power characteristics and other similar and appropriate information.
- 2) Manufacturer's identification shall be inconspicuous, but where nameplates contain information relative to characteristics or maintenance, they shall be clearly visible and located for easy access.
- 3) The nameplate of a subcontractor or a distributor will not be permitted.

#### E. Manufacturer's Certification

1) Prior to the delivery of any water or sewer pipe to the construction site, the Contractor shall furnish properly attested documents certifying as to the type, class, name of manufacturer and source of supply of the pipe. One copy of each document shall be forwarded to the Construction Administrator at the construction site and to the Director of Project Management care of the Engineering Division, Michaelian Office Building, White Plains, New York.

#### F. Samples

- 1) The Contractor shall furnish, for approval of the Engineer, any samples required by the specifications or that may be requested by the Owner, of all materials he proposes to use, and shall pay all shipping charges for the samples. The Contractor shall send all samples to the office of the Engineer, except when directed otherwise. The sample of approved material will remain on file in the Engineer's office. A disapproved sample will be returned to the Contractor.
- 2) No samples are to be submitted with bids.
- 3) No materials or equipment of which samples are required to be submitted for

approval shall be used on the work until such approval has been given by the Engineer or Construction Administrator, save only at the Contractor's risk and expense.

- 4) Each sample shall have a label indicating the material represented, its place of origin and the names of the producer, the Contractor and the Contract for which the material is intended.
- 5) Approval of any sample shall be only for characteristics or for uses named in such approval, and no other. No approval of a sample shall be taken in itself to change or modify any Contract requirement. When a material has been approved, no additional sample of that material will be considered and no change in brand or make will be permitted. Approved samples held by the Engineer will be returned to the Contractor upon completion of the work, if requested.
- 6) Transactions with manufacturers or subcontractors shall be through the Contractor.

#### G. Dissimilar Materials

- Where metals are placed in contact with or fastened to dissimilar metals, concrete, masonry, wood or other absorptive materials subject to repeated wetting or wood treated with a preservative non-compatible with the metal or if drainage from dissimilar materials passes over the work; treat the contact surfaces with a heavy coat of approved alkali-resident bituminous paint.
- 2) Where one of the metals is aluminum, a coat of zinc-chromate primer shall be applied prior to the bituminous paint.

## 42. STANDARD OF QUALITY

Wherever in the contract documents an article, material, apparatus, device, product or process is called for by trade name or catalog reference, or by the name of the patentee, manufacturer or dealer, it shall be construed as establishing a standard of quality and not construed as limiting competition. In such instances, the Contractor may use any article, material, etc. which, in the judgment of the Engineer, expressed in writing, is equal to and acceptable for the intent specified.

## 43. PROPRIETARY ITEM

Whenever less than three names are used in proprietary item specifications, it has been determined that:

- A. The use of trade names is necessary for effective and workable specifications for the item.
- B. All manufacturers known by the individuals familiar with the trade involved have been listed.
- C. Equal items may be approved in accordance with Article "Request For Approval Of Equal" of the General Clauses.

## 44. SHOP DRAWINGS

## A. Shop Drawing Schedule

- 1) Within fifteen (15) days after the Notice to Proceed, the Contractor shall prepare and submit two (2) copies of its schedule of Shop Drawing submissions to the Engineer for review and approval. The schedule is to be submitted on the "Shop Drawing Schedule" form of the Sample Forms.
- In order to maintain the construction schedule for this project the Contractor shall submit all Shop Drawings per approved schedule. The Contractor is expressly cautioned that its failure or refusal to timely submit a shop drawing schedule acceptable to the Engineer and/or any deviation from the approved shop drawing schedule shall be deemed a default under this Contract.
- 3) Shop Drawings shall be submitted without fail in time to permit correction, resubmission and final approval, as hereinafter specified, without causing any delay in the construction of any Work.
- 4) Samples and Shop Drawings, which are related to the same unit of Work or Specification Section, shall be submitted at the same time. If related Shop Drawings and Samples are submitted at different times, they cannot be reviewed until both are furnished to the Engineer.
- 5) The schedule shall be updated every four-(4) weeks or more frequently as required by the Engineer.
- 6) Two (2)-updated copies of the schedule shall be submitted to the Engineer with each application for Partial Payment.

#### 7) Form of Schedule

Schedule shall be in tabular form with appropriate spaces to insert the following information for principal items of equipment and materials:

- a. Date on which Shop Drawings are requested and received from the manufacturer.
- b. Dates on which Shop Drawings are transmitted to the Engineer by the Contractor.
- c. Dates on which Shop Drawings are returned by the Engineer for revisions.
- d. Dates on which Shop Drawings are revised by manufacturer and resubmitted to the Engineer.
- e. Date on which Shop Drawings are returned by Engineer annotated either "Approved" or "Approved as Noted".
- f. Date on which accepted Shop Drawings are transmitted to manufacturer and Contractor's Invoice Number.
- g. Date of manufacturer's scheduled delivery.
- h. Date on which delivery is actually made.

i. Sample of schedule follows on next page.

# B. Shop Drawing Requirements

- Shop Drawings for the Work shall include working and setting drawings, schedules, shop details, wiring diagrams, manufacturer's catalog cuts and brochures and all other drawings, schedules and diagrams necessary for the proper correlation of the Work.
  - Insofar as it is practicable, all drawings shall be uniform in size. They shall be dated, numbered consecutively and shall be identified with the Contract Number and Title, a description of the material or equipment and the area of the work and where it is to be installed. Shop drawings shall accurately and clearly show sizes, work, erection dimensions, arrangement and sectional views, necessary details including information for making connection with the work of other items as may be required, materials and finishes, detailed parts lists, and performance characteristics and capacities as may be required.
- 2) All detailing for structural components shall be done in accordance with the provisions for design and workmanship in the latest additions of the publications listed below except as may be modified in the Contract Documents:
  - a. "Manual of Steel Construction" of the America Institute of Steel Construction.
  - b. "Building Code Requirements for Reinforced Concrete" and "Manual of Standard Practice for Detailing Reinforced Concrete Structures" of American Concrete Institute.
- 3) Detailing practices for other components shall be done to conform to the best trade practices.
- 4) Contractor Responsibilities
  - a. Before submitting Shop Drawings to the Engineer all submittals from its Subcontractors, manufacturers or suppliers shall be sent directly to the Contractor for preliminary review, coordination and checking.
    - Contractor shall be responsible for their submission at the proper time so as to prevent delays in delivery of material or equipment. Contractor shall thoroughly check all drawings for accuracy and conformance to the intent of the Contract Documents. Drawings found to be inaccurate or otherwise in error shall be returned to the Subcontractors, manufacturers, or suppliers by the Contractor for correction.
  - b. All submittals, including Shop Drawings prepared by or under the direction of the various Contractors, shall be thoroughly checked by the Contractor for accuracy and checked by the Contractor for accuracy and conformance to the intent of the Contract Documents before being submitted to the Engineer and shall bear the Contractor's signature certifying that they have been so checked. Before submitting them to the Engineer, all submittals shall be properly labeled and consecutively numbered. In a clear space above the title block, the Contractor shall provide the "Shop Drawing ID" form of the Sample Forms, and enter the required information:

- c. Shop Drawings shall be submitted as a single package including all associated drawings for any operating system and shall include all items of equipment and any mechanical units involved or necessary for the functioning of such system. Where applicable, the submittal shall include elementary wiring diagrams showing circuit functioning and necessary interconnecting wiring diagrams for construction.
- d. If the submittals contain any departures from the Contract Documents, specific mention thereof shall be made in the Contractor's letter of transmittal. Otherwise, the review of such submittals shall not constitute approval of the departure. The Contractor shall also call the Engineer's attention to any changes by the use of larger letters of at least 1" in height on the Shop Drawings along with a letter by the Contractor advising the Engineer to the recommended change and the reason therefore. If this is not done, even if the Work is incorporated in the construction, it will not be accepted by the Engineer even if Shop Drawings are "Approved".
- e. No materials or equipment shall be ordered, fabricated or shipped or any Work performed until the Engineer returns to the Contractor the submittals herein required, annotated "Approved".
- f. Where errors, deviations, and/or omissions are discovered at a later date in any of the submittals, the Engineer's prior review of the submittals does not relieve the Contractor of the responsibility for correcting all errors, deviations and/or omissions.
- g. Two (2) copies of Preliminary Operations and Maintenance Manuals shall be submitted with the final Shop Drawings for each item of equipment.
- h. Submittals shall be transmitted in strict compliance with Special Clause 10. A.2 and in sufficient time to allow the Engineer adequate time for review and processing so as not to delay the Project per the approved Shop Drawing Schedule.
- i. Contractor shall transmit five (5) prints of each submittal to the Engineer for review. Any submissions, which in the opinion of the Engineer, are not legible will not be reviewed and will be returned to the Contractor annotated "Disapproved".
- j. Contract drawings are for engineering and general arrangement purposes only and are not to be used as Shop Drawings.
- k. Shop Drawings shall accurately and clearly present the following:
  - All working and installation dimensions.
  - Arrangement and sectional views.
  - Units of equipment in the proposed positions for installation, details of required attachments and connections, and dimensioned locations between units and in relation to the structures.
  - Necessary details and information for making connections between the

various trades including, but not limited to, power supplies and interconnecting wiring between units, accessories, appurtenances, etc.

- 1. Structural and all other layout drawings prepared specifically for the Project shall have a plan scale of not less than 1/4-inch equal to 1 foot and they shall be not larger than the size of the Contract Drawings.
- m. Where manufacturer's publications in the form of catalogs, brochures, illustrations, compliance certificates, or other data sheets are submitted in lieu of prepared Shop Drawings, such submissions shall specifically indicate the item for which approval is requested. Identification of items shall be made in ink, and submissions showing only general information are not acceptable.
- n. The Contractor shall provide all required copies for the use of the various trades and at the Site, and one (1) copy of approved Shop Drawings shall be provided by the Contractor to each of the other Prime Contractors unless otherwise noted in writing by the Engineer.
- o. The Contractor shall respond to required submittals with complete information and accuracy to achieve required approvals within three (3) submissions. All costs to the Owner involved with subsequent submissions of Shop Drawings, Samples or other items requiring approval, will be backcharged to the Contractor, at the rate of 3.0 times direct technical labor cost, by deducting such costs from payments due for Work completed. In the event an approved item is requested by the Contractor to be changed or substituted, all involved costs in the review process will likewise be paid by the Contractor to the County unless determined by the Director of Project Management or Commissioner that the need for such deviation is beyond the control of the Contractor. Contractor shall be responsible for coordinating its Work and submittals with its Subcontractors.. Should Contractor cause the need for additional submissions or reviews of previous submissions all involved costs will similarly be paid to the County.

### 5) Procedure for Review

- a. Shop Drawings will be checked for design conformance with the Contract Documents and general arrangement only.
- b. Submittals will be annotated by the Engineer in one of the following ways:
  - "Approved" no exceptions are taken.
  - "Approved as Noted" minor corrections are noted and shall be made and a resubmittal is required.
  - "Disapproved because" with specific deficiencies noted.
  - "Disapproved" based on the information submitted, the submission is not in conformance with the Contract Documents. The deviations from the Contract Documents are too numerous to list and a completely revised submission of the proposed equipment or a submission of other equipment is required.

- c. One copy of the reviewed submittals will be returned to the Contractor. It is the Contractor's responsibility to provide copies to:
  - Its Subcontractors.
  - Its Materialmen and Suppliers.

unless notified otherwise in writing by the Engineer.

- 6) Disapproved drawings will be returned to the Contractor for correction and resubmission. After the Contractor has had the required corrections made on the original drawing, it shall again submit five copies for review by the Engineer.
- 7) The acceptance of Shop Drawings by the Engineer shall be only general in nature and shall not relieve the Contractor of any responsibility for the accuracy of the drawings, the proper fitting and construction of the Work or for the furnishing of materials or other Work required by the Contract Documents, but not shown on the Shop Drawings. Acceptance of Shop Drawings by the Engineer shall not be construed as approving departures from the Contract requirements unless specifically noted by the Engineer. Acceptance of Shop Drawings for one item shall not be construed as approval for other changes even if noted by the Contractor on the drawing.
- 8) Shop Drawings submitted other than in accordance with the outlined procedures will be returned to the Contractor for resubmission and the Contractor shall bear all expense and risk of all delays as if no Shop Drawings had been submitted.
- 9) No Work shall be performed until the Shop Drawings have been accepted by the Owner, and the Contractor shall be responsible for all costs and damages, which may result from proceeding prior to the approval of the Shop Drawings.

### 45. SEQUENCE OF CONSTRUCTION OPERATIONS

- A. It is mandatory that the premises continue to be occupied and facilities therein shall continue to function during the performance of the construction work.
- B. Detailed sequence of construction and availability of spaces in areas through which services must pass shall be coordinated between the Owner and the Contractor, before actual commencement of the Work.
  - 1) To enable the Work to be laid out and prosecuted in an orderly and expeditious manner, Contractor shall provide a proposed Progress Schedule, within fifteen (15) days after the issuance of the Notice to Proceed of this Contract unless otherwise directed in writing by the Construction Administrator. The proposed Progress Schedule shall show the anticipated time of commencement and completion of each of the various operations to be performed under this Contract; together with all necessary and appropriate information regarding the sequence and correlation of Work; and the Schedule of Shop Drawings and delivery of all materials and equipment required for the Work. The Contractor shall prepare a Master Progress Schedule (Schedule) for the Work. Contractor as directed by the Construction Administrator shall revise the proposed Schedule until each activity is properly sequenced to provide that the Work will be completed in the proper order and

within the allotted Contract duration, without any conflicts. When the Construction Administrator has accepted the Schedule the Contractor will sign it. The Contractor shall then provide one (1) copy of such approved Schedule to each Subcontractor and two (2) copies to the Construction Administrator. Contractor shall afford its Subcontractors a reasonable opportunity for the introduction and storage of their materials and the execution of their Work and shall properly connect and coordinate its Work with others.

Contractor shall strictly adhere to the Schedule unless changed as provided for in the following paragraph.

- 2) Within five (5) days after receiving notice of any change in the Contract, or of any Extra Work to be performed, or of any suspension of the whole or any portion of the Work, or of any other conditions which are likely to cause or are actually causing delays, Contractor must notify the Construction Administrator in writing of the effect, if any, of such change or Extra Work or suspension or other condition upon the previously approved schedule, and must state in what respects, if any, the Schedule should be revised, with the reasons therefor. These proposed changes in the Schedule shall be reviewed and, if appropriate, approved, in writing, by the Construction Administrator. Contractor must strictly adhere to the revised Schedule. Distribution of the revised Schedule shall be as described in paragraph B-1 above. Contractor's compliance with the requirements of this paragraph is in addition to, and not in lieu of, compliance with other notice requirements pertaining to delays and extensions of time contained elsewhere in the contract.
- 3) The Schedule shall be reviewed by Contractor every two (2) weeks or as directed by the Construction Administrator.
- 4) If Contractor shall fail to adhere to the approved Schedule, or to the Schedule as revised, they must promptly adopt additional means and methods of construction with no additional cost to the County that will make up for the lost time and will assure completion in accordance with such Schedule. The proposed means and methods shall be described in writing to the County within two (2) days after the Contractor discovered or should have reasonably discovered that the Schedule would not be met as originally proposed. Failure to comply with this requirement may result in the County enforcing its rights under the Contract including, without limitation, default of the Contract.
- C. From time to time as the Work progresses and in the sequence indicated by the approved Schedule, the Contractor must submit to the Construction Administrator a specific request in writing for each item of information or approval required. These requests shall be submitted sufficiently in advance of the date upon which the information or approval is actually required by the Contractor to allow for the time the Construction Administrator may reasonably take to act upon such submissions or resubmissions. The Contractor shall not have any right to an Extension of Time on account of delays due to its failure to timely submit requests for the information or approvals.
- D. Certain construction work shall be required, which will be disruptive to the Owner's staff insofar as noise, dirt and dust is concerned. The Contractor, therefore, shall

perform such work during other than normal working hours. Subject to the requirements of law, the Owner imposes no limitation on the Contractor's working hours and whatever overtime work may be necessary or required shall be considered by the Contractor and reflected in its Bid Proposal without the benefit of extra compensation.

### 46. PROTECTION

- A. The Contractor shall at all times exercise all necessary precautions for the safety of the public, employees performing the work and County personnel. The Contractor shall provide and maintain barricades, danger signals and other safeguards about the work and shall be held responsible for all accidents or damages to persons or property caused by failure to do so throughout the progress of the work, and shall comply with all applicable provisions of Federal, State and County Safety Laws.
- B. The Contractor shall during the performance of its work, protect at all times all adjacent portions of the existing surfaces and existing equipment from damage due to the performance of the construction work.
- C. The Contractor shall furnish temporary facilities and/or temporary dust-proof partitions separating all work areas and access routes from those areas not involved in active alterations, so that this work will not interfere with the Owner's access or normal use of areas not allocated to the Contractor, or any essential service to such areas, when ordered by the Construction Administrator.

### 47. CLEANUP AND REMOVAL OF DEBRIS

- A. At the end of each working day, the Contractor shall sweep up and collect all the rubbish and place it in appropriate containers, furnished by the Contractor. Containers shall be kept at a location on, or adjacent to the work site, as designated by the Construction Administrator. Wood or cardboard crates and other debris of a similar nature shall be broken up, securely bundled and neatly stacked alongside the containers. Once each week and at the completion of the work, the Contractor shall remove all accumulated debris and rubbish.
- B. At the completion of the work, the Contractor shall clean all equipment, fixtures, surfaces and accessories, removing all dust and other foreign matter, ready for use by the Owner.

### 48. TEMPORARY SERVICE

- A. Sanitary facilities will be provided by the Owner for the Contractor and its personnel.
- B. The Owner will supply and pay for the cost of all-temporary water and temporary electric power (120 volt, 60 hertz). The Contractor shall furnish and install all temporary electrical and water connections required for work under this Contract, at and to locations as designated by the Construction Administrator.

### 49. OPERATING TESTS

- A. Where operating tests are specified the Contractor shall test the work as it progresses and shall make satisfactory preliminary tests in all cases before applying to the Engineer for official tests.
- B. Official tests will be made in the manner specified for the different branches of the work, in the presence of the Construction Administrator or Engineer. Should defects appear they shall be corrected by the Contractor and the test repeated until the installation is acceptable to the Construction Administrator or Engineer and to any authorities having jurisdiction.
- C. No work of any kind shall be covered or enclosed before it has been tested and approved.
- D. The Contractor shall furnish all materials and apparatus, make connections and conduct tests, without extra compensation unless noted otherwise.

### 50. OPERATING INSTRUCTIONS AND PARTS LISTS

- A. Where the Specifications require any Contractor to supply equipment operating and maintenance instructions and spare parts lists prior to the completion of the work it shall provide three copies of the publications for each piece of equipment he has furnished and installed under the Contract, upon receipt of the approved shop drawings.
- B. Publications shall be prepared for the specific equipment furnished and installed, containing the following information, and shall not refer to other sizes, types or models of similar equipment:
  - 1) Clear and concise instructions for the operation, adjustment, lubrication and other maintenance of the equipment, including a complete lubrication chart.
  - 2) A complete listing of all parts for the equipment, with catalog numbers and other data necessary for ordering replacement parts.
- C. Advertising literature will not be acceptable.

### 51. CUTTING AND PATCHING

### **Contract with Single Bid:**

- A. Where the project does not involve separate bids pursuant to the New York General Municipal Law the following will apply:
  - 1) Where walls, floors, ceilings, roofs or other items require cutting for the installation of new work, all such cutting shall be done by the Contractor with the approval of the Construction Administrator; and the Contractor shall patch the opening to make the cut portions match the adjacent finished surfaces, unless otherwise indicated.
  - 2) The Contractor shall not endanger any existing condition by its operations.
  - 3) The cost of all cutting and patching caused by the Contractor's negligence shall be

borne by the Contractor.

### **Contract with Separate Bids:**

- B. If the project is one where separate bid specifications are required pursuant to the New York General Municipal Law the following will apply:
  - A sufficient time in advance of the construction of new floors, walls, ceilings, roofs, or other items, each Contractor shall be responsible for properly locating and providing in place all sleeves, inserts and forms required for their work, and shall furnish the Contractor for General Construction with complete information relative to exact locations and dimensions of all required openings in the General Contractor's work. Other Contractors shall periodically consult the Job Progress Chart of the General Contractor so that they will not be delayed by their work requirements, but the General Contractor shall be obliged to give all other Contractors at least seventy-two hours notice before commencing the previously mentioned new construction work.
  - 2) The cost shall be borne by the responsible Contractor for all cutting, patching, rewaterproofing and re-caulking of new work necessary for reception of the work of a Contractor, caused by the Contractor's failure to timely or properly locate and provide in place all sleeves, inserts and forms required for its own work, or by a Contractor's failure to inform the General Contractor of required openings. The General Contractor shall do all cutting, patching, re-waterproofing and re-caulking of all new work no matter how or by whom such work was caused and shall be reimbursed for such extra work by the responsible Contractor, in accordance with the terms of the Contract. All cutting and patching shall have prior approval of the Construction Administrator.
  - 3) Where sleeves, inserts, forms or openings are required in existing walls, floors, ceilings roofs, or other existing items, all necessary cutting, patching, rewaterproofing and re-caulking required shall be done by the individual responsible Contractor, except for finished surfaces. The responsible Contractor shall do all rough patching to bring the cut areas to the proper surface ready to receive the finished surface. All finishing work required to make the cut portions match the adjacent finished surfaces shall be performed by the General Contractor.
  - 4) Each Contractor shall be responsible for coordinating their work with the work of all other Contractors engaged on the project. If directed, Contractors shall submit coordinated shop drawings showing how the fitting of the various parts of the work will be accomplished, for the Construction Administrator's acceptance.
  - 5) All cutting and patching shall be governed by the applicable divisions of the Specifications with regard to workmanship, materials and methods.
  - 6) No Contractor shall endanger any work by unauthorized cutting, excavating, or other alteration of the work, unless previously authorized by the Construction Administrator.

### 52. CONFLICTS AMONG CONTRACT DOCUMENTS

In the event of any conflict <u>among</u> the Contract Documents, the Contractor shall notify the Commissioner and comply with the Commissioner's interpretation, according to the following priorities:

<u>Document</u>
Modification issued after execution of Agreement
Agreement between Owner and Contractor
Addenda issued prior to the execution of the Agreement
(Later date to take precedence)
Special Notices
Technical Specifications
Construction Drawings:
Schedule on Construction Drawings
Notes on Construction Drawings
Large Scale Details on Construction Drawings
Small Scale Details on Construction Drawings
General Requirements
Special Clauses
Information for Bidders and General Clauses

### 53. RECORD DRAWINGS

- A. The Owner shall furnish, at the first job meeting, one set of "paper" copies of the contract drawing(s) this is in addition to the five sets of contract drawings as described in the Article "Contract Drawings" of the General Requirements; for the Contractor's use to indicate change(s) as they occur for the duration of the construction work. Upon request from the Contractor, the County will supply the Contractor a copy of the original Contract Drawings in AutoCAD format.
- B. The Contractor shall record neatly and legibly, using reasonable drafting care, all approved change(s) (including minor revisions or corrections of pipes, ducts, electric outlets, circuit panels and other features, as well as invert elevations and locations of underground lines).
- C. When all approved changes are recorded and clearly identified, the Contractor shall prepare a set of "as-built" (record) drawings, in the latest version of AutoCAD, using the approved County format and associated CAD layering guidelines, with 24" x 36" drawing sizes, showing the project as built including all changes in the work made during construction based on marked-up prints, drawings, and other data. These drawings shall be filed on a CD and submitted to the Construction Administrator.
- D. All additional "paper" or reproducible drawings are to be obtained by the Contractor at their own expense.

### 54. TIME

- A. All time limits (see Article "Required Time For Completion Of The Work" of the General Requirements, and, Article "Time Of Starting" of the Information For Bidders) stated in the specifications are of the essence of the Contract.
- B. The Contractor may perform all necessary labor during other than normal working hours. The Owner imposes no limitation of the Contractor's working hours and whatever overtime work may be necessary or required shall be considered by the Contractor and reflected in its Bid Proposal without the benefit or extra compensation. The Contractor must give a minimum of four (4) hours notice to the Construction Administrator when overtime Work is necessary. The Contractor shall promptly pay to the County the additional cost of the Engineer and Construction Administrator for inspection services during the overtime Work.

### 55. ACCELERATION OF THE WORK

The Owner may, at its sole discretion and for any reason, require the Contractor to accelerate the schedule of performance by providing overtime, extended day, extra crews, Saturday, Sunday and/or holiday work and/or by having all or any subcontractors designated by the Owner provide overtime, extended day, extra crews, Saturday, Sunday or holiday work by the Contractor's or his subcontractor's own forces, and such requirements is independent of and not related in any way to any apparent inability of the Contractor to comply with the schedule(s), Milestone(s) and/or completion date requirements, the Owner, pursuant to a written change order as signed by the Commissioner shall reimburse the Contractor for the direct cost to the Contractor of the premium time for the labor utilized by the Contractor in such overtime, extended day, extra crews, Saturday, Sunday or holiday work(but not for the straight time costs of such labor) together with any social security and state or federal unemployment insurance taxes in connection with such premium time. However, no overhead, supervision costs, commissions, profit or other costs and expenses of any nature whatsoever, including impact costs or costs associated with lost efficiency or productivity, shall be payable in connection therewith. Anything to the foregoing notwithstanding, in the event that the Contractor has fallen behind schedule or in the Owner's judgment appears likely to fall behind schedule, Owner shall have the absolute right to direct the Contractor to accelerate the performance of its work, including that of its subcontractors, and the full costs for such acceleration shall be borne solely by the Contractor.

### 56. ULTRA LOW SULFUR DIESEL FUEL

- A. Contractors and Subcontractors operating onroad and nonroad vehicles to perform County work must power those vehicles with ultra low sulfur diesel fuel. Ultra low sulfur diesel fuel is any diesel fuel that has a sulfur content of no more than fifteen parts per million.
- B. In addition, all onroad and nonroad diesel vehicles used to perform County work and equipped with a model year 2003 or older engine shall utilize the best available

technology<sup>2</sup> in accordance with the following schedule:

- a) effective September 1, 2007 35% of all such motor vehicles used on this project;
- b) effective September 1, 2008 65% of all such motor vehicles used on this project;
- c) effective September 1, 2009 100% of all such motor vehicles used on this project.
- C. All onroad and nonroad diesel vehicles to perform County work having a gross vehicle weight rating of more than 14,000 pounds shall utilize the best available technology or be equipped with an engine certified to the applicable 2007 United States Environmental Protection Agency ("EPA") standard for particulate matter as set forth in Section 86.007-11 of Title 40 of the Code of Federal Regulations or to any subsequent EPA standard for such pollutant that is at least as stringent, in accordance with the following schedule:
  - a) by September 1, 2007 35% of all such motor vehicles;
  - b) by September 1, 2008 65% of all such motor vehicles;
  - c) by September 1, 2009 100% of all such motor vehicles
- D. Any contractor who violates any provision of Section 873.1329 shall be liable for a civil penalty not to exceed ten thousand dollars plus twice the amount of money saved by such contractor for failure to comply with this section.
- E. Any contractor who makes a false claim may be liable for a civil penalty not to exceed twenty thousand dollars, in addition to twice the amount of money saved by such contractor as a result of having made such false claim.
- F. Nothing in this section shall be construed to limit the County's authority to cancel or terminate a contract, deny or withdraw approval to perform a subcontract or provide supplies, issue a non-responsibility finding, issue a non-responsiveness finding, deny a person or entity pre-qualification as a vendor, or otherwise deny a person or entity public entity business.
- G. If sufficient quantities of ultra low sulfur diesel fuel are not available to meet the needs of a contractor to fulfill the requirements of this contract, the Contractor may submit a written request to the Commissioner to use diesel fuel with a sulfur content of no more than thirty parts per million as long as the contractor shall use whatever quantity of ultra low sulfur diesel fuel that is available. Such determination shall be made in writing on a case by case basis upon written application to the Commissioner. If the Commissioner grants such authority it shall expire sixty days thereafter and may be renewed upon written request for additional periods of sixty days.

<sup>&</sup>lt;sup>2</sup> Best Available Technology means a system for reducing the emission of pollutants which is based on technology verified by the U.S. Environmental protection Agency or the California Air Resources Board or which has been identified pursuant to NYC's Department of Environmental Protection that (1) reduces diesel particulate matter emissions by at least 85 percent, as compared to a similar engine operating on traditional diesel fuel without emission control technology, or reduces engine emissions to 0.01 grams diesel particulate matter per brake horsepower per hour or less; and 2) achieves the greatest reduction in emissions of nitrogen oxides at a reasonable cost and in no case produces a net increase in nitrogen oxides in excess of 10%.

- H. The Contractor, in order to comply with Subsections B & C above, must retrofit its vehicles to include both of the following in order to comply with the Best Available Technology Requirements:
  - Diesel Oxidation Catalysts (DOC)
  - Crankcase Vent Filters (CVF)

If the Contractor wants to propose an alternative technology it must submit a written request to the Commissioner with sufficient detail to enable the Commissioner to make a determination as to whether to accept the alternative technology. Any approval of alternative technology must be in writing.

### 57. QUALIFIED TRANSPORTATION FRINGE PROGRAM

### **EXECUTIVE ORDER NO. 7-2005**

Requires that contractors, concessionaires and vendors doing business with the County enroll in a Qualified Transportation Fringe Program as defined in §132(f)(1) of the IRS Tax Code for all contracts for goods or services of \$100,000 or more in any twelve month period during the contract term if such contractor, concessionaire or vendor employs more than 25 individuals who utilize public transportation and/or pay for commuter parking at least 1 day per week regardless of whether those employees are engaged in work pursuant to the contract.

Bidders shall submit the signed statement on Proposal Page 34. Notwithstanding the above, a Bidder may submit a Waiver Application on Proposal Page 35 to the Commissioner.

### 58. USE OF FLUORESCENT LIGHT BULBS & ENERGY EFFICIENT BULBS

The use of incandescent light bulbs is prohibited in County-owned buildings and facilities. Only fluorescent light bulbs may be installed in County buildings and facilities. Exterior lights must utilize energy-efficient bulbs. For further details see Article 58 of the General Clauses.

### 59. COUNTY OF WESTCHESTER PHOSPHORUS-FREE LAWN FERTILIZER POLICY

Executive Order 8-2007 limits the use of lawn fertilizers containing phosphorous and other compounds containing phosphorous, such as phosphate on County owned property.

### **EXECUTIVE ORDER NO.8 OF 2007**

WHEREAS, the New York City water supply watershed is a critical drinking water source for approximately eight million New York City consumers and approximately one million upstate consumers. Over eighty-five percent (85%) of Westchester County's residents consume water from the New York City water supply system; and

WHEREAS, eutrophication is a natural aging process of lakes or streams brought on by

nutrient enrichment. Eutrophication can be greatly accelerated by human activities that increase the rate at which nutrients and organic substances enter aquatic ecosystems from their surrounding watersheds; and

WHEREAS, as a result of accelerated eutrophication, enhanced plant growth reduces dissolved oxygen in the water creating severely impaired water bodies with unpleasant water taste and odor, discoloration, release of toxins and increased turbidity that interferes with the health and diversity of indigenous fish, plant, and animal populations and with the recreational use of rivers, lakes and wetlands. Consequently, eutrophication restricts water use for fisheries, recreation, industry, and drinking due to the increased growth of undesirable algae and aquatic weeds and the oxygen shortages caused by their death and decomposition; and

WHEREAS, nutrient pollution due to human activities is one of the leading causes of eutrophication in the NYC Watershed, and is specifically accelerated by the introduction of excessive phosphorus into the environment. In fact, most reservoirs in the East of Hudson portion of the New York City Watershed (5 of the 7 located in Westchester County) are designated as phosphorous-restricted basins in accordance with the New York City Watershed Rules & Regulations due to excessive phosphorous volumes which have not been reduced despite phosphorous reductions mandated by the New York State Department of Environmental Conservation (NYSDEC); and

**WHEREAS,** one unnecessary source of phosphorus pollution in the watershed is the many pounds of lawn fertilizer applied by residents and businesses in the County of Westchester each year; and

**WHEREAS,** when phosphorus fertilizer is applied to phosphorus-rich lawns, much of the excess simply runs off of the lawn into the storm drainage systems where it can be carried into rivers, lakes, streams, and wetlands, causing eutrophication; and

**WHEREAS,** soil tests conducted pursuant to a six-year study by the Cornell Cooperative Extension, an extension of the State's designated Land-Grant University, have shown that approximately 90% of the lawns in Westchester County have medium-to-high levels of phosphorus; and

WHEREAS, the New York City Watershed Pesticide and Fertilizer Technical Working Group, established by the New York City Watershed Memorandum of Agreement, issued a report in 2000, noting the high percentage of phosphorus in regional soils and recommending that phosphorus-based lawn fertilizers be added only when a soil analysis identifies phosphorus deficiencies.

WHEREAS, the proposed Stormwater Phase II regulations recently issued by the New York State Department of Environmental Conservation, and which are expected to go into effect in January of 2008, will allow the use of phosphorus-based lawn fertilizers on municipally-owned land only where soil testing indicates that phosphorus concentrations are inadequate, in order to ensure that municipalities in the New York City Watershed are

taking satisfactory steps to achieve the above-referenced mandatory phosphorous reductions.

**WHEREAS**, the United States Environmental Protection Agency has also determined that a Nonpoint Source Implementation Plan was necessary in the Croton Watershed because the phosphorus reductions necessary to meet the targeted applicable water quality standards could not be achieved by wastewater treatment plant upgrades alone; and

WHEREAS, Section 110.11 of the Laws of Westchester County places the responsibility to supervise, direct and control, subject to law, the administrative services and departments of the county, upon the County Executive; and

**WHEREAS,** I have determined that restricting the application and use of lawn fertilizer containing phosphorus on all County-owned property will address one source of unnecessary and preventable phosphorus pollution and will improve water quality in the County; and

WHEREAS, the Department of Planning, after review of the applicable regulations under the State Environmental Quality Review Act, has advised that this Executive Order has been classified as a Type II action, pursuant to 6 N.Y.C.R.R. § 617.5(c)(20), "routine or continuing agency administration and management, not including new programs or major reordering of priorities that may affect the environment," and 6 N.Y.C.R.R. § 617.5(c)(27), "adoption o fregulations, policies, procedures and local legislative decisions in connection with any action on this list." As such, no further environmental review is required.

**NOW THEREFORE, I,**, County Executive of the County of Westchester, in light of the aforementioned, do hereby order and direct each and every department, board, agency, and commission of the County of Westchester under my jurisdiction to ensure that the policies and procedures set forth in the following Phosphorus-Free Lawn Fertilizer Policy are complied with.

### COUNTY OF WESTCHESTER PHOSPHORUS- FREE LAWN FERTILIZER POLICY

### I. Definitions:

- (1) "Certified laboratory" means any laboratory certified by the New York State Department of Health pursuant to section five hundred two of the New York State Public Health Law to conduct soil analysis.
- (2) "Commercial fertilizer" means any substances containing one or more recognized plant nutrients which is used for its plant nutrient content, and which is designed for use or claimed to have value in promoting plant growth, except unmanipulated animal or vegetable manures, agricultural liming material, wood ashes, gypsum and other products exempted by regulation of the New York State Commissioner of Agriculture and Markets.
- (3) "Lawn fertilizer" means a commercial fertilizer distributed primarily for non-farm use, such as lawns, shrubbery, flowers, golf courses, municipal parks, cemeteries, greenhouses and nurseries, and such other use as the commissioner may define by regulation. Lawn fertilizer does not include fertilizer products intended primarily for garden and indoor plant application.

### II. Use and Application of Lawn Fertilizer:

- (1) Any lawn fertilizer that is labeled as containing more than 0% phosphorus or other compound containing phosphorus, such as phosphate, shall not be applied upon any County-owned property, except as provided in section III. Of this Executive Order.
  - (2) No lawn fertilizer shall be applied upon County-owned property when the ground is frozen.
  - (3) Lawn fertilizer shall not be applied to any impervious surface upon County-owned property, including parking lots, roadways, and sidewalks. If such application occurs, the fertilizer must be immediately contained and either applied to turf in a manner consistent with this Executive Order or placed in an appropriate container.

### III. Exemptions:

The prohibition against the use of lawn fertilizer under section II of this Executive Order shall not apply to:

- (1) Newly established turf or lawn areas during their first growing season.
- (2) Turf or lawn areas that soil tests, performed within the past three years by a certified laboratory or by the Cornell University Cooperative Extension of Westchester County, confirm the need for additional phosphorus application in accordance with the phosphorus levels established by the Cornell University Cooperative Extension of Westchester County. The lawn fertilizer application shall not contain an amount of phosphorus exceeding the amount and rate of application recommended in the soil test evaluation.
  - (3) Agricultural uses, vegetable and flower gardens, or application to trees or shrubs.
- IV. The transition to phosphorus-free lawn fertilizer shall occur as soon as possible in a manner that avoids wasting of existing inventories; accommodates establishment of supply chains for new products; enables the training of County employees and licensees in appropriate work methods; and allows the phase-out of products and practices inconsistent with this Executive Order. However, in no event shall lawn fertilizer containing phosphorus (i.e., labeled as containing more than 0% phosphorus or other compound containing phosphorus, such as phosphate) be applied upon County-owned property after January 1,2009, unless an exemption set forth in Section III of this Executive Order applies.

V. This Executive Order shall take effect on the date hereof, and shall remain in effect until otherwise superseded, repealed, modified or revoked.



### DEPARTMENT OF PUBLIC WORKS

**Division of Engineering** 

### AFFIRMATIVE ACTION PROGRAM REQUIREMENT- SUBCONTRACTOR(S) County of Westchester, Department of Public Works

(To Be Completed By Subcontractor and Submitted with Request to Utilize Subcontractor)

### Affirmative Action Program

An approved Affirmative Action Plan shall be required for all Subcontractors for public work where the subcontracted work exceeds \$50,000 or more than fourteen (14) persons are employed by the Subcontractor.

Does the Subcontractor participate in an approved Affirmative Action Program? Yes [ ] No [ ]
If Yes, give name of Program:
If No, how many employees will the Subcontractor employ on this project?

An approved Affirmative Action Program shall mean a plan approved or adopted by Westchester County including but not limited to, the Home-Town Plan, the Recruitment Training Program or any other program approved or meeting the requirements of the State or Federal government.

The "Monthly Employment Utilization Report" of the Sample Forms, shall be filled out by the Contractor and/or Subcontractor(s) who are required to have an Affirmative Action Program, prior to the start of the work.

### CONTRACTOR'S REPORT OF EMPLOYMENT AND WEEKLY AFFIDAVIT County of Westchester, Department of Public Works

Contract No	
Report No	
Week(s) ending	
Title of Contract and Location	
Contractor or Subcontractor	
Address	
STATE OF ) COUNTY OF ) SS.:	
Ι,	, being duly sworn, depose and say:
1. I pay or supervise the pay in connection with the above refe	rment of the persons employed by(Contractor or Subcontractor) erenced contract;
2. During the payment perio	od commencing on the day of,
20 and ending on the	day of, 20, all persons employed by
(Contractor or Subcontractor)	in connection with such contract have been paid in full earned by such persons except the following: (strikeout, if not
3. Such persons have been	paid the prevailing rate of wages and the supplements as
determined and required by Secti	on 220 of the New York State Labor Law.

4.	No rebates or deductions have been deducted from such wages and supp	lements except
as au	athorized or required by applicable statutes or regulations of the Federal, Sta	ate and County
Gove	ernments.	
5.	The following is a true and accurate summary of wages and supplement	nts paid:
	During the week	Total to date
Num	aber of names on payroll	
Hour	rs worked	
Total	l wages earned	
6.	I have read the foregoing statement of wages and supplement, know th	e contents
there	eof, and the same is true to my own knowledge.	
	(Signature)	
	TE OF NEW YORK) JNTY OF WESTCHESTER) ss.:	
	On this day of, 20, before me page to me known, and known to me to be the page to the latest and the latest and the latest area.	personally came
execu	uted the above instrument, and who being duly sworn did say that he execu	ted the same.
	Sworn to before me this day of	
	License No.	
	Notary Public - State of New York	

# MONTHLY EMPLOYMENT UTILIZATION REPORT County of Westchester, Department of Public Works

																					ſ			_									
		TOTAI	NUMBER OF MINORITY EMPLOYEES	ц																													
		Ú	NUME MINC EMPL	M																						ſĿ.							
CT NO.:	NG PERIC		AL ER OF YEES	ц																						OF							
CONTRACT NO.:	REPORTING PERIOD: FROM: TO:		TOTAL NUMBER OF EMPLOYEES	M																					PAGE:								
			FEMALE PERCENTAGE %																														
										MINORITY PERCENTAGE %																						DATE SIGNED:	
	TOR:		AMERICAN INDIAN OR ALASKAN NATIVE	M F																					ode):								
	NAME AND LOCATION OF CONTRACTOR:	YMENT	OR IC ERS	Щ																					ide Area Co								
		WORK HOURS OF EMPLOYMENT	ASIAN OR PACIFIC ISLANDERS	M																				TELEPHONE NUMBER (Include Area Code):									
Ë	ND LOCA	HOURS O	NIC	Щ																					ONE NUM								
JOB TITLE:	NAME A	WORK	BLACK (NOT HISPANIC ORIGNAL)	M																					TELEPH								
				Н																													
Z Z				M																													
REPO				HRS																			L		_								
ATION	IY WORKS ING		TOTAL ALL EMPLOYEES BY TRADE	ц																													
UTILIZ	WESTCHESTER COUNTY ARTMENT OF PUBLIC WC		TOT EMP BY	HRS																					_								
MENT	HESTEI NT OF P N OF EN			M				Т				Т				Т				Т					ITLE:								
MONTHLY EMPLOYMENT UTILIZATION REPORT	WESTCHESTER COUNTY DEPARTMENT OF PUBLIC WORKS DIVISION OF ENGINEERING		CLASSIFICATION		JOURNEY WORKER	APPRENTICE	TRAINEE	SUB-TOTAL	JOURNEY WORKER	APPRENTICE	TRAINEE	SUB-TOTAL	JOURNEY WORKER	APPRENTICE	TRAINEE	SUB-TOTAL	JOURNEY WORKER	APPRENTICE	TRAINEE	SUB-TOTAL	ORKER	SE		SS & #EMPL)	COMPANY OFFICAL'S SIGNATURE AND TITLE:								
MOI			CONSTRUCTION TRADE																		TOTAL JOURNEY WORKER	TOTAL APPRENTICES	TOTAL TRAINEES	GRAND TOTAL (#HRS & #EMPL)	COMPANY OFFICAL								

This report must be filled out by all contractors (both prime and sub) who are required to have an Affirmative Action Program, and must be filled with the Engineer by the 5<sup>th</sup> day of each month during the term of the Contract, and shall include the total work hours of each employee classification in each trade in the covered area for the Monthly Reporting Period. The Prime Contractor shall submit a report for its Aggregate Work Force and collect and submit reports for each subcontractor's Aggregate Work Force to the Engineer.

## SHOP DRAWING SCHEDULE

## County of Westchester, Department of Public Works

	ACTUAL DELIVERY DATE																												
	INVOICE NO. AND SCHEDULED DELIVERY DATE																												
	APPROVED SHOP DRAWINGS TO MANUFACTURER FROM CONTRACTOR																												
	APPROVED BY COUNTY																												
	RETURNED BY CONTRACTOR TO MANUFACTURER																												
HEDULE	RETURNED BY COUNTY TO CONTRACTOR																												
SHOP DRAWING SCHEDULE	RECEIVED BY COUNTY FROM CONTRACTOR																												
SHOP	RECEIVED BY CONTRACTOR FROM MANUFACTURER																												
	REQUEST FROM CONTRACTOR TO MANUFACTURER																												
	SUBMISSION	ORIGINAL	2	3	4																								
	DESCRIPTION OF ITEM/MODEL#																												
	SPECIFICATION NUMBER																												

Forms Page 5

### **SHOP DRAWING ID**

### **County of Westchester, Department of Public Works**

WESTCHESTER COUNTY DRAWINGOF
NAME OF PROJECT
Date
Contract No
Item/Model No
Manufacturer
Contract Drawing No.
Specification Section
This document has been reviewed, coordinated and checked for accuracy of content and for compliance with the Contract Documents. The information contained herein has been coordinated with all other Contract Work.
Contractor
Signed

### **REQUEST FOR APPROVAL OF EQUAL**

### **County of Westchester, Department of Public Works**

SPECIFICATION		
NO.	ITEM	EQUAL_

Attach a separate sheet here if more space is required.

### REQUEST FOR APPROVAL OF SUBSTITUTIONS

### **County of Westchester, Department of Public Works**

ITEM NO.	<u>ITEM</u>	SUBSTITUTION	COST OF SPECIFIED ITEM	COST OF SUBSTITUTED ITEM	SAVINGS TO COUNTY

Attach a separate sheet here if more space is required.

### CONTRACTOR'S ULTRA LOW SULFUR DIESEL FUEL AFFIDAVIT

County of Westchester, Department of Public Works

Contract No	Period Included in this Repo	ort:, 20 to, 20
Title of Contract an	d Location	
Subcontractor Address		
STATE OF COUNTY OF	) ss.: )	
I,	nt name) (print titl	being duly sworn, depose and say:
<ul> <li>878, Article</li> <li>During the properties, use low sulfur d</li> <li>No fuel other on this project.</li> <li>The annexed sulfur diesely this project.</li> <li>I have read to the project.</li> </ul>	XIII, Section 873.13.29 of the Law period through the performance of Contract liesel fuel (15 ppm Sulfur Maximum er than Ultra Low Sulfur Diesel Fuel cet for the above described vehicles di Ultra Low Sulfur Diesel Fuel Log fuel (15 ppm Sulfur Maximum) put the foregoing statement, have full liesel foregoing statement.	ngh, all diesel-powered No, were powered by ultra m). el (15 ppm Sulfur Maximum) was utilized
STATE OF COUNTY OF	) ss.: )	(Signature)
		, 20, before me personally came d known to me to be the person who
	instrument, and who being duly sv	worn did say that he/she executed the same. before me this
		day of, 20
	N	otary Public

The Ultra Low Sulfur Diesel Fuel-Log must be attached.

This Certification also has to be submitted by your subcontractor(s). *Additional copies of this form can be acquired from the Department of Public Work.* 

### <u>ULTRA LOW SULFUR DIESEL FUEL (15 ppm Sulfur Maximum) – LOG</u>

Period o	of Log: through	
Contract No		
Title of Contract and	Location	
Contractor or Subcor	ntractor	
Date of Purchase	Name and Address of Vendor (Print)	Gallons Purchased

A Separate Copy of this Certification will also have to be signed by each of your subcontractors that utilize diesel powered vehicles, fifty horsepower or greater, on the above project. Additional copies of this form can be acquired from the Department of Public Works.



### **Westchester County • Department of Finance • Treasury Division**

### Electronic Funds Transfer (EFT) Vendor Direct Payment Authorization Form

Authorization is: (check one)	
☐ New	
☐ Change	
No Change	

**INSTRUCTIONS:** Please complete both sections of this Authorization form and attach a voided check. See the reverse for more information and instructions (Forms Page 21). If you previously submitted this form and there is no change to the information previously submitted, ONLY complete lines 1 through 6 of section 1.

Section I - Vendor Information			
1. Vendor Name:			
1. Vendor Name.			
2. Taxpayer ID Number or Social Security Number:			
3. Vendor Primary Address			
4. Contact Person Name:		Contact Person Telephone Number:	
5. Vendor E-Mail Addresses for Remittance Notification:			
6. Vendor Certification: I have read and understand the Ve by electronic funds transfer into the bank that I designate payment is sent, Westchester County reserves the right implemented, Westchester County will utilize any other in	te in Section II. I furth to reverse the electr	ner understand that in the event that an e conic payment. In the event that a revers	erroneous electronic al cannot be
Authorized Signature		Print Name/Title	Date
Section II- Financial Institution Information	on		
7. Bank Name:			
8. Bank Address:			
9. Routing Transit Number:		10. Account Type: (check one)	ng Savings
11. Bank Account Number:	12. Bank Acco	unt Title:	
13. Bank Contact Person Name:		Telephone Number:	
10. Bank Sontact Forson Name.		тоюрнопо напівет.	
14. FINANCIAL INSTITUTION CERTIFICATION (required attached to this form): I certify that the account number representative of the named financial Institution, I certify payments to the account shown.	and type of account	is maintained in the name of the vendor	named above. As a
Authorized Signature	Print Name / T	Print Name / Title Date	
(Leave Blank - to be completed by			

### **Westchester County • Department of Finance • Treasury Division**

### Electronic Funds Transfer (EFT) Vendor Direct Payment Authorization Form

### **GENERAL INSTRUCTIONS**

Please complete both sections of the Vendor Direct Payment Authorization Form and forward the completed form (along with a voided check for the account to which you want your payments credited) to: Westchester County Board of Acquisition and Contract, 148 Martine Ave, Room 104, White Plains, NY 10601, Attention: Vendor Direct. Please see item 14 below regarding attachment of a voided check.

### **Section I - VENDOR INFORMATION**

- 1. Provide the name of the vendor as it appears on the W-9 form.
- 2. Enter the vendor's Taxpayer ID number or Social Security Number as it appears on the W-9 form.
- 3. Enter the vendor's complete primary address (not a P.O. Box).
- 4. Provide the name and telephone number of the vendor's contact person.
- 5. Enter the business e-mail address for the remittance notification. THIS IS VERY IMPORTANT. This is the e-mail address that we will use to send you notification and remittance information two days prior to the payment being credited to your bank account. We suggest that you provide a group mailbox (if applicable) for your e-mail address. You may also designate multiple e-mail addresses.
- 6. Please have an authorized Payee/Company official sign and date the form and include his/her title.

### Section II - FINANCIAL INSTITUTION INFORMATION

- 7. Provide bank's name.
- 8. Provide the complete address of your bank.
- 9. Enter your bank's 9 digit routing transit number.
- 10. Indicate the type of account (check one box only).
- 11. Enter the vendor's bank account number.
- 12. Enter the title of the vendor's account.
- 13. Provide the name and telephone number of your bank contact person.
- 14. If you are directing your payments to a Savings Account OR you can not attach a voided check for your checking account, this line needs to be completed and signed by an authorized bank official. IF YOU DO ATTACH A VOIDED CHECK FOR A CHECKING ACCOUNT. YOU MAY LEAVE THIS LINE BLANK.

DPW 10/08



### SAMPLE CONTRACT AND BOND FOR CONSTRUCTION

### **DEPARTMENT OF PUBLIC WORKS**

**Division of Engineering** 

WESTCHESTERGOV.COM

DEPARTMENT OF PUBLIC WORKS OFFICE OF THE COMMISSIONER

### **CONTRACT AND BOND**

FOR CONTRACT

NOTE: ONLY PROVIDED AS A SAMPLE IN THESE SPECIFICATIONS FOR INFORMATIONAL PURPOSES AND NOT TO BE EXECUTED WHEN SUBMITTING THE BID PROPOSAL. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO EXECUTE THESE DOCUMENTS, AS MORE FULLY DESCRIBED IN THE PROPOSAL REQUIREMENTS.

	_ day of, 200, by and a municipal corporation of the State of New York
hereinafter called the "Contractor", WITNESS	ETH as follows:

**WHEREAS**, the Commissioner of Public Works, hereinafter called "Commissioner", by virtue of the power and authority in him vested did advertise for proposals and bids for:

Westchester County, New York, to furnish all labor, tools, implements and materials that may be requisite and necessary to the execution and completion of the work according to the plans, specifications, profiles and other drawings relating to such work, as approved by the County of Westchester and now on file in the Office of the Commissioner, and

WHEREAS, the Contractor did bid for said work in the manner and form as required by said plans and specifications and, being the lowest responsible bidder therefore, was duly awarded the Contract for such work at prices named in the itemized proposal by a resolution of the Board of Acquisition and Contract of the said County of Westchester.

**NOW THEREFORE,** the Contractor, in consideration of the prices so named for the various items of work to be paid for as hereinafter provided, does for itself, its representatives, agents, executors, administrators, successors or assigns, covenant and agree with the County that it, the said Contractor, shall and will at its own proper costs and charges and in conformity with said plans and specifications which are made a part of this Contract without setting forth same herein, provide all manner and kind of materials, molds, models, cartage, appliances and appurtenances required and of every description necessary for the due and proper performance of this Contract and the completion of said work to be done under the supervision and direction of the Commissioner, in a good workmanlike manner and in conformity with said plans and specifications without any alteration, deviation, additions, or omissions therefrom except upon due request and under the written direction of said Commissioner.

The Contractor acknowledges receipt of the "Information for Bidders, General and Special Clauses, Specification, Proposal and Plans" relating to this Contract, as well as all issued Addenda thereto, all of which are expressly incorporated in this Contract as if fully set forth herein.

IT IS FURTHER UNDERSTOOD AND AGREED by and between the parties to this Contract that if in the opinion of the said Commissioner of the County of Westchester it shall become necessary to make any change in the work called by the plans and specifications which are a part of this Contract, whereby, consistent with the Information for Bidders, the work contemplated by said plans and specifications is modified and reduced and the costs and expenses of such work lessened, that then and in that event the Contractor will do the work as changed and modified and the said Commissioner shall estimate the difference between the original estimate of quantities therefor and the amount that should be paid by reason of the modification and change and the difference shall be deducted from the original estimate of quantities therefore of said Contract and said Contractor shall be paid accordingly. The estimate of said Commissioner shall be final and conclusive upon the parties hereto and may not be challenged except in a proceeding commenced pursuant to Article 78 of the Civil Practice Law and Rules. Any changes, modifications or deductions shall in no way invalidate this Contract and said Contractor agrees that in the event of any such change or modification reducing the original, estimated quantities therefore, it will not make any claim for any profit, or loss of profit by reason thereof. Notwithstanding any dispute or disagreement arising hereunder, Contractor agrees that the Work shall not be delayed nor disrupted by reason thereof.

The County hereby covenants and agrees with the said Contractor, in consideration of the covenants and agreements herein being strictly and in all respects complied with by the said Contractor as specified, that it will well and truly pay unto the said Contractor the unit prices set forth in the Proposal for the various items included in the Contract.

All partial payments will be made in accordance with the provisions set forth in the "Information for Bidders" and especially that part thereof which relates to "Estimates and Payments".

Furthermore, all partial payments will be made on the claim voucher and verified certificate of the Commissioner, both of which shall be filed in the Office of the Commissioner of Finance of the County of Westchester. The said claim voucher shall show the value of the work completed and the verified certificate shall show the said work was done in accordance with the plans and specifications.

With the final estimate the Contractor shall furnish to the Construction Administrator a sworn statement listing all unpaid bills and liabilities incurred under this Contract up to and including the date of the estimate. Where there are any bills or liabilities in excess of moneys due under any estimate under this Contract, the Construction Administrator may withhold payment of the estimate pending a satisfactory proof of settlement or adjustment of any excess claims. No final estimate will be approved or passed for payment unless and until the Contractor furnishes satisfactory proof that all bills and liabilities incurred under the Contract are paid in full and complies with the requirements of Section 220-a of the Labor Law.

Acceptance shall be effected as follows: whenever, in the opinion of the Commissioner, the Contractor shall have completely performed the Contract on his part to be performed, the Commissioner shall so certify in writing to the Board of Acquisition and Contract of the County and file such certificate with the said Board, stating therein, in substance that the work has been duly examined by him and that the same has been fully performed and completed in accordance

with the terms of the Contract therefor, and recommending the acceptance thereof. When the Board of Acquisition and Contract by resolution duly adopts, approves and ratifies, the said acceptance shall be complete. No final payment shall be made under this Contract until such certificate of completion and recommendation of acceptance have been approved and ratified by a resolution of said Board of Acquisition and Contract.

Unless otherwise provided for in the contract documents, the Commissioner may take over, use, occupy or operate any part of the Work at any time prior to Final Acceptance upon written notification to the Contractor. The Engineer shall inspect the part of the Work to be taken over, used, occupied or operated, and will furnish the Contractor with a written statement of the Work, if any, that remains to be performed on such part. The Contractor shall not object to, nor interfere with, the Commissioner's decision to exercise the rights granted herein. In the event the Commissioner takes over, uses, occupies or operates any part of the work: (i) the Commissioner shall issue a written determination of Substantial Completion with respect to such part of the Work; and (ii) the Contractor shall be relieved of its absolute obligation to protect such part of the unfinished work in accordance with Article 20 of the General Clauses.

The Commissioner will approve a final estimate for final payment consistent with the authorization of final acceptance from the Board of Acquisition and Contract less previous payments and any and all deductions authorized to be made by the Commissioner under the Contract or law. Payment pursuant to such final estimate less any additional deductions authorized to be made by the Commissioner of Finance under the Contract or law shall constitute the final payment and shall be made by the Commissioner of Finance. If the contract is terminated prior to final acceptance the Commissioner is authorized to prepare a final payment as otherwise authorized by the Board of Acquisition and Contract subject to the above noted adjustments.

Upon the completion and acceptance of this Contract by the Board of Acquisition and Contract, as aforesaid, the Commissioner shall proceed with all reasonable diligence to ascertain from actual measurements the whole amount of work done by the Contractor, and also the value of such work under and according to the terms of this Contract, and thereupon make out in writing a final estimate therefor.

After the completion and acceptance as herein above-mentioned, the Commissioner of Public Works shall file with the Commissioner of Finance of the County of Westchester the original verified certificate, claim voucher and the certification required by Section 220-a of the Labor Law, together with a certified copy of the resolution of approval and ratification of the Board of Acquisition and Contract of the said verified certificate and claim voucher and the resolution of acceptance of completion.

**IT IS FURTHER UNDERSTOOD AND AGREED** by and between the parties to this Contract that the Contractor will accept the unit prices named in the proposal for all additions to or deductions from the original quantities as given in the specifications. It is agreed that the Commissioner will make estimates of the value for the work completed as provided in the specifications and the final estimate will be made accordingly.

The Contractor further agrees that if at any time before or within thirty days after the whole of the work herein agreed to be performed has been completed and accepted any person or persons claiming to have performed any labor or furnished any material towards the performance and completion of this contract shall file with the proper officials any such notice as is described in the Lien Law, or any other act of the Legislature of the State of New York, the Contractor shall cause such Lien to be discharged of record. Otherwise and in every case and until the Lien is discharge of record the County shall retain, anything herein to the contrary notwithstanding, from the moneys under its control and due or to grow due under this Contract the sum of one hundred fifty (150%) percent of the amount of such Lien, unless otherwise authorized to withhold a larger amount. The Contractor further agrees to pay the County upon demand the costs, including but not limited to attorney's fees, incurred by the County in any action(s) brought to foreclose or otherwise enforce said Lien.

The Contractor covenants and agrees to commence the work embraced in this Contract within Ten [10] calendar days after service upon him, by the Commissioner, of written notice instructing him to begin the work and shall complete the same in all respects within \_\_\_\_\_\_ consecutive calendar days computed from the date of such Notice to Commence.

It is further understood and agreed by the parties hereto that the time of completion is of the essence of this Contract.

The Contractor hereby covenants and agrees to observe the plans, specifications and directions of the Commissioner in the doing of the work provided for under this Contract and to furnish the necessary materials and implements required therefore and to remove condemned material and rubbish as provided by plans and specifications and to employ a competent and sufficient force of workmen to complete the work of this improvement within the time specified. Should the Contractor at any time become insolvent, make an assignment for the benefit of creditors, abandon the Work, reduce its working force to a number which, if maintained, would be insufficient, in the sole opinion of the Commissioner, to complete the Work in accordance with the approved progress schedule; sublet, assign or otherwise dispose of this Contract other than as permitted elsewhere herein, refuse or neglect to supply a sufficiency of properly skilled workmen, or of material of the proper quantity or fail in any respect to prosecute the work with promptness and diligence, or fail in any other way in the performance of any of the agreements herein contained; all the foregoing being deemed acts of default, and such default being certified by the Commissioner, the County of Westchester, acting by the Board of Acquisition and Contract, shall be at liberty after five days written notice to the Contractor to provide any such labor or materials, use any and all sums due or to become due to the Contractor under this Contract, to pay for such labor and material, and if the Commissioner shall certify that such default is sufficient ground for such action, the County of Westchester acting by the Board of Acquisition and Contract, shall also be at liberty to terminate the employment of the Contractor for the said work and to enter upon the premises and take possession for the purpose of completing the work included under this Contract of all materials, tools and appliances thereon

and to employ any other person or persons to finish the work and provide the materials therefore. Upon the Contractor's receipt of a notice from the County the Contractor shall immediately discontinue all further operations under this Contract. In case of such termination, the Contractor shall not be entitled to receive any further payment under this Contract until the said work shall be wholly finished, at which time if the unpaid balance of the amount to be paid under this Contract shall exceed the reasonable value of the work performed and the material furnished or the total costs therefor, whichever is greater, in finishing the work, such excess shall be paid by the County of Westchester to the Contractor, but if such expense shall exceed such unpaid balance, the Contractor shall pay the difference to the County.

The expense incurred by the County and the total costs as herein provided either for furnishing materials or for finishing the work and any damage incurred through such default shall be certified by the Commissioner whose certificate thereof shall be final and conclusive upon the parties and may not be challenged except in a proceeding commenced pursuant to Article 78 of the Civil Practice Law and Rules.

In case the County shall declare the Contractor in default as to a part of the work only, the Contractor shall immediately discontinue such part, shall continue performing the remainder of the Work in strict conformity with the terms of the Contract.

In completing the whole or any part of the Work under the provisions of this Contract, the Commissioner shall have the power to depart from or change or vary the terms and provisions of this Contract. Such departure, change or variation, even to the extent of accepting a lesser or different performance, shall not affect the conclusiveness of the Commissioner's certification of the cost of completion referred to above, nor shall it constitute a defense to an action to recover the amount by which such certificate exceeds the amount which would have been payable to the Contractor hereunder but for his default or partial default.

In addition to termination as provided for above, the County may terminate this Contract for the convenience of the County by written notice to the Contractor from the Commissioner. In such event and upon receipt of such notice the Contractor shall stop work on the date specified in the notice; take such actions as may be necessary to protect and preserve the County's materials and property; cancel all cancelable orders for material and equipment; assign to the County and deliver to the jobsite or any other location designated by the Commissioner any non-cancelable orders for material and equipment that is not capable of use except in the performance of this Contract and which has been specifically fabricated for the sole purpose of this Contract and not incorporated in the Work; and take no action that will increase the amounts payable by the County under this Contract.

In the event the contract is cancelled for the convenience of the County the following provisions shall apply:

(a) For Work completed prior to the notice of termination, the Contractor shall be paid the fair and reasonable value of its work determined by the pro rata portion of the lump sum bid amount based upon the percent completion of the Work as of the date of termination as determined by the Commissioner, plus work completed pursuant to approved change orders, less amounts

previously paid. For purposes of determining the pro rata portion of the lump sum bid amount to which the Contractor is entitled, the Contractor's approved bid breakdown pursuant to Article 21 of the Information for Bidders shall be considered but shall not be dispositive as to the fair and reasonable value.

- (b) For non-cancelable material and equipment that is not capable of use except in the performance of this Contract and which has been specifically fabricated for the sole purpose of this Contract, but not yet incorporated in the Work, the Contractor shall be paid the fair and reasonable value thereof as determined by the Commissioner, but not more than the Contractor's cost for such material and equipment, plus an additional sum of two (2%) percent of such fair and reasonable value.
- (c) In the event the County terminates a lump sum Contract for convenience within thirty (30) days after the Contractor has received the Notice of Award from the County, the Contractor shall be paid one (1%) percent of the difference between the total lump sum bid amount and the total of all payments made prior to the notice of termination plus all payments allowed pursuant to (a) and (b).
- (d) On all unit price Contracts, or on unit price items in a Contract, the County will pay the Contractor the sum of (e) and (f) below, less all payments previously made pursuant to this Contract:
- (e) For all completed units, the unit price stated in the Contract, and
- (f) For units that have been ordered but are only partially completed, the Contractor will be paid (i) a pro rata portion of the unit price as stated in the Contract based upon the percent completion of the unit as determined by the Commissioner and (ii) for non-cancelable material and equipment, payment will be made pursuant to (b), above.
- (g) The Commissioner's determination(s) hereunder shall be final, binding and conclusive and subject to review only pursuant to Article 78 of the New York Civil Practice Law and Rules.
- (h) The County shall not be liable to the Contractor for any payment or claim if the termination for convenience results in a reduction of thirty (30%) percent or less of the original contract price as bid.

On all Contracts or items in a Contract where time and material records are specified as the basis for payment of the Work, the Contractor shall be paid in accordance with Article 29 of the General Clauses, less all payments previously made pursuant to this Contract.

In no event shall any payments made pursuant to a termination for convenience exceed the Contract price for such items, either individually or collectively.

All payments made pursuant to a termination for convenience shall be in the nature of liquidated damages and shall be accepted by the Contractor in full satisfaction of all claims against the County.

The County may deduct or set off against any sums due and payable arising from a termination for convenience, any claims it may have against the Contractor.

In the event the County terminates the Contractor for default and it is subsequently determined that the Contractor was not in default, said termination shall automatically be converted for all purposes into a termination for convenience.

It is further understood and agreed between the parties hereto that no certificate given or payment made under this Contract, except the final certificate or final payment shall be conclusive evidence of the performance of this Contract either wholly or in part and that no payment shall be construed to be an acceptance of defective work or improper materials. If the Contractor shall fail to replace any defective work or materials, the County may cause such defective materials to be removed and defective work to be replaced and the expense thereof shall be deducted from the amount to be paid the Contractor.

Anything to the contrary in the preceding paragraph notwithstanding, the Contractor is responsible for the repair of defects in materials and workmanship for a period of one year from the date of final acceptance of the work by the Board of Acquisition and Contract, unless a longer term is specified in the specifications.

The Contractor further agrees not to assign, transfer, convey, sublet or otherwise dispose of this Contract, or its right, title or interest in or to the same, or any part hereof without the previous consent in writing of the Board of Acquisition and Contract of the County. Before a Subcontractor shall proceed with any work, the Commissioner must first recommend and the Board of Acquisition and Contract must approve the use of the Subcontractor on this Contract. If a Subcontractor is not approved it may not work on this Contract. The Contractor specifically waives any claim due to the failure or refusal of the Commissioner or the Board of Acquisition and Contract to approve said Subcontractor.

The Contractor agrees to hold himself responsible for any claims made against the County for any infringement of patents by the use of patented articles in the construction and completion of the work or any process connected with the work agreed to be performed under this Contract or of any material used upon the said work, and shall indemnify and save harmless the County for the costs, expenses and damages which the County may be obligated to pay by reason of any infringement of patents used in the construction and completion of the work.

The parties hereto agree that no laborer, workman or mechanic in the employ of the Contractor, Subcontractor or other person doing or contracting to do the whole or part of the work contemplated by the Contract shall be permitted or required to work more than eight hours in any one calendar day or more than five days in any one week except in cases of extraordinary emergency including fire, flood or danger to life or property. No such person shall be so employed more than eight hours in any day or more than five days in any one week except in such emergency. Time lost in any week because of inclement weather by employees engaged in

the construction, reconstruction and maintenance of highways outside of the limits of cities and villages may be made up during that week and/or the succeeding three weeks.

The Contractor further agrees to erect and maintain during construction all necessary guards, rails and signals to prevent accidents to persons, vehicles or to the adjoining property and also agrees to use all necessary precautions in blasting and that he will indemnify and save the County of Westchester harmless from all suits and actions of any kind and nature whatsoever from or on account of the construction of said work.

It is further understood and agreed by the parties hereto that should any dispute arise respecting the true construction, interpretation or meaning of the Contract plans, specifications or conditions herein, or the measurements for the payment thereunder, same shall be referred to and decided by the said Commissioner and his decision thereon shall be final and conclusive upon the parties thereto and may not be challenged except in a proceeding commenced pursuant to Article 78 of the Civil Practice Law and Rules. This provision shall also apply to the true value of and duly authorized extra work or any work permitted by agreement in case any work shall be ordered performed, or any work called for shall be so omitted under and upon the direction of said Commissioner.

The Contractor by the submitting of bids and execution of this Contract hereby covenants and agrees that he has examined the plans, specifications and the site work, as to local conditions, difficulties and accuracy of approximate estimate of quantities and does hereby further covenant and agree that he will not make any claim for damages by reason of any such local conditions, difficulties or variation of approximate estimate of quantities.

The Contractor represents and warrants to the County with the knowledge and expectation that this warranty will be relied upon by the County that it is not now participating and has not at any time participated, either directly or through any substantially owned or affiliated person, firm, partnership or corporation, in an international boycott in violation of the provisions of United States Export Administration Act of 1969, 50 USC 2401 et seq. or the regulations promulgated thereunder.

The Contractor further warrants and represents that it is financially solvent, and sufficiently experienced and competent to perform the work and that the facts provided by it to the County in its bid and supporting documents, and contract documents are true and correct in all respects.

This Contract shall become void and any rights of the Contractor hereunder shall be forfeited if, subsequent to the execution hereof, the Contractor is convicted of a violation of the provision of the United States Export Administration Act of 1969, 50 USC 2401 et seq. as amended or has been found upon the final determination of the United States Commerce Department or any other appropriate agency of the United States or the State of New York to have violated such act or regulations.

If the Contractor, any officer, director, or any party holding a controlling interest (defined as five (5%) percent or more, or in the case of a corporation, any stockholder owning five (5%) percent or more of the outstanding shares) is convicted of a crime (excluding Class B and

Unclassified Misdemeanors as defined under the New York State Penal Law and their equivalent in any city, state or under Federal law related to the type of services or activities which are the subject matter of this Contract) or if a related or affiliated company, partnership or corporation is convicted of a crime (excluding Class B and Unclassified Misdemeanors as defined above) after this Contract is fully executed, the County shall have the right to terminate this Agreement immediately and without penalty. An "affiliated company" as used herein means any affiliate which is a partnership, corporation, proprietorship, association or other entity (i) in which a 50% or greater ownership interest (as defined below) is directly or indirectly held by the Contractor or any of its management personnel (as defined below) or directors, (ii) which directly or indirectly holds 50% or more of the ownership interest in the Contractor, (iii) in which an aggregate 20% or greater ownership interest is directly or indirectly held by one or more shareholders (or partners or proprietors, in the case of a partnership or proprietorship) which or who in the aggregate hold a 20% or greater ownership interest in the Contractor, or (iv) which, whether by Contract or otherwise, directly or indirectly controls, is controlled by or is under common control with the Contractor. An "ownership interest" means the ownership, whether legally or beneficially, of the stock of or assets employed by a corporation, of a partnership interest in or assets employed by a partnership or of a similar interest in or assets employed by any other entity. "Management personnel" means executive officers and all other persons, whether or not officers or employees, who perform policy-making functions similar to those of executive officers.

The Contractor represents that at the time of execution of this Contract, no individual or entity, as described above, has been convicted of a crime during the five (5) year period preceding the execution of this Contract.

The parties hereto recognize that it is the goal of Westchester County to use its best efforts to encourage, promote and increase participation of business enterprises owned and controlled by persons of color or women (MBE/WBE) in contracts or projects funded by all Departments of the County and to effectively and efficiently monitor such participation. Therefore, the Contractor agrees to complete the MBE/WBE Questionnaire, which is attached hereto as Schedule "A," in furtherance of this goal and in accordance with Local Law No. 27-1997.

It is recognized and understood by the parties that this Contract is subject to appropriation by the Westchester County Board of Legislators. The County shall have no liability under this Contract beyond the funds, if any, that are appropriated and available for payment of the amounts due under this Contract. Notwithstanding the foregoing, the County will do all things lawfully within its power to obtain, maintain and properly request and pursue funds from which payments under this Contract may be made.

The parties hereto for themselves, their legal representatives, successors and assigns, expressly agree that any legal action or proceeding that may arise out of or relating to this Contract shall be brought and maintained only in the courts of the State of New York ("New York State Court") located in the County of Westchester. With respect to any action between the County and Contractor in New York State Court, the Contractor hereby expressly waives and relinquishes any rights it may otherwise have (i) to move to dismiss on grounds of forum *non* 

*conveniens*; (ii) to remove to Federal Court; and (iii) to move for a change of venue to a New York State Court outside of Westchester County.

This Contract and its terms, covenants, obligations, conditions and provisions shall be binding upon all the parties hereto, their legal representatives, successors and assigns.



This Contract shall not be enforceable until it is signed by all parties and approved by the Office of the County Attorney.

**IN WITNESS WHEREOF,** the parties hereto have executed this agreement, THE COUNTY OF WESTCHESTER pursuant to law by:

	its	Commissioner
and the CONTRACTOR:	ito	
By: (Type or Print Name)	its _	(Title)
(1)pe of 1 ton 1 tonic)	THE	COUNTY OF WESTCHESTER:
	By:_	Commissioner
	CON By:_	TRACTOR:
	, <u></u>	(Signature)
ATTEST: By:	_	(SEAL)
(Signature) Recommended:		
Deputy Commissioner of Public Works		
Approved as to form and manner of execution this day of,		
uns,	200	
County Attorney	_	

# CONTRACTOR'S ACKNOWLEDGMENT (If Corporation)

STATE OF NEW YORK )	
COUNTY OF ) ss.:	
On this day of	, 200, before me personally came to me known, and known to me to be the
the Corporation described in and which executed the visworn did depose and say that the said	within instrument, who being by me duly resides at and that he/she is the n and that he/she signed his/her name
thereto by order of the Board of Directors of said Corp name, that the certificate required by the New York St been filed with the Secretary of State of the State of N	poration and, if operating under any trade tate General Business Law Section 130 has lew York.
CONTRACTOR'S ACKNO	Totary Public  OWLEDGMENT
(If Individua	al)
STATE OF NEW YORK ) ss.:	
COUNTY OF	
On this day of	, 200, before me personally came
the same person described in and who executed the w me that he/she executed the same for the purpose here trade name, that the certificate required by the New Y 130 has been filed with the County Clerk of Westches	in mentioned and, if operating under any ork State General Business Law Section ster County.
N	lotary Public
CONTRACTOR'S ACKNO	OWLEDGMENT
(If Co-Partner	ship)
STATE OF NEW YORK ) ss.:	
COUNTY OF )	
On this day of	_, 200, before me personally came to me known, and known to me to be a
member of the firm of	and the person in behalf of said firm, and he/she behalf of, and as the act of said firm for the y trade name, that the certificate required

Notary Public

# **CERTIFICATE OF AUTHORITY**

Ι,		
(Officer other than officer	signing contract)	
certify that I am		of
(Title)		
the		
(Name of Corpo	oration)	
organized and in good standing under the		
	(Law under which organized)	
named in the foregoing agreement; that		
	(Person executing agreement)	
who signed said agreement on behalf of the Contractor	was, at the time of execution the	
(Title of such person)	Corporation; that said agreement was	duly
	to Cita David a CDirectors the second	_
signed for and on behalf of said Corporation by authorit	ty of its Board of Directors, thereunto	)
duly authorized and is in full force and effect at the date	e hereof.	
	(Signature)	
	(SEAL)	
STATE OF NEW YORK )		
) ss.:		
COUNTY OF		
On this day of,		
of	to me known, and known to me to be	e the
the Corporation described in and which executed the ab	pove certificate, who being by me dul	, .y
sworn did depose and say that the said	resides at	
of said Corporation	and that he/she is and knows the Corporate Seal of the	
Corporation; that the seal affixed to the above certificat	te is such Corporate Seal and was so	
affixed by order of the Board of Directors of said Corpo name thereto by like order.	oration, and that he/she signed his/her	r
name dielete of like order.		
No	otary Public	

# $\frac{CORPORATE\ ACKNOWLEDGEMENT}{(Sole\ Officer)}$

STATE OF NEW YORK )	
COUNTY OF ) ss.:	
On this day of	, 200, before me personally came
	_ to me known, and known to me to be the
(Name)	
of	(Name of Corporation)
(Title)	(Name of Corporation)
the Corporation described in and which executed	the within instrument, who being by me duly
sworn did depose and say that he/she signed the	within instrument, on behalf of said
Corporation, in his/her capacity as	and Sole Officer and
director of said Corporation and that he/she owns	s all the issued and outstanding capital stock of
said Corporation and knows the Corporate Seal of	of the said Corporation; and, if operating under
any trade name, that the certificate required by N	ew York State General Business Law Section
130 has been filed with the Secretary of State of	the State of New York.
	Notary Public

# PERFORMANCE AND PAYMENT BOND

# KNOW ALL MEN BY THESE PRESENTS, that we

(hereinafter called the "Principal"), and the	
a Corporation created and existing under the laws of the State of	
and having its principal office at	
in the City of (hereinafter called the "Surety"), are firmly bound unto The County of Westchester (hereinafter called the "Obligee") in the post of	e held and penal sun
of/10 [ \$ ]	00
lawful money of the United States of America, for the payment of which, well a to be made, the said Principal binds itself, (himself, themselves) and its (his, their) succeand assigns, and the said Surety binds itself and its successors and assigns, all jointly an severally, firmly by these presents. Said penal sum shall apply separately and independ its total amount, to the payment provision and the performance provision of this Bond's reduce or limit the right of the Obligee to recover under the other said provision.	essors ad lently, in
Signed, sealed and dated this day of, 200	
WHEREAS, said Principal has entered into a certain written contract with said Obligee	e, dated
this, 200, (hereinafter called the "Contract")	
For <u>CONTRACT</u> #a copy of which Contract is hereto annex	ed and
hereby made a part of this hond as if herein set forth in full	

**NOW THEREFORE,** THE CONDITIONS OF THE ABOVE OBLIGATIONS ARE SUCH THAT, if the said Principal, and its (his, their) successors or assigns, or any or either of them shall,

- (1) well and truly and in good, sufficient and workmanlike manner, perform or cause to be performed such Contract, and any amendment or extension of or addition thereto, and each and every of the covenants, promises, agreements and provisions therein stipulated and contained to be performed by said Principal, and complete the same within the period therein mentioned, and in each and every respect, comply with the conditions therein mentioned to be complied with by said Principal, and fully indemnify and save harmless the Obligee from all costs and damages which it may suffer by reason of failure so to do and fully reimburse and repay the Obligee all outlay and expense which it may incur in making good any such default, and
- (2) also pay or cause to be paid the wages and compensation for labor performed and services rendered of all persons engaged in the prosecution of the work provided for therein, whether such persons by agents, servants or employees of the Principal, and of its (his, their) successors or assigns, or any Subcontractor or of any assignee thereof, including all persons so engaged who perform the work of laborers or of mechanics regardless of any contractual relationship between the Principal, or its (his, their) successors or assigns, or any Subcontractor or any designee thereof, and such laborers or mechanics, but not including office employees not regularly stationed at the site of the work, and further, shall pay or cause to be paid all lawful claims of Subcontractors and of materialmen and other third persons out of or in connection with said Contract and the work, labor, services, supplies and material furnished in and about the performance and completion thereof, then these obligations shall be null and void, otherwise they shall remain in full force and effect.

**PROVIDED,** however, that this bond is subject to the following additional conditions and limitations:

All persons who have performed labor or rendered services, as aforesaid, all Subcontractors, and all persons, firms, corporations, including materialmen and third persons, as aforesaid, furnishing work, labor, services, supplies and material under or in connection with said Contract or in or about the performance and completion thereof, shall have a direct right of action (subject to the prior right of the Obligee under any claim which it may assert against the Principal or its (his, their) successors and assigns, and/or the Surety and its successors and assigns) against the Principal and its (his, their) successors and assigns on this bond, which right of action shall be asserted in proceedings instituted in the State in which such work, labor, services, supplies or material was performed, rendered or furnished or where work, labor, services, supplies or material has been performed, rendered or furnished, as aforesaid, in more than one State, than in any such State. Insofar as permitted by the laws of such State, said right of action shall be asserted in a proceeding instituted in the name of Obligee to the use and benefit of the person, firm or corporation instituting such action and of all other persons, firms and corporations having claims hereunder, and any other person, firm or corporation having a claim hereunder shall have the

right to be made a party to such proceedings (but not later than twelve months after the performance of said Contract and final settlement thereof) and to have such claim adjudicated in such action and judgment rendered thereon. Prior to the institution of such a proceeding by a person, firm or corporation in the name of the Obligee, as aforesaid, such person, firm of corporation shall furnish the Obligee with a Bond of Indemnity for costs, which Bond shall be in an amount satisfactory to the Obligee.

- (b) The Surety or its successors or assigns shall not be liable hereunder for any damages or compensation recoverable under any worker's compensation or employer's liability statute.
- (c) In no event shall the Surety or its successors or assigns be liable under either the foregoing clause (1) or the foregoing clause (2) for a greater sum than the penalty of this Bond <u>provided</u>; <u>however</u>, that said penalty is separately applicable, in its total amount to each of the foregoing clauses (1) and (2), or subject to any suit, action or proceeding hereon that is instituted by any person, firm or corporation under the provisions of the above section (a) later than twelve months after the complete performance of said Contract and final settlement thereof.

The Principal, for itself (himself, themselves) and its (his, their) successors and assigns, and the Surety, for itself and its successors and assigns, do hereby expressly waive any objections that might be interposed as to the right of the Obligee to require a Bond containing the foregoing provisions, and they do hereby further expressly waive any defense which they or either of them might interpose to an action brought hereon by any person, firm or corporation, including Subcontractors, materialmen, and third persons, for work, labor, services, supplies or material performed, rendered or furnished as aforesaid, upon the ground that there is no law authorizing the said Obligee to require the foregoing provision to be placed in this Bond.

And Surety, for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligations of said Surety and of its successors and assigns and this Bond shall in no way be impaired or affected by an extension of time, modification, omission, addition or change in or to the said Contract or the work to be performed thereunder, or by any payment thereunder, before the time required therein, or by any waiver of any provision thereof, or by an assignment, subletting or other transfer thereof, or of any part thereof, or of any work to be performed, or of any moneys due or to become due thereunder; and the said Surety, for itself and its successors and assigns, does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby stipulates and agrees that any and all things done and omitted to be done by and in relation to (executors, administrators), successors, assigns, Subcontractors, and other transferees, shall have the same effect as to said Surety and its successors and assigns, as though done or omitted to be done by and in relation to said Principal.

And Surety, for value received, hereby stipulates and agrees, if requested to do so by Obligee, to fully perform and complete the work to be performed under the Contract, pursuant to the terms, conditions and covenants thereof, if for any cause, the Principal fails or neglects to so

fully perform and complete such Work. The Surety further agrees to commence such Work of Completion within twenty-five (25) calendar days after written notice thereof from the Obligee, and to complete such Work within twenty-five (25) calendar days from the expiration of the time allowed the Principal in the Contract for the completion of such Work.

WITNESSETH our hands and seals this _	day of	, 200
PR	INCIPAL:	
Ву		
	(Sign	ature) EAL)
ATTEST:		
By		rety)
	(Sign	ature)
ATTEST:	(SE	EAL)
ATTEST:		

If the Contractor (Principal) is a partnership, the Bond should be signed by each of the individuals who are partners.

If the Contractor (Principal) is a Corporation, the Bond should be signed in its correct corporate name by a duly authorized officer, agent, or attorney-in-fact.

There should be executed an appropriate number of counterparts of the Bond corresponding to the number of counterparts of the Contract.

Each executed Bond should be accompanied by:

- (a) appropriate acknowledgments of the respective parties;
- (b) appropriate duly certified copy of Power of Attorney or other Certificate of Authority where Bond is executed by agent, officer or other representative of Principal or Surety;
- (c) a duly certified extract from By-laws or resolutions of Surety under which Power of Attorney or other Certificate of Authority of its agent, officer or representative was issued, and
- (d) duly certified copy of latest published financial statement of assets and liabilities of Surety.

<u>BOND</u>

# CONTRACTOR'S ACKNOWLEDGMENT (If Corporation)

On this day of, 200, before me personally came to me known, and known to me to be the of the Corporation described in and which executed the within instrument, who being by me duly sworn did depose and say that the said	STATE OF NEW YORK )	
to me known, and known to me to be the of the Corporation described in and which executed the within instrument, who being by me duly sworn did depose and say that the said	COUNTY OF	SS.:
the Corporation described in and which executed the within instrument, who being by me duly resides at and that he/she is the		to me known, and known to me to be the
Corporation; that the seal affixed to the within instrument is such Corporate Seal and that it was so affixed by order of the Board of Directors of said Corporation and that he/she signed his/her name thereto by like order.    Notary Public	the Corporation described in and w sworn did depose and say that the	which executed the within instrument, who being by me duly said resides at and that he/she is the
(If Individual)  STATE OF NEW YORK ) ss.:  COUNTY OF  On this day of, 200, before me personally came to me known, and known to me to be the same person described in and who executed the within instrument and he/she duly acknowledged to me that he/she executed the same for the purpose herein mentioned.  CONTRACTOR'S ACKNOWLEDGMENT (If Co-Partnership)  STATE OF NEW YORK ) ss.:  COUNTY OF  On this day of, 200, before me personally came to me known, and known to me to be a member of the firm of and the person described in, and who executed the within instrument in behalf of said firm, and acknowledged to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.	Corporation; that the seal affixed to	o the within instrument is such Corporate Seal and that it was f Directors of said Corporation and that he/she signed his/her
On this day of, 200, before me personally came to me known, and known to me to be the same person described in and who executed the within instrument and he/she duly acknowledged to me that he/she executed the same for the purpose herein mentioned.    Notary Public	CONTRA	ACTOR'S ACKNOWLEDGMENT (If Individual)
On this day of, 200, before me personally came to me known, and known to me to be the same person described in and who executed the within instrument and he/she duly acknowledged to me that he/she executed the same for the purpose herein mentioned.    Notary Public	STATE OF NEW YORK )	
to me known, and known to me to be the same person described in and who executed the within instrument and he/she duly acknowledged to me that he/she executed the same for the purpose herein mentioned.    Notary Public	COUNTY OF	ss.:
CONTRACTOR'S ACKNOWLEDGMENT (If Co-Partnership)  STATE OF NEW YORK ) ss.:  COUNTY OF  On this day of, 200, before me personally came to me known, and known to me to be a member of the firm of and the person described in, and who executed the within instrument in behalf of said firm, and acknowledged to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.	the same person described in and v	to me known, and known to me to be who executed the within instrument and he/she duly
(If Co-Partnership)  STATE OF NEW YORK ) ss.:  COUNTY OF  On this day of, 200, before me personally came to me known, and known to me to be a member of the firm of and the person described in, and who executed the within instrument in behalf of said firm, and acknowledged to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.		Notary Public
On this day of, 200, before me personally came to me known, and known to me to be a member of the firm of and the person described in, and who executed the within instrument in behalf of said firm, and acknowledged to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.	CONTRA	
On this day of, 200, before me personally came to me known, and known to me to be a member of the firm of and the person described in, and who executed the within instrument in behalf of said firm, and acknowledged to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.	STATE OF NEW YORK )	(If Co-rarthership)
member of the firm of and the person described in, and who executed the within instrument in behalf of said firm, and acknowledged to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.	COUNTY OF	SS.:
to me that he/she executed the same in behalf of, and as the act of said firm for the purposes herein mentioned.		to me known, and known to me to be a
Notary Public	member of the firm of described in, and who executed the	and the person a within instrument in behalf of said firm, and acknowledged
		Notary Public

<u>BOND</u>

# ACKNOWLEDGMENT BY SURETY COMPANY (Signed by One Authorized Person)

STATE OF NEW	(	
COUNTY OF	)	SS.:
On this	day of	, 200, before me personally came
		to me known, and known to me to be the
	(Name)	
		of,
(Tit		(Name of Corporation)
the Corporation de	escribed in and w	which executed the within instrument, who being by me duly
surram did damasa	and gazz that ha/a	he resides at
sworn did depose	and say that ne/s	ne resides at
	and that he/she	is the of said Corporation (Title)
and knows the Con	rporate Seal of the	ne said Corporation; that the seal affixed to the within
instrument is such	Corporate Seal	and so affixed by order of the Board of Directors of said
Corporation and th	nat he/she signed	his/her name thereto by like order; and that the said
Corporation has re	eceived from the	Superintendent of Insurance of the State of New York a
Certificate of Solv	ency, and of its	sufficiency as Surety or Guarantor, pursuant to Section 327 of
the Insurance Law	of the State of I	New York as amended, and that such Certificate has not been
revoked.	>	
		Notary Public



# SCHEDULE OF HOURLY RATES AND SUPPLEMENTS

# DEPARTMENT OF PUBLIC WORKS

**Division of Engineering** 

Kathy Hochul, Governor	
·	MENT OF

Roberta Reardon, Commissioner

Westchester County DPW & T

Yolanda Spraggins, Secretary II 148 Martine Ave. , Rm 518 White Plains NY 10601 Schedule Year Date Requested PRC#

2021 through 2022 10/21/2021 2021010993

Location 41 Church Street

Project ID# 21-527

Project Type House Refurbishment, 41 Church Street, Bedford, NY

# PREVAILING WAGE SCHEDULE FOR ARTICLE 8 PUBLIC WORK PROJECT

Attached is the current schedule(s) of the prevailing wage rates and prevailing hourly supplements for the project referenced above. A unique Prevailing Wage Case Number (PRC#) has been assigned to the schedule(s) for your project.

The schedule is effective from July 2021 through June 2022. All updates, corrections, posted on the 1st business day of each month, and future copies of the annual determination are available on the Department's website <a href="www.labor.ny.gov">www.labor.ny.gov</a>. Updated PDF copies of your schedule can be accessed by entering your assigned PRC# at the proper location on the website.

It is the responsibility of the contracting agency or its agent to annex and make part, the attached schedule, to the specifications for this project, when it is advertised for bids and /or to forward said schedules to the successful bidder(s), immediately upon receipt, in order to insure the proper payment of wages.

Please refer to the "General Provisions of Laws Covering Workers on Public Work Contracts" provided with this schedule, for the specific details relating to other responsibilities of the Department of Jurisdiction.

Upon completion or cancellation of this project, enter the required information and mail **OR** fax this form to the office shown at the bottom of this notice, **OR** fill out the electronic version via the NYSDOL website.

NOTICE OF COMPLETION / CANCELLATION OF PROJECT		
Date Completed:	Date Cancelled:	
Name & Title of Representative:		

Phone: (518) 457-5589 Fax: (518) 485-1870 W. Averell Harriman State Office Campus, Bldg. 12, Room 130, Albany, NY 12240

# General Provisions of Laws Covering Workers on Article 8 Public Work Contracts

# Introduction

The Labor Law requires public work contractors and subcontractors to pay laborers, workers, or mechanics employed in the performance of a public work contract not less than the prevailing rate of wage and supplements (fringe benefits) in the locality where the work is performed.

# Responsibilities of the Department of Jurisdiction

A Department of Jurisdiction (Contracting Agency) includes a state department, agency, board or commission: a county, city, town or village; a school district, board of education or board of cooperative educational services; a sewer, water, fire, improvement and other district corporation; a public benefit corporation; and a public authority awarding a public work contract.

The Department of Jurisdiction (Contracting Agency) awarding a public work contract MUST obtain a Prevailing Rate Schedule listing the hourly rates of wages and supplements due the workers to be employed on a public work project. This schedule may be obtained by completing and forwarding a "Request for wage and Supplement Information" form (PW 39) to the Bureau of Public Work. The Prevailing Rate Schedule MUST be included in the specifications for the contract to be awarded and is deemed part of the public work contract.

Upon the awarding of the contract, the law requires that the Department of Jurisdiction (Contracting Agency) furnish the following information to the Bureau: the name and address of the contractor, the date the contract was let and the approximate dollar value of the contract. To facilitate compliance with this provision of the Labor Law, a copy of the Department's "Notice of Contract Award" form (PW 16) is provided with the original Prevailing Rate Schedule.

The Department of Jurisdiction (Contracting Agency) is required to notify the Bureau of the completion or cancellation of any public work project. The Department's PW 200 form is provided for that purpose.

Both the PW 16 and PW 200 forms are available for completion online.

#### Hours

No laborer, worker, or mechanic in the employ of a contractor or subcontractor engaged in the performance of any public work project shall be permitted to work more than eight hours in any day or more than five days in any week, except in cases of extraordinary emergency. The contractor and the Department of Jurisdiction (Contracting Agency) may apply to the Bureau of Public Work for a dispensation permitting workers to work additional hours or days per week on a particular public work project.

There are very few exceptions to this rule. Complete information regarding these exceptions is available on the "Request for a dispensation to work overtime" form (PW30) and "4 Day / 10 Hour Work Schedule" form (PW 30.1).

# Wages and Supplements

The wages and supplements to be paid and/or provided to laborers, workers, and mechanics employed on a public work project shall be not less than those listed in the current Prevailing Rate Schedule for the locality where the work is performed. If a prime contractor on a public work project has not been provided with a Prevailing Rate Schedule, the contractor must notify the Department of Jurisdiction (Contracting Agency) who in turn must request an original Prevailing Rate Schedule form the Bureau of Public Work. Requests may be submitted by: mail to NYSDOL, Bureau of Public Work, State Office Bldg. Campus, Bldg. 12, Rm. 130, Albany, NY 12240; Fax to Bureau of Public Work (518) 485-1870; or electronically at the NYSDOL website <a href="https://www.labor.ny.gov">www.labor.ny.gov</a>.

Upon receiving the original schedule, the Department of Jurisdiction (Contracting Agency) is REQUIRED to provide complete copies to all prime contractors who in turn MUST, by law, provide copies of all applicable county schedules to each subcontractor and obtain from each subcontractor, an affidavit certifying such schedules were received. If the original schedule expired, the contractor may obtain a copy of the new annual determination from the NYSDOL website www.labor.nv.gov.

The Commissioner of Labor makes an annual determination of the prevailing rates. This determination is in effect from July 1st through June 30th of the following year. The annual determination is available on the NYSDOL website www.labor.ny.gov.

# **Payrolls and Payroll Records**

Every contractor and subcontractor MUST keep original payrolls or transcripts subscribed and affirmed as true under penalty of perjury. As per Article 6 of the Labor law, contractors and subcontractors are required to establish, maintain, and preserve for not less than six (6) years, contemperaneous, true, and accurate payroll records. At a minimum, payrolls must show the following information for each person employed on a public work project: Name, Address, Last 4 Digits of Social Security Number, Classification(s) in which the worker was employed, Hourly wage rate(s) paid, Supplements paid

or provided, and Daily and weekly number of hours worked in each classification.

The filing of payrolls to the Department of Jurisdiction is a condition of payment. Every contractor and subcontractor shall submit to the Department of Jurisdiction (Contracting Agency), within thirty (30) days after issuance of its first payroll and every thirty (30) days thereafter, a transcript of the original payrolls, subscribed and affirmed as true under penalty of perjury. The Department of Jurisdiction (Contracting Agency) shall collect, review for facial validity, and maintain such payrolls.

In addition, the Commissioner of Labor may require contractors to furnish, with ten (10) days of a request, payroll records sworn to as their validity and accuracy for public work and private work. Payroll records include, but are not limited to time cards, work description sheets, proof that supplements were provided, cancelled payroll checks and payrolls. Failure to provide the requested information within the allotted ten (10) days will result in the withholding of up to 25% of the contract, not to exceed \$100,000.00. If the contractor or subcontractor does not maintain a place of business in New York State and the amount of the contract exceeds \$25,000.00, payroll records and certifications must be kept on the project worksite.

The prime contractor is responsible for any underpayments of prevailing wages or supplements by any subcontractor.

All contractors or their subcontractors shall provide to their subcontractors a copy of the Prevailing Rate Schedule specified in the public work contract as well as any subsequently issued schedules. A failure to provide these schedules by a contractor or subcontractor is a violation of Article 8, Section 220-a of the Labor Law.

All subcontractors engaged by a public work project contractor or its subcontractor, upon receipt of the original schedule and any subsequently issued schedules, shall provide to such contractor a verified statement attesting that the subcontractor has received the Prevailing Rate Schedule and will pay or provide the applicable rates of wages and supplements specified therein. (See NYS Labor Laws, Article 8. Section 220-a).

# Determination of Prevailing Wage and Supplement Rate Updates Applicable to All Counties

The wages and supplements contained in the annual determination become effective July 1st whether or not the new determination has been received by a given contractor. Care should be taken to review the rates for obvious errors. Any corrections should be brought to the Department's attention immediately. It is the responsibility of the public work contractor to use the proper rates. If there is a question on the proper classification to be used, please call the district office located nearest the project. Any errors in the annual determination will be corrected and posted to the NYSDOL website on the first business day of each month. Contractors are responsible for paying these updated rates as well, retroactive to July 1st.

When you review the schedule for a particular occupation, your attention should be directed to the dates above the column of rates. These are the dates for which a given set of rates is effective. To the extent possible, the Department posts rates in its possession that cover periods of time beyond the July 1st to June 30th time frame covered by a particular annual determination. Rates that extend beyond that instant time period are informational ONLY and may be updated in future annual determinations that actually cover the then appropriate July 1st to June 30th time period.

# Withholding of Payments

When a complaint is filed with the Commissioner of Labor alleging the failure of a contractor or subcontractor to pay or provide the prevailing wages or supplements, or when the Commissioner of Labor believes that unpaid wages or supplements may be due, payments on the public work contract shall be withheld from the prime contractor in a sufficient amount to satisfy the alleged unpaid wages and supplements, including interest and civil penalty, pending a final determination.

When the Bureau of Public Work finds that a contractor or subcontractor on a public work project failed to pay or provide the requisite prevailing wages or supplements, the Bureau is authorized by Sections 220-b and 235.2 of the Labor Law to so notify the financial officer of the Department of Jurisdiction (Contracting Agency) that awarded the public work contract. Such officer MUST then withhold or cause to be withheld from any payment due the prime contractor on account of such contract the amount indicated by the Bureau as sufficient to satisfy the unpaid wages and supplements, including interest and any civil penalty that may be assessed by the Commissioner of Labor. The withholding continues until there is a final determination of the underpayment by the Commissioner of Labor or by the court in the event a legal proceeding is instituted for review of the determination of the Commissioner of Labor.

The Department of Jurisdiction (Contracting Agency) shall comply with this order of the Commissioner of Labor or of the court with respect to the release of the funds so withheld.

# **Summary of Notice Posting Requirements**

The current Prevailing Rate Schedule must be posted in a prominent and accessible place on the site of the public work project. The prevailing wage schedule must be encased in, or constructed of, materials capable of withstanding adverse weather conditions and be titled "PREVAILING RATE OF WAGES" in letters no smaller than two (2) inches by two (2) inches.

The "Public Work Project" notice must be posted at the beginning of the performance of every public work contract, on each job site.

Every employer providing workers. compensation insurance and disability benefits must post notices of such coverage in the format prescribed by the Workers. Compensation Board in a conspicuous place on the jobsite.

Every employer subject to the NYS Human Rights Law must conspicuously post at its offices, places of employment, or employment training centers, notices furnished by the State Division of Human Rights.

Employers liable for contributions under the Unemployment Insurance Law must conspicuously post on the jobsite notices furnished by the NYS Department of Labor.

# **Apprentices**

Employees cannot be paid apprentice rates unless they are individually registered in a program registered with the NYS Commissioner of Labor. The allowable ratio of apprentices to journeyworkers in any craft classification can be no greater than the statewide building trade ratios promulgated by the Department of Labor and included with the Prevailing Rate Schedule. An employee listed on a payroll as an apprentice who is not registered as above or is performing work outside the classification of work for which the apprentice is indentured, must be paid the prevailing journeyworker's wage rate for the classification of work the employee is actually performing.

NYSDOL Labor Law, Article 8, Section 220-3, require that only apprentices individually registered with the NYS Department of Labor may be paid apprenticeship rates on a public work project. No other Federal or State Agency of office registers apprentices in New York State.

Persons wishing to verify the apprentice registration of any person must do so in writing by mail, to the NYSDOL Office of Employability Development / Apprenticeship Training, State Office Bldg. Campus, Bldg. 12, Albany, NY 12240 or by Fax to NYSDOL Apprenticeship Training (518) 457-7154. All requests for verification must include the name and social security number of the person for whom the information is requested.

The only conclusive proof of individual apprentice registration is written verification from the NYSDOL Apprenticeship Training Albany Central office. Neither Federal nor State Apprenticeship Training offices outside of Albany can provide conclusive registration information.

It should be noted that the existence of a registered apprenticeship program is not conclusive proof that any person is registered in that program. Furthermore, the existence or possession of wallet cards, identification cards, or copies of state forms is not conclusive proof of the registration of any person as an apprentice.

## Interest and Penalties

In the event that an underpayment of wages and/or supplements is found:

- Interest shall be assessed at the rate then in effect as prescribed by the Superintendent of Banks pursuant to section 14-a of the Banking Law, per annum from the date of underpayment to the date restitution is made.
- A Civil Penalty may also be assessed, not to exceed 25% of the total of wages, supplements, and interest due.

# **Debarment**

Any contractor or subcontractor and/or its successor shall be ineligible to submit a bid on or be awarded any public work contract or subcontract with any state, municipal corporation or public body for a period of five (5) years when:

- Two (2) willful determinations have been rendered against that contractor or subcontractor and/or its successor within any consecutive six (6) year period.
- There is any willful determination that involves the falsification of payroll records or the kickback of wages or supplements.

# **Criminal Sanctions**

Willful violations of the Prevailing Wage Law (Article 8 of the Labor Law) may be a felony punishable by fine or imprisonment of up to 15 years, or both.

# **Discrimination**

No employee or applicant for employment may be discriminated against on account of age, race, creed, color, national origin, sex, disability or marital status.

No contractor, subcontractor nor any person acting on its behalf, shall by reason of race, creed, color, disability, sex or national origin discriminate against any citizen of the State of New York who is qualified and available to perform the work to which the employment relates (NYS Labor Law, Article 8, Section 220-e(a)).

No contractor, subcontractor, nor any person acting on its behalf, shall in any manner, discriminate against or intimidate any employee on account of race, creed, color, disability, sex, or national origin (NYS Labor Law, Article 8, Section 220-e(b)).

The Human Rights Law also prohibits discrimination in employment because of age, marital status, or religion.

There may be deducted from the amount payable to the contractor under the contract a penalty of \$50.00 for each calendar day during which such person was discriminated against or intimidated in violation of the provision of the contract (NYS Labor Law, Article 8, Section 220-e(c)).

The contract may be cancelled or terminated by the State or municipality. All monies due or to become due thereunder may be forfeited for a second or any subsequent violation of the terms or conditions of the anti-discrimination sections of the contract (NYS Labor Law, Article 8, Section 220-e(d)).

Every employer subject to the New York State Human Rights Law must conspicuously post at its offices, places of employment, or employment training centers notices furnished by the State Division of Human Rights.

# **Workers' Compensation**

In accordance with Section 142 of the State Finance Law, the contractor shall maintain coverage during the life of the contract for the benefit of such employees as required by the provisions of the New York State Workers' Compensation Law.

A contractor who is awarded a public work contract must provide proof of workers' compensation coverage prior to being allowed to begin work.

The insurance policy must be issued by a company authorized to provide workers' compensation coverage in New York State. Proof of coverage must be on form C-105.2 (Certificate of Workers' Compensation Insurance) and must name this agency as a certificate holder.

If New York State coverage is added to an existing out-of-state policy, it can only be added to a policy from a company authorized to write workers' compensation coverage in this state. The coverage must be listed under item 3A of the information page.

The contractor must maintain proof that subcontractors doing work covered under this contract secured and maintained a workers' compensation policy for all employees working in New York State.

Every employer providing worker's compensation insurance and disability benefits must post notices of such coverage in the format prescribed by the Workers' Compensation Board in a conspicuous place on the jobsite.

# **Unemployment Insurance**

Employers liable for contributions under the Unemployment Insurance Law must conspicuously post on the jobsite notices furnished by the New York State Department of Labor.

Kathy Hochul, Governor	
really risolital, Severile.	- YMENT OF Y

Roberta Reardon, Commissioner

Westchester County DPW & T

Yolanda Spraggins, Secretary II 148 Martine Ave. , Rm 518 White Plains NY 10601 Schedule Year Date Requested PRC# 2021 through 2022 10/21/2021 2021010993

Location 41 Church Street

Project ID# 21-527

Project Type House Refurbishment, 41 Church Street, Bedford, NY

## **Notice of Contract Award**

New York State Labor Law, Article 8, Section 220.3a requires that certain information regarding the awarding of public work contracts, be furnished to the Commissioner of Labor. One "Notice of Contract Award" (PW 16, which may be photocopied), **MUST** be completed for **EACH** prime contractor on the above referenced project.

Upon notifying the successful bidder(s) of this contract, enter the required information and mail **OR** fax this form to the office shown at the bottom of this notice, **OR** fill out the electronic version via the NYSDOL website.

# Contractor Information All information must be supplied

Federal Employer Identification N	umber:	
Name:		
City:  Amount of Contract:  Approximate Starting Date:  Approximate Completion Date:	\$/ State:	Zip:  Contract Type:  [ ] (01) General Construction  [ ] (02) Heating/Ventilation  [ ] (03) Electrical  [ ] (04) Plumbing  [ ] (05) Other :

Phone: (518) 457-5589 Fax: (518) 485-1870 W. Averell Harriman State Office Campus, Bldg. 12, Room 130, Albany, NY 12240

# **Social Security Numbers on Certified Payrolls:**

The Department of Labor is cognizant of the concerns of the potential for misuse or inadvertent disclosure of social security numbers. Identity theft is a growing problem and we are sympathetic to contractors' concern regarding inclusion of this information on payrolls if another identifier will suffice.

For these reasons, the substitution of the use of the last four digits of the social security number on certified payrolls submitted to contracting agencies on public work projects is now acceptable to the Department of Labor. This change does not affect the Department's ability to request and receive the entire social security number from employers during its public work/ prevailing wage investigations.

# Construction Industry Fair Play Act: Required Posting for Labor Law Article 25-B § 861-d

Construction industry employers must post the "Construction Industry Fair Play Act" notice in a prominent and accessible place on the job site. Failure to post the notice can result in penalties of up to \$1,500 for a first offense and up to \$5,000 for a second offense. The posting is included as part of this wage schedule. Additional copies may be obtained from the NYS DOL website, www.labor.ny.gov. https://labor.ny.gov/formsdocs/ui/IA999.pdf

If you have any questions concerning the Fair Play Act, please call the State Labor Department toll-free at 1-866-435-1499 or email us at: dol.misclassified@labor.ny.gov.

Worker Notification: (Labor Law §220, paragraph a of subdivision 3-a)

# Effective June 23, 2020

This provision is an addition to the existing wage rate law, Labor Law §220, paragraph a of subdivision 3-a. It requires contractors and subcontractors to provide written notice to all laborers, workers or mechanics of the *prevailing wage and supplement rate* for their particular job classification *on each pay stub\**. It also requires contractors and subcontractors to *post a notice* at the beginning of the performance of every public work contract *on each job site* that includes the telephone number and address for the Department of Labor and a statement informing laborers, workers or mechanics of their right to contact the Department of Labor if he/she is not receiving the proper prevailing rate of wages and/or supplements for his/her job classification. The required notification will be provided with each wage schedule, may be downloaded from our website *www.labor.ny.gov* or be made available upon request by contacting the Bureau of Public Work at 518-457-5589. \*In the event the required information will not fit on the pay stub, an accompanying sheet or attachment of the information will suffice.

(12.20)

# To all State Departments, Agency Heads and Public Benefit Corporations IMPORTANT NOTICE REGARDING PUBLIC WORK ENFORCEMENT FUND

# **Budget Policy & Reporting Manual**

# **B-610**

# **Public Work Enforcement Fund**

effective date December 7, 2005

# 1. Purpose and Scope:

This Item describes the Public Work Enforcement Fund (the Fund, PWEF) and its relevance to State agencies and public benefit corporations engaged in construction or reconstruction contracts, maintenance and repair, and announces the recently-enacted increase to the percentage of the dollar value of such contracts that must be deposited into the Fund. This item also describes the roles of the following entities with respect to the Fund:

- New York State Department of Labor (DOL),
- The Office of the State of Comptroller (OSC), and
- State agencies and public benefit corporations.

# 2. Background and Statutory References:

DOL uses the Fund to enforce the State's Labor Law as it relates to contracts for construction or reconstruction, maintenance and repair, as defined in subdivision two of Section 220 of the Labor Law. State agencies and public benefit corporations participating in such contracts are required to make payments to the Fund.

Chapter 511 of the Laws of 1995 (as amended by Chapter 513 of the Laws of 1997, Chapter 655 of the Laws of 1999, Chapter 376 of the Laws of 2003 and Chapter 407 of the Laws of 2005) established the Fund.

# 3. Procedures and Agency Responsibilities:

The Fund is supported by transfers and deposits based on the value of contracts for construction and reconstruction, maintenance and repair, as defined in subdivision two of Section 220 of the Labor Law, into which all State agencies and public benefit corporations enter.

Chapter 407 of the Laws of 2005 increased the amount required to be provided to this fund to .10 of one-percent of the total cost of each such contract, to be calculated at the time agencies or public benefit corporations enter into a new contract or if a contract is amended. The provisions of this bill became effective August 2, 2005.

# To all State Departments, Agency Heads and Public Benefit Corporations IMPORTANT NOTICE REGARDING PUBLIC WORK ENFORCEMENT FUND

OSC will report to DOL on all construction-related ("D") contracts approved during the month, including contract amendments, and then DOL will bill agencies the appropriate assessment monthly. An agency may then make a determination if any of the billed contracts are exempt and so note on the bill submitted back to DOL. For any instance where an agency is unsure if a contract is or is not exempt, they can call the Bureau of Public Work at the number noted below for a determination. Payment by check or journal voucher is due to DOL within thirty days from the date of the billing. DOL will verify the amounts and forward them to OSC for processing.

For those contracts which are not approved or administered by the Comptroller, monthly reports and payments for deposit into the Public Work Enforcement Fund must be provided to the Administrative Finance Bureau at the DOL within 30 days of the end of each month or on a payment schedule mutually agreed upon with DOL.

Reports should contain the following information:

- Name and billing address of State agency or public benefit corporation;
- State agency or public benefit corporation contact and phone number;
- Name and address of contractor receiving the award;
- Contract number and effective dates;
- Contract amount and PWEF assessment charge (if contract amount has been amended, reflect increase or decrease to original contract and the adjustment in the PWEF charge); and
- Brief description of the work to be performed under each contract.

Checks and Journal Vouchers, payable to the "New York State Department of Labor" should be sent to:

Department of Labor Administrative Finance Bureau-PWEF Unit Building 12, Room 464 State Office Campus Albany, NY 12240

Any questions regarding billing should be directed to NYSDOL's Administrative Finance Bureau-PWEF Unit at (518) 457-3624 and any questions regarding Public Work Contracts should be directed to the Bureau of Public Work at (518) 457-5589.



Required Notice under Article 25-B of the Labor Law

# Attention All Employees, Contractors and Subcontractors: You are Covered by the Construction Industry Fair Play Act

# The law says that you are an employee unless:

- You are free from direction and control in performing your job, and
- You perform work that is not part of the usual work done by the business that hired you, and
- You have an independently established business.

Your employer cannot consider you to be an independent contractor unless all three of these facts apply to your work.

It is against the law for an employer to misclassify employees as independent contractors or pay employees off the books.

**Employee Rights:** If you are an employee, you are entitled to state and federal worker protections. These include:

- Unemployment Insurance benefits, if you are unemployed through no fault of your own, able to work, and otherwise qualified,
- Workers' compensation benefits for on-the-job injuries,
- Payment for wages earned, minimum wage, and overtime (under certain conditions),
- Prevailing wages on public work projects,
- The provisions of the National Labor Relations Act, and
- A safe work environment.

It is a violation of this law for employers to retaliate against anyone who asserts their rights under the law. Retaliation subjects an employer to civil penalties, a private lawsuit or both.

Independent Contractors: If you are an independent contractor, you must pay all taxes and Unemployment Insurance contributions required by New York State and Federal Law.

**Penalties** for paying workers off the books or improperly treating employees as independent contractors:

• **Civil Penalty** First offense: Up to \$2,500 per employee

Subsequent offense(s): Up to \$5,000 per employee

• Criminal Penalty First offense: Misdemeanor - up to 30 days in jail, up to a \$25,000 fine

and debarment from performing public work for up to one year.

Subsequent offense(s): Misdemeanor - up to 60 days in jail or up to a \$50,000 fine and debarment from performing public work for up to 5

years.

If you have questions about your employment status or believe that your employer may have violated your rights and you want to file a complaint, call the Department of Labor at (866) 435-1499 or send an email to <a href="mailto:dol.misclassified@labor.ny.gov">dol.misclassified@labor.ny.gov</a>. All complaints of fraud and violations are taken seriously. You can remain anonymous.

# **Employer Name:**

New York State Department of Labor Bureau of Public Work

# Attention Employees

# THIS IS A: PUBLIC WORK PROJECT

If you are employed on this project as a worker, laborer, or mechanic you are entitled to receive the prevailing wage and supplements rate for the classification at which you are working.

Chapter 629 of the Labor Laws of 2007: These wages are set by law and must be posted at the work site. They can also be found at: <a href="https://www.labor.ny.gov">www.labor.ny.gov</a>

If you feel that you have not received proper wages or benefits, please call our nearest office.\*

Albany	(518) 457-2744	Patchogue	(631) 687-4882
Binghamton	(607) 721-8005	Rochester	(585) 258-4505
Buffalo	(716) 847-7159	Syracuse	(315) 428-4056
Garden City	(516) 228-3915	Utica	(315) 793-2314
New York City	(212) 932-2419	White Plains	(914) 997-9507
Newburgh	(845) 568-5156		

\* For New York City government agency construction projects, please contact the Office of the NYC Comptroller at (212) 669-4443, or www.comptroller.nyc.gov – click on Bureau of Labor Law.

Contractor Name:		
Project Location:		

# **Requirements for OSHA 10 Compliance**

Article 8 §220-h requires that when the advertised specifications, for every contract for public work, is \$250,000.00 or more the contract must contain a provision requiring that every worker employed in the performance of a public work contract shall be certified as having completed an OSHA 10 safety training course. The clear intent of this provision is to require that all employees of public work contractors, required to be paid prevailing rates, receive such training "prior to the performing any work on the project."

#### The Bureau will enforce the statute as follows:

All contractors and sub contractors must attach a copy of proof of completion of the OSHA 10 course to the first certified payroll submitted to the contracting agency and on each succeeding payroll where any new or additional employee is first listed.

Proof of completion may include but is not limited to:

- Copies of bona fide course completion card (Note: Completion cards do not have an expiration date.)
- Training roster, attendance record of other documentation from the certified trainer pending the issuance of the card.
- · Other valid proof

\*\*A certification by the employer attesting that all employees have completed such a course is not sufficient proof that the course has been completed.

Any questions regarding this statute may be directed to the New York State Department of Labor, Bureau of Public Work at 518-457-5589.

#### **WICKS**

Public work projects are subject to the Wicks Law requiring separate specifications and bidding for the plumbing, heating and electrical work, when the total project's threshold is \$3 million in Bronx, Kings, New York, Queens and, Richmond counties; \$1.5 million in Nassau, Suffolk and Westchester counties; and \$500,000 in all other counties.

For projects below the monetary threshold, bidders must submit a sealed list naming each subcontractor for the plumbing, HVAC and electrical and the amount to be paid to each. The list may not be changed unless the public owner finds a legitimate construction need, including a change in specifications or costs or the use of a Project Labor Agreement (PLA), and must be open to public inspection.

Allows the state and local agencies and authorities to waive the Wicks Law and use a PLA if it will provide the best work at the lowest possible price. If a PLA is used, all contractors shall participate in apprentice training programs in the trades of work it employs that have been approved by the Department of Labor (DOL) for not less than three years. They shall also have at least one graduate in the last three years and use affirmative efforts to retain minority apprentices. PLA's would be exempt from Wicks, but deemed to be public work subject to prevailing wage enforcement.

The Commissioner of Labor shall have the power to enforce separate specification requirement s on projects, and may issue stop-bid orders against public owners for non-compliance.

Other new monetary thresholds, and similar sealed bidding for non-Wicks projects, would apply to certain public authorities including municipal housing authorities, NYC Construction Fund, Yonkers Educational Construction Fund, NYC Municipal Water Finance Authority, Buffalo Municipal Water Finance Authority, Westchester County Health Care Association, Nassau County Health Care Corp., Clifton-Fine Health Care Corp., Erie County Medical Center Corp., NYC Solid Waste Management Facilities, and the Dormitory Authority.

Contractors must pay subcontractors within a 7 days period.

(07.19)

# Introduction to the Prevailing Rate Schedule

## Information About Prevailing Rate Schedule

This information is provided to assist you in the interpretation of particular requirements for each classification of worker contained in the attached Schedule of Prevailing Rates.

#### Classification

It is the duty of the Commissioner of Labor to make the proper classification of workers taking into account whether the work is heavy and highway, building, sewer and water, tunnel work, or residential, and to make a determination of wages and supplements to be paid or provided. It is the responsibility of the public work contractor to use the proper rate. If there is a question on the proper classification to be used, please call the district office located nearest the project. District office locations and phone numbers are listed below.

Prevailing Wage Schedules are issued separately for "General Construction Projects" and "Residential Construction Projects" on a county-by-county basis.

General Construction Rates apply to projects such as: Buildings, Heavy & Highway, and Tunnel and Water & Sewer rates.

Residential Construction Rates generally apply to construction, reconstruction, repair, alteration, or demolition of one family, two family, row housing, or rental type units intended for residential use.

Some rates listed in the Residential Construction Rate Schedule have a very limited applicability listed along with the rate. Rates for occupations or locations not shown on the residential schedule must be obtained from the General Construction Rate Schedule. Please contact the local Bureau of Public Work office before using Residential Rate Schedules, to ensure that the project meets the required criteria.

#### Payrolls and Payroll Records

Contractors and subcontractors are required to establish, maintain, and preserve for not less that six (6) years, contemporaneous, true, and accurate payroll records.

Every contractor and subcontractor shall submit to the Department of Jurisdiction (Contracting Agency), within thirty (30) days after issuance of its first payroll and every thirty (30) days thereafter, a transcript of the original payrolls, subscribed and affirmed as true under penalty of perjury.

## **Paid Holidays**

Paid Holidays are days for which an eligible employee receives a regular day's pay, but is not required to perform work. If an employee works on a day listed as a paid holiday, this remuneration is in addition to payment of the required prevailing rate for the work actually performed.

#### **Overtime**

At a minimum, all work performed on a public work project in excess of eight hours in any one day or more than five days in any workweek is overtime. However, the specific overtime requirements for each trade or occupation on a public work project may differ. Specific overtime requirements for each trade or occupation are contained in the prevailing rate schedules.

Overtime holiday pay is the premium pay that is required for work performed on specified holidays. It is only required where the employee actually performs work on such holidays.

The applicable holidays are listed under HOLIDAYS: OVERTIME. The required rate of pay for these covered holidays can be found in the OVERTIME PAY section listings for each classification.

#### **Supplemental Benefits**

Particular attention should be given to the supplemental benefit requirements. Although in most cases the payment or provision of supplements is straight time for all hours worked, some classifications require the payment or provision of supplements, or a portion of the supplements, to be paid or provided at a premium rate for premium hours worked. Supplements may also be required to be paid or provided on paid holidays, regardless of whether the day is worked. The Overtime Codes and Notes listed on the particular wage classification will indicate these conditions as required.

# **Effective Dates**

When you review the schedule for a particular occupation, your attention should be directed to the dates above the column of rates. These are the dates for which a given set of rates is effective. The rate listed is valid until the next effective rate change or until the new annual determination which takes effect on July 1 of each year. All contractors and subcontractors are required to pay the current prevailing rates of wages and supplements. If you have any questions please contact the Bureau of Public Work or visit the New York State Department of Labor website (www.labor.ny.gov) for current wage rate information.

#### **Apprentice Training Ratios**

The following are the allowable ratios of registered Apprentices to Journey-workers.

For example, the ratio 1:1,1:3 indicates the allowable initial ratio is one Apprentice to one Journeyworker. The Journeyworker must be in place on the project before an Apprentice is allowed. Then three additional Journeyworkers are needed before a second Apprentice is allowed. The last ratio repeats indefinitely. Therefore, three more Journeyworkers must be present before a third Apprentice can be hired, and so on.

Please call Apprentice Training Central Office at (518) 457-6820 if you have any questions.

Title (Trade)	Ratio
Boilermaker (Construction)	1:1,1:4
Boilermaker (Shop)	1:1,1:3
Carpenter (Bldg.,H&H, Pile Driver/Dockbuilder)	1:1,1:4
Carpenter (Residential)	1:1,1:3
Electrical (Outside) Lineman	1:1,1:2
Electrician (Inside)	1:1,1:3
Elevator/Escalator Construction & Modernizer	1:1,1:2
Glazier	1:1,1:3
Insulation & Asbestos Worker	1:1,1:3
Iron Worker	1:1,1:4
Laborer	1:1,1:3
Mason	1:1,1:4
Millwright	1:1,1:4
Op Engineer	1:1,1:5
Painter	1:1,1:3
Plumber & Steamfitter	1:1,1:3
Roofer	1:1,1:2
Sheet Metal Worker	1:1,1:3
Sprinkler Fitter	1:1,1:2

If you have any questions concerning the attached schedule or would like additional information, please contact the nearest BUREAU of PUBLIC WORK District Office or write to:

New York State Department of Labor Bureau of Public Work State Office Campus, Bldg. 12 Albany, NY 12240

District Office Locations:	Telephone #	FAX#
Bureau of Public Work - Albany	518-457-2744	518-485-0240
Bureau of Public Work - Binghamton	607-721-8005	607-721-8004
Bureau of Public Work - Buffalo	716-847-7159	716-847-7650
Bureau of Public Work - Garden City	516-228-3915	516-794-3518
Bureau of Public Work - Newburgh	845-568-5287	845-568-5332
Bureau of Public Work - New York City	212-932-2419	212-775-3579
Bureau of Public Work - Patchogue	631-687-4882	631-687-4902
Bureau of Public Work - Rochester	585-258-4505	585-258-4708
Bureau of Public Work - Syracuse	315-428-4056	315-428-4671
Bureau of Public Work - Utica	315-793-2314	315-793-2514
Bureau of Public Work - White Plains	914-997-9507	914-997-9523
Bureau of Public Work - Central Office	518-457-5589	518-485-1870

# **Westchester County General Construction**

Boilermaker 11/01/2021

JOB DESCRIPTION Boilermaker

**DISTRICT** 4

## **ENTIRE COUNTIES**

Bronx, Dutchess, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester

WAGES

Per Hour: 07/01/2021

Boilermaker \$ 63.38 Repairs & Renovations 63.38

SUPPLEMENTAL BENEFITS

Per Hour: 07/01/2021

Boilermaker 32% of hourly Repair \$ Renovations Wage Paid + \$ 25.38

NOTE: "Hourly Wage Paid" shall include any and all premium(s) pay.

Repairs & Renovation Includes replacement of parts and repairs & renovation of existing unit.

**OVERTIME PAY** 

See (D, O) on OVERTIME PAGE Repairs & Renovation see (B,E,Q)

**HOLIDAY** 

Paid: See (8, 16, 23, 24) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 11, 12, 15, 16, 22, 23, 24, 25) on HOLIDAY PAGE

NOTE: \*Employee must work in pay week to receive Holiday Pay.

\*\*Employee gets 4 times the hourly wage rate for working Labor Day.

#### REGISTERED APPRENTICES

Wage per hour:

(1/2) Year Terms at the following pecentage of Boilermaker's Wage

1st 2nd 3rd 4th 5th 6th 7th 65% 70% 75% 80% 85% 90% 95%

Supplemental Benefits Per Hour:

Apprentice(s)

O7/01/2021
32% of Hourly
Wage Paid Plus
Amount Below

 1st Term
 \$ 19.41

 2nd Term
 20.26

 3rd Term
 21.11

 4th Term
 21.96

 5th Term
 22.82

 6th Term
 23.68

 7th Term
 24.52

NOTE: "Hourly Wage Paid" shall include any and all premium(s)

4-5

Carpenter 11/01/2021

JOB DESCRIPTION Carpenter

**DISTRICT** 8

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Putnam, Queens, Richmond, Rockland, Suffolk, Westchester

**WAGES** 

Per hour: 07/01/2021

Piledriver \$ 56.93 Dockbuilder \$ 56.93 SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$ 53.33

**OVERTIME PAY** 

See (B, E2, O) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE.

Paid: for 1st & 2nd yr.

Apprentices See (5,6,11,13,25)

Overtime: See (5,6,11,13,25) on HOLIDAY PAGE.

REGISTERED APPRENTICES

Wages per hour (1)year terms:

1st 2nd 3rd 4th \$23.37 \$28.97 \$37.35 \$45.74

Supplemental benefits per hour:

All Terms: \$ 35.33

8-1556 Db

Carpenter 11/01/2021

JOB DESCRIPTION Carpenter DISTRICT 8

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Rockland, Suffolk, Westchester

WAGES

Per hour: 07/01/2021

Carpet/Resilient

Floor Coverer \$ 54.75

INCLUDES HANDLING & INSTALLATION OF ARTIFICIAL TURF AND SIMILAR TURF INDOORS/OUTDOORS.

**SUPPLEMENTAL BENEFITS** 

Per hour:

\$46.97

**OVERTIME PAY** 

See (B, E, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (18, 19) on HOLIDAY PAGE.

Paid for 1st & 2nd yr.

Apprentices See (5,6,11,13,16,18,19,25)

Overtime: See (5,6,11,13,16,18,19,25) on HOLIDAY PAGE.

REGISTERED APPRENTICES

Wage per hour - (1) year terms:

1st 2nd 3rd 4th \$ 24.55 \$ 27.55 \$ 31.80 \$ 39.68

Supplemental benefits per hour:

1st 2nd 3rd 4th \$ 16.19 \$ 17.69 \$ 21.29 \$ 23.29

8-2287

Carpenter 11/01/2021

**ENTIRE COUNTIES** 

Bronx, Dutchess, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Westchester

**WAGES** 

Per Hour: 07/01/2021

Marine Construction:

Marine Diver \$ 71.80 Marine Tender 51.34

SUPPLEMENTAL BENEFITS

Per Hour:

Journeyworker \$53.33

**OVERTIME PAY** 

See (B, E, E2, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (18, 19) on HOLIDAY PAGE

Overtime: See (5, 6, 10, 11, 13, 16, 18, 19) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

Wages per hour: One (1) year terms.

 1st year
 \$ 23.37

 2nd year
 28.97

 3rd year
 37.35

 4th year
 45.74

Supplemental Benefits

Per Hour:

All terms \$ 35.33

8-1456MC

Carpenter 11/01/2021

JOB DESCRIPTION Carpenter DISTRICT 8

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Putnam, Queens, Richmond, Rockland, Suffolk, Westchester

**WAGES** 

Per hour: 07/01/2021

Building

Millwright \$57.00

**SUPPLEMENTAL BENEFITS** 

Per hour:

Millwright \$ 54.60

**OVERTIME PAY** 

See (B, E, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (18,19) on HOLIDAY PAGE.

Overtime See (5,6,8,11,13,18,19,25) on HOLIDAY PAGE.

REGISTERED APPRENTICES

Wages per hour: One (1) year terms:

1st. 2nd. 3rd. 4th. \$30.74 \$36.19 \$41.64 \$52.54

Supplemental benefits per hour:

One (1) year terms:

1st. 2nd. 3rd. 4th.

\$35.03 \$38.73 \$43.08 \$49.84

8-740.1

Carpenter 11/01/2021

JOB DESCRIPTION Carpenter

**DISTRICT** 8

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

Per Hour:

07/01/2021

Timberman \$ 52.05

SUPPLEMENTAL BENEFITS

Per Hour:

07/01/2021

\$52.78

OVERTIME PAY

See (B, E, E2, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE.

Paid: for 1st & 2nd yr.

**Apprentices** See (5,6,11,13,25)

Overtime: See (5,6,11,13,25) on HOLIDAY PAGE.

**REGISTERED APPRENTICES** 

Wages per hour: One (1) year terms:

> 2nd 3rd 4th 1st \$21.42 \$26.53 \$34.18 \$41.84

Supplemental benefits per hour:

All terms \$35.06

8-1556 Tm

Carpenter 11/01/2021

**DISTRICT** 8 JOB DESCRIPTION Carpenter

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Rockland, Westchester

**PARTIAL COUNTIES** 

Orange: South of but including the following, Waterloo Mills, Slate Hill, New Hampton, Goshen, Blooming Grove, Mountainville, east to the Hudson River.

Putnam: South of but including the following, Cold Spring, TompkinsCorner, Mahopac, Croton Falls, east to Connecticut border. Suffolk: West of Port Jefferson and Patchogue Road to Route 112 to the Atlantic Ocean.

**WAGES** 

07/01/2021 10/18/2021 Per hour:

Core Drilling:

Driller \$41.74 \$ 42.27

32.92 33.47 Driller Helper

Note: Hazardous Waste Pay Differential:

For Level C, an additional 10% above wage rate per hour For Level B, an additional 10% above wage rate per hour For Level A, an additional 10% above wage rate per hour

Note: When required to work on water: an additional \$ 0.50 per hour.

SUPPLEMENTAL BENEFITS

Per hour:

Driller and Helper \$ 29.40 \$ 30.60

Page 23

**OVERTIME PAY** 

OVERTIME: See (B,E,K\*,P,R\*\*) on OVERTIME PAGE.

**HOLIDAY** 

Paid: See (5,6) on HOLIDAY PAGE.

Overtime: \* See (5,6) on HOLIDAY PAGE.

\*\* See (8,10,11,13) on HOLIDAY PAGE.

8-1536-CoreDriller

## Carpenter - Building / Heavy&Highway

11/01/2021

JOB DESCRIPTION Carpenter - Building / Heavy&Highway

**DISTRICT** 11

**ENTIRE COUNTIES** 

Putnam, Rockland, Westchester

**WAGES** 

WAGES:(per hour)

07/01/2021

**BUILDING/HEAVY & HIGHWAY/TUNNEL:** 

Carpenter

Base Wage \$ 37.69 + \$7.63\*

SHIFT DIFFERENTIAL: When it is mandated by a Government Agency irregular or off shift can be worked. The Carpenter shall receive an additional fifteen percent (15%) of wage plus applicable benefits.

NOTE: Carpenters employed in the removal or abatement of asbestos or any toxic or hazardous material or required to work near asbestos or any toxic or hazardous material and required to wear protective equipment shall receive two (2) hours extra pay per day, plus applicable supplemental benefits.

#### SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$31.91

# **OVERTIME PAY**

BUILDING:

See (B, E, Q) on OVERTIME PAGE.

## HEAVY&HIGHWAY/TUNNEL:

See (B, E, P, \*R, \*\*T, X) on OVERTIME PAGE.

\*R applies to Heavy&Highway/Tunnel Overtime Holiday Code 25 with benefits at straight time rate.

\*\*T applies to Heavy&Highway/Tunnel Overtime Holiday Codes 5 & 6 with benefits at straight time rate.

#### **HOLIDAY**

BUILDING:

Paid: See (1) on HOLIDAY PAGE.

Overtime: See ( 5, 6, 16, 25 ) on HOLIDAY PAGE.

Holidays that fall on Sunday will be observed Monday.

# HEAVY&HIGHWAY/TUNNEL:

Paid: See (5, 6, 25) on HOLIDAY PAGE including benefits.

Overtime: See (5, 6, 25) on HOLIDAY PAGE.

# **REGISTERED APPRENTICES**

1 year terms at the following wage rates:

Indentured before July 1 2016

1st	2nd	3rd	4th
\$ 18.85	\$ 22.61	\$ 26.38	\$ 30.15
+3.57*	+3.57*	+3.57*	+3.57*

Indentured after July 1 2016

1st	2nd	3rd	4th	5th
\$ 18.85	\$ 22.61	\$ 24.50	\$ 26.38	\$ 30.15
+3.57*	+3.57*	+3.57*	+3.57*	+3.57*

<sup>\*</sup>For all hours paid straight or premium

<sup>\*</sup>For all hours paid straight or premium.

All terms \$ 16.28

11-279.1B/HH

Electrician 11/01/2021

JOB DESCRIPTION Electrician DISTRICT 9

**ENTIRE COUNTIES** 

Bronx, Kings, New York, Queens, Richmond, Westchester

**WAGES** 

Per hour: 07/01/2021

Service Technician \$34.40

Service and Maintenance on Alarm and Security Systems.

Maintenance, repair and /or replacement of defective (or damaged) equipment on, but not limited to, Burglar - Fire - Security - CCTV - Card Access - Life Safety Systems and associated devices. (Whether by service contract of T&M by customer request.)

#### SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker: \$ 19.32

**OVERTIME PAY** 

See (B, E, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (5, 6, 11, 15, 16, 17, 25, 26) on HOLIDAY PAGE Overtime: See (5, 6, 11, 15, 16, 17, 25, 26) on HOLIDAY PAGE

9-3H

Electrician 11/01/2021

JOB DESCRIPTION Electrician DISTRICT 8

**ENTIRE COUNTIES** 

Westchester

**WAGES** 

Per hour:	07/01/2021	04/21/2022
*Electrician/A-Technician	\$ 53.75	\$ 53.75
Teledata	53.75	53.75

<sup>\*</sup>All new installations of wiring, conduit, junction boxes and light fixtures for projects with a base bid of more than \$325,000. For projects with a base bid of \$325,000 or less, see Maintenance and Repair rates.

Note: On a job where employees are required to work on bridges over navigable waters, transmission towers, light poles, bosun chairs, swinging scaffolds, etc. 40 feet or more above the water or ground or under compressed air, or tunnel projects under construction or where assisted breathing apparatus is required, they will be paid at the rate of time and one-half for such work except on normal pole line or building construction work.

# SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$ 52.73 \$ 54.39

**OVERTIME PAY** 

See (A, G, \*J, P) on OVERTIME PAGE

\*NOTE: Emergency work on Sunday and Holidays is at the time and one-half overtime rate.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

(1) year terms at the following wage rates:

07/01/2021	01/01/2022	04/21/2022
\$ 14.00	\$ 15.00	\$ 15.00
16.00	16.00	16.00
18.00	18.00	18.00
20.00	20.00	20.00
24.00	24.00	25.00
27.50	27.50	28.50
	\$ 14.00 16.00 18.00 20.00 24.00	\$ 14.00

Supplemental Benefits per hour:

	07/01/2021	04/21/2022
1st term	\$ 10.15	\$ 10.82
2nd term	13.05	13.05
3rd term	14.39	14.39
4th term	15.72	15.72
MIJ 1-12 months	13.39	13.49
MIJ 13-18 months	13.76	13.87

8-3/W

Electrician 11/01/2021

JOB DESCRIPTION Electrician DISTRICT 8

# **ENTIRE COUNTIES**

Westchester

WAGES

8.50 8.50
į

All work with a base bid amount of \$325,000 or less. Including repairs and /or replacement of defective electrical and teledata equipment, all work necessary to retrofit, service, maintain and repair all kinds of lighting fixtures and local lighting controls, and washing and cleaning of foregoing fixtures.

\*If the project exceeds \$375,000 due to changes in the scope of work, an Electrician/A Technician must be part of the labor ratio.

### SUPPLEMENTAL BENEFITS

07/01/2021 04/21/2022

Electrician &

H - Telephone \$ 13.76 \$13.87

**OVERTIME PAY** 

See (B, G, \*J, P) on OVERTIME PAGE

\*Note: Emergency work on Sunday and Holidays is at the time and one-half overtime rate.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE

8-3m

Elevator Constructor 11/01/2021

JOB DESCRIPTION Elevator Constructor DISTRICT 4

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk

**PARTIAL COUNTIES** 

Rockland: Entire County except for the Township of Stony Point

Westchester: Entire County except for the Townships of Bedford, Lewisboro, Cortland, Mt. Kisco, North Salem, Pound Ridge, Somers and Yorktown.

**WAGES** 

Per hour:

07/01/2021 03/17/2022

Elevator Constructor \$ 72.29 \$ 75.14

Modernization &

Service/Repair 56.77 59.09

Four(4), ten(10) hour days may be worked at straight time during a week, Monday thru Friday.

NOTE- In order to use the '4 Day/10 Hour Work Schedule', as your normal schedule, you must submit an 'Employer Registration for Use of 4 Day/10 Hour Work Schedule' form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 IS NOT SUBMITTED you will be liable for overtime payments for work over the allotted hours per day listed.

### SUPPLEMENTAL BENEFITS

Per Hour:

Elevator Constructor	\$ 41.92	\$ 43.914
Modernization & Service/Repairs	41.082	42.787

#### **OVERTIME PAY**

Constructor See ( D, M, T ) on OVERTIME PAGE.

Modern/Service See (B, F, S) on OVERTIME PAGE.

HOLIDAY

Paid: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE Overtime: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE

### **REGISTERED APPRENTICES**

WAGES PER HOUR:

\*Note:1st, 2nd, 3rd Terms are based on Average wage of Constructor & Modernization.

Terms 4 thru 9 Based on Journeymans wage of classification Working in.

### 6 MONTH TERMS:

1st Term* 50%	2nd & 3rd Term* 50%	4th & 5th Term 55%	6th & 7th Term 65%	8th & 9th Term 75%
SUPPLEMENTAL BENEF	ITS			
Elevator Constructor				
1st Term	\$ 0.00	\$	\$ 0.00	
2nd & 3rd Term	34.05	;	34.772	
4th & 5th Term	34.91	;	35.606	
6th & 7th Term	36.30	;	37.052	
8th & 9th Term	37.70	;	38.497	
Modernization &				
Service/Repair				
1st Term	\$ 0.00	\$	\$ 0.00	
2nd & 3rd Term	34.00		34.672	
4th & 5th Term	34.50	;	35.195	
6th & 7th Term	35.83	;	36.571	
8th & 9th Term	37.15	;	37.938	

Elevator Constructor 11/01/2021

## JOB DESCRIPTION Elevator Constructor

**DISTRICT** 1

4-1

## **ENTIRE COUNTIES**

Columbia, Dutchess, Greene, Orange, Putnam, Sullivan, Ulster

# **PARTIAL COUNTIES**

Delaware: Towns of Andes, Bovina, Colchester, Davenport, Delhi, Harpersfield, Hemdon, Kortright, Meredith, Middletown, Roxbury,

Hancock & Stamford

Rockland: Only the Township of Stony Point.

Westchester: Only the Townships of Bedford, Lewisboro, Cortland, Mt. Kisco, North Salem, Pound Ridge, Somers and Yorktown.

## **WAGES**

 Per Hour
 07/01/2021
 01/01/2022

 Mechanic
 \$ 62.51
 \$ 64.63

 Helper
 70% of Mechanic Wage Rate
 70% of Mechanic Wage Rate

Four (4), ten (10) hour days may be worked for New Construction and Modernization Work at straight time during a week, Monday thru Thursday or Tuesday thru Friday.

NOTE - In order to use the '4 Day/10 Hour Work Schedule' as your normal schedule, you must submit an 'Employer Registration for Use of 4 Day/10 Hour Work Schedule', form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 is not submitted you may be liable for overtime payments for work over 8 hours per day.

### SUPPLEMENTAL BENEFITS

<sup>\*\*\*</sup>Four (4), ten (10) hour days are not permitted for Contract Work/Repair Work

Per hour

07/01/2021 01/01/2022

Journeyperson/Helper

(\*)Plus 6% of regular hourly if less than 5 years of service. Plus 8% of regular hourly rate if more than 5 years of service.

### **OVERTIME PAY**

See (D, O) on OVERTIME PAGE

HOLIDAY

Paid: See (5, 6, 15, 16) on HOLIDAY PAGE
Overtime: See (5, 6, 15, 16) on HOLIDAY PAGE

Note: When a paid holiday falls on Saturday, it shall be observed on Friday. When a paid holiday falls on Sunday, it shall be observed on

Monday.

# **REGISTERED APPRENTICES**

Wages per hour:

0-6 mo\* 6-12 mo 2nd yr 3rd yr 4th yr 50 % 55 % 65 % 70 % 80 %

(\*)Plus 6% of the hourly rate, no additional supplemental benefits.

Supplemental Benefits per hour worked:

Same as Journeyperson/Helper

1-138

Glazier 11/01/2021

#### JOB DESCRIPTION Glazier

# **DISTRICT** 8

## **ENTIRE COUNTIES**

Bronx, Dutchess, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester

#### **WAGES**

Per hour:	7/01/2021	11/01/2021
Glazier	\$ 58.60	\$ 59.10
*Scaffolding	59.55	60.55
Glass Tinting &	29.60	29.60
Window Film		
**Repair & Maintenance	29.60	29.60

<sup>\*</sup>Scaffolding includes swing scaffold, mechanical equipment, scissor jacks, man lifts, booms & buckets 24' or more, but not pipe scaffolding.

## SUPPLEMENTAL BENEFITS

Per hour:	7/01/2021	11/01/2021
Journeyworker	\$ 36.04	\$ 36.79
Glass tinting &	21.19	21.19
Window Film		
Repair & Maintenance	21.19	21.19

### **OVERTIME PAY**

See (B,H,V) on OVERTIME PAGE.

For 'Repair & Maintenance' and 'Glass Tinting & Window Film' see (B, B2, I, S) on overtime page.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (4, 6, 16, 25) on HOLIDAY PAGE For 'Repair & Maintenance' and 'Glass Tinting & Window Film' Only

Paid: See(5, 6, 16, 25) Overtime: See(5, 6, 16, 25)

# **REGISTERED APPRENTICES**

Wage per hour:

(1) year terms at the following wage rates:

7/01/2021 11/01/2021

<sup>\*\*</sup>Repair & Maintenance- All repair & maintenance work on a particular building, whenever performed, where the total cumulative contract value is under \$148,837. All Glass tinting, window film, regardless of material or intended use, and all affixing of decals to windows or glass.

NYC)
ı

Insulator - Heat & Frost 11/01/2021

JOB DESCRIPTION Insulator - Heat & Frost DISTRICT 8

**ENTIRE COUNTIES** 

Dutchess, Orange, Putnam, Rockland, Westchester

**WAGES** 

 Per hour:
 07/01/2021
 05/31/2022

 Insulator
 \$ 56.25
 + \$ 2.00

 Discomfort & Additional Training\*\*
 59.22
 + \$ 2.00

 Fire Stop Work\*
 30.07
 + \$ 2.00

Note: Additional \$0.50 per hour for work 30 feet or more above floor or ground level.

## SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$ 35.10

Discomfort &

Additional Training 37.06

Fire Stop Work:

Journeyworker 17.90

**OVERTIME PAY** 

See (B, E, E2, Q, \*T) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Note: Last working day preceding Christmas and New Years day, workers shall work no later than 12:00 noon and shall receive 8 hrs pay.

Overtime: See ( 2\*, 4, 6, 16, 25 ) on HOLIDAY PAGE.

\*Note: Labor Day triple time if worked.

**REGISTERED APPRENTICES** 

(1) year terms:

Insulator Apprentices:

1st 2nd 3rd 4th \$ 30.07 \$ 35.30 \$ 40.54 \$ 45.78

Discomfort & Additional Training Apprentices:

1st 2nd 3rd 4th \$ 31.55 \$ 37.08 \$ 42.61 \$ 48.16

Supplemental Benefits paid per hour:

<sup>\*</sup> Applies on all exclusive Fire Stop Work (When contract is for Fire Stop work only). No apprentices on these contracts only.

<sup>\*\*</sup>Applies to work requiring; garb or equipment worn against the body not customarily worn by insulators;psychological evaluation;special training, including but not limited to "Yellow Badge" radiation training

Insulator Apprentices:

 1st term
 \$ 17.90

 2nd term
 21.35

 3rd term
 24.79

 4th term
 28.23

Discomfort & Additional Training Apprentices:

 1st term
 \$ 18.89

 2nd term
 22.52

 3rd term
 26.16

 4th term
 29.80

8-91

Ironworker 11/01/2021

JOB DESCRIPTION Ironworker DISTRICT 9

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

WAGES

Per Hour: 07/01/2021

Ironworker Rigger \$ 67.99

Ironworker Stone

Derrickman \$ 67.99

**SUPPLEMENTAL BENEFITS** 

Per hour: \$ 41.44

**OVERTIME PAY** 

See (B, D1, \*E, Q, \*\*V) on OVERTIME PAGE

\*Time and one-half shall be paid for all work on Saturday up to eight (8) hours and double time shall be paid for all work thereafter.

\*\* Benefits same premium as wages on Holidays only

**HOLIDAY** 

Paid: See (18) on HOLIDAY PAGE Overtime: See (5, 6, 8, 25) on HOLIDAY PAGE

\*Work stops at schedule lunch break with full day's pay.

**REGISTERED APPRENTICES** 

Wage per hour:

1/2 year terms at the following hourly wage rate:

1st 2nd 3rd 4th 07/01/2021 \$33.55 \$47.94 \$53.34 \$58.74

Supplemental benefits:

Per hour:

07/01/2021 \$21.18 \$31.45 \$31.45

9-197D/R

Ironworker 11/01/2021

JOB DESCRIPTION Ironworker DISTRICT 4

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

**WAGES** 

Per Hour: 07/01/2021 01/01/2022 Additional

\$ 1.25

Ornamental \$ 46.15 Chain Link Fence 46.15 Guide Rail 46.15

**SUPPLEMENTAL BENEFITS** 

Per hour:

Journeyworker: \$ 60.05

**OVERTIME PAY** 

See (B, B1, Q, V) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE
Overtime: See (5, 6, 25) on HOLIDAY PAGE

REGISTERED APPRENTICES

Apprentices hired before 8/31/2018:

(1/2) year terms at the following percentage of Journeyman's wage.

5th Term 80%

Supplemental Benefits per hour:

5th Term 54.03

Apprentices Hired after 9/1/18:

1 year terms

 1st Term
 \$ 20.63

 2nd Term
 24.22

 3rd Term
 27.80

 4th Term
 31.38

Supplemental Benefits per hour:

 1st Term
 \$ 17.89

 2nd Term
 19.14

 3rd Term
 20.40

 4th Term
 21.66

4-580-Or

Ironworker 11/01/2021

JOB DESCRIPTION Ironworker DISTRICT 4

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

WAGES

PER HOUR:

07/01/2021 01/01/2022

Ironworker:

Structural \$ 54.20 Additional \$ 1.75/Hr.

Bridges Machinery

**SUPPLEMENTAL BENEFITS** 

PER HOUR PAID:

Journeyman \$82.35

**OVERTIME PAY** 

See (B, B1, Q, \*V) on OVERTIME PAGE

\*NOTE: Benefits are calculated for every hour paid

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 18, 19) on HOLIDAY PAGE

REGISTERED APPRENTICES

WAGES PER HOUR:

6 month terms at the following rate:

1st \$28.21 2nd \$28.81 3rd - 6th \$29.42

Supplemental Benefits PER HOUR PAID:

All Terms \$56.90

4-40/361-Str

Published by the New York State Department of Labor PRC Number 2021010993 Westchester County

JOB DESCRIPTION Ironworker DISTRICT 4

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

**PARTIAL COUNTIES** 

Rockland: Southern section - south of Convent Road and east of Blue Hills Road.

**WAGES** 

Per hour: 07/01/2021

Reinforcing &

Metal Lathing \$ 56.25

"Base" Wage \$ 54.70 plus \$ 1.55

"Base" Wage is used to calculate overtime hours only.

**SUPPLEMENTAL BENEFITS** 

Per hour:

Reinforcing & \$38.30

Metal Lathing

**OVERTIME PAY** 

See (B, E, Q, \*X) on OVERTIME PAGE

\*Only \$22.00 per Hour for non worked hours

Supplemental Benefit Premiums for Overtime Hours worked:

Time & One Half \$45.08 Double Time \$51.33

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 11, 13, 18, 19, 25) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

(1) year terms at the following wage rates:

1st term 2nd term 3rd term 4th Term Wage Per Hour: \$ 22.55 \$ 28.38 \$ 34.68 \$ 37.18 "Base" Wage \$ 26.80 \$33.10 \$ 35.60 \$ 21.00 plus \$1.58 plus \$1.55 plus \$1.58 plus \$1.58

"Base" Wage is used to calculate overtime hours ONLY.

SUPPLEMENTAL BENIFITS

Per Hour:

 1st term
 2nd term
 3rd term
 4th Term

 \$ 18.17
 \$ 21.34
 \$ 22.00
 \$ 20.50

4-46Reinf

Laborer - Building 11/01/2021

JOB DESCRIPTION Laborer - Building DISTRICT 8

ENTIRE COUNTIES Putnam, Westchester

**WAGES** 

07/01/2021

Laborer \$36.40

plus \$5.05\*\*

Laborer - Asbestos & Hazardous

Materials Removal \$43.10\*

- \* Abatement/Removal of:
  - Lead based or lead containing paint on materials to be repainted is classified as Painter.
  - Asbestos containing roofs and roofing material is classified as Roofer.

NOTE: Upgrade/Material condition work plan for work performed during non-outage under a wage formula of 90% wage/100% fringe benefits at nuclear power plants.

### SUPPLEMENTAL BENEFITS

Per hour: 07/01/2021

Journeyworker \$ 27.50

**OVERTIME PAY** 

See (B, E, E2, Q, \*V) on OVERTIME PAGE

\*Note: For Sundays and Holidays worked benefits are at the same premium as wages.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

LABORER ONLY

Hourly terms at the following wage:

 Level A
 Level B
 Level C
 Level D

 0-1000
 1001-2000
 2001-3000
 3001-4000

 \$ 21.04
 \$ 24.86
 \$ 28.69
 \$ 32.51

Supplemental Benefits per hour:

Apprentices

All terms \$ 21.15

8-235/B

### Laborer - Heavy&Highway

11/01/2021

### JOB DESCRIPTION Laborer - Heavy&Highway

**DISTRICT** 8

**ENTIRE COUNTIES** 

Putnam. Westchester

#### **WAGES**

\*\*PUTNAM: APPLIES TO ALL HEAVY & HIGHWAY WORK EXCLUDING HIGHWAYS, STREETS, AND BRIDGES\*\*

GROUP I: Blaster, Quarry Master, Curbs/Asphalt Screedman, Pipe Jacking and Boring Operations Operator, Qualified Dead Condition Pipe Fuser (B Mechanic)

GROUP II: Burner, Drillers(jumbo, joy, wagon, air track, hydraulic), Drill Operator, Self Contained Rotary Drill, Curbs, Raker, Bar Person, Concrete Finisher.

GROUP III: Pavement Breakers, Jeeper Operator, Jack Hammer, Pneumatic Tools (all), Gas Driller, Guniting, Railroad Spike Puller, Pipelayer, Chain Saw, Deck winches on scows, Power Buggy Operator, Power Wheelbarrow Operator, Bar Person Helper, Compressed Airlance, Water Jet Lance.

GROUP IV: Concrete Laborers, Asph. Worker, Rock Scaler, Vibrator Oper., Bit Grinder, Air Tamper, Pumps, Epoxy (adhesives, fillers and troweled on), Barco Rammer, Concrete Grinder, Crack Router Operator, Guide Rail-digging holes and placing concrete and demolition when not to be replaced, distribution of materials and tightening of bolts.

GROUP V: Drillers Helpers, Common Laborer, Mason Tenders, Signal Person, Pit Person, Truck Spotter, Powder Person, Landscape/Nursery Person, Dump Person, Temp. Heat.

GROUP VIA: Asbestos/Toxic Waste Laborer-All removal (Roads, Tunnels, Landfills, etc.) Confined space laborer, Bio-remediation, Phytoremediation, Lead or Hazardous material, Abatement Laborer.

Wages:(per hour) 07/01/2021

GROUP I \$45.65\*

GROUP II 44.30\*

GROUP III 43.90\*

<sup>\*\*</sup> This portion is not subject to overtime premium.

GROUP IV	43.55*
GROUP V	43.20*
GROUP VIA	45.20*
Operator Qualified	
Gas Mechanic(A Mech)	55.65*
Flagperson	36.85*

<sup>\*</sup>NOTE: To calculate overtime premiums, deduct \$0.10 from above wages

SHIFT WORK: A shift premium will be paid on Public Work contracts for off-shift or irregular shift work when mandated by the NYS D.O.T. or other Governmental Agency contracts. Employees shall receive an additional 15% per hour above current rate for all regular and irregular shift work. Premium pay shall be calculated using the 15% per hour differential as base rate.

## **SUPPLEMENTAL BENEFITS**

Per hour: Journeyworker: First 40 Hours

Per Hour \$26.10

Over 40 Hours

Per Hour 19.85

#### **OVERTIME PAY**

See (B, E, P, R, S) on OVERTIME PAGE

### **HOLIDAY**

Paid: See (5, 6, 8, 15, 25, 26) on HOLIDAY PAGE Overtime: See (5, 6, 8, 15, 25, 26) on HOLIDAY PAGE

NOTE: For Holiday Overtime: 5, 6 - Code 'S' applies

For Holiday Overtime: 8, 15, 25, 26 - Code 'R' applies

#### **REGISTERED APPRENTICES**

1st term 2nd term 3rd term 4th term 1-1000hrs 1001-2000hrs 2001-3000hrs 3001-4000hrs 07/01/2021 \$ 24.56 \$ 28.98 \$ 33.40 \$ 37.72

Supplemental Benefits per hour:

1st term \$ 4.70 - After 40 hours: \$ 4.45 2nd term \$ 4.80 - After 40 hours: \$ 4.45 3rd term \$ 5.30 - After 40 hours: \$ 4.85 4th term \$ 5.85 - After 40 hours: \$ 5.35

8-60H/H

Laborer - Tunnel 11/01/2021

### JOB DESCRIPTION Laborer - Tunnel

**DISTRICT** 11

## **ENTIRE COUNTIES**

Columbia, Dutchess, Greene, Orange, Otsego, Putnam, Rockland, Sullivan, Ulster, Westchester

### **PARTIAL COUNTIES**

Chenango: Townships of Columbus, Sherburne and New Berlin.

Delaware: Townships of Andes, Bovina, Middletown, Roxbury, Franklin, Hamden, Stamford, Delhi, Kortright, Harpersfield, Merideth and Davenport.

## **WAGES**

Class 1: All support laborers/sandhogs working above the shaft or tunnel.

Class 2: All laborers/sandhogs working in the shaft or tunnel.

Class 4: Safety Miners

Class 5: Site work related to Shaft/Tunnel

WAGES: (per hour)

	07/01/2021	07/01/2022
Class 1	\$ 51.95	\$ 53.45
Class 2	54.10	55.60
Class 4	60.50	62.00
Class 5	43.50	44.80

Toxic and hazardous waste, lead abatement and asbestos abatement work will be paid an additional \$ 3.00 an hour.

SHIFT DIFFERENTIAL...On all Government mandated irregular shift work:

- Employee shall be paid at time and one half the regular rate Monday through Friday.
- Saturday shall be paid at 1.65 times the regular rate.
- Sunday shall be paid at 2.15 times the regular rate.

### SUPPLEMENTAL BENEFITS

Per hour:

Benefit 1	\$ 33.25	\$ 34.45
Benefit 2	49.81	51.60
Benefit 3	66.35	68.75

Benefit 1 applies to straight time hours, paid holidays not worked.

Benefit 2 applies to over 8 hours in a day (M-F), irregular shift work hours worked, and Saturday hours worked.

Benefit 3 applies to Sunday and Holiday hours worked.

### **OVERTIME PAY**

See (B, E, Q, X) on OVERTIME PAGE

### **HOLIDAY**

Paid: See (5, 6, 15, 25) on HOLIDAY PAGE
Overtime: See (5, 6, 15, 16, 25) on HOLIDAY PAGE

When a recognized Holidays falls on Saturday or Sunday, holidays falling on Saturday shall be recognized or observed on Friday and holidays falling on Sunday shall be recognized or observed on Monday. Employees ordered to work on the Saturday or Sunday of the holiday or on the recognized or the observed Friday or Monday for those holidays falling on Saturday or Sunday shall receive double time the established rate and benefits for the holiday.

#### **REGISTERED APPRENTICES**

FOR APPRENTICE RATES, refer to the appropriate Laborer Heavy & Highway wage rate contained in the wage schedule for the County and location where the work is to be performed.

11-17/60/235/754Tun

Lineman Electrician 11/01/2021

## JOB DESCRIPTION Lineman Electrician

**DISTRICT** 6

#### **ENTIRE COUNTIES**

Westchester

#### WAGES

Below rates apply to electrical overhead and underground distribution and maintenance work and overhead and underground transmission line work, electrical substations, switching structures, continuous pipe-type underground fluid or gas filled transmission conduit and cable installations, maintenance jobs or projects, railroad catenary installations and maintenance, third rail installations, the bonding of rails and the installation of fiber optic cable. (Ref #14.04.01)

Includes Teledata Work performed within ten (10) feet of high voltage (600 volts or over) transmission lines.

Per hour:	07/01/2021	05/02/2022	05/01/2023	05/06/2024
Lineman, Tech, Welder	\$ 57.71	\$ 59.01	\$ 60.41	\$ 61.91
Crane, Crawler Backhoe	57.71	59.01	60.41	61.91
Cable Splicer-Pipe Type	63.48	64.91	66.45	68.10
Digging Mach Operator	51.94	53.11	54.37	55.72
Cert. Welder-Pipe Type	60.60	61.96	63.43	65.01
Tractor Trailer Driver	49.05	50.16	51.35	52.62
Groundman, Truck Driver	46.17	47.21	48.33	49.53
Equipment Mechanic	46.17	47.21	48.33	49.53
Flagman	34.63	35.41	36.25	37.15

Additional \$1.00 per hour for entire crew when a helicopter is used.

NOTE: THE FOLLOWING RATES WILL APPLY ON ALL CONTRACTING AGENCY MANDATED MULTIPLE SHIFTS OF AT LEAST FIVE (5) DAYS DURATION WORKED BETWEEN THE HOURS LISTED BELOW:

1ST SHIFT 8:00 AM TO 4:30 PM REGULAR RATE

2ND SHIFT 4:30 PM TO 1:00 AM REGULAR RATE PLUS 17.3% 3RD SHIFT 12:30 AM TO 9:00 AM REGULAR RATE PLUS 31.4%

Four (4), ten (10) hour days may be worked at straight time during a week, Monday thru Thursday. Friday may be used as a make-up day. Tuesday thru Friday may be worked with no make-up day.

NOTE - In order to use the '4 Day/10 Hour Work schedule', as your normal schedule, you must submit an 'Employer Registration for Use of 4 Day/10 Hour Work Schedule,' form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 is not submitted you may be liable for overtime payments for work over 8 hours per day.

#### SUPPLEMENTAL BENEFITS

Per hour worked (but also required on non-worked holidays):

	\$25.40	\$ 25.90	\$ 26.40	\$ 26.90
	*plus 7% of	*plus 7% of	*plus 7% of	*plus 7% of
	hourly Wage	hourly wage	hourly wage	hourly wage
Journeyman Lineman or	\$ 26.40	\$ 27.90	\$ 29.40	\$ 30.90
Equipment Operators	*plus 7% of	*plus 7% of	*plus 7% of	*plus 7% of
with Crane License	hourly wage	hourly wage	hourly wage	hourly wage

<sup>\*</sup>The 7% is based on the hourly wage paid, straight time or premium time.

## **OVERTIME PAY**

See (B, E, Q, ) on OVERTIME PAGE. \*Note\* Double time for emergency work designated by the Dept of Jurisdiction. NOTE: WAGE CAP - Double the straight time hourly base wage shall be the maximum hourly wage compensation for any hour worked. Contractor is still responsible to pay the hourly benefit amount for each hour worked.

### **HOLIDAY**

Paid See ( 5, 6, 8, 13, 25 ) on HOLIDAY PAGE plus Governor of NYS Election Day.

Overtime See ( 5, 6, 8, 13, 25 ) on HOLIDAY PAGE plus Governor of NYS Election Day.

NOTE: All paid holidays falling on Saturday shall be observed on the preceding Friday. All paid holidays falling on Sunday shall be observed on the following Monday. Supplements for holidays paid at straight time.

### **REGISTERED APPRENTICES**

WAGES per hour: 1000 hour terms at the following percentage of the applicable Journeyman Lineman wage.

1st	2nd	3rd	4th	5th	6th	7th
60%	65%	70%	75%	80%	85%	90%

SUPPLEMENTAL BENEFITS per hour:

07/01/2021	05/02/2022	05/01/2023	05/06/2024
\$25.40 *plus 7% of	\$ 25.90 *plus 7% of	\$ 26.40 *plus 7% of	\$ 26.90 *plus 7% of
hourly Wage	hourly wage	hourly wage	hourly wage

<sup>\*</sup>The 7% is based on the hourly wage paid, straight time or premium time.

6-1249aWest

Lineman Electrician - Teledata	11/01/2021
--------------------------------	------------

### JOB DESCRIPTION Lineman Electrician - Teledata

### **DISTRICT** 6

### **ENTIRE COUNTIES**

Albany, Allegany, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Clinton, Columbia, Cortland, Delaware, Dutchess, Erie, Essex, Franklin, Fulton, Genesee, Greene, Hamilton, Herkimer, Jefferson, Lewis, Livingston, Madison, Monroe, Montgomery, Niagara, Oneida, Onondaga, Ontario, Orange, Orleans, Oswego, Otsego, Putnam, Rensselaer, Rockland, Saratoga, Schenectady, Schoharie, Schuyler, Seneca, St. Lawrence, Steuben, Sullivan, Tioga, Tompkins, Ulster, Warren, Washington, Wayne, Westchester, Wyoming, Yates

### **WAGES**

Per hour:

For outside work, stopping at first point of attachment (demarcation).

07/01/2021

Cable Splicer	\$ 34.78
Installer, Repairman	\$ 33.01
Teledata Lineman	\$ 33.01
Tech., Equip. Operator	\$ 33.01
Groundman	\$ 17.50

NOTE: EXCLUDES Teledata work within ten (10) feet of High Voltage (600 volts and over) transmission lines. For this work please see LINEMAN.

NOTE: THE FOLLOWING RATES WILL APPLY ON ALL CONTRACTING AGENCY MANDATED MULTIPLE SHIFTS OF AT LEAST FIVE (5) DAYS DURATION WORKED:

1ST SHIFT REGULAR RATE

2ND SHIFT REGULAR RATE PLUS 10%
3RD SHIFT REGULAR RATE PLUS 15%

### SUPPLEMENTAL BENEFITS

Per hour:

Journeyman \$ 5.14 \*plus 3% c

\*plus 3% of wage paid

#### **OVERTIME PAY**

See (B, E, Q) on OVERTIME PAGE

NOTE: WAGE CAP - Double the straight time hourly base wage shall be the maximum hourly wage compensation for any hour worked. Contractor is still responsible to pay the hourly benefit amount for each hour worked.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE
Overtime: See (5, 6, 16) on HOLIDAY PAGE

6-1249LT - Teledata

### Lineman Electrician - Traffic Signal, Lighting

11/01/2021

JOB DESCRIPTION Lineman Electrician - Traffic Signal, Lighting

**DISTRICT** 6

#### **ENTIRE COUNTIES**

Westchester

#### **WAGES**

Lineman/Technician shall perform all overhead aerial work. A Lineman/Technician on the ground will install all electrical panels, connect all grounds, install and connect all electrical conductors which includes, but is not limited to road loop wires; conduit and plastic or other type pipes that carry conductors, flex cables and connectors, and to oversee the encasement or burial of such conduits or pipes.

A Groundman/Groundman Truck Driver shall: Build and set concrete forms, handle steel mesh, set footer cages, transport concrete in a wheelbarrow, hand or machine concrete vibrator, finish concrete footers, mix mortar, grout pole bases, cover and maintain footers while curing in cold weather, operate jack hammer, operate hand pavement breaker, tamper, concrete and other motorized saws, as a drill helper, operate and maintain generators, water pumps, chainsaws, sand blasting, operate mulching and seeding machine, air tools, electric tools, gas tools, load and unload materials, hand shovel and/or broom, prepare and pour mastic and other fillers, assist digger operator equipment operator in ground excavation and restoration, landscape work and painting. Only when assisting a lineman technician, a groundman/truck driver may assist in installing conduit, pipe, cables and equipment.

A flagger's duties shall consist of traffic control only. (Ref #14.01.03)

Per hour:	07/01/2021	05/02/2022	05/01/2023	05/06/2024
Lineman, Technician	\$ 52.56	\$ 53.60	\$ 54.73	\$ 55.95
Crane, Crawler Backhoe	52.56	53.60	54.73	55.95
Certified Welder	55.19	56.28	57.47	58.75
Digging Machine	47.30	48.24	49.26	50.36
Tractor Trailer Driver	44.68	45.56	46.52	47.56
Groundman, Truck Driver	42.05	42.88	43.78	44.76
Equipment Mechanic	42.05	42.88	43.78	44.76
Flagman	31.54	32.16	32.84	33.57

Above rates are applicable for installation, testing, operation, maintenance and repair on all Traffic Control (Signal) and Illumination (Lighting) projects, Traffic Monitoring Systems, and Road Weather Information Systems. Includes digging of holes for poles, anchors, footer foundations for electrical equipment; assembly of all electrical materials or raceway; placing of fish wire; pulling of cables, wires or fiber optic cable through such raceways; splicing of conductors; dismantling of such structures, lines or equipment.

NOTE: THE FOLLOWING RATES WILL APPLY ON ALL CONTRACTING AGENCY MANDATED MULTIPLE SHIFTS OF AT LEAST FIVE (5) DAYS DURATION WORKED BETWEEN THE HOURS LISTED BELOW:

1ST SHIFT 8:00 AM TO 4:30 PM REGULAR RATE

2ND SHIFT 4:30 PM TO 1:00 AM REGULAR RATE PLUS 17.3% 3RD SHIFT 12:30 AM TO 9:00 AM REGULAR RATE PLUS 31.4%

<sup>\*</sup>The 3% is based on the hourly wage paid, straight time rate or premium rate.

Four (4), ten (10) hour days may be worked at straight time during a week, Monday thru Thursday. Friday may be used as a make-up day. Tuesday thru Friday may be worked with no make-up day.

NOTE - In order to use the '4 Day/10 Hour Work schedule', as your normal schedule, you must submit an 'Employer Registration for Use of 4 Day/10 Hour Work Schedule,' form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 is not submitted you may be liable for overtime payments for work over 8 hours per day.

#### SUPPLEMENTAL BENEFITS

Per hour worked (but also required on non-worked holidays):

	\$25.40	\$ 25.90	\$ 26.40	\$ 26.90
	*plus 7% of	*plus 7% of	*plus 7% of	*plus 7% of
	hourly Wage	hourly wage	hourly wage	hourly wage
Journeyman Lineman or	\$ 26.40	\$ 27.90	\$ 29.40	\$ 30.90
Equipment Operators	*plus 7% of	*plus 7% of	*plus 7% of	*plus 7% of
with Crane License	hourly wage	hourly wage	hourly wage	hourly wage

<sup>\*</sup>The 7% is based on the hourly wage paid, straight time or premium time.

#### **OVERTIME PAY**

See (B, E, Q) on OVERTIME PAGE. \*Note\* Double time for emergency work designated by the Dept. of Jurisdiction.

NOTE: WAGE CAP - Double the straight time hourly base wage shall be the maximum hourly wage compensation for any hour worked. Contractor is still responsible to pay the hourly benefit amount for each hour worked.

### **HOLIDAY**

1et

Paid: See (5, 6, 8, 13, 25) on HOLIDAY PAGE and Governor of NYS Election Day. Overtime: See (5, 6, 8, 13, 25) on HOLIDAY PAGE and Governor of NYS Election Day.

NOTE: All paid holidays falling on Saturday shall be observed on the preceding Friday. All paid holidays falling on Sunday shall be observed on the following Monday. Supplements for holidays paid at straight time.

## **REGISTERED APPRENTICES**

2nd

WAGES per hour: 1000 hour terms at the following percentage of the applicable Journeyman Lineman wage.

5th

60%	65%	70%	75%	80%	85%	90%		
SUPPLE	EMENTAL BEN	EFITS per hou	ır:					
			07/01/20	)21	05/02/2	022	05/01/2023	05/06/2024
			\$25.40	)	\$ 25.9	0	\$ 26.40	\$ 26.90
			*plus 7%	of	*plus 7%	of	*plus 7% of	*plus 7% of
			hourly Wa	ige	hourly wa	age	hourly wage	hourly wage

6th

7th

6-1249aWestLT

Mason - Building	11/01/2021

JOB DESCRIPTION Mason - Building DISTRICT 9

**ENTIRE COUNTIES** 

Nassau, Rockland, Suffolk, Westchester

**WAGES** 

 Per hour:
 07/01/2021
 12/06/2021
 06/06/2022

 Additional
 Additional

 Tile Setters
 \$ 61.07
 \$ 0.48
 \$ 0.72

SUPPLEMENTAL BENEFITS

Per Hour:

\$ 24.91\* + \$10.01

## **OVERTIME PAY**

See (B, E, Q, V) on OVERTIME PAGE

Work beyond 10 hours on Saturday shall be paid at double the hourly wage rate.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 11, 15, 16, 25) on HOLIDAY PAGE

<sup>\*</sup>The 7% is based on the hourly wage paid, straight time or premium time.

<sup>\*</sup> This portion of benefits subject to same premium rate as shown for overtime wages.

## **REGISTERED APPRENTICES**

Wage per hour:

Tile Setters:

\$12.55\*

+\$.66

(750 hour) term at the following wage rate:

Term: 1st 1- 750	2nd 751- 1500	3rd 1501- 2250	4th 2251- 3000	5th 3001- 3750	6th 3751- 4500	7th 4501- 5250	8th 5251- 6000	9th 6001- 6750	10th 6501- 7000
07/01/2021 \$20.84	\$25.66	\$32.68	\$37.50	\$40.99	\$44.30	\$47.82	\$52.63	\$55.35	\$59.34
Supplemental Benefits per hour:									
1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th

\$16.16\*

+\$1.23

\$15.16\*

+\$.85

\$15.16\*

+\$.81

9-7/52A

\$21.91\*

+\$6.32

Mason - Building 11/01/2021

\$17.66\*

+\$1.28

\$18.66\*

+\$1.63

JOB DESCRIPTION Mason - Building

\$12.55\*

+\$.71

**DISTRICT** 11

\$18.66\*

+\$1.68

\$16.66\*

+\$5.83

**ENTIRE COUNTIES** 

Putnam, Rockland, Westchester

**PARTIAL COUNTIES** 

Orange: Only the Township of Tuxedo.

WAGES

Per hour:

	07/01/2021	06/01/2022	06/01/2023
		Additional	Additional
Bricklayer	\$ 43.35	\$ 2.39	\$ 2.05
Cement Mason	43.35	2.39	2.05
Plasterer/Stone Mason	43.35	2.39	2.05
Pointer/Caulker	43.35	2.39	2.05

Additional \$1.00 per hour for power saw work

Additional \$0.50 per hour for swing scaffold or staging work

SHIFT WORK: When shift work or an irregular work day is mandated or required by state, federal, county, local or other governmental agency contracts, the following premiums apply:

Irregular work day requires 15% premium

Second shift an additional 15% of wage plus benefits to be paid Third shift an additional 25% of wage plus benefits to be paid

### SUPPLEMENTAL BENEFITS

Per hour:

Journeyman \$ 36.05.

**OVERTIME PAY** 

OVERTIME:

Cement Mason See ( B, E, Q, W ) on OVERTIME PAGE.

All Others See ( B, E, Q ) on OVERTIME PAGE.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

Whenever any of the above holidays fall on Sunday, they will be observed on Monday. Whenever any of the above holidays fall on Saturday, they will be observed on Friday.

### REGISTERED APPRENTICES

Wages per hour:

750 hour terms at the following percentage of Journeyman's wage

<sup>\*</sup> This portion of benefits subject to same premium rate as shown for overtime wages.

1st 2nd 3rd 4th 5th 6th 7th 8th 50% 55% 60% 65% 70% 75% 80% 85%

Supplemental Benefits per hour

750 hour terms at the following percentage of journeyman supplements

7th 8th 1st 2nd 3rd 4th 5th 6th 50% 55% 60% 65% 70% 80% 85% 75%

Apprentices indentured before June 1st, 2011 receive full journeyman benefits

11-5wp-b

Mason - Building 11/01/2021

JOB DESCRIPTION Mason - Building DISTRICT 9

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

WAGES

Building

07/01/2021 01/01/2022

Wages per hour:

Additional

Mosaic & Terrazzo Mechanic \$ 58.46 \$ 0.85

Mosaic & Terrazzo Finisher \$ 56.86

SUPPLEMENTAL BENEFITS

Per hour:

Mosaic & Terrazzo Mechanic \$ 26.11\*

+ \$11.73

Mosaic & Terrazzo Finisher \$ 26.11\*

+ \$11.71

# **OVERTIME PAY**

See (A, E, Q) on OVERTIME PAGE

Deduct \$6.80 from hourly wages before calculating overtime.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE

Easter Sunday is an observed holiday. Holidays falling on a Saturday will be observed on that Saturday. Holidays falling on a Sunday will be celebrated on the Monday.

**REGISTERED APPRENTICES** 

Wages per hour:

(750 Hour) terms at the following wage rate.

7th 8th 1st 2nd 3rd 4th 5th 6th 07/01/2021 \$ 28.40 \$ 33.58 \$ 36.16 \$ 38.74 \$ 43.91 \$49.08 \$ 25.82 \$31.00

Supplemental benefits per hour:

07/01/2021 \$13.06\* \$14.37\* \$15.67\* \$16.98\* \$18.28\* \$19.59\* \$22.20\* \$24.81\* +\$9.27 +\$10.19 +\$11.12 +\$12.04 +\$12.97 +\$13.90 +\$15.75 +\$17.60

Apprentices hired after 07/01/2017:

Wages Per hour:

1st 2nd 3rd 4th 5th 6th 0- 1501- 3001- 3751- 4501- 5251-

<sup>\*</sup>This portion of benefits subject to same premium rate as shown for overtime wages.

Last Published on Nov 01 2021						PRC Number 202101099	3 Westchester County
	1500	3000	3750	4500	5250	6000	
07/01/2021	\$ 22.63	\$ 29.10	\$ 31.00	\$ 36.16	\$ 41.32	\$ 46.48	
Supplemental Benefits per h	our:						
07/01/2021	1st \$4.59* +\$6.49	2nd \$5.90* +\$8.34	3rd \$15.67* +\$11.12	4th \$18.28* +\$12.97	5th \$20.89* +\$14.83	*	

<sup>\*</sup>This portion of benefits subject to same premium rate as shown for overtime wages.

9-7/3

Mason - Building 11/01/2021

JOB DESCRIPTION Mason - Building **DISTRICT** 9

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

**WAGES** 

07/01/2021 01/01/2022 Per hour:

**Building-Marble Restoration:** Additional

Marble, Stone & \$46.16 \$ 1.10

Terrazzo Polisher, etc

**SUPPLEMENTAL BENEFITS** 

Per Hour: Journeyworker:

Building-Marble Restoration:

Marble, Stone &

Polisher \$ 29.11

**OVERTIME PAY** 

See (B, \*E, Q, V) on OVERTIME PAGE

\*ON SATURDAYS, 8TH HOUR AND SUCCESSIVE HOURS PAID AT DOUBLE HOURLY RATE.

**HOLIDAY** 

See (1) on HOLIDAY PAGE Paid:

See (5, 6, 8, 11, 15, 25) on HOLIDAY PAGE Overtime: 1ST TERM APPRENTICE GETS PAID FOR ALL OBSERVED HOLIDAYS.

**REGISTERED APPRENTICES** 

WAGES per hour:

900 hour term at the following wage:

	1st 1-	2nd 901-	3rd 1801-	4th 2701			
07/01/2021	900 \$32.28	1800 \$36.91	2700 \$41.51	\$46.16			
Supplemental Benefits Per Hour:							

07/01/2021 \$26.47 \$27.34 \$28.29 \$29.11

9-7/24-MP

Mason - Building 11/01/2021

JOB DESCRIPTION Mason - Building

**DISTRICT** 9

**ENTIRE COUNTIES** 

Bronx, Dutchess, Kings, Nassau, New York, Orange, Putnam, Queens, Richmond, Rockland, Suffolk, Sullivan, Ulster, Westchester

WAGES

07/01/2021 01/03/2022 Wages:

Additional Marble Cutters & Setters \$ 61.73 \$ 0.95

SUPPLEMENTAL BENEFITS

Per Hour:

Journeyworker \$37.76

**OVERTIME PAY** 

See (B, E, Q, V) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

Wage Per Hour:

750 hour terms at the following wage.

1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	
1- 750	751- 1500	1501- 2250	2251- 3000	3001- 3750	3751- 4500	4501- 5250	5251- 6000	6001- 6751	6751- 7500	
\$ 24.70	\$ 27.77	\$ 30.87	\$ 33.94	\$ 37.03	\$ 40.11	\$ 43.20	\$ 46.29	\$ 52.46	\$ 58.64	
Supplementa	al Benefits per	hour:								
1st \$ 20.01	2nd \$ 21.43	3rd \$ 22.83	4th \$ 24.25	5th \$ 25.65	6th \$ 27.07	7th \$ 28.47	8th \$ 29.88	9th \$ 32.70	10th \$ 35.51	

9-7/4

Mason - Building 11/01/2021

JOB DESCRIPTION Mason - Building DISTRICT 9

**ENTIRE COUNTIES** 

Nassau, Rockland, Suffolk, Westchester

**WAGES** 

Per hour: 07/01/2021 12/06/2021 06/06/2022

Additional Additional Tile Finisher \$46.89 \$0.39 \$0.58

SUPPLEMENTAL BENEFITS

Per Hour:

\$ 21.91\* + \$9.84

\*This portion of benefits subject to same premium rate as shown for overtime wages

**OVERTIME PAY** 

See (B, E, Q, \*V) on OVERTIME PAGE

Work beyond 10 hours on a Saturday shall be paid at double the hourly wage rate.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 11, 15, 16, 25) on HOLIDAY PAGE

9-7/88A-tf

Mason - Building 11/01/2021

JOB DESCRIPTION Mason - Building DISTRICT 9

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

**WAGES** 

Per hour: 07/01/2021 01/01/2022

Marble, Stone,etc.

Maintenance Finishers:

\$26.73

Additional
\$0.68

Note 1: An additional \$2.00 per hour

for time spent grinding floor using

"60 grit" and below.

Note 2: Flaming equipment operator shall be paid an additional \$25.00 per day.

### SUPPLEMENTAL BENEFITS

Per Hour:

Marble, Stone, etc

Maintenance Finishers: \$ 14.00

**OVERTIME PAY** 

See (B, \*E, Q, V) on OVERTIME PAGE
\*Double hourly rate after 8 hours on Saturday

**HOLIDAY** 

Paid: See (5, 6, 8, 11, 15, 25) on HOLIDAY PAGE
Overtime: See (5, 6, 8, 11, 15, 25) on HOLIDAY PAGE

07/01/2021

1st term apprentice gets paid for all observed holidays.

### **REGISTERED APPRENTICES**

WAGES per hour:

0-750	\$21.37
751-1500	\$22.09
1501-2250	\$22.81
2251-3000	\$23.52
3001-3750	\$24.61
3751-4500	\$26.04
4501+	\$26.73

Supplemental Benefits:

Per hour:

0-750	\$ 11.24
751-1500	\$ 11.60
1501-2250	\$ 11.97
2251-3000	\$ 12.35
3001-3750	\$ 12.84
3751-4500	\$ 13.63
4501+	\$ 14.00

9-7/24M-MF

## Mason - Building / Heavy&Highway

11/01/2021

**DISTRICT** 9

JOB DESCRIPTION Mason - Building / Heavy&Highway

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

**WAGES** 

Per hour: 07/01/2021 01/03/2022

Additional

Marble-Finisher \$48.87 \$0.61

**SUPPLEMENTAL BENEFITS** 

Journeyworker: per hour

Marble- Finisher \$ 35.25

**OVERTIME PAY** 

See (B, E, Q, V) on OVERTIME PAGE

**HOLIDAY** 

Overtime: See (5, 6, 8, 11, 15, 16, 25) on HOLIDAY PAGE

\* Work beyond 8 hours on a Saturday shall be paid at double the rate.

9-7/20-MF

<sup>\*\*</sup> When an observed holiday falls on a Sunday, it will be observed the next day.

**DISTRICT** 11

JOB DESCRIPTION Mason - Heavy&Highway

**ENTIRE COUNTIES** 

Putnam, Rockland, Westchester

**PARTIAL COUNTIES** 

Orange: Only the Township of Tuxedo.

WAGES

Per hour:

	07/01/2021	06/01/2022	06/01/2023
		Additional	Additional
Bricklayer	\$ 43.85	\$ 2.39	\$ 2.05
Cement Mason	43.85	2.39	2.05
Marble/Stone Mason	43.85	2.39	2.05
Plasterer	43.85	2.39	2.05
Pointer/Caulker	43.85	2.39	2.05

Additional \$1.00 per hour for power saw work

Additional \$0.50 per hour for swing scaffold or staging work

SHIFT WORK: When shift work or an irregular work day is mandated or required by state, federal, county, local or other governmental contracts, the following rates apply:

Irregular work day requires 15% premium

Second shift an additional 15% of wage plus benefits to be paid Third shift an additional 25% of wage plus benefits to be paid

**SUPPLEMENTAL BENEFITS** 

Per hour:

Journeyman \$ 36.05

**OVERTIME PAY** 

Cement Mason See (B, E, Q, W, X)
All Others See (B, E, Q, X)

**HOLIDAY** 

Paid: See (5, 6, 16, 25) on HOLIDAY PAGE
Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

Whenever any of the above holidays fall on Sunday, they will be observed on Monday. Whenever any of the above holidays fall on Saturday, they will be observed on Friday.

**REGISTERED APPRENTICES** 

Wages per hour:

750 hour terms at the following percentage of Journeyman's wage

1st	2nd	3rd	4th	5th	6th	7th	8th
50%	55%	60%	65%	70%	75%	80%	85%

Supplemental Benefits per hour

**Operating Engineer - Building** 

750 hour terms at the following percentage of journeyman supplements

1st	2nd	3rd	4th	5th	6th	7th	8th
50%	55%	60%	65%	70%	75%	80%	85%

Apprentices indentured before June 1st, 2011 receive full journeyman benefits

11-5WP-H/H 11/01/2021

JOB DESCRIPTION Operating Engineer - Building

**DISTRICT** 9

**ENTIRE COUNTIES** 

Bronx, Kings, New York, Putnam, Queens, Richmond, Westchester

**PARTIAL COUNTIES** 

Dutchess: that part of Dutchess County lying south of the North City Line of the City of Poughkeepsie.

WAGES

NOTE: Construction surveying

Party Chief--One who directs a survey party

Instrument Man--One who runs the instrument and assists Party Chief.

Rodman--One who holds the rod and assists the Survey Crew

Wages:(Per Hour)

Building Construction:

Party Chief \$76.09
Instrument Man \$60.41
Rodman \$41.11

Steel Erection:

Party Chief \$ 79.02 Instrument Man \$ 62.89

Rodman \$ 44.03

Heavy Construction-NYC counties only:

(Foundation, Excavation.)

Party Chief \$84.60 Instrument man \$63.79 Rodman \$54.52

**SUPPLEMENTAL BENEFITS** 

Per Hour: 07/01/2021

Building Construction \$ 24.40\* +\$ 7.15

Steel Erection \$ 25.00\* +\$ 7.15

Heavy Construction \$ 25.25\* +\$ 7.15

Non-Worked Holiday Supplemental Benefit:

\$ 16.45

### **OVERTIME PAY**

See (A, B, E, Q) on OVERTIME PAGE

Code "A" applies to Building Construction and has double the rate after 7 hours on Saturdays.

Code "B" applies to Heavy Construction and Steel Erection and had double the rate after 8 hours on Saturdays.

## **HOLIDAY**

Paid: See (5, 6, 9, 11, 15, 16, 25) on HOLIDAY PAGE Overtime: See (5, 6, 9, 11, 15, 16, 25) on HOLIDAY PAGE

9-15Db

## **Operating Engineer - Building**

11/01/2021

**DISTRICT** 8

### JOB DESCRIPTION Operating Engineer - Building

## **ENTIRE COUNTIES**

Putnam, Westchester

### **PARTIAL COUNTIES**

Dutchess: All the counties of Westchester and Putnam and the southern part of Dutchess County defined by the northern boundary line of the City of Poughkeepsie, then due east to Route 115, then north along Route 115 to Bedell Road, then east along Bedell Road to Van Wagner Road, then north along Van Wagner Road to Bower Road, then east along Bower Road to Route 44 and along Route 44 east to Route 343, then along Route 343 east to the northern boundary of Town of Dover Plains and east along the northern boundary of Town of Dover Plains to the border line of the State of Connecticut and bordered on the west by the middle of the Hudson River.

## **WAGES**

**GROUP I:** 

Cranes (All Types up to 49 tons), Boom Trucks, Cherry Pickers (All Types), Clamshell Crane, Derrick (Stone and Steel), Dragline, Franki Pile Rig or similar, High Lift (Lull or similar) with crane attachment and winch used for hoisting or lifting, Hydraulic Cranes, Pile Drivers, Potain and similar.

Cranes (All types 50-99 tons), Drill Rig Casa Grande (CAT or similar), Franki Pile Rig or similar, Hydraulic Cranes (All types including Crawler Cranes- No specific boom length).

Cranes (All types 100 tons and over), All Tower Cranes, All Climbing Cranes irrespective of manufacturer and regardless of how the same is rigged, Franki Pile Rig or similar, Conventional Cranes (All types including Crawler Cranes-No specific boom length), Hydraulic Cranes.

<sup>\*</sup> This portion subject to same premium as wages

GROUP I-A: Barber Green Loader-Euclid Loader, Bulldozer, Carrier-Trailer Horse, Concrete Cleaning Decontamination Machine Operator, Concrete-Portable Hoist, Conway or Similar Mucking Machines, Elevator & Cage, Excavators all types, Front End Loaders, Gradall, Shovel, Backhoe, etc. (Crawler or Truck), Heavy Equipment Robotics Operator/Mechanic, Hoist Engineer-Material, Hoist Portable Mobile Unit, Hoist(Single, Double or Triple Drum), Horizontal Directional Drill Locator, Horizontal Directional Drill Operator and Jersey Spreader, Letourneau or Tournapull(Scrapers over 20 yards Struck), Lift Slab Console, etc., Lull HiLift or Similar, Master Environmental Maintenance Mechanics, Mucking Machines Operator/Mechanic or Similar Type, Overhead Crane, Pavement Breaker(Air Ram), Paver(Concrete), Post Hole Digger, Power House Plant, Road Boring Machine, Road Mix Machine, Ross Carrier and Similar Machines, Rubber tire double end backhoes and similar machines, Scoopmobile Tractor-Shovel Over 1.5 yards, Shovel (Tunnels), Spreader (Asphalt) Telephie(Cableway), Tractor Type Demolition Equipment, Trenching Machines-Vermeer Concrete Saw Trencher and Similar, Ultra High Pressure Waterjet Cutting Tool System, Vacuum Blasting Machine operator/mechanic, Winch Truck A Frame.

GROUP I-B: Compressor (Steel Erection), Mechanic (Outside All Types), Negative Air Machine (Asbestos Removal), Push Button (Buzz Box) Elevator.

GROUP II: Compactor Self-Propelled, Concrete Pump, Crane Operator in Training (Over 100 Tons), Grader, Machines Pulling Sheep's Foot Roller, Roller (4 ton and over), Scrapers (20 yards Struck and Under), Vibratory Rollers, Welder.

GROUP III-A: Asphalt Plant, Concrete Mixing Plants, Forklift (All power sources), Joy Drill or similar, Tractor Drilling Machine, Loader (1 1/2 yards and under), Portable Asphalt Plant, Portable Batch Plant, Portable Crusher, Skid Steer (Bobcat or similar), Stone Crusher, Well Drilling Machine, Well Point System.

GROUP III-B: Compressor Over 125 cu.Feet, Conveyor Belt Machine regardless of size, Compressor Plant, Ladder Hoist, Stud Machine.

GROUP IV-A: Batch Plant, Concrete Breaker, Concrete Spreader, Curb Cutter Machine, Finishing Machine-Concrete, Fine Grading Machine, Hepa Vac Clean Air Machine, Material Hopper(sand, stone, cement), Mulching Grass Spreader, Pump Gypsum etc, Pump-Plaster-Grout-Fireproofing. Roller(Under 4 Ton), Spreading and Fine Grading Machine, Steel Cutting Machine, Siphon Pump, Tar Joint Machine, Television Cameras for Water, Sewer, Gas etc. Turbo Jet Burner or Similar Equipment, Vibrator (1 to 5).

GROUP IV-B: Compressor (all types), Heater (All Types), Fire Watchman, Lighting Unit (Portable & Generator) Pump, Pump Station(Water, Sewer, Portable, Temporary), Welding Machine (Steel Erection & Excavation).

GROUP V: Mechanics Helper, Motorized Roller (walk behind), Stock Attendant, Welder's Helper, Maintenance Engineer Crane (75 ton and over).

Group VI-A: Welder Certified

GROUP VI-B: Utility Man, Warehouse Man.

WAGES: (per hour)

07/01/2021	3/7/2022	3/6/2023
\$ 63.86	\$ 65.03	\$ 66.23
66.07	67.28	68.53
75.37	76.77	78.21
55.96	56.97	58.01
51.60	52.52	53.48
54.00	54.98	55.70
52.04	52.97	53.94
49.56	50.44	51.35
51.52	52.44	53.40
43.62	44.38	45.17
47.00	47.83	48.69
54.94	55.93	56.96
44.61	45.39	46.21
46.74	47.57	48.42
	\$ 63.86 66.07 75.37 55.96 51.60 54.00 52.04 49.56 51.52 43.62 47.00 54.94	\$ 63.86 \$ 65.03 66.07 67.28 75.37 76.77 55.96 56.97 51.60 52.52 54.00 54.98 52.04 52.97 49.56 50.44 51.52 52.44 43.62 44.38 47.00 47.83 54.94 55.93

An additional 20% to wage when required to wear protective equipment on hazardous/toxic waste projects.

Engineers operating cranes with booms 100 feet but less than 149 feet in length will be paid an additional \$2.00 per hour.

Engineers operating cranes with booms 149 feet or over in length will be paid an additional \$3.00 per hour.

Loader operators over 5 cubic yard capacity additional .50 per hour.

Shovel operators over 4 cubic yard capacity additional \$1.00 per hour.

### **SUPPLEMENTAL BENEFITS**

Per hour:

 07/01/2021
 03/07/2022
 03/06/2023

 Journeyworker
 \$ 29.17
 \$ 29.87
 \$ 30.57

See (B, E, Q, \*V) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (5, 6, 8, 15, 25, 26) on HOLIDAY PAGE
Overtime: See (5, 6, 8, 15, 25, 26) on HOLIDAY PAGE

8-137B

## **Operating Engineer - Heavy&Highway**

11/01/2021

JOB DESCRIPTION Operating Engineer - Heavy&Highway

**DISTRICT** 8

**ENTIRE COUNTIES** 

Putnam, Westchester

### **PARTIAL COUNTIES**

Dutchess: All the counties of Westchester and Putnam and the southern part of Dutchess County defined by the northern boundary line of the City of Poughkeepsie, then due east to Route 115, then north along Route 115 to Bedell Road, then east along Bedell Road to Van Wagner Road, then north along Van Wagner Road to Bower Road, then east along Bower Road to Route 44 and along Route 44 east to Route 343, then along Route 343 east to the northern boundary of Town of Dover Plains and east along the northern boundary of Town of Dover Plains to the border line of the State of Connecticut and bordered on the west by the middle of the Hudson River.

#### **WAGES**

GROUP I: Boom Truck, Cherry Picker, Clamshell, Crane, (Crawler, Truck),

Dragline, Drill Rig (Casa Grande, Cat, or Similar), Floating Crane (Crane on Barges) under 100 tons, Gin Pole, Hoist Engineer-Concrete (Crane-Derrick-Mine Hoist), Knuckle Boom Crane, Rough Terrain Crane.

GROUP I-A: Auger (Truck or Truck Mounted), Boat Captain, Bulldozer-All Sizes, Central Mix Plant Operator, Chipper (all types), Close Circuit T.V., Combination Loader/Backhoe, Compactor with Blade, Concrete Finishing Machine, Gradall, Grader (Motor Grader), Elevator & Cage (Materials or Passenger), Excavator (and all attachments), Front End Loaders (1 1/2 yards and over), High Lift Lull and similar, Hoist (Single, Double, Triple Drum), Hoist Portable Mobile Unit, Hoist Engineer (Material), Jack and Bore Machine, Log Skidders, Mill Machines, Mucking Machines, Overhead Crane, Paver (concrete), Post Pounder (of any type), Push Cats, Road Reclaimer, Robot Hammer (Brokk or similar), Robotic Equipment (Scope of Engineer Schedule), Ross Carrier and similar, Scrapers (20 yard struck and over), Side Boom, Slip Form Machine, Spreader (Asphalt), Trenching Machines (Telephies-Vermeer Concrete Saw), Tractor Type Demolition Equipment, Vacuum Truck. Vibratory Roller(Riding) or Roller used in mainline paving operations.

GROUP I-B: Asphalt Mobile Conveyor/Transfer Machine, Road Paver (Asphalt).

GROUP II-A: Ballast Regulators, Compactor Self Propelled, Fusion Machine, Rail Anchor Machines, Roller (4 ton and over), Scrapers (20 yard struck and under).

GROUP II-B: Mechanic (Outside) All Types, Shop Mechanic.

GROUP III: Air Tractor Drill, Asphalt Plant, Batch Plant, Boiler (High Pressure), Concrete Breaker (Track or Rubber Tire), Concrete Pump, Concrete Spreader, Excavator Drill, Farm Tractor, Forklift (all types), Gas Tapping (Live), Hydroseeder, Loader (1 1/2 yards and under), Locomotive (all sizes), Machine Pulling Sheeps Foot Roller, Portable Asphalt Plant, Portable Batch Plant, Portable Crusher (Apprentice), Powerhouse Plant, Roller (under 4 ton), Sheer Excavator, Skid Steer/Bobcat, Stone Crusher, Sweeper (with seat), Well Drilling Machine.

GROUP IV: Service Person (Grease Truck), Deckhand.

GROUP IV-B: Conveyor Belt Machine (Truck Mounted), Heater (all types), Lighting Unit (Portable), Maintenance Engineer (For Crane Only), Mechanics Helper, Pump (Fireproofing), Pumps-Pump Station/Water/Sewer/Gypsum/Plaster, etc., Pump Truck (Sewer Jet or Similar), Welders Helper, Welding Machine (Steel Erection), Well Point System.

GROUP V: All Tower Cranes-All Climbing Cranes and all cranes of 100-ton capacity or greater (3900 Manitowac or similar) irrespective of manufacturer and regardless of how the same is rigged, Hoist Engineer (Steel), Engineer-Pile Driver, Jersey Spreader, Pavement Breaker/Post Hole Digger.

WAGES: Per hour:	07/01/2021	03/07/2022	03/06/2023
Group I	\$ 64.63	\$ 65.97	\$ 67.27
Group I-A	57.02	58.16	59.26
Group I-B	60.06	61.28	62.46
Group II-A	54.61	55.70	56.74
Group II-B	56.31	57.44	58.52
Group III	53.66	54.72	55.74
Group IV	48.80	49.74	50.63
Group IV-B	41.94	42.71	43.43
Group V			
Engineer All Tower, Climbing and			
Cranes of 100 Tons	73.18	74.73	76.24
Hoist Engineer(Steel)	66.29	67.67	69.01

Engineer(Pile Driver)	70.67	72.16	73.61
Jersey Spreader, Pavement Breaker (Air			
Ram)Post Hole Digger	55.87	56.99	58.06

#### SHIFT DIFFERENTIAL:

A 15% premium on all hours paid, including overtime hours for 2nd, 3rd shifts on all government mandated off-shift work

Engineers operating cranes with booms 100 feet but less than 149 feet in length will be paid an additional \$2.00 per hour over the rate listed in the Wage Schedule. Engineers operating cranes with booms 149 feet or over in length will be paid an additional \$3.00 per hour over the rate listed in the Wage Schedule. Loader and Excavator Operators: over 5 cubic yards capacity \$0.50 per hour over the rate listed in the Wage Schedule. Shovel Operators: over 4 cubic yards capacity \$1.00 per hour over the rate listed in the Wage Schedule.

Four (4), ten (10) hour days may be worked at straight time during a week, Monday thru Thursday; Friday may be used as a make-up day.

NOTE - In order to use the 4 Day/10 Hour Work schedule Registration for Use of 4 Day/10 Hour Work Schedule, form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 is not submitted you may be liable for overtime payments for work over 8 hours per day.

## **SUPPLEMENTAL BENEFITS**

Per hour:

Journeyworker:	07/01/2021	03/07/2022	03/06/2023
-	\$ 31.60 up	\$ 32.60 up	\$ 33.75 up
	to 40 Hours	to 40 hours	to 40 hours
	After 40 hours	After 40 hours	After 40 hours
	\$ 22.40* PLUS	\$ 23.40* PLUS	\$ 24.50* PLUS
	\$ 1.20 on all	\$ 1.20 on all	\$ 1.25 on all
	hours worked	hours worked	hours worked

<sup>\*</sup>This amount is subject to premium

### **OVERTIME PAY**

See (B, E, E2, P, \*R, \*\*U) on OVERTIME PAGE

### **HOLIDAY**

Paid:...... See ( 5, 6, 8, 15, 25, 26 ) on HOLIDAY PAGE Overtime.... See ( 5, 6, 8, 15, 25, 26 ) on OVERTIME PAGE

Note: If employees are required to work on Easter Sunday they shall be paid at the rate of triple time.

### **REGISTERED APPRENTICES**

(1) year terms at the following rate.

	07/01/2021	03/07/2022	03/06/2023
1st term	\$ 28.51	\$ 29.08	\$ 29.63
2nd term	34.21	34.90	35.56
3rd term	39.91	40.71	41.48
4th term	45.61	46.53	47.41
Supplemental Benefits per hour:			
	23.60	24.55	25.70

8-137HH

# Operating Engineer - Heavy&Highway

11/01/2021

**DISTRICT** 9

JOB DESCRIPTION Operating Engineer - Heavy&Highway

ENTIRE COUNTIES

Putnam, Westchester
PARTIAL COUNTIES

Dutchess: South of the North city line of Poughkeepsie

WAGES

Party Chief - One who directs a survey party

Instrument Man - One who runs the instrument and assists Party Chief Rodman - One who holds the rod and in general, assists the Survey Crew

<sup>\*</sup> For Holiday codes 8,15,25,26 code R applies

<sup>\*\*</sup> For Holiday Codes 5 & 6 code U applies

Catorgories cover GPS & Underground Surveying

Per Hour: 07/01/2021

Party Chief \$81.72

Instrument Man 61.43 Rodman 52.40

SUPPLEMENTAL BENEFITS

Per Hour: 07/01/2021

All Catorgories

Straight Time: \$ 25.25\* plus \$7.15

Premium:

Time & 1/2 \$ 37.88\* plus \$7.15

Double Time \$ 50.50\* plus \$7.15

Non-Worked Holiday Supplemental Benefits:

\$ 16.45

OVERTIME PAY

See (B, \*E, Q) on OVERTIME PAGE

\* Doubletime paid on all hours in excess of 8 hours on Saturday

**HOLIDAY** 

Paid: See (5, 6, 7, 11, 12) on HOLIDAY PAGE
Overtime: See (5, 6, 7, 11, 12) on HOLIDAY PAGE

9-15Dh

# Operating Engineer - Heavy&Highway - Tunnel

11/01/2021

JOB DESCRIPTION Operating Engineer - Heavy&Highway - Tunnel

**DISTRICT** 8

**ENTIRE COUNTIES** 

Putnam, Westchester

## **PARTIAL COUNTIES**

Dutchess: All the counties of Westchester and Putnam and the southern part of Dutchess County defined by the northern boundary line of the City of Poughkeepsie, then due east to Route 115, then north along Route 115 to Bedell Road, then east along Bedell Road to Van Wagner Road, then north along Van Wagner Road to Bower Road, then east along Bower Road to Route 44 and along Route 44 east to Route 343, then along Route 343 east to the northern boundary of Town of Dover Plains and east along the northern boundary of Town of Dover Plains to the border line of the State of Connecticut and bordered on the west by the middle of the Hudson River.

#### WAGES

GROUP I: Boom Truck, Cherry Picker, Clamshell, Crane(Crawler, Truck), Dragline, Drill Rig Casa Grande(Cat or Similar), Floating Crane(Crane on Barge-Under 100 Tons), Hoist Engineer(Concrete/Crane-Derrick-Mine Hoist), Knuckle Boom Crane, Rough Terrain Crane.

GROUP I-A: Auger(Truck or Truck Mounted), Boat Captain, Bull Dozer-all sizes, Central Mix Plant Operator, Chipper-all types, Close Circuit T.V., Combination Loader/Backhoe, Compactor with Blade, Concrete Finishing Machine, Gradall, Grader(Motor Grader), Elevator & Cage(Materials or Passengers), Excavator(and all attachments), Front End Loaders(1 1/2 yards and over), High Lift Lull, Hoist(Single, Double, Triple Drum), Hoist Portable Mobile Unit, Hoist Engineer(Material), Jack and Bore Machine, Log Skidder, Milling Machine, Moveable Concrete Barrier Transfer & Transport Vehicle, Mucking Machines. Overhead Crane, Paver(Concrete), Post Pounder of any type, Push Cats, Road Reclaimer, Robot Hammer(Brokk or similar), Robotic Equipment(Scope of Engineer Schedule), Ross Carrier and similar machines, Scrapers(20 yards struck and over), Side Boom, Slip Form Machine, Spreader(Asphalt), Trenching Machines, Telephies-Vermeer Concrete Saw, Tractor type demolition equipment, Vacuum Truck, Vibratory Roller (Riding) used in mainline paving operations.

GROUP I-B: Asphalt Mobile Conveyor/Transfer Machine, Road Paver(Asphalt).

GROUP II-A: Ballast Regulators, Compactor(Self-propelled), Fusion Machine, Rail Anchor Machines, Roller(4 ton and over), Scrapers(20 yard struck and under).

GROUP II-B: Mechanic(outside)all types, Shop Mechanic.

GROUP III: Air Tractor Drill, Asphalt Plant, Batch Plant, Boiler(High Pressure), Concrete Breaker(Track or Rubber Tire), Concrete Pump, Concrete Spreader, Excavator Drill, Farm Tractor, Forklift(all types of power), Gas Tapping(Live), Hydroseeder, Loader(1 1/2 yards and under), Locomotive(all sizes), Machine Pulling Sheeps Foot Roller, Portable Asphalt Plant, Portable Batch Plant, Portable Crusher(Apprentice), Powerhouse Plant, Roller(under 4 ton), Sheer Excavator, Skidsteer/Bobcat, Stone Crusher, Sweeper(with seat), Well Drilling Machine.

GROUP IV-A: Service Person(Grease Truck), Deckhand.

GROUP IV-B: Conveyor Belt Machine(Truck Mounted), Heater(all types), Lighting Unit(Portable), Maintenance Engineer(for Crane only), Mechanics Helper, Pump(Fireproofing), Pumps-Pump Station/Water/Sewer/Gypsum/Plaster, etc., Pump Truck(Sewer Jet or similar), Welding Machine(Steel Erection), Welders Helper.

GROUP V-A: Engineer(all Tower Cranes, all Climbing Cranes & all Cranes of 100 ton capacity or greater), Hoist Engineer(Steel-Sub Structure), Engineer-Pile Driver, Jersey-Spreader, Pavement breaker, Post Hole Digger

WAGES: (per hour)

,	07/01/2021	03/07/2022	03/06/2023
GROUP I	\$ 64.63	\$ 65.97	\$ 67.27
GROUP I-A	57.02	58.16	59.21
GROUP I-B	60.06	61.28	62.46
GROUP II-A	54.61	55.70	56.74
GROUP II-B	56.31	57.44	58.52
GROUP III	53.66	54.72	55.74
GROUP IV-A	48.80	49.74	50.63
GROUP IV-B	41.94	42.71	43.43
GROUP V-A			
Engineer-Cranes	73.18	74.73	76.24
Engineer-Pile Driver	70.67	72.16	73.61
Hoist Engineer Jersey Spreader/Post	66.29	67.67	69.01
Hole Digger	55.87	56.99	58.06

## SHIFT DIFFERENTIAL:

A 15% premium on all hours paid, including overtime hours for 2nd, 3rd shifts on all government mandated off-shift work

An additional 20% to wage when required to wear protective equipment on hazardous/toxic waste projects. Operators required to use two buckets pouring concrete on other than road pavement shall receive \$0.50 per hour over scale. Engineers operating cranes with booms 100 feet but less than 149 feet in length will be paid an additional \$2.00 per hour. Engineers operating cranes with booms 149 feet or over in length will be paid an additional \$3.00 per hour. Operators of shovels with a capacity over (4) cubic yards shall be paid an additional \$1.00 per hour. Operators of loaders with a capacity over (5) cubic yards shall be paid an additional \$0.50 per hour.

## **SUPPLEMENTAL BENEFITS**

Per hour:

Journeyworker:

07/01/2021	03/07/2022	03/06/2023
\$ 23.60	\$ 24.55	\$ 25.70
+ \$8.00	+ \$8.00	+ \$8.00
(Limited to	(Limited to	(Limited to
first 40 hours)	first 40 hours)	first 40 hours

## **OVERTIME PAY**

See (D, O, \*U, V) on OVERTIME PAGE

## **HOLIDAY**

Paid: See (5, 6, 8, 15, 25, 26) on HOLIDAY PAGE Overtime: See (5, 6, 8, 15, 25, 26) on HOLIDAY PAGE

### **REGISTERED APPRENTICES**

(1) year terms at the following rates:

1st term 2nd term 3rd term 4th term Supplemental Benefits per hour:	07/01/2021	03/07/2022	03/06/2023
	\$ 28.51	\$ 29.08	\$ 29.63
	34.21	34.90	35.56
	39.91	40.71	41.48
	45.61	46.53	47.41
All terms	\$ 23.60	\$ 24.55	\$ 25.70

8-137Tun

<sup>\*</sup> Note: For Holiday codes 5 & 6, code U applies. For Holiday codes 8, 15, 25, 26, code R applies. Note: If employees are required to work on Easter Sunday, they shall be paid at the rate of triple time.

## **Operating Engineer - Marine Dredging**

11/01/2021

## JOB DESCRIPTION Operating Engineer - Marine Dredging

## **DISTRICT** 4

### **ENTIRE COUNTIES**

Albany, Bronx, Cayuga, Clinton, Columbia, Dutchess, Essex, Franklin, Greene, Jefferson, Kings, Monroe, Nassau, New York, Orange, Oswego, Putnam, Queens, Rensselaer, Richmond, Rockland, St. Lawrence, Suffolk, Ulster, Washington, Wayne, Westchester

#### WAGES

These wages do not apply to Operating Engineers on land based construction projects. For those projects, please see the Operating Engineer Heavy/Highway Rates. The wage rates below for all equipment and operators are only for marine dredging work in navigable waters found in the counties listed above.

Per Hour:	07/01/2021	10/01/2021
CLASS A1 Deck Captain, Leverman Mechanical Dredge Operator Licensed Tug Operator 1000HP or more.	\$ 41.42	\$ 41.42
CLASS A2 Crane Operator (360 swing)	36.91	36.91
CLASS B Dozer,Front Loader Operator on Land	To conform to Operating Engineer Prevailing Wage in locality where work is being performed including benefits.	
CLASS B1 Derrick Operator (180 swing) Spider/Spill Barge Operator Operator II, Fill Placer, Engineer, Chief Mate, Electrician, Chief Welder, Maintenance Engineer Licensed Boat, Crew Boat Operator	35.82	35.82
CLASS B2 Certified Welder	33.72	33.72
CLASS C1 Drag Barge Operator, Steward, Mate, Assistant Fill Placer	32.80	32.80
CLASS C2 Boat Operator	30.89	31.74
CLASS D Shoreman, Deckhand, Oiler, Rodman, Scowman, Cook, Messman, Porter/Janitor	25.66	26.37

# **SUPPLEMENTAL BENEFITS**

Per Hour

THE FOLLOWING SUPPLEMENTAL BENEFITS APPLY TO ALL CATEGORIES

	07/01/2021	10/01/2021
All Classes A & B	\$11.98 plus 8%	\$11.98 plus 8%
	of straight time	of straight time
	wage, Overtime hours	wage, Overtime hours
	add \$ 0.63	add \$ 0.63
All Class C	\$11.68 plus 8%	11.68 plus 8%
	of straight time	of straight time
	wage, Overtime hours	wage, Overtime hours
	add \$ 0.48	add \$ 0.48
All Class D	\$11.38 plus 8%	11.38 plus 8%

of straight time wage, Overtime hours add \$ 0.33

of straight time wage, Overtime hours add \$ 0.33

**OVERTIME PAY** 

See (B2, F, R) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 15, 26) on HOLIDAY PAGE

4-25a-MarDredge

## **Operating Engineer - Survey Crew - Consulting Engineer**

11/01/2021

JOB DESCRIPTION Operating Engineer - Survey Crew - Consulting Engineer

**DISTRICT** 9

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Putnam, Queens, Richmond, Suffolk, Westchester

**PARTIAL COUNTIES** 

Dutchess: That part in Duchess County lying South of the North City line of Poughkeepsie.

WAGES

Feasibility and preliminary design surveying, any line and grade surveying for inspection or supervision of construction.

Per hour: 07/01/2021

Survey Classifications

Party Chief \$45.83 Instrument Man 38.17 Rodman 33.34

SUPPLEMENTAL BENEFITS

Per Hour:

All Crew Members: \$ 20.60

**OVERTIME PAY** 

OVERTIME:.... See (B, E\*, Q, V) ON OVERTIME PAGE.
\*Doubletime paid on the 9th hour on Saturday.

**HOLIDAY** 

Paid: See (5, 6, 7, 11, 16) on HOLIDAY PAGE Overtime: See (5, 6, 7, 11, 16) on HOLIDAY PAGE

9-15dconsult

Painter 11/01/2021

JOB DESCRIPTION Painter DISTRICT 8

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Putnam, Queens, Richmond, Suffolk, Westchester

**WAGES** 

Per hour: 07/01/2021

Brush \$ 50.30\*

Abatement/Removal of lead based 50.30\*

or lead containing paint on materials to be repainted.

 Spray & Scaffold
 \$ 53.30\*

 Fire Escape
 53.30\*

 Decorator
 53.30\*

 Paperhanger/Wall Coverer
 52.93\*

\*Subtract \$ 0.10 to calculate premium rate.

SUPPLEMENTAL BENEFITS

Per hour: 07/01/2021

 Paperhanger
 \$ 31.83

 All others
 29.81

 Premium
 33.40\*\*

Page 52

**DISTRICT** 8

\*\*Applies only to "All others" category,not paperhanger journeyworker.

#### OVERTIME PAY

See (A, H) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

#### REGISTERED APPRENTICES

One (1) year terms at the following wage rate.

Per hour:	07/01/2021
Appr 1st term	\$ 19.56*
Appr 2nd term	25.12*
Appr 3rd term	30.42*
Appr 4th term	40.65*

<sup>\*</sup>Subtract \$ 0.10 to calculate premium rate.

Supplemental benefits:

 Per Hour:
 07/01/2021

 Appr 1st term...
 \$ 14.72

 Appr 2nd term...
 18.23

 Appr 3rd term...
 21.06

 Appr 4th term...
 26.67

8-NYDC9-B/S

Painter 11/01/2021

#### JOB DESCRIPTION Painter

## **ENTIRE COUNTIES**

Putnam, Suffolk, Westchester

# **PARTIAL COUNTIES**

Nassau: All of Nassau except the areas described below: Atlantic Beach, Ceaderhurst, East Rockaway, Gibson, Hewlett, Hewlett Bay, Hewlett Neck, Hewlett Park, Inwood, Lawrence, Lido Beach, Long Beach, parts of Lynbrook, parts of Oceanside, parts of Valley Stream, and Woodmere. Starting on the South side of Sunrise Hwy in Valley Stream running east to Windsor and Rockaway Ave., Rockville Centre is the boundary line up to Lawson Blvd. turn right going west all the above territory. Starting at Union Turnpike and Lakeville Rd. going north to Northern Blvd. the west side of Lakeville road to Northern blvd. At Northern blvd. going east the district north of Northern blvd. to Port Washington Blvd. West of Port Washington blvd.to St.Francis Hospital then north of first traffic light to Port Washington and Sands Point, Manor HAven, Harbour Acres.

### **WAGES**

 Per hour:
 07/01/2021

 Drywall Taper
 \$ 50.30\*

#### SUPPLEMENTAL BENEFITS

Per hour: 07/01/2021 Journeyman \$ 29.81

## **OVERTIME PAY**

See (A, H) on OVERTIME PAGE

### **HOLIDAY**

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

# REGISTERED APPRENTICES

Wages - Per Hour: 07/01/2021

## 1500 hour terms at the following wage rate:

 1st term
 \$ 19.56\*

 2nd term
 25.12\*

 3rd term
 30.42\*

 4th term
 40.65\*

Supplemental Benefits - Per hour:

One year term (1500 hours) at the following dollar amount.

<sup>\*</sup>Subtract \$ 0.10 to calculate premium rate.

<sup>\*</sup>Subtract \$ 0.10 to calculate premium rate.

 1st year
 \$ 14.72

 2nd year
 18.23

 3rd year
 21.06

 4th year
 26.67

8-NYDCT9-DWT

### Painter - Bridge & Structural Steel

11/01/2021

## JOB DESCRIPTION Painter - Bridge & Structural Steel

# **DISTRICT** 8

#### ENTIRE COUNTIES

Albany, Bronx, Clinton, Columbia, Dutchess, Essex, Franklin, Fulton, Greene, Hamilton, Kings, Montgomery, Nassau, New York, Orange, Putnam, Queens, Rensselaer, Richmond, Rockland, Saratoga, Schenectady, Schoharie, Suffolk, Sullivan, Ulster, Warren, Washington, Westchester

#### **WAGES**

Per Hour: STEEL:

Bridge Painting:

07/01/2021 10/01/2021 \$ 51.50 \$ 53.00 + 8.63\* + 9.63\*

ADDITIONAL \$6.00 per hour for POWER TOOL/SPRAY, whether straight time or overtime.

NOTE: All premium wages are to be calculated on base rate per hour only.

NOTE: Generally, for Bridge Painting Contracts, ALL WORKERS on and off the bridge (including Flagmen) are to be paid Painter's Rate; the contract must be ONLY for Bridge Painting.

## SHIFT WORK:

When directly specified in public agency or authority contract documents for an employer to work a second shift and works the second shift with employees other than from the first shift, all employees who work the second shift will be paid 10% of the base wage shift differential in lieu of overtime for the first eight (8) hours worked after which the employees shall be paid at time and one half of the regular wage rate. When a single irregular work shift is mandated in the job specifications or by the contracting agency, wages shall be paid at time and one half for single shifts between the hours of 3pm-11pm or 11pm-7am.

## SUPPLEMENTAL BENEFITS

Per Hour:

Journeyworker: 07/01/2021 10/01/2021 \$ 10.90 \$ 10.90 + 30.00\* + 30.60\*

## **OVERTIME PAY**

See (B, F, R) on OVERTIME PAGE

# **HOLIDAY**

Paid: See (1) on HOLIDAY PAGE Overtime: See (4, 6) on HOLIDAY PAGE

# **REGISTERED APPRENTICES**

Wage - Per hour:

Apprentices: (1) year terms

	07/01/2021	10/01/2021
1st year	\$ 20.60	\$ 21.20
	+ 3.45*	+ 3.86*
2nd year	\$ 30.90	\$ 31.80
	+ 5.18*	+ 5.78*

<sup>\*</sup> For the period of May 1st to November 15th, this amount is payable up to 40 hours. For the period of Nov 16th to April 30th, this amount is payable up to 50 hours. EXCEPTION: First and last week of employment, and for the weeks of Memorial Day, Independence Day and Labor Day, where the amount is paid for the actual number of hours worked (no cap).

<sup>\*</sup> For the period of May 1st to November 15th, this amount is payable up to 40 hours. For the period of Nov 16th to April 30th, this amount is payable up to 50 hours. EXCEPTION: First and last week of employment, and for the weeks of Memorial Day, Independence Day and Labor Day, where the amount is paid for the actual number of hours worked (no cap).

3rd year	\$ 41.20 + 6.90*	\$ 42.40 + 7.70*
Supplemental Benefits - Per hour:		
1st year	\$ .25 + 12.00*	\$ .25 + 12.24*
2nd year	\$ 10.90 + 18.00*	\$ 10.90 + 18.36*
3rd year	\$ 10.20 + 24.00*	\$ 10.90 + 24.48*

NOTE: All premium wages are to be calculated on base rate per hour only.

8-DC-9/806/155-BrSS

Painter - Line Striping 11/01/2021

## JOB DESCRIPTION Painter - Line Striping

## **DISTRICT** 8

#### **ENTIRE COUNTIES**

Albany, Bronx, Clinton, Columbia, Dutchess, Essex, Franklin, Fulton, Greene, Hamilton, Kings, Montgomery, Nassau, New York, Orange, Putnam, Queens, Rensselaer, Richmond, Rockland, Saratoga, Schenectady, Schoharie, Suffolk, Sullivan, Ulster, Warren, Washington, Westchester

## **WAGES**

Per hour:

Painter (Striping-Highway):	07/01/2021	07/01/2022
Striping-Machine Operator*	\$ 30.32	\$ 31.53
Linerman Thermoplastic	36.93	38.34

Note: \* Includes but is not limited to: Positioning of cones and directing of traffic using hand held devices. Excludes the Driver/Operator of equipment used in the maintenance and protection of traffic safety.

Four (4), ten (10) hour days may be worked at straight time during a week, Monday thru Thursday. Friday may be used as a make-up day.

NOTE - In order to use the '4 Day/10 Hour Work Schedule,' as your normal schedule, you must submit an 'Employer Registration for Use of 4 Day/10 Hour Work Schedule,' form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 is not submitted you may be liable for overtime payments for work over 8 hours per day.

### SUPPLEMENTAL BENEFITS

Per hour paid:	07/01/2021	07/01/2022
Journeyworker: Striping Machine Operator: Linerman Thermoplastic:	\$ 10.03 10.03	\$ 10.03 10.03

## **OVERTIME PAY**

See (B, B2, E2, F, S) on OVERTIME PAGE

## **HOLIDAY**

Paid: See (5, 20) on HOLIDAY PAGE
Overtime: See (5, 20) on HOLIDAY PAGE

## **REGISTERED APPRENTICES**

One (1) year terms at the following wage rates:

	07/01/2021	12/31/2021	07/01/2022
1st Term*:	\$ 15.00	\$ 15.00	\$ 15.00
1st Term**:	14.00	15.00	15.00
1st Term***:	12.50	13.20	13.20
2nd Term:	18.19	18.19	18.92
3rd Term:	24.26	24.26	25.22

<sup>\*</sup>Bronx, Kings, New York, Queens, Richmond, and Suffolk counties

<sup>\*\*</sup>Nassau and Westchester counties

<sup>\*\*\*</sup>All other counties

### Supplemental Benefits per hour:

1st term:	\$ 9.16	\$ 9.16	\$ 9.16
2nd Term:	9.16	9.16	10.03
3rd Term:	9.16	9.16	10.03

8-1456-LS

Painter - Metal Polisher 11/01/2021

## JOB DESCRIPTION Painter - Metal Polisher

## **DISTRICT** 8

#### **ENTIRE COUNTIES**

Albany, Allegany, Bronx, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Clinton, Columbia, Cortland, Delaware, Dutchess, Erie, Essex, Franklin, Fulton, Genesee, Greene, Hamilton, Herkimer, Jefferson, Kings, Lewis, Livingston, Madison, Monroe, Montgomery, Nassau, New York, Niagara, Oneida, Onondaga, Ontario, Orange, Orleans, Oswego, Otsego, Putnam, Queens, Rensselaer, Richmond, Rockland, Saratoga, Schenectady, Schoharie, Schuyler, Seneca, St. Lawrence, Steuben, Suffolk, Sullivan, Tioga, Tompkins, Ulster, Warren, Washington, Wayne, Westchester, Wyoming, Yates

### **WAGES**

WAGES	
	07/01/2021
Metal Polisher	\$ 37.13
Metal Polisher*	38.23
Metal Polisher**	41.13

<sup>\*</sup>Note: Applies on New Construction & complete renovation

### SUPPLEMENTAL BENEFITS

Per Hour: 07/01/2021

Journeyworker:

All classification \$ 10.64

# **OVERTIME PAY**

See (B, E, P, T) on OVERTIME PAGE

#### **HOLIDAY**

Paid: See (5, 6, 11, 15, 16, 25, 26) on HOLIDAY PAGE Overtime: See (5, 6, 9, 11, 15, 16, 25, 26) on HOLIDAY PAGE

### **REGISTERED APPRENTICES**

Wages per hour:

One (1) year term at the following wage rates:

	07/01/2021
1st year	\$ 16.00
2nd year	17.00
3rd year	18.00
1st year*	\$ 16.39
2nd year*	17.44
3rd year*	18.54
1st year**	\$ 18.50
2nd year**	19.50
3rd year**	20.50

<sup>\*</sup>Note: Applies on New Construction & complete renovation

Supplemental benefits:

Per hour:

1st year	\$ 7.39
2nd year	7.39
3rd year	7.39

8-8A/28A-MP

Plumber 11/01/2021

<sup>\*\*</sup> Note: Applies when working on scaffolds over 34 feet.

<sup>\*\*</sup> Note: Applies when working on scaffolds over 34 feet.

## **ENTIRE COUNTIES**

Putnam, Westchester

#### **WAGES**

Per hour:

07/01/2021

Plumber and

Steamfitter \$59.01

#### SHIFT WORK:

When directly specified in public agency or authority contract documents, shift work outside the regular hours of work shall be comprised of eight (8) hours per shift not including Saturday, Sundays and holidays. One half (1/2) hour shall be allowed for lunch after the first four (4) hours of each shift. Wage and Fringes for shift work shall be straight time plus a shift premium of twenty-five (25%) percent. A minimum of five days Monday through Friday must be worked to establish shift work.

### SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$ 39.26

## **OVERTIME PAY**

See (B, E, E2, Q, V) on OVERTIME PAGE OVERTIME:... See on OVERTIME PAGE.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 16, 25) on HOLIDAY PAGE

## **REGISTERED APPRENTICES**

(1)year terms at the following wages:

1st Term	\$ 21.89
2nd Term	25.13
3rd Term	29.01
4th Term	41.43
5th Term	44.45

## Supplemental Benefits per hour:

1st term	\$ 16.25
2nd term	18.13
3rd term	21.57
4th term	28.41
5th term	30.11

8-21.1-ST

## Plumber - HVAC / Service

11/01/2021

**DISTRICT** 8

### JOB DESCRIPTION Plumber - HVAC / Service

# ENTIRE COUNTIES

Dutchess, Putnam, Westchester

## **PARTIAL COUNTIES**

Delaware: Only the townships of Middletown and Roxbury

Ulster: Entire County(including Wallkill and Shawangunk Prisons) except for remainder of Town of Shawangunk and Towns of Plattekill, Marlboro, and Wawarsing.

## **WAGES**

Per hour: 07/01/2021

HVAC Service \$ 40.68 + \$ 4.32\*

\*Note: This portion of wage is not subject to overtime premium.

## **SUPPLEMENTAL BENEFITS**

Per hour:

07/01/2021

Journeyworker HVAC Service

\$ 26.54

## **OVERTIME PAY**

See (B, F, R) on OVERTIME PAGE

**DISTRICT** 8

**HOLIDAY** 

See (5, 6, 16, 25) on HOLIDAY PAGE See (5, 6, 16, 25) on HOLIDAY PAGE Paid: Overtime:

## **REGISTERED APPRENTICES**

**HVAC SERVICE** 

(1) year terms at the following wages:

1st yr.	2nd yr.	3rd yr.	4th yr.	5th yr.
\$ 18.50	\$ 21.88	\$ 27.31	\$ 33.56	\$ 36.36
+\$2.37*	+\$2.67*	+\$3.22*	+\$3.84*	+\$4.07*

<sup>\*</sup>Note: This portion of wage is not subject to overtime premium.

Supplemental Benefits per hour:

Apprentices	07/01/2021
1st term 2nd term	\$ 19.66 20.86
3rd term	22.21
4th term 5th term	24.02 25.33

8-21.1&2-SF/Re/AC

## Plumber - Jobbing & Alterations

11/01/2021

## JOB DESCRIPTION Plumber - Jobbing & Alterations

**ENTIRE COUNTIES** 

Dutchess, Putnam, Westchester

### **PARTIAL COUNTIES**

Ulster: Entire county (including Wallkill and Shawangunk Prisons in Town of Shawangunk) EXCEPT for remainder of Town of Shawangunk, and Towns of Plattekill, Marlboro, and Wawarsing.

**WAGES** 

07/01/2021 Per hour: \$ 45.83 Journeyworker:

Repairs, replacements and alteration work is any repair or replacement of a present plumbing system that does not change existing roughing or water supply lines.

## SHIFT WORK:

When directly specified in public agency or authority contract documents, shift work outside the regular hours of work shall be comprised of eight (8) hours per shift not including Saturday, Sundays and holidays. One half (1/2) hour shall be allowed for lunch after the first four (4) hours of each shift. Wage and Fringes for shift work shall be straight time plus a shift premium of twenty-five (25%) percent. A minimum of five days Monday through Friday must be worked to establish shift work.

## SUPPLEMENTAL BENEFITS

Per hour: Journeyworker

\$32.96

**OVERTIME PAY** 

See (B, \*E, E2, Q, V) on OVERTIME PAGE

\*When used as a make-up day, hours after 8 on Saturday shall be paid at time and one half.

HOLIDAY

See (1) on HOLIDAY PAGE Paid:

Overtime: See (5, 6, 8, 16, 25) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

(1) year terms at the following wages:

1st year \$ 19.88 2nd year 22.06 23.90 3rd year 4th year 33.57 5th year 35.46

## Supplemental Benefits per hour:

\$ 10.74
12.65
16.58
22.39
24.32

8-21.3-J&A

Roofer 11/01/2021

JOB DESCRIPTION Roofer

**DISTRICT** 9

**ENTIRE COUNTIES** 

Bronx, Dutchess, Kings, New York, Orange, Putnam, Queens, Richmond, Rockland, Sullivan, Ulster, Westchester

**WAGES** 

Per Hour: 07/01/2021

Roofer/Waterproofer \$ 45.25 + \$7.00\*

Note: Abatement/Removal of Asbestos containing roofs and roofing material is classified as Roofer.

## SUPPLEMENTAL BENEFITS

Per Hour: \$ 28.62

**OVERTIME PAY** 

See (B, H) on OVERTIME PAGE

Note: An observed holiday that falls on a Sunday will be observed the following Monday.

HOLIDAY

Paid: See (1) on HOLIDAY PAGE Overtime: See (5, 6) on HOLIDAY PAGE

### **REGISTERED APPRENTICES**

(1) year term

Supplements:

1st 2nd 3rd 4th \$ 15.84 \$ 22.63 \$ 27.15 \$ 33.94 + 3.50\* + 4.20\* + 5.26\*

1st 2nd 3rd 4th \$ 3.72 \$ 14.47 \$ 17.30 \$ 21.55

9-8R

Sheetmetal Worker 11/01/2021

## JOB DESCRIPTION Sheetmetal Worker

**DISTRICT** 8

**ENTIRE COUNTIES** 

Dutchess, Orange, Putnam, Rockland, Sullivan, Ulster, Westchester

**WAGES** 

07/01/2021

SheetMetal Worker \$ 44.15 + 3.37\*

\*This portion is not subject to overtime premiums.

SHIFT WORK

For all NYS D.O.T. and other Governmental mandated off-shift work: 10% increase for additional shifts for a minimum of five (5) days

SUPPLEMENTAL BENEFITS

Journeyworker \$44.20

**OVERTIME PAY** 

OVERTIME:.. See (B, E, Q, ) on OVERTIME PAGE.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 15, 16, 23) on HOLIDAY PAGE

<sup>\*</sup> This portion is not subjected to overtime premiums.

REGISTERE	1 VDDDE	NITICES
NEGIO I ENEL	JAFFNE	NICES

1st	2nd	3rd	4th	5th	6th	7th	8th
\$ 16.36	\$ 18.41	\$ 20.46	\$ 22.51	\$ 24.54	\$ 26.60	\$ 29.12	\$ 31.65
+ 1.35*	+ 1.52*	+ 1.69*	+ 1.85*	+ 2.02*	+ 2.19*	+ 2.36*	+ 2.53*

<sup>\*</sup>This portion is not subject to overtime premiums.

Supplemental Benefits per hour:

Apprentices

1st term \$ 18.96 2nd term 21.34 3rd term 23.71 4th term 26.11 5th term 28.46 6th term 30.82 7th term 32.72 8th term 34.64

8-38

Sheetmetal Worker 11/01/2021

JOB DESCRIPTION Sheetmetal Worker DISTRICT 4

**ENTIRE COUNTIES** 

Bronx, Kings, Nassau, New York, Queens, Richmond, Rockland, Suffolk, Westchester

WAGES

Per Hour: 07/01/2021 8/01/2021

Sign Erector \$ 52.29 \$ 53.97

NOTE: Structurally Supported Overhead Highway Signs(See STRUCTURAL IRON WORKER CLASS)

SUPPLEMENTAL BENEFITS

Per Hour: 07/01/2021 8/01/2021

Sign Erector \$ 51.26 \$ 53.15

**OVERTIME PAY** 

See (A, F, S) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (5, 6, 10, 11, 12, 16, 25) on HOLIDAY PAGE Overtime: See (5, 6, 10, 11, 12, 16, 25) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

Per Hour

6 month Terms at the following percentage of Sign Erectors wage rate:

1st 2nd 3rd 4th 6th 7th 8th 9th 10th 5th 35% 40% 45% 50% 55% 60% 65% 70% 75% 80%

SUPPLEMENTAL BENEFITS

Per Hour:

07/01/2021

10th 1st 2nd 3rd 4th 5th 6th 7th 8th 9th \$41.29 \$ 16.26 \$20.10 \$ 36.27 \$ 14.34 \$ 18.17 \$ 28.02 \$ 30.47 \$ 33.72 \$ 38.77

8/01/2021

10th 4th 6th 7th 9th 1st 2nd 3rd 5th 8th \$ TBD \$ TBD \$TBD \$ TBD \$ TBD \$TBD \$TBD \$ TBD \$ TBD \$ TBD 4-137-SE

Sprinkler Fitter 11/01/2021

JOB DESCRIPTION Sprinkler Fitter

**DISTRICT** 1

**ENTIRE COUNTIES** 

Dutchess, Orange, Putnam, Rockland, Sullivan, Ulster, Westchester

**WAGES** 

Per hour 07/01/2021

Sprinkler \$47.19

Fitter

### SUPPLEMENTAL BENEFITS

Per hour

Journeyperson \$ 28.09

**OVERTIME PAY** 

See (B, E, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE Overtime: See (5, 6) on HOLIDAY PAGE

Note: When a holiday falls on Sunday, the following Monday shall be considered a holiday and all work performed on either day shall be at the double time rate. When a holiday falls on Saturday, the preceding Friday shall be considered a holiday and all work performed on either day shall be at the double time rate.

### **REGISTERED APPRENTICES**

Wages per hour

One Half Year terms at the following wage.

1st \$ 22.67	2nd \$ 25.19	3rd \$ 27.46	4th \$ 29.98	5th \$ 32.50	6th \$ 35.02	7th \$ 37.54	8th \$ 40.05	9th \$ 42.57	10th \$ 45.09
Supplemental	Benefits per l	hour							
1st \$ 8.27	2nd \$ 8.27	3rd \$ 19.22	4th \$ 19.22	5th \$ 19.47	6th \$ 19.47	7th \$ 19.47	8th \$ 19.47	9th \$ 19.47	10th \$ 19.47 1-669.2

## Teamster - Building / Heavy&Highway

11/01/2021

### JOB DESCRIPTION Teamster - Building / Heavy&Highway

**DISTRICT** 8

## **ENTIRE COUNTIES**

Putnam, Westchester

#### WAGES

GROUP A: Straight Trucks (6-wheeler and 10-wheeler), A-frame, Winch, Dynamite Seeding, Mulching, Agitator, Water, Attenuator, Light Towers, Cement (all types), Suburban, Station Wagons, Cars, Pick Ups, any vehicle carrying materials of any kind.

GROUP AA: Tack Coat

GROUP B: Tractor & Trailers (all types).

GROUP BB: Tri-Axle,14 Wheeler

GROUP C: Low Boy (carrying equipment).

GROUP D: Fuel Trucks, Tire Trucks.

GROUP E: Off-road Equipment (over 40 tons): Athey Wagons, Belly Dumps, Articulated Dumps, Trailer Wagons.

GROUP F: Off-road Equipment (over 40 tons) Euclid, DJB.

GROUP G: Off-road Equipment (under 40 tons) Athey Wagons, Belly Articulated Dumps, Trailer Wagons.

GROUP H: Off-road Equipment(under 40 tons), Euclid.

GROUP HH: Off-road Equipment(under 40 tons) D.J.B.

GROUP I: Off-road Equipment(under 40 tons) Darts.

GROUP II: Off-road Equipment(under 40 tons) RXS.

WAGES:(per hour)

	07/01/2021
GROUP A	\$ 42.47*
GROUP AA	45.27*
GROUP B	43.09*
GROUP BB	42.59*
GROUP C	45.22*
GROUP D	42.92*
GROUP E	43.47*
GROUP F	44.47*
GROUP G	43.22*
GROUP H	43.84*
GROUP HH	44.22*
GROUP I	43.97*

**GROUP II** 

44.34\*

\* To calculate premium wage, subtract \$ .20 from the hourly wage.

Note: Fuel truck operators on construction sites addit. \$5.00 per day. For work on hazardous/toxic waste site addit. 20% of hourly rate.

Shift Differential: NYS DOT or other Governmental Agency contracts shall receive a shift differential of Fifteen(15%)percent above the wage rate

Four (4), ten (10) hour days may be worked at straight time during a week, Monday thru Thursday.

NOTE - In order to use the '4 Day/10 Hour Work schedule', as your normal schedule, you must submit an 'Employer Registration for Use of 4 Day/10 Hour Work Schedule,' form PW30.1; and there must be a dispensation of hours in place on the project. If the PW30.1 is not submitted you may be liable for overtime payments for work over 8 hours per day.

#### SUPPLEMENTAL BENEFITS

Per hour: Journeyworker

First 40 hours \$33.64 41st-45th hours 15.18 Over 45 hours 0.26

#### **OVERTIME PAY**

See (B, E, P, R) on OVERTIME PAGE

#### HOLIDAY

See (5, 6, 8, 9, 15, 25) on HOLIDAY PAGE See (5, 6, 8, 9, 15, 25) on HOLIDAY PAGE Paid: Overtime:

8-456

Welder 11/01/2021

#### JOB DESCRIPTION Welder

#### **DISTRICT** 1

#### **ENTIRE COUNTIES**

Albany, Allegany, Bronx, Broome, Cattaraugus, Cayuga, Chautauqua, Chemung, Chenango, Clinton, Columbia, Cortland, Delaware, Dutchess, Erie, Essex, Franklin, Fulton, Genesee, Greene, Hamilton, Herkimer, Jefferson, Kings, Lewis, Livingston, Madison, Monroe, Montgomery, Nassau, New York, Niagara, Oneida, Onondaga, Ontario, Orange, Orleans, Oswego, Otsego, Putnam, Queens, Rensselaer, Cabanana, Rensselaer, Cabanana, Carana, Cabanana, Cab Richmond, Rockland, Saratoga, Schenectady, Schoharie, Schuyler, Seneca, St. Lawrence, Steuben, Suffolk, Sullivan, Tioga, Tompkins, Ulster, Warren, Washington, Wayne, Westchester, Wyoming, Yates

#### **WAGES**

07/01/2021 Per hour

Welder: To be paid the same rate of the mechanic performing the work.\*

\*EXCEPTION: If a specific welder certification is required, then the 'Certified Welder' rate in that trade tag will be paid.

#### **OVERTIME PAY**

**HOLIDAY** 

1-As Per Trade

**DISTRICT** 11

#### **Westchester County Residential**

Carpenter - Residential 11/01/2021

#### JOB DESCRIPTION Carpenter - Residential

# **ENTIRE COUNTIES**

Putnam, Rockland, Westchester

#### **WAGES**

\*\*\*IMPORTANT NOTE: Residential construction consists of those projects involving the construction, alteration, or repair of single-family houses or apartment buildings of no more than four (4) floors in height, town homes, row houses, single family homes, mobile homes, multifamily houses, apartment building of four (4) floors or less and assisted living facilities of four (4) floors or less. Excluding dormitories and student housing. Fours (4) stories shall be above ground level and shall not include the building's basement nor unfinished attic space.

Per hour:

07/01/2021

Carpenter \$ 24.50 +4.98\*

#### SUPPLEMENTAL BENEFITS

Per hour:

Journeyman \$ 20.81

#### **OVERTIME PAY**

See (B, E, Q) on OVERTIME PAGE

#### **HOLIDAY**

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

Holidays that fall on Sunday will be observed Monday.

#### **REGISTERED APPRENTICES**

1 year terms at the following wage rates:

Indentured before July 1 2016

	TSt	∠na	310	4th	
07/01/2021	\$ 15.00	\$ 15.69	\$ 17.15	\$ 19.60	
	+2.35*	+2.35*	+2.35*	+2.35*	
Indentured after July 1 2016					
	1st	2nd	3rd	4th	5th
07/01/2021	\$ 15.00	\$ 15.69	\$ 15.93	\$ 17.15	\$ 19.60
	+2.35*	+2.35*	+2.35*	+2.35*	+2.35*

<sup>\*</sup>For all hours paid straight or premium

Supplemental Benefits per hour:

Apprentice all terms \$ 10.64

11-279.1r

#### Insulator - Heat & Frost - Residential

11/01/2021

**DISTRICT** 8

JOB DESCRIPTION Insulator - Heat & Frost - Residential

#### **ENTIRE COUNTIES**

Dutchess, Orange, Putnam, Rockland, Westchester

#### WAGES

\*\*\*IMPORTANT NOTE: All residential plumbing, heating and air conditioning and site work in a single-family residence or a single family residential development under one roof, regardless of cost and garden type apartment buildings or developments which do not exceed three stories high.

Per hour: 07/01/2021

Asbestos Worker \$ 45.78

<sup>\*</sup>For all hours paid straight or premium

Apprentices 30.07

Fire Stop Work\*

Asbestos Worker 30.07

\* Applies on all exclusive Fire Stop Work (when contract is for Fire Stop Work only). No apprentices on these contracts only.

Note: Additional \$0.50 per hour for work 30 feet or more above floor or ground level.

#### SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$ 28.23

Apprentice 17.90

Fire Stop Work:

Journeyworker 17.90

**OVERTIME PAY** 

OVERTIME: See (B, E, Q, T, V) on OVERTIME PAGE.

**HOLIDAY** 

Paid:..... See (1) on HOLIDAY PAGE.

Overtime:.. See (2, 4, 6, 16, 25) on HOLIDAY PAGE.

8-91R

Laborer - Residential 11/01/2021

#### JOB DESCRIPTION Laborer - Residential

DISTRICT 8

**ENTIRE COUNTIES** 

Putnam, Westchester

**WAGES** 

\*\*\*IMPORTANT NOTE: FOR ONE OR TWO STORIES HOUSES, TOWN HOUSES AND RESIDENTIAL BUILDINGS UP TO THREE STORIES.

07/01/2021

Laborer \$33.35

SUPPLEMENTAL BENEFITS

Per hour:

Journeyworker \$ 18.80

**OVERTIME PAY** 

OVERTIME: See (B, E, Q, V\*) on OVERTIME PAGE.

\*Note: For Sundays and Holidays worked, benefits are at the same

premium as wages.

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 16, 25) on HOLIDAY PAGE

8-235r

11/01/2021

# Sheetmetal Worker - Residential

**DISTRICT** 8

JOB DESCRIPTION Sheetmetal Worker - Residential

ENTIRE COUNTIES

Dutchess, Orange, Putnam, Rockland, Sullivan, Ulster, Westchester

WAGES

\*\*\*IMPORTANT NOTE: HVAC work on single family dwellings, multiple family housing units, apartments and condominium homes where each individual family apartment is individually conditioned by separate and independent unit or system.

Per hour: 07/01/2021

Sheetmetal Worker \$ 31.90

+ 1.73

SHIFT WORK

For all NYS D.O.T. and other Governmental mandated off-shift work: 10% increase for additional shifts for a minimum of five (5) days

SUPPLEMENTAL BENEFITS

Journeyworker \$ 21.73

**OVERTIME PAY** 

See (B, E, Q) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE

Overtime: See (5, 6, 8, 15, 16, 23) on HOLIDAY PAGE

**REGISTERED APPRENTICES** 

WAGES - Per hour:

(1/2) year terms at the following rates.

1st	2nd	3rd	4th	5th	6th	7th	8th
\$16.76	\$18.32	\$19.88	\$21.40	\$23.28	\$24.99	\$26.96	\$28.65
+.87	+.96	+1.06	+1.16	+1.26	+1.35	+1.45	+1.55

Supplemental Benefits - Per hour:

1st	\$ 12.83
2nd	13.92
3rd	15.05
4th	16.21
5th	16.96
6th	17.94
7th	18.65
8th	19.65

8-38r

#### **Sprinkler Fitter - Residential**

11/01/2021

# JOB DESCRIPTION Sprinkler Fitter - Residential

**DISTRICT** 1

#### **ENTIRE COUNTIES**

Dutchess, Orange, Putnam, Rockland, Sullivan, Ulster, Westchester

#### WAGES

\*\*\*IMPORTANT NOTE: "Residential fire protection work" is applicable to one or two family dwellings, all multiple family dwelling units which are permitted to have a single exterior up to and including four stories, townhouses with units stacked vertically up to and including four stories and group residential care facilities and protective care homes (sheltered housing), not to include nursing homes or ambulatory care facilities.\*\*\*

Per hour

07/01/2021

Sprinkler \$ 37.71

Fitter

#### **SUPPLEMENTAL BENEFITS**

Per hour

Journeyman \$ 28.09

**OVERTIME PAY** 

See (B, H) on OVERTIME PAGE

**HOLIDAY** 

Paid: See (1) on HOLIDAY PAGE Overtime: See (5, 6) on HOLIDAY PAGE

Note: When a holiday falls on Sunday, the following Monday shall be considered a holiday and all work performed on either day shall be at the double time rate. When a holiday falls on Saturday, the preceding Friday shall be considered a holiday and all work performed on either day shall be at the double time rate.

1-669r2

# **Overtime Codes**

Following is an explanation of the code(s) listed in the OVERTIME section of each classification contained in the attached schedule. Additional requirements may also be listed in the HOLIDAY section.

NOTE: Supplemental Benefits are 'Per hour worked' (for each hour worked) unless otherwise noted

( AA )	Time and one half of the hourly rate after 7 and one half hours per day
(A)	Time and one half of the hourly rate after 7 hours per day
(B)	Time and one half of the hourly rate after 8 hours per day
(B1)	Time and one half of the hourly rate for the 9th & 10th hours week days and the 1st 8 hours on Saturday. Double the hourly rate for all additional hours
(B2)	Time and one half of the hourly rate after 40 hours per week
(C)	Double the hourly rate after 7 hours per day
(C1)	Double the hourly rate after 7 and one half hours per day
(D)	Double the hourly rate after 8 hours per day
(D1)	Double the hourly rate after 9 hours per day
(E)	Time and one half of the hourly rate on Saturday
(E1)	Time and one half 1st 4 hours on Saturday; Double the hourly rate all additional Saturday hours
(E2)	Saturday may be used as a make-up day at straight time when a day is lost during that week due to inclement weather
(E3)	Between November 1st and March 3rd Saturday may be used as a make-up day at straight time when a day is lost during that week due to inclement weather, provided a given employee has worked between 16 and 32 hours that week
(E4)	Saturday and Sunday may be used as a make-up day at straight time when a day is lost during that week due to inclement weather
(E5)	Double time after 8 hours on Saturdays
(F)	Time and one half of the hourly rate on Saturday and Sunday
(G)	Time and one half of the hourly rate on Saturday and Holidays
(H)	Time and one half of the hourly rate on Saturday, Sunday, and Holidays
(1)	Time and one half of the hourly rate on Sunday
(J)	Time and one half of the hourly rate on Sunday and Holidays
(K)	Time and one half of the hourly rate on Holidays
(L)	Double the hourly rate on Saturday
(M)	Double the hourly rate on Saturday and Sunday
(N)	Double the hourly rate on Saturday and Holidays
(O)	Double the hourly rate on Saturday, Sunday, and Holidays
(P)	Double the hourly rate on Sunday
(Q)	Double the hourly rate on Sunday and Holidays
(R)	Double the hourly rate on Holidays
(S)	Two and one half times the hourly rate for Holidays

- (S1) Two and one half times the hourly rate the first 8 hours on Sunday or Holidays One and one half times the hourly rate all additional hours.
- (T) Triple the hourly rate for Holidays
- (U) Four times the hourly rate for Holidays
- ( V ) Including benefits at SAME PREMIUM as shown for overtime
- ( W ) Time and one half for benefits on all overtime hours.
- ( X ) Benefits payable on Paid Holiday at straight time. If worked, additional benefit amount will be required for worked hours. (Refer to other codes listed.)

### **Holiday Codes**

#### PAID Holidays:

Paid Holidays are days for which an eligible employee receives a regular day's pay, but is not required to perform work. If an employee works on a day listed as a paid holiday, this remuneration is in addition to payment of the required prevailing rate for the work actually performed.

#### **OVERTIME Holiday Pay:**

Overtime holiday pay is the premium pay that is required for work performed on specified holidays. It is only required where the employee actually performs work on such holidays. The applicable holidays are listed under HOLIDAYS: OVERTIME. The required rate of pay for these covered holidays can be found in the OVERTIME PAY section listings for each classification.

Following is an explanation of the code(s) listed in the HOLIDAY section of each classification contained in the attached schedule. The Holidays as listed below are to be paid at the wage rates at which the employee is normally classified.

(1)	None
(2)	Labor Day
(3)	Memorial Day and Labor Day
(4)	Memorial Day and July 4th
(5)	Memorial Day, July 4th, and Labor Day
(6)	New Year's, Thanksgiving, and Christmas
(7)	Lincoln's Birthday, Washington's Birthday, and Veterans Day
(8)	Good Friday
(9)	Lincoln's Birthday
(10)	Washington's Birthday
(11)	Columbus Day
(12)	Election Day
(13)	Presidential Election Day
(14)	1/2 Day on Presidential Election Day
(15)	Veterans Day
(16)	Day after Thanksgiving
(17)	July 4th
(18)	1/2 Day before Christmas
(19)	1/2 Day before New Years
(20)	Thanksgiving
(21)	New Year's Day
(22)	Christmas
(23)	Day before Christmas
(24)	Day before New Year's
(25)	Presidents' Day
(26)	Martin Luther King, Jr. Day
(27)	Memorial Day
(28)	Easter Sunday

(29) Juneteenth



# New York State Department of Labor - Bureau of Public Work State Office Building Campus Building 12 - Room 130 Albany, New York 12240

# REQUEST FOR WAGE AND SUPPLEMENT INFORMATION

As Required by Articles 8 and 9 of the NYS Labor Law

 $Fax\ (518)\ 485\text{-}1870\ \text{or mail this form for new schedules or for determination for additional occupations}.$ 

# This Form Must Be Typed

Submitted By: (Check Only One) Contracting Agency Architect or Engineering	g Firm Public Work District Office Date	2:
A. Public Work Contract to be let by: (Enter Data Pertaining to	Contracting/Public Agency)	
1. Name and complete address	Construction Fund	□ 07 City □ 08 Local School District □ 09 Special Local District, i.e., Fire, Sewer, Water District □ 10 Village □ 11 Town □ 12 County □ 13 Other Non-N.Y. State (Describe)
E-Mail:  3. SEND REPLY TO Check if new or change) Name and complete address:	4. SERVICE REQUIRED. Check appropriate information.  New Schedule of Wages and Supplem  APPROXIMATE BID DATE:  Additional Occupation and/or Redetern	pox and provide project nents.
Telephone:( ) Fax: ( ) E-Mail:	PRC NUMBER ISSUED PREVIOUSLY FOR THIS PROJECT:	OFFICE USE ONLY
B. PROJECT PARTICULARS		
5. Project Title  Description of Work  Contract Identification Number  Note: For NYS units, the OSC Contract No.	6. Location of Project: Location on Site  Route No/Street Address  Village or City  Town  County	
7. Nature of Project - Check One:  1. New Building 2. Addition to Existing Structure 3. Heavy and Highway Construction (New and Repair) 4. New Sewer or Waterline 5. Other New Construction (Explain) 6. Other Reconstruction, Maintenance, Repair or Alteration 7. Demolition 8. Building Service Contract	8. OCCUPATION FOR PROJECT :  Construction (Building, Heavy Highway/Sewer/Water)  Tunnel Residential Landscape Maintenance Elevator maintenance Exterminators, Fumigators Fire Safety Director, NYC Only	☐ Guards, Watchmen ☐ Janitors, Porters, Cleaners, Elevator Operators ☐ Moving furniture and equipment ☐ Trash and refuse removal ☐ Window cleaners ☐ Other (Describe)
9. Has this project been reviewed for compliance with the Wi	cks Law involving separate bidding?	YES NO
10. Name and Title of Requester	Signature	<del></del>



# NEW YORK STATE DEPARTMENT OF LABOR Bureau of Public Work - Debarment List

# LIST OF EMPLOYERS INELIGIBLE TO BID ON OR BE AWARDED ANY PUBLIC WORK CONTRACT

Under Article 8 and Article 9 of the NYS Labor Law, a contractor, sub-contractor and/or its successor shall be debarred and ineligible to submit a bid on or be awarded any public work or public building service contract/sub-contract with the state, any municipal corporation or public body for a period of five (5) years from the date of debarment when:

- Two (2) final determinations have been rendered within any consecutive six-year (6) period determining that such contractor, sub-contractor and/or its successor has WILLFULLY failed to pay the prevailing wage and/or supplements;
- One (1) final determination involves falsification of payroll records or the kickback of wages and/or supplements.

The agency issuing the determination and providing the information, is denoted under the heading 'Fiscal Officer'. DOL = New York State Department of Labor; NYC = New York City Comptroller's Office; AG = New York State Attorney General's Office; DA = County District Attorney's Office.

<u>Debarment Database:</u> To search for contractors, sub-contractors and/or their successors debarred from bidding or being awarded any public work contract or subcontract under NYS Labor Law Articles 8 and 9, <u>or under NYS Workers' Compensation Law Section 141-b, access the database at this link: <a href="https://applications.labor.ny.gov/EDList/searchPage.do">https://applications.labor.ny.gov/EDList/searchPage.do</a></u>

For inquiries where WCB is listed as the "Agency", please call 1-866-546-9322

AGENCY	Fiscal Officer	FEIN	EMPLOYER NAME	EMPLOYER DBA NAME	ADDRESS	DEBARMENT START DATE	DEBARMENT END DATE
DOL	DOL	****5754	0369 CONTRACTORS, LLC		515 WEST AVE UNIT PH 13NORWALK CT 06850	05/12/2021	05/12/2026
DOL	NYC	****9839	A.J.S. PROJECT MANAGEMENT, INC.		149 FIFTH AVENUE NEW YORK NY 10010	12/29/2016	12/29/2021
DOL	DOL	****4018	ADIRONDACK BUILDING RESTORATION INC.		4156 WILSON ROAD EAST TABERG NY 13471	03/26/2019	03/26/2024
DOL	AG	****1812	ADVANCED BUILDERS & LAND DEVELOPMENT, INC.		400 OSER AVE #2300HAUPPAUGE NY 11788	09/11/2019	09/11/2024
DOL	DOL	****1687	ADVANCED SAFETY SPRINKLER INC		261 MILL ROAD P.O BOX 296EAST AURORA NY 14052	05/29/2019	05/29/2024
DOL	NYC	****6775	ADVENTURE MASONRY CORP.		1535 RICHMOND AVENUE STATEN ISLAND NY 10314	12/13/2017	12/13/2022
DOL	NYC		AGOSTINHO TOME		405 BARRETTO ST BRONX NY 10474	05/31/2018	05/31/2023
DOL	NYC		AMJAD NAZIR		2366 61ST ST BROOKLYN NY 11204	12/15/2016	12/15/2021
DOL	NYC		AMJED PARVEZ		401 HANOVER AVENUE STATEN ISLAND NY 10304	01/11/2021	01/11/2026
DOL	DOL		ANGELO F COKER		2610 SOUTH SALINA STREET SUITE 14SYRACUSE NY 13205	09/17/2020	09/17/2025
DOL	DOL		ANGELO F COKER		2610 SOUTH SALINA STREET SUITE 14SYRACUSE NY 13205	12/04/2018	12/04/2023
DOL	DOL		ANGELO GARCIA		515 WEST AVE UNIT PH 13NORWALK CT 06850	05/12/2021	05/12/2026
DOL	DOL		ANITA SALERNO		158 SOLAR ST SYRACUSE NY 13204	01/07/2019	01/07/2024
DOL	NYC		ANTHONY J SCLAFANI		149 FIFTH AVE NEW YORK NY 10010	12/29/2016	12/29/2021
DOL	DOL		ANTHONY PERGOLA		3 WEST MAIN ST/SUITE 208 ELMSFORD NY 10323	01/23/2017	01/23/2022
DOL	DOL		ANTONIO ESTIVEZ		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL		ARNOLD A. PAOLINI		1250 BROADWAY ST BUFFALO NY 14212	02/03/2020	02/03/2025
DOL	NYC		ARSHAD MEHMOOD		168-42 88TH AVENUE JAMAICA NY 11432	11/20/2019	11/20/2024
DOL	DOL		ARVINDER ATWAL		65 KENNETH PLACE NEW HYDE PARK NY 11040	07/19/2017	07/19/2022
DOL	NYC	****6683	ATLAS RESTORATION CORP.		35-12 19TH AVENUE ASTORIA NY 11105	08/02/2017	08/02/2022
DOL	NYC	****5532	ATWAL MECHANICALS, INC		65 KENNETH PLACE NEW HYDE PARK NY 11040	07/19/2017	07/19/2022
DOL	NYC	****2591	AVI 212 INC.		260 CROPSEY AVENUE APT 11GBROOKLYN NY 11214	10/30/2018	10/30/2023
DOL	NYC		AZIDABEGUM		524 MCDONALD AVENUE BROOKLYN NY 11218	09/17/2020	09/17/2025
DOL	NYC		BALWINDER SINGH		421 HUDSON ST SUITE C5NEW YORK NY 10014	02/20/2019	02/20/2024
DOL	NYC	****8416	BEAM CONSTRUCTION, INC.		50 MAIN ST WHITE PLAINS NY 10606	01/04/2019	01/04/2024
DOL	NYC	****2113	BHW CONTRACTING, INC.		401 HANOVER AVENUE STATEN ISLAND NY 10304	01/11/2021	01/11/2026
DOL	DOL		BIAGIO CANTISANI			06/12/2018	06/12/2023
DOL	DOL	****4512	BOB BRUNO EXCAVATING, INC		5 MORNINGSIDE DR AUBURN NY 13021	05/28/2019	05/28/2024
DOL	DOL		BOGDAN MARKOVSKI		370 W. PLEASANTVIEW AVE SUITE 2.329HACKENSACK NJ 07601	02/11/2019	02/11/2024
DOL	DOL		BRADLEY J SCHUKA		4 BROTHERS ROAD WAPPINGERS FALLS NY 12590	10/20/2020	10/20/2025
DOL	DOL		BRUCE P. NASH JR.		5841 BUTTERNUT ROAD EAST SYRACUSE NY 13057	09/12/2018	09/12/2023
DOL	DOL	****0225	C&D LAFACE CONSTRUCTION, INC.		8531 OSWEGO RD BALDWINSVILLE NY 13027	02/03/2020	01/09/2023
DOL	DOL	****8809	C.B.E. CONTRACTING CORPORATION		310 MCGUINESS BLVD GREENPOINT NY 11222	03/07/2017	03/07/2022
DOL	DOL	****9383	C.C. PAVING AND EXCAVATING, INC.		2610 SOUTH SALINA ST SUITE 12SYRACUSE NY 13205	09/17/2020	09/17/2025

	T 801	******	0.0.00000000000000000000000000000000000	I		10/01/0010	10/01/0000
DOL	DOL	*****9383	C.C. PAVING AND EXCAVATING, INC.		2610 SOUTH SALINA ST SUITE 12SYRACUSE NY 13205	12/04/2018	12/04/2023
DOL	DOL	*****5161	CALADRI DEVELOPMENT CORP.		1223 PARK ST. PEEKSKILL NY 10566	05/17/2021	05/17/2026
DOL	DOL	*****3391	CALI ENTERPRISES, INC.		1223 PARK STREET PEEKSKILL NY 10566	05/17/2021	05/17/2026
DOL	NYC		CALVIN WALTERS		465 EAST THIRD ST MT. VERNON NY 10550	09/09/2019	09/09/2024
DOL	DOL		CANTISANI & ASSOCIATES LTD		442 ARMONK RD MOUNT KISCSO NY 10549	06/12/2018	06/12/2023
DOL	DOL		CANTISANI HOLDING LLC			06/12/2018	06/12/2023
DOL	DOL		CARMEN RACHETTA		8531 OSWEGO RD BALDWINSVILLE NY 13027	02/03/2020	02/03/2025
DOL	DOL		CARMENA RACHETTA		8531 OSWEGO ROAD BALDWINSVILLE NY 13027	02/03/2020	01/09/2023
DOL	DOL	****3812	CARMODY "2" INC			06/12/2018	06/12/2023
DOL	DOL	****1143	CARMODY BUILDING CORP	CARMODY CONTRACTIN G AND CARMODY CONTRACTIN G CORP.	442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL		CARMODY CONCRETE CORPORATION			06/12/2018	06/12/2023
DOL	DOL		CARMODY ENTERPRISES, LTD.		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL		CARMODY INC		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL	****3812	CARMODY INDUSTRIES INC			06/12/2018	06/12/2023
DOL	DOL		CARMODY MAINTENANCE CORPORATION		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL		CARMODY MASONRY CORP		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL	*****8809	CBE CONTRACTING CORP		142 EAST MARKET STREET LONG BEACH NY 11561	03/07/2017	03/07/2022
DOL	AG		CESAR J. AGUDELO		81-06 34TH AVENUE APT. 6EJACKSON HEIGHTS NY 11372	02/07/2018	02/07/2023
DOL	DOL	****0026	CHANTICLEER CONSTRUCTION LLC		4 BROTHERS ROAD WAPPINGERS FALLS NY 12590	10/20/2020	10/20/2025
DOL	DOL		CHRISTOPHER GRECO		26 NORTH MYRTLE AVENUE SPRING VALLEY NY 10956	02/18/2021	02/18/2026
DOL	DOL		CHRISTOPHER J MAINI		19 CAITLIN AVE JAMESTOWN NY 14701	09/17/2018	09/17/2023
DOL	DOL		CHRISTOPHER PAPASTEFANOU A/K/A CHRIS PAPASTEFANOU		1445 COMMERCE AVE BRONX NY 10461	05/30/2019	05/30/2024
DOL	DOL	****1927	CONSTRUCTION PARTS WAREHOUSE, INC.	CPW	5841 BUTTERNUT ROAD EAST SYRACUSE NY 13057	09/12/2018	09/12/2023
DOL	DOL	****3228	CROSS-COUNTY LANDSCAPING AND TREE SERVICE, INC.	ROCKLAND TREE SERVICE	26 NORTH MYRTLE AVENUE SPRING VALLEY NY 10956	02/18/2021	02/18/2026
DOL	DOL	****2524	CSI ELECTRICAL & MECHANICAL INC		42-32 235TH ST DOUGLASTON NY 11363	01/14/2019	01/14/2024
DOL	NYC		DALJIT KAUR BOPARAI		185-06 56TH AVE FRESH MEADOW NY 11365	10/17/2017	10/17/2022
DOL	DOL		DARIAN L COKER		2610 SOUTH SALINA ST SUITE 2CSYRACUSE NY 13205	09/17/2020	09/17/2025
DOL	DOL		DARIAN L COKER		2610 SOUTH SALINA ST SUITE 2CSYRACUSE NY 13205	12/04/2018	12/04/2023
DOL	NYC		DAVID WEINER		14 NEW DROP LANE 2ND FLOORSTATEN ISLAND NY 10306	11/14/2019	11/14/2024
DOL	DOL		DEBBIE STURDEVANT		29 MAPLEWOOD DRIVE BINGHAMTON NY 13901	02/21/2017	02/21/2022
DOL	AG		DEBRA MARTINEZ		31 BAY ST BROOKLYN NY 11231	03/28/2018	03/28/2023
DOL	DOL		DELPHI PAINTING & DECORATING CO INC		1445 COMMERCE AVE BRONX NY 10461	05/30/2019	05/30/2024
DOL	DOL		DF CONTRACTORS OF ROCHESTER, INC.		1835 DAANSEN RD. PALMYRA NY 14522	05/16/2017	05/16/2022
DOL	DOL		DF CONTRACTORS, INC.		1835 DAANSEN RD.	05/16/2017	05/16/2022

DOL	NYC		DIMITRIOS TSOUMAS		35-12 19TH AVENUE ASTORIA NY 11105	08/02/2017	08/02/2022
DOL	DOL		DOMENICO LAFACE		8531 OSWEGO RD BALDWINSVILLE NY 13027	02/03/2020	01/09/2023
DOL	DOL	****3242	DONALD R. FORSAY	DF LAWN SERVICE	1835 DAANSEN RD. PALMYRA NY 14522	05/16/2017	05/16/2022
DOL	DOL		DONALD R. FORSAY		1835 DAANSEN RD. PALMYRA NY 14522	05/16/2017	05/16/2022
DOL	NYC		DUARTE LOPES		66-05 WOODHAVEN BLVD. STE 2REGO PARK NY 11374	04/20/2017	04/20/2022
DOL	DOL	****5175	EAGLE MECHANICAL AND GENERAL CONSTRUCTION LLC		11371 RIDGE RD WOLCOTT NY 14590	02/03/2020	02/03/2025
DOL	DOL		EAST COAST PAVING		2238 BAKER RD GILLETT PA 16923	03/12/2018	03/12/2023
DOL	NYC	****4269	EAST PORT EXCAVATION & UTILITIES		601 PORTION RD RONKONKOMA NY 11779	11/18/2016	11/18/2021
DOL	DA		EDWIN HUTZLER		2375 RAYNOR STREET RONKONKOMA NY 11779	08/04/2021	08/04/2026
DOL	DOL	*****0780	EMES HEATING & PLUMBING CONTR		5 EMES LANE MONSEY NY 10952	01/20/2002	01/20/3002
DOL	NYC	****5917	EPOCH ELECTRICAL, INC		97-18 50TH AVE CORONA NY 11368	04/19/2018	04/19/2024
DOL	DOL		FAIGY LOWINGER		11 MOUNTAIN RD 28 VAN BUREN DRMONROE NY 10950	03/20/2019	03/20/2024
DOL	DOL		FRANK BENEDETTO		19 CATLIN AVE JAMESTOWN NY 14701	09/17/2018	09/17/2023
DOL	DOL	****4722	FRANK BENEDETTO AND CHRISTOPHER J MAINI	B & M CONCRETE	19 CAITLIN AVE JAMESTOWN NY 14701	09/17/2018	09/17/2023
DOL	NYC		FRANK MAINI		1766 FRONT ST YORKTOWN HEIGHTS NY 10598	01/17/2018	01/17/2023
DOL	DA		FREDERICK HUTZLER		2375 RAYNOR STREET RONKONKOMA NY 11779	08/04/2021	08/04/2026
DOL	NYC	****6616	G & G MECHANICAL ENTERPRISES, LLC.		1936 HEMPSTEAD TURNPIKE EAST MEDOW NY 11554	11/29/2019	11/29/2024
DOL	DOL		GABRIEL FRASSETTI			04/10/2019	04/10/2024
DOL	DOL		GEOFF CORLETT		415 FLAGGER AVE #302STUART FL 34994	10/31/2018	10/31/2023
DOL	DA		GEORGE LUCEY		150 KINGS STREET BROOKLYN NY 11231	01/19/1998	01/19/2998
DOL	DOL		GIGI SCHNECKENBURGER		261 MILL RD EAST AURORA NY 14052	05/29/2019	05/29/2024
DOL	DOL		GIOVANNI LAFACE		8531 OSWEGO RD BALDWINSVILLE NY 13027	02/03/2020	01/09/2023
DOL	NYC	****3164	GLOBE GATES INC	GLOBAL OVERHEAD DOORS	405 BARRETTO ST BRONX NY 10474	05/31/2018	05/31/2023
DOL	NYC		GREAT ESTATE CONSTRUCTION, INC.		327 STAGG ST BROOKLYN NY 11206	10/10/2017	10/10/2022
DOL	DOL		GREGORY S. OLSON		P.O BOX 100 200 LATTA BROOK PARKHORSEHEADS NY 14845	03/08/2018	03/08/2023
DOL	DOL		HANS RATH		24 ELDOR AVENUE NEW CITY NY 10956	02/03/2020	02/03/2025
DOL	NYC	****3228	HEIGHTS ELEVATOR CORP.		1766 FRONT ST YORKTOWN HEIGHTS NY 10598	01/17/2018	01/17/2023
DOL	DOL	****5131	INTEGRITY MASONRY, INC.	M&R CONCRETE	722 8TH AVE WATERVLIET NY 12189	06/05/2018	06/05/2023
DOL	DOL		IRENE KASELIS		32 PENNINGTON AVE WALDWICK NJ 07463	05/30/2019	05/30/2024
DOL	DOL	****9211	J. WASE CONSTRUCTION CORP.		8545 RT 9W ATHENS NY 12015	03/09/2021	03/09/2026
DOL	DOL		J.A. HIRES CADWALLADER		P.O BOX 100 200 LATTA BROOK PARKHORSEHEADS NY 14845	03/08/2018	03/08/2023
DOL	DOL		JAMES C. DELGIACCO		722 8TH AVE WATERVLIET NY 12189	06/05/2018	06/05/2023
DOL	DOL		JAMES J. BAKER		7901 GEE ROAD CANASTOTA NY 13032	08/17/2021	08/17/2026
DOL	DOL		JAMES LIACONE		9365 WASHINGTON ST LOCKPORT IL 60441	07/23/2018	07/23/2023

DOL	DOL		JAMES RACHEL		9365 WASHINGTON ST LOCKPORT IL 60441	07/23/2018	07/23/2023
DOL	DOL	****7993	JBS DIRT, INC.		7901 GEE ROAD CANASTOTA NY 13032	08/17/2021	08/17/2026
DOL	DOL	****5368	JCH MASONRY & LANDSCAPING INC.		35 CLINTON AVE OSSINING NY 10562	09/12/2018	09/12/2023
DOL	NYC		JENNIFER GUERRERO		1936 HEMPSTEAD TURNPIKE EAST MEADOW NY 11554	11/29/2019	11/29/2024
DOL	DOL		JIM PLAUGHER		17613 SANTE FE LINE ROAD WAYNEFIELD OH 45896	07/16/2021	07/16/2026
DOL	AG		JOHN ANTHONY MASSINO		36-49 204TH STREET BAYSIDE NY 11372	02/07/2018	02/07/2023
DOL	DOL		JOHN F. CADWALLADER		200 LATTA BROOK PARK HORSEHEADS NY 14845	03/08/2018	03/08/2023
DOL	DOL	****4612	JOHN F. CADWALLADER, INC.	THE GLASS COMPANY	P.O BOX 100 200 LATTA BROOK PARKHORSEHEADS NY 14845	03/08/2018	03/08/2023
DOL	DOL		JOHN GOCEK		14B COMMERCIAL AVE ALBANY NY 12065	11/14/2019	11/14/2024
DOL	DOL		JOHN LUCIANO			05/14/2018	05/14/2023
DOL	DOL		JOHN WASE		8545 RT 9W ATHENS NY 12015	03/09/2021	03/09/2026
DOL	AG	****0600	JOHNCO CONTRACTING, INC.		36-49 204TH STREET BAYSIDE NY 11372	02/07/2018	02/07/2023
DOL	DOL		JON E DEYOUNG		261 MILL RD P.O BOX 296EAST AURORA NY 14052	05/29/2019	05/29/2024
DOL	DOL		JORGE RAMOS		8970 MIKE GARCIA DR MANASSAS VA 20109	07/16/2021	07/16/2026
DOL	DOL		JORI PEDERSEN		415 FLAGER AVE #302STUART FL 34994	10/31/2018	10/31/2023
DOL	DOL		JOSE CHUCHUCA		35 CLINTON AVE OSSINING NY 10562	09/12/2018	09/12/2023
DOL	NYC		JOSEPH FOLEY		66-05 WOODHAVEN BLVD. STE 2REGO PARK NY 11374	04/20/2017	04/20/2022
DOL	NYC		JOSEPH MARTINO		1535 RICHMOND AVENUE STATEN ISLAND NY 10314	12/13/2017	12/13/2022
DOL	DOL		JOY MARTIN		2404 DELAWARE AVE NIGARA FALLS NY 14305	09/12/2018	09/12/2023
DOL	DOL		JULIUS AND GITA BEHREND		5 EMES LANE MONSEY NY 10952	11/20/2002	11/20/3002
DOL	DOL	****5062	K R F SITE DEVELOPMENT INC		375 LAKE SHORE DRIVE PUTNAM VALLEY NY 10579	01/23/2017	01/23/2022
DOL	NYC		K.S. CONTRACTING CORP.		29 PHILLIP DRIVE PARSIPPANY NJ 07054	02/13/2017	02/13/2022
DOL	DOL		KARIN MANGIN		796 PHELPS ROAD FRANKLIN LAKES NJ 07417	12/01/2020	12/01/2025
DOL	DOL		KATE E. CONNOR		7088 INTERSTATE ISLAND RD SYRACUSE NY 13209	03/31/2021	03/31/2026
DOL	DOL		KATIE BURDICK		2238 BAKER RD GILLETT PA 16923	03/12/2018	03/12/2023
DOL	DOL	****2959	KELC DEVELOPMENT, INC		7088 INTERSTATE ISLAND RD SYRACUSE NY 13209	03/31/2021	03/31/2026
DOL	DOL		KENNETH FIORENTINO		375 LAKE SHORE DRIVE PUTNAM VALLEY NY 10579	01/23/2017	01/23/2022
DOL	DOL		KIMBERLY F. BAKER		7901 GEE ROAD CANASTOTA NY 13032	08/17/2021	08/17/2026
DOL	DOL	*****3490	L & M CONSTRUCTION/DRYWALL INC.		1079 YONKERS AVE YONKERS NY 10704	08/07/2018	08/07/2023
DOL	DA	*****8816	LAKE CONSTRUCTION AND DEVELOPMENT CORPORATION		150 KINGS STREET BROOKLYN NY 11231	08/19/1998	08/19/2998
DOL	DOL	****4505	LARAPINTA ASSOCIATES INC		29 MAPLEWOOD DRIVE BINGHAMTON NY 13901	02/21/2017	02/21/2022
DOL	DOL		LAVERN GLAVE		161 ROBYN RD MONROE NY 10950	01/30/2018	01/30/2023
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	06/24/2016	09/19/2022
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	06/24/2016	09/19/2022
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022

DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	01/17/2017	09/19/2022
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL	****4388	LEN.J CONSTRUCTION, LLC		PO BOX 10007 ALBANY NY 12201	08/14/2017	09/19/2022
DOL	DOL		LEROY NELSON JR		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL		LEROY NELSON JR		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL		LEROY NELSON JR		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL		LEROY NELSON JR		PO BOX 10007 ALBANY NY 12201	09/19/2017	09/19/2022
DOL	DOL		LEROY NELSON JR		PO BOX 10007 ALBANY NY 12201	08/14/2017	08/14/2022
DOL	DOL		LEROY NELSON JR		PO BOX 10007 ALBANY NY 12201	01/17/2017	09/19/2022
DOL	DA	****4460	LONG ISLAND GLASS & STOREFRONTS, LLC		4 MANHASSET TRL RIDGE NY 11961	09/06/2018	09/06/2023
DOL	AG	****4216	LOTUS-C CORP.		81-06 34TH AVENUE APT. 6EJACKSON HEIGHTS NY 11372	02/07/2018	02/07/2023
DOL	DOL		LOUIS A. CALICCHIA		1223 PARK ST. PEEKSKILL NY 10566	05/17/2021	05/17/2026
DOL	NYC		LUBOMIR PETER SVOBODA		27 HOUSMAN AVE STATEN ISLAND NY 10303	12/26/2019	12/26/2024
DOL	NYC		M & L STEEL & ORNAMENTAL IRON CORP.		27 HOUSMAN AVE STATEN ISLAND NY 10303	12/26/2019	12/26/2024
DOL	DOL		M ANVER BEIG		142 EAST MARKET STREET LONG BEACH NY 11561	03/07/2017	03/07/2022
DOL	DOL		M. ANVER BEIG		142 EAST MARKET STREET LONG BEACH NY 11561	03/07/2017	03/07/2022
DOL	DOL	****2196	MAINSTREAM SPECIALTIES, INC.		11 OLD TOWN RD SELKIRK NY 12158	02/02/2021	02/02/2026
DOL	DA		MANUEL P TOBIO		150 KINGS STREET BROOKLYN NY 14444	08/19/1998	08/19/2998
DOL	DA		MANUEL TOBIO		150 KINGS STREET BROOKLYN NY 11231	08/19/1998	08/19/2998
DOL	NYC		MAREK FABIJANOWSKI		50 MAIN ST WHITE PLAINS NY 10606	01/04/2019	01/04/2024
DOL	NYC		MARTINE ALTER		1010 NORTHERN BLVD. GREAT NECK NY 11021	03/09/2017	03/09/2022
DOL	DOL		MARVIN A STURDEVANT		29 MAPLEWOOD DRIVE BINGHAMTON NY 13901	02/21/2017	02/21/2022
DOL	DOL		MASONRY CONSTRUCTION, INC.		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL	****3333	MASONRY INDUSTRIES, INC.		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	NYC		MATINA KARAGIANNIS		97-18 50TH AVE CORONA NY 11368	04/19/2018	04/19/2023
DOL	DOL		MATTHEW P. KILGORE		4156 WILSON ROAD EAST TABERG NY 13471	03/26/2019	03/26/2024
DOL	DOL		MAURICE GAWENO		442 ARMONK RD MOUNT KISCO NY 10549	06/12/2018	06/12/2023
DOL	DOL		MCLEAN "MIKKI BEANE"		1229 JAMES STREET SYRACUSE NY 13203	05/02/2017	05/02/2022
DOL	DOL		MCLEAN "MIKKI" DRAKE		1229 JAMES STREET SYRACUSE NY 13203	05/02/2017	05/02/2022
DOL	DOL		MCLEAN M DRAKE-BEANE		1229 JAMES STREET SYRACUSE NY 13203	05/02/2017	05/02/2022
DOL	DOL	*****9445	MCLEAN M WALSH	ELITE PROFESSION AL PAINTING OF CNY	1229 JAMES STREET SYRACUSE NY 13203	05/02/2017	05/02/2022
DOL	DOL	*****9445	MCLEAN M WALSH	ELITE PROFESSION AL PAINTING OF CNY	1229 JAMES STREET SYRACUSE NY 13203	05/02/2017	05/02/2022
DOL	DOL		MICHAEL LENIHAN	2	1079 YONKERS AVE	08/07/2018	08/07/2023

DOL	AG		MICHAEL RIGLIETTI		31 BAY ST BROOKLYN NY 11231	03/28/2018	03/28/2023
DOL	DOL	****4829	MILESTONE ENVIRONMENTAL CORPORATION		704 GINESI DRIVE SUITE 29MORGANVILLE NJ 07751	04/10/2019	04/10/2024
DOL	NYC	****9926	MILLENNIUM FIRE PROTECTION, LLC		325 W. 38TH STREET SUITE 204NEW YORK NY 10018	11/14/2019	11/14/2024
DOL	NYC	*****0627	MILLENNIUM FIRE SERVICES, LLC		14 NEW DROP LNE 2ND FLOORSTATEN ISLAND NY 10306	11/14/2019	11/14/2024
DOL	NYC	****3826	MOVING MAVEN OF NY, INC.		1010 NORTHERN BLVD. GREAT NECK NY 11021	03/09/2017	03/09/2022
DOL	NYC	****3550	MOVING MAVEN, INC		1010 NORTHERN BLVD. GREAT NECK NY 11021	03/09/2017	03/09/2022
DOL	AG		MSR ELECTRICAL CONSTRUCTION CORP.		31 BAY ST BROOKLYN NY 11231	03/28/2018	03/28/2023
DOL	DOL		MUHAMMAD BEIG		142 EAST MARKET STREET LONG BEACH NY 11561	03/07/2017	03/07/2022
DOL	DOL		MUHAMMAD BEIG		142 EAST MARKET STREET LONG BEACH NY 11561	03/07/2017	03/07/2022
DOL	NYC		MUHAMMED A. HASHEM		524 MCDONALD AVENUE BROOKLYN NY 11218	09/17/2020	09/17/2025
DOL	DA	****9786	NATIONAL INSULATION & GC CORP		180 MILLER PLACE HICKSVILLE NY 11801	12/12/2018	12/12/2023
DOL	DOL	****3684	NATIONAL LAWN SPRINKLERS, INC.		645 N BROADWAY WHITE PLAINS NY 10603	05/14/2018	05/14/2023
DOL	NYC		NICHOLAS FILIPAKIS		7113 FORT HAMILTON PARKWA BROOKLYN NY 11228	12/09/2016	12/09/2021
DOL	DOL	****7429	NICOLAE I. BARBIR	BESTUCCO CONSTRUCTI ON, INC.	444 SCHANTZ ROAD ALLENTOWN PA 18104	09/17/2020	09/17/2025
DOL	DOL	*****0065	NORTHEAST LANDSCAPE AND MASONRY ASSOC		3 WEST MAIN ST/SUITE 208 ELMSFORD NY 10523	01/23/2017	01/23/2022
DOL	DOL	****1845	OC ERECTERS, LLC A/K/A OC ERECTERS OF NY INC.		1207 SW 48TH TERRACE DEERFIELD BEACH FL 33442	01/16/2018	01/16/2023
DOL	NYC	****0818	ONE TEN RESTORATION, INC.		2366 61ST ST BROOKLYN NY 11204	12/15/2016	12/15/2021
DOL	NYC		PARESH SHAH		29 PHILLIP DRIVE PARSIPPANY NJ 07054	02/13/2017	02/13/2022
DOL	DOL		PAULINE CHAHALES		935 S LAKE BLVD MAHOPAC NY 10541	03/02/2021	03/02/2026
DOL	NYC	****9422	PELIUM CONSTRUCTION, INC.		22-33 35TH ST. ASTORIA NY 11105	12/30/2016	12/30/2021
DOL	DOL		PETER M PERGOLA		3 WEST MAIN ST/SUITE 208 ELMSFORD NY 10523	01/23/2017	01/23/2022
DOL	DOL		PETER STEVENS		11 OLD TOWN ROAD SELKIRK NY 12158	02/02/2021	02/02/2026
DOL	DOL		PIERRE LAPORT		224 COUNTY HIGHWAY 138 BROADALBIN NY 12025	03/07/2017	03/07/2022
DOL	DOL	****1543	PJ LAPORT FLOORING INC		224 COUNTY HIGHWAY 138 BROADALBIN NY 12025	03/07/2017	03/07/2022
DOL	NYC	****5771	PMJ ELECTRICAL CORP		7113 FORT HAMILTON PARKWA BROOKLYN NY 11228	12/09/2016	12/09/2021
DOL	DOL	****0466	PRECISION BUILT FENCES, INC.		1617 MAIN ST PEEKSKILL NY 10566	03/03/2020	03/03/2025
DOL	NYC	****4532	PROFESSIONAL PAVERS CORP.		66-05 WOODHAVEN BLVD. REGO PARK NY 11374	04/20/2017	04/20/2022
DOL	NYC		RASHEL CONSTRUCTION CORP		524 MCDONALD AVENUE BROOKLYN NY 11218	09/17/2020	09/17/2025
DOL	DOL	****1068	RATH MECHANICAL CONTRACTORS, INC.		24 ELDOR AVENUE NEW CITY NY 10956	02/03/2020	02/03/2025
DOL	DOL	****2633	RAW POWER ELECTRIC CORP		3 PARK CIRCLE MIDDLETOWN NY 10940	01/30/2018	01/30/2023
DOL	AG	****7015	RCM PAINTING INC.		69-06 GRAND AVENUE 2ND FLOORMASPETH NY 11378	02/07/2018	02/07/2023
DOL	DOL		REGINALD WARREN		161 ROBYN RD MONROE NY 10950	01/30/2018	01/30/2023
DOL	DOL	****9148	RICH T CONSTRUCTION		107 WILLOW WOOD LANE CAMILLUS NY 13031	11/13/2018	11/13/2023
DOL	DOL		RICHARD MACONE		8617 THIRD AVE BROOKLYN NY 11209	09/17/2018	09/17/2023

DOL	DOL		RICHARD REGGIO		1617 MAIN ST PEEKSKILL NY 10566	03/03/2020	03/03/2025
DOL	DOL	*****9148	RICHARD TIMIAN	RICH T 108 LAMONT AVE CONSTRUCTI SYRACUSE NY 13209		10/16/2018	10/16/2023
DOL	DOL		RICHARD TIMIAN JR.	108 LAMONT AVE SYRACUSE NY 13209		10/16/2018	10/16/2023
DOL	DOL		RICHARD TIMIAN JR.	108 LAMONT AVE SYRACUSE NY 13209		11/13/2018	11/13/2023
DOL	DOL		ROBBYE BISSESAR	89-51 SPRINGFIELD BLVD QUEENS VILLAGE NY 11427		01/11/2003	01/11/3003
DOL	DOL		ROBERT A. VALERINO	3841 LANYARD COURT NEW PORT RICHEY FL 34652		07/09/2019	07/09/2024
DOL	DOL		ROBERT BRUNO	3 GAYLORD ST AUBURN NY 13021		11/15/2016	11/15/2021
DOL	DOL		ROBERT BRUNO		5 MORNINGSIDE DRIVE AUBURN NY 13021	05/28/2019	05/28/2024
DOL	NYC		ROBERT HOHMAN		149 FIFTH AVE NEW YORK NY 10010	12/29/2016	12/29/2021
DOL	DOL		RODERICK PUGH		404 OAK ST SUITE 101SYRACUSE NY 13203		07/23/2023
DOL	DOL	****4880	RODERICK PUGH CONSTRUCTION INC.		404 AK ST SUITE 101SYRACUSE NY 13203		07/23/2023
DOL	DOL		ROMEO WARREN		161 ROBYN RD MONROE NY 10950	01/30/2018	01/30/2023
DOL	DOL		RONALD MESSEN		14B COMMERCIAL AVE ALBANY NY 12065	11/14/2019	11/14/2024
DOL	DOL		ROSEANNE CANTISANI			06/12/2018	06/12/2023
DOL	DOL		RYAN ALBIE		21 S HOWELLS POINT ROAD BELLPORT NY 11713	02/21/2017	02/21/2022
DOL	DOL	*****3347	RYAN ALBIE CONTRACTING INC		21 S HOWELLS POINT ROAD BELLPORT NY 11713	02/21/2017	02/21/2022
DOL	DOL	*****1365	S & L PAINTING, INC.		11 MOUNTAIN ROAD P.O BOX 408MONROE NY 10950	03/20/2019	03/20/2024
DOL	DOL	****7730	S C MARTIN GROUP INC.		2404 DELAWARE AVE NIAGARA FALLS NY 14305	09/12/2018	09/12/2023
DOL	NYC	*****0349	SAM WATERPROOFING INC		168-42 88TH AVENUE APT.1 AJAMAICA NY 11432	11/20/2019	11/20/2024
DOL	NYC		SANDEEP BOPARAI		185-06 56TH AVE FRESH MEADOW NY 11365		10/17/2022
DOL	DOL	*****9751	SCW CONSTRUCTION		544 OLD ROUTE 23 ACRE NY 12405		02/14/2022
DOL	NYC	****6597	SHAIRA CONSTRUCTION CORP.		421 HUDSON STREET SUITE C5NEW YORK NY 10014	02/20/2019	02/20/2024
DOL	DOL	****1961	SHANE BURDICK	CENTRAL TRAFFIC CONTROL, LLC.	TRAFFIC GILLETT PA 16923 CONTROL,		03/12/2023
DOL	DOL		SHANE BURDICK	2238 BAKER ROAD GILLETT PA 16923		03/12/2018	03/12/2023
DOL	DOL		SHANE NOLAN	9365 WASHINGTON ST LOCKPORT IL 60441		07/23/2018	07/23/2023
DOL	DOL		SHULEM LOWINGER		11 MOUNTAIN ROAD 28 VAN BUREN DRMONROE NY 10950	03/20/2019	03/20/2024
DOL	DOL	*****0816	SOLAR ARRAY SOLUTIONS,		9365 WASHINGTON ST LOCKPORT IL 60441	07/23/2018	07/23/2023
DOL	DOL	****0440	SOLAR GUYS INC.		8970 MIKE GARCIA DR MANASSAS VA 20109	07/16/2021	07/16/2026
DOL	DOL	*****2221	SOUTH BUFFALO ELECTRIC, INC.		1250 BROADWAY ST BUFFALO NY 14212	02/03/2020	02/03/2025
DOL	DOL	****3496	STAR INTERNATIONAL INC		89-51 SPRINGFIELD BLVD QUEENS VILLAGE NY 11427	08/11/2003	08/11/3003
DOL	DOL	****6844	STEAM PLANT AND CHX SYSTEMS INC.	<del> </del>		11/14/2019	11/14/2024
DOL	DOL	*****9933	STEED GENERAL CONTRACTORS, INC.			05/30/2019	05/30/2024
DOL	DOL	****9528	STEEL-IT, LLC.		17613 SANTE FE LINE ROAD WAYNESFIELD OH 45896	07/16/2021	07/16/2026
DOL	DOL		STEFANOS PAPASTEFANOU, JR. A/K/A STEVE		256 WEST SADDLE RIVER RD UPPER SADDLE RIVER NJ	05/30/2019	05/30/2024

DOL	DOL	*****9751	STEPHEN C WAGAR		544 OLD ROUTE 23 ACRE NY 12405	02/14/2017	02/14/2022
DOL	DOL		STEVE TATE	415 FLAGER AVE #302STUART FL 34994		10/31/2018	10/31/2023
DOL	NYC		STEVEN GOVERNALE	601 PORTION RD RONKONKOMA NY 11779		11/18/2016	11/18/2021
DOL	DOL		STEVEN MARTIN	2404 DELWARE AVE NIAGARA FALLS NY 14305		09/12/2018	09/12/2023
DOL	DOL		STEVEN TESTA	50 SALEM STREET - BLDG B LYNNFIELD MA 01940		01/23/2017	01/23/2022
DOL	NYC	****5863	SUKHMANY CONSTRUCTION, INC.		185-06 56TH AVE FRESH MEADOW NY 11365		10/17/2022
DOL	DOL	****1060	SUNN ENTERPRISES GROUP, LLC	370 W. PLEASANTVIEW AVE SUITE 2.329HACKENSACK NJ 07601		02/11/2019	02/11/2024
DOL	DOL	****8209	SYRACUSE SCALES, INC.		158 SOLAR ST SYRACUSE NY 13204	01/07/2019	01/07/2024
DOL	DOL		TALAILA OCAMPA		1207 SW 48TH TERRACE DEERFIELD BEACH FL 33442	01/16/2018	01/16/2023
DOL	DOL		TERRY THOMPSON		11371 RIDGE RD WOLCOTT NY 14590	02/03/2020	02/03/2025
DOL	DOL		TEST		P.O BOX 123 ALBANY NY 12204	05/20/2020	05/20/2025
DOL	DOL	****6789	TEST1000		P.O BOX 123 ALBANY NY 12044	03/01/2021	03/01/2026
DOL	DOL	****5570	TESTA CORP		50 SALEM STREET - BLDG B LYNNFIELD MA 01940	01/23/2017	01/23/2022
DOL	DOL	****5766	THE COKER CORPORATION	COKER CORPORATIO N	2610 SOUTH SALINA ST SUITE 14SYRACUSE NY 13205	12/04/2018	12/04/2023
DOL	DOL	****5766	THE COKER CORPORATION	COKER CORPORATIO N	2610 SOUTH SALINA ST SUITE 14SYRACUSE NY 13205	09/17/2020	09/17/2025
DOL	DA	****4106	TRIPLE H CONCRETE CORP		2375 RAYNOR STREET RONKONKOMA NY 11779	08/04/2021	08/04/2026
DOL	DOL	****6392	V.M.K CORP.		8617 THIRD AVE BROOKLYN NY 11209		09/17/2023
DOL	DOL	****6418	VALHALLA CONSTRUCTION, LLC.		796 PHLEPS ROAD FRANKLIN LAKES NJ 07417	12/01/2020	12/01/2025
DOL	NYC	****7361	VIABLE HOLDINGS, INC.	MOVING MAVEN	1010 NORTHERN BLVD. GREAT NECK NY 11021	03/09/2017	03/09/2022
DOL	DOL		VICTOR ALICANTI		42-32 235TH ST DOUGLASTON NY 11363		01/14/2024
DOL	NYC		VIKTAR PATONICH		2630 CROPSEY AVE BROOKLYN NY 11214	10/30/2018	10/30/2023
DOL	DOL		VIKTORIA RATH		24 ELDOR AVENUE NEW CITY NY 10956		02/03/2025
DOL	NYC		VITO GARGANO	1535 RICHMOND AVE STATEN ISLAND NY 10314		12/13/2017	12/13/2022
DOL	NYC	****3673	WALTERS AND WALTERS, INC.	465 EAST AND THIRD ST MT. VERNON NY 10550		09/09/2019	09/09/2024
DOL	DOL	****3296	WESTERN NEW YORK CONTRACTORS, INC.	3841 LAYNARD COURT NEW PORT RICHEY FL 34652		07/09/2019	07/09/2024
DOL	DOL		WHITE PLAINS CARPENTRY CORP	442 ARMONK RD		06/12/2018	06/12/2023
DOL	DOL		WILLIAM C WATKINS	1229 JAMES STREET SYRACUSE NY 13203		05/02/2017	05/02/2022
DOL	DOL	****4043	WINDSHIELD INSTALLATION NETWORK, INC.	200 LATTA BROOK PARK HORSEHEADS NY 14845		03/08/2018	03/08/2023
DOL	DOL	****4730	XGD SYSTEMS, LLC	1		10/31/2018	10/31/2023
DOL	NYC		ZAKIR NASEEM	30 MEADOW ST 10/ BROOKLYN NY 11206		10/10/2017	10/10/2022
DOL	NYC	****8277	ZHN CONTRACTING CORP		30 MEADOW ST BROOKLYN NY 11206	10/10/2017	10/10/2022



# **TECHNICAL SPECIFICATIONS**

DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION

Division of Engineering

#### SECTION 011000 - SUMMARY OF THE PROJECT COMPONENTS

#### PART 1 - GENERAL

#### 1.1 SCOPE OF THIS SECTION:

A. Description of the Work.

#### 1.2 DESCRIPTION OF THE WORK:

- A. The Project for House Rehabilitation at 41 Church St. in Bedford, NY is described in detail in the drawings and specifications and generally includes, but is not limited to, the following work for the rehabilitation of interior & exterior finishes, rear porch roof replacement, bathroom renovations, new kitchen counters & cabinets, misc. minor repairs and general cleaning.
  - 1. Setup of the Project staging area. Protect adjacent environment from erosion, contamination by construction debris and general damage. Establish specific precautions and protections for the property. Clear property of all un-used items and structures.
  - 2. Remove the following items: (but not limited to): ex'g. kitchen counters & cabinets, ex'g. bathroom cabinets & accessories, carpet, vinyl flooring, rear porch corrugated fiberglass roof, and various misc. deteriorated trims & items. Remove ex'g. boiler.
  - 3. Install the following new items: (but not limited to): kitchen counters & cabinets, bathroom cabinets & accessories, carpet, vinyl flooring, rear porch corrugated fiberglass roof, and various misc. trims & items as described.
  - 4. Powerwash entire exterior vinyl siding. Paint all ex'g. painted surfaces at interior & all wood trims & fascias at exterior. Refinish all ex'g. natural wood finished surfaces.
  - 5. Perform repairs and adjustments to doors, windows & other functional items.
  - 6. Install new dual fuel boiler & beaching to ex'g. flue. Install pump to eject drain water from basement sink & washing machine into higher main waste pipe.
  - 7. Refer to drawings and specifications for full description of scope of work.

#### END OF SECTION 011000

# SECTION 011400 - SITE SPECIFIC REQUIREMENTS

### PART 1 - GENERAL

1.1	SCOPE OF	THIS	SECTION:

- A. Staging area.
- B. Office.
- C. Toilets.
- D. Submissions.
- E. Records.
- F. Barriers and protections.
- G. Safety.
- H. Coordination with other projects.
- I. Structural loads.
- J. Cleanup and waste removal.
- K. Repairs to the building and site.
- L. Project Utilities.
- M. Overtime and premium time.

# 1.2 RELATED SECTIONS:

- A. Schedule SECTION 013130.
- B. Construction aids SECTION 015400.

#### 1.3 STAGING AREA:

- A. Provide a staging area on the property for tools, materials and construction items.
- B. Staging area shall be placed in the garage to keep items out of public view. If materials, tools and equipment must be kept outside, the exterior staging area shall be enclosed with a secure fence 8'-0" high to prevent items from being removed from the site.

- C. Keep the staging area locked or under supervision at all times.
- D. Upon completion of the Project, remove all items from the staging area and restore the area including all planting and hard construction to original condition.

#### 1.4 OFFICE:

- A. Maintain an office in the property for the duration of the Project.
- B. The job office shall be furnished with a table & chairs for local meetings, project drawings, files for submission records, minutes and other paperwork. This may be a room in the house.

### 1.5 TOILETS:

- A. Provide portable toilets for the use by all workers and shall keep the toilets clean, provide supplies and maintain sanitary conditions.
- B. Locate toilets in the least visible position on the site.

#### 1.6 SUBMISSIONS:

- A. Make submissions for all products, as specified in Section 013300.
- B. Deliver all submissions directly to the Architect
- C. Make a submission for every material, assembly, item, color, finish, or other component to be incorporated into the work or which will affect the performance of the completed work.
- D. Each submission shall include 3 copies, sets and samples of the following, as applicable:
  - 1. The manufacturer's product data.
  - 2. Shop drawings and installation drawings.
  - 3. Colors and finishes.
  - 4. Items required by the drawings or by specification sections.

#### 1.7 RECORDS

- A. The Contractor shall maintain the following at the site at all times during construction:
  - 1. A set of Contract Documents.

# CONTRACT NO. 21-527

### DIVISION 1 – GENERAL REQUIREMENTS

- 2. A set of shop drawings, samples and other submissions.
- 3. A Project Schedule.
- 4. Job meeting minutes and related correspondence.
- B. Records shall be complete and up to date and shall be maintained and organized so they are orderly and legible.
- C. Records shall be readily available for reference at every Project inspection or meeting.

#### 1.8 BARRIERS AND PROTECTIONS:

- A. The Contractor shall provide general barriers and protections as required for the protection of the public, service personnel, park staff. Protect the site, buildings, furnishings and equipment as necessary to eliminate or minimize damage.
- B. Provide site specific protections to address sensitive requirements for waterfront areas. Review all barricades and protections with the County Representative and modify requirements as directed.

#### 1.9 SAFETY:

- A. The Contractor has sole responsibility for maintaining safe working conditions on the Project and for conforming to all laws, ordinances, industry standards, manufacturer's instructions and other applicable criteria for safe work practices.
- B. Prior to starting work, the Contractor shall assign a qualified person to monitor safe work practices at the site at all times and shall furnish the Owner with a copy of a letter assigning the responsibility, signed and acknowledged by the assigned party.

# 1.10 COORDINATION WITH OTHER PROJECTS:

- A. Other Projects may be performed by other Contractors at the work site at the same time.
- B. Coordinate and organize the work of this Project so that the work of all other Projects and Contracts may continue without interruption.
- C. Plan the work so that Project storage, deliveries, construction and other operations do not obstruct access or impede work on other Projects in any way.

#### 1.11 STRUCTURAL LOADS:

A. Confirm the capacity of the existing building structural floor slab to sustain applied loads before applying any load for materials, construction devices or other item.

- B. The allowable live load of the existing floor is 40 pounds per square foot.
- C. If a load greater than 40 pounds per square foot is proposed, submit a drawing showing the location, character and size of the proposed load and any temporary surface device or supplemental plates that may be necessary to support the load, prepared, signed and sealed by a Structural Engineer licensed in New York State.

#### 1.12 CLEANUP AND WASTE REMOVAL:

- A. Clean up the site every day.
- B. Do not leave loose materials, tools or equipment on the roof at any time that work is not being performed.
- C. Trash containers shall be located in the staging area at locations approved by the County Representative shall be and removed when full.
- D. Hazardous waste, liquids which may contain pollutant materials, sanitary waste or other components which may be environmentally dangerous shall be removed from the site and disposed of legally by the Contractor in accordance with applicable environmental laws. Do not dispose of such materials in general waste containers or by using the sanitary or storm drainage systems.

#### 1.13 REPAIRS TO THE BUILDING AND SITE

- A. Plan and perform all work operations to minimize the necessity of repairing the site or building components to remain.
- B. Repair, replace and restore the site or buildings to their original condition upon completion of each work operation.
- C. Repairs, replacements and restorations shall include, but not necessarily be limited to the repair or replacement of:
  - 1. Curbs, walks and asphaltic paving;
  - 2 Wall, floor and trim surfaces.
  - 3. Site conditions and plant materials;
  - 4. All other damaged or disfigured items.
- D. Repairs shall be performed in accordance with the original specifications for the particular items, and the quality standards generally established for the Project.
- E. Repairs shall be made with equivalent items of similar quality and value.

F. Repairs shall be subject to all provisions of the Contract Documents with respect to approvals and guarantees.

#### 1.14 PROJECT UTILITIES:

- A. The Contractor shall provide temporary water, electric power, lighting and other utilities as may be required for the work whether such utilities or services are available from existing building systems or must be provided by other means.
- B. Temporary services and connections to existing systems shall be performed by workers licensed in the respective trade.
- C. Connections to existing systems shall be reviewed with the County Representative in advance and shall be restored to original condition upon termination of the connection.
- D. Utilities available at the site may be used by the Contractors without charge.

#### 1.15 OVERTIME AND PREMIUM TIME:

A. The Contractor shall include overtime or premium time as required to meet the Contract obligations, to meet the Project Schedule or to perform work that cannot be performed in regular working hours without disrupting park and building uses and shall perform required overtime or premium time work at no additional cost to the County.

PART 2 - PRODUCTS - not used.

PART 3 - EXECUTION - not used.

END OF SECTION 011400

#### SECTION 011500 – SPECIAL PROJECT PROCEDURES

#### 1.1 GENERAL

- A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.
- B. This Section includes administrative and supervisory requirements necessary for coordinating construction operations including, but not necessarily limited to, the following:
  - 1. General project coordination procedures
  - 2. Conservation
  - 3. Salvage
  - 4. Coordination Drawings
  - 5. Administrative and supervisory personnel
  - 6. Cleaning and protection
  - 7. Safety program
  - 8. Safe and secure storage of construction materials
  - 9. Fencing and Gates
  - 10. Debris removal
  - 11. Exiting
  - 12. Fire and hazard prevention
  - 13. No smoking
  - 14. Fire extinguishers
  - 15. Smoke detectors
  - 16. Noise abatement procedures
  - 17. MSDS Log
- 1.2 RELATED SECTIONS: The following Sections contain requirements that relate to this Section:
  - A. Section 01 33 00, Submittals for preparing and submitting the Contractor's Construction Schedule.
  - B. Section 01 61 00, Materials and Equipment for coordinating general installation.
  - C. Section 01 77 00, Contract Closeout for coordinating contract closeout.

#### 1.3 COORDINATION

A. Coordinate construction operations included in various Sections of these Specifications to assure efficient and orderly installation of each part of the Work. Coordinate construction operations included under different Sections that depend on each other for proper installation, connection, and operation.

- 1. Schedule construction operations in the sequence required to obtain the best results where installation of one part of the work depends on installation of other components, before or after its own installation
- 2. Coordinate installation of different components to assure maximum accessibility for required maintenance, service, and repair
- 3. Make provisions to accommodate items scheduled for later installation
- B. Where necessary, prepare memoranda for distribution to each party involved, outlining special procedures required for coordination. Include such items as required notices, reports, and attendance at meetings
  - 1. Prepare similar memoranda for the Owner and separate contractors where coordination of their work is required
- C. Administrative Procedures: Coordinate scheduling and timing of required administrative procedures with other construction activities to avoid conflicts and assure orderly progress of the Work. Such administrative activities include, but are not limited to, the following:
  - 1. Preparation of schedules
  - 2. Installation and removal of temporary facilities
  - 3. Delivery and processing of submittals
  - 4. Progress meetings
  - 5. Project closeout activities
- D. Coordinate temporary enclosures with required inspections and tests to minimize the necessity of uncovering completed construction for that purpose
- 1.4 CONSERVATION: Coordinate construction operations to assure that operations are carried out with consideration given to conservation of energy, water, and materials
- 1.5 SALVAGE materials and equipment involved in performance of, but not actually incorporated in, the Work.
- 1.6 SUBMITTALS Coordinate with Section 01 31 13.
  - A. Coordination Drawings: Prepare coordination drawings where careful coordination is needed for installation of products and materials fabricated by separate entities. Prepare coordination drawings where limited space availability necessitates maximum utilization of space for efficient installation of different components.
    - 1. Show the relationship of components shown on separate Shop Drawings
    - 2. Indicate required installation sequences
  - B. Staff Names: Within 7 days of commencement of construction operations, submit a list of the Contractor's principal staff assignments, including the superintendent and other personnel in attendance at the Project Site. Identify individuals and their duties and responsibilities. List their addresses and telephone numbers.

Post copies of the list in the Project meeting room, the temporary field office, and each temporary telephone.

# 1.7 CLEANING AND PROTECTION – Coordinate with Project Scope

- A. Contractor is to clean and protect construction in progress and adjoining materials in place, during handling and installation. Apply protective covering where required to assure protection from damage or deterioration at Substantial Completion.
- B. Clean and provide maintenance on completed construction as frequently as necessary through the remainder of the construction period. Adjust and lubricate operable components to assure operability without damaging effects.
- C. Limiting Exposures: Supervise construction operations to assure that no part of the construction, completed or in progress, is subject to harmful, dangerous, damaging, or otherwise deleterious exposure during the construction period. Where applicable, such exposures include, but are not limited to, the following:
  - 1. Excessive static or dynamic loading
  - 2. Excessive internal or external pressures
  - 3. Excessively high or low temperatures
  - 4. Thermal shock
  - 5. Excessively high or low humidity
  - 6. Air contamination or pollution- not limited to dust created by construction operations
  - 7. Water or ice
  - 8. Solvents
  - 9. Chemicals
  - 10. Light
  - 11. Radiation
  - 12. Puncture
  - 13. Abrasion
  - 14. Heavy traffic
  - 15. Soiling, staining, and corrosion
  - 16. Bacteria
  - 17. Rodent and insect infestation
  - 18. Combustion
  - 19. Electrical current
  - 20. High-speed operation
  - 21. Improper lubrication
  - 22. Unusual wear or other misuse
  - 23. Contact between incompatible materials
  - 24. Destructive testing
  - 25. Misalignment
  - 26. Excessive weathering
  - 27. Unprotected storage
  - 28. Improper shipping or handling

29. Theft30. Vandalism

#### 1.8 SAFTEY PROGRAMS

- A. Contractor shall to provide to the Architect and Owner's Representative copies of safety program for the project for review and comment; no review or comment made thereon shall place either the Architect or Owner's Representative in a position of liability since said review/comment on program does and shall not extend to direct control over or charge of the acts or admissions of contractors, subcontractors, agents or employees of the contractors or subcontractors or any other persons performing portions of the work.
- 1.9 SAFE AND SECURE STORAGE OF CONSTRUCTION MATERIALS Coordinate with Section 01 14 00.
  - A. Materials stored on the Site shall be neatly arranged and protected, and shall be stored in an orderly fashion in locations that shall not interfere with the progress of the Work.
- 1.10 FENCING PROJECT; MATERIAL STORAGE AREAS; CONTAINER/REFUSE AREAS Coordinate with Section 01 50 00
  - A. Barrier fencing constructed as outlined in Section 01 50 00 shall be provided surrounding all work areas, material storage locations and around dumpsters when involved with demolition/removal operations
  - B. Fencing shall be maintained in good sound condition throughout the entire course of construction by the General Contractor and removed only when directed by the Architect.

#### 1.11 **GATES**

- A. Gates in construction fencing shall be of construction outlined in Section 01 50 00 and shall be under either the General Contractors' supervision throughout the work day and shall be secured in a locked condition at the close of any single business day and on all non workdays. Gates shall be manned at all times work is in progress
- 1.12 DEBRIS REMOVAL Coordinate with Sections 01 50 00, 01 74 19 and 01 77 00
  - A. Large amounts of debris must be removed by use of enclosed chutes or similar systems. There shall be no movement of debris through corridors of occupied spaces of the building. No materials shall be dropped or thrown outside the walls of the building.
  - B. Buildings occupied during any construction period shall maintain required health and safety capabilities at all times that said building is occupied.

#### 1.13 EXITING

A. At all times, the Contractor or his designee is responsible for maintenance of safety and egress requirements from work areas.

NOTE: All legal forms of egress must be maintained at all times

- 1.14 FIRE AND HAZARD PREVENTION Provide requirements for firewatchers, storage and maintenance of welding gasses and temporary heating and the like.
- 1.15 NO SMOKING No smoking is permitted on the grounds or within the construction area of any project.
- 1.16 FIRE EXTINGUISHERS Fire extinguishers shall be provided within the work area and shall be monitored on a scheduled maintenance basis and so tagged to indicate same.

#### 1.17 NOISE ABATEMENT PROCEDURES

A. Develop and maintain a noise abatement program and enforce strict discipline over all personnel to keep noise to a minimum. Equipment and work shall not produce noise in excess of 60db in occupied areas or shall be scheduled for off hours or acoustical abatement procedures shall be taken. Noise level measurements (dba) shall be taken with a type 2 sound level meter in the occupied space in a location closest to the noise source.

Noisy or disruptive work includes, but is not limited to, the use of any power driven tool, power saw, pneumatic hammer, hammer drill or power sander/grinder; operation of engine driven generators, air compressors or lift engines; and any other similar activity which, because of the noise generated, might disturb the surrounding neighborhood, residents and Owner's activities.

- B. Execute construction work by methods and equipment use to reduce excess noise.
- C. Equip air compressors with silencers, and power equipment with mufflers.
- 1.18 MANUFACTURER'S MATERIAL SAFETY DATA SHEET LOG Coordinate with Section 01 33 00
  - A. Contractor shall maintain "MSDS" file on site, accessible to workers and otherwise in compliance with jurisdiction's "Right To Know" legislation.

#### 1.19 DUST/ODOR CONTROL

A. Contractor shall perform any work that produces dust or odor away from air intake louvers/vents and away form adjacent offices and the general public.

# END OF SECTION 011500

#### SECTION 012300 – ALTERNATES

# PART 1 - GENERAL

#### 1.1 SUMMARY

A. Section includes administrative and procedural requirements for alternates.

# 1.2 DEFINITIONS

- A. Alternate: An amount proposed by bidders and stated on the Bid Form for certain work defined in the bidding requirements that may be added to the base bid amount if Owner decides to accept a corresponding change either in the amount of construction to be completed or in the products, materials, equipment, systems, or installation methods described in the Contract Documents.
  - 1. Alternates described in this Section are part of the Work only if enumerated in the Agreement.
  - 2. The cost for each alternate is the net addition to the Contract Sum to incorporate alternate into the Work. No other adjustments are made to the Contract Sum.
  - 3. Alternates will be accepted cumulatively in numerical order.

#### 1.3 PROCEDURES

- A. Coordination: Revise or adjust affected adjacent work as necessary to completely integrate work of the alternate into Project. Include as part of each alternate, miscellaneous devices, accessory objects, and similar items incidental to or required for a complete installation whether or not indicated as part of alternate.
- B. Notification: Immediately following award of the Contract, notify each party involved, in writing, of the status of each alternate. Indicate if alternates have been accepted, rejected, or deferred for later consideration.
- C. Execute accepted alternates under the same conditions as other work of the Contract.

#### 1.4 SCHEDULE OF ALTERNATES

A. This project contains one Alternate. For providing all labor, material and equipment necessary to complete all work shown on the contract drawings and in accordance with the specifications for:

#### ALTERNATE 1

Removal of asbestos containing vinyl tile at the Attic & installation of 1/4" luan plywood sub-floor over entire attic floor sheathing.

END OF SECTION 012300

ALTERNATES 012300 - 1

#### SECTION 012500 – PRODUCT OPTIONS AND SUBSTITUTIONS

#### 1.1 GENERAL

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 REQUIREMENTS INCLUDED

- A. Approved Equal Clause
- B. Options
- C. Contractor's Representation
- D. Reimbursements

# 1.3 APPROVED EQUAL CLAUSE

A. Throughout the Specifications, types of material may be specified by manufacturer's name and catalog number in order to establish standards of quality and performance and not for the purpose of limiting competition.

Inclusion by name, of more than one manufacturer or fabricator, does NOT necessarily imply acceptability of standard products of those named. All manufacturers, named or proposed, shall conform, with modification as necessary, to criteria established by Contract Documents for performance, efficiency, materials and special accessories.

B. Contractor may assume the phrase "or approved equal" except that the burden is upon the Contractor to prove such equality and to satisfy Architect that proposed substitute is equal to, or superior to, the item specified.

However, in the event three (3) or more manufacturers are nominated within the technical specifications for a particular item, it shall be assumed that they have been predetermined as equal to each other and that the Contractor <u>must</u> furnish and install materials, equipment or apparatus of one of these so named. CONSERVATION: Coordinate construction operations to assure that operations are carried out with consideration given to conservation of energy, water, and materials.

### 1.4 SUBSTITUTION REQUESTS

A. If the Contractor elects to prove such equality, he must request the Architect's and the Owner's approval in writing for substitution of such items for the specified items, stating the differences involved with and submitting supporting data and samples, if required, to

# CONTRACT NO. 21-527

### DIVISION 1 – GENERAL REQUIREMENTS

permit a fair evaluation of the proposed substitution with respect to:

- 1. Performance
- 2. Capacity
- 3. Delivery times and effect on schedules, if any
- 4. Changes in space requirements or effect on other elements of work (if applicable)
- 5. Efficiency
- 6. Safety
- 7. Function
- 8. Appearance
- 9. Quality and durability
- 10. Any required license fees or royalties
- 11. Availability of maintenance service, and source of replacement materials
- 12. Warranty terms and conditions
- 13. Cost data comparing the proposed substitution with the product specified

The contractor shall submit a separate request for each product, supported with complete data, with drawings and samples as are appropriate to substantiate the above.

B. The Architect will review requests for substitutions with reasonable promptness, and notify the Contractor, in writing, of the decision to accept or reject the requested substitution.

#### 1.5 OPTIONS

- A. Where Technical Specifications permit Contractor to select optional materials, items, systems, or equipment, the selection of such options is subject to the following conditions.
  - 1. Once an option has been selected and approved, it shall be used for the entire contract.
  - 2. The Contractor shall coordinate his selection with the drawings and specifications and make all necessary adjustments without additional cost to the Owner.

#### 1.6 CONTRACTOR'S REPRESENTATION

- A. A request for a substitution constitutes a representation that the Contractor:
  - 1. Has investigated the proposed product and determined that it is equal to or superior in all respects to that specified.
  - 2. Will provide the same warranties or bonds for the substitution as for the product specified.
  - 3. Will coordinate the installation of an accepted substitution in the work, and make such other changes in the work as maybe required for installation to make the work complete in all respects.
  - 4. Will waive all claims for additional costs, under its responsibility, which may subsequently become apparent.
  - 5. Will have coordinated installation with all affected trade contractors, specialty contractors and the like and will be responsible for any and all costs which may arise

as a result of this substitution.

6. Changes in work of other trades, such as structural supports, which are required as a result of substitution and the associated costs for such changes shall be the complete responsibility of Contractor proposing substitution (there shall be NO additional expense to the Owner).

END OF SECTION 012500

# **SUBSTITUTION REQUEST FORM**

'o:			Project:	
Section	Page	Paragraph	Specified Item	
			<b>ERATION OF THE FOLLOWING SUB</b> omparison -product description, specifications	
	-	•	ons of said data <u>clearly</u> identified.	
	D (T) - D	1 C14	······································	O(T) A 66 4.
		<b>oposea Subst</b> licated on the dra	itution WILL (OR WILL No awings?	O1) Affect:
W	iring, piping	, ductwork, or of	ther building services indicated on th	ne drawings?
M	anufacturer's	guarantees and	erconnection work? warranties?	
Th	e constructio	on schedule?	locally available?	
1016	annenance ai	id service parts	ocany available:	
		(NOTE -If S	Substitution WILL affect any item	above, explain in detail.)
1 syste	Any and all ems engineer	changes to the bring (if any), det	ersigned agrees to pay for building design, including structural, ailing; and ruction costs caused by the requested	
			hat the function, appearance perior to the Specified Item.	and quality of the Proposed
SUBMI	SUBMITTED: DESIGN PROFESSIONAL'S COMMENTS			GN PROFESSIONAL'S COMMENTS
By:			Accepted	Accepted as Noted
Firm: _			Not Accepted	Received Too Late
Address	:			
				Ву:
Date:				Date:
Telephor	ne/Fax:			Remarks:
Approve	ed For Subcontra	actor Submittal:		

#### SECTION 013113 – PROJECT COORDINATION

#### 1.1 GENERAL

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

### 1.2 REQUIREMENTS INCLUDED

- A. Coordination of Work
- B. Trade Contractor Obligations

#### 1.3 COORDINATION OF WORK

A. As required by the General Conditions, and restated herein, each Trade and/or Specialty Contractor or Subcontractor shall compare the architectural, structural, civil/site, mechanical, plumbing, and electrical Drawings and Specifications with those for all other trades and shall report any discrepancies between them to the Architect, through the General Contractor, and obtain from him written instructions for changes necessary to the work.

All work shall be installed in cooperation with other trades installing interrelated work.

Before installation, each Trade Contractor shall make proper provisions to avoid interference in a manner approved by the Architect.

All changes required in the work caused by neglect to so advise the Architect shall be made by the offending Contractor at his own expense.

B. Each Trade Contractor shall be responsible for exact location of anchor bolts, sleeves, inserts, supports, chases, conduits and openings that may be required for the work.

Each Trade Contractor shall prepare layout drawings for incorporation of items to be built-in the work, pass through the work and the like in sufficient time so as not to cause any undue delay in the execution of the work.

Built-in items shall be furnished under the same Section of the Specifications as the respective items to be supported, and they shall be installed, except as otherwise specified, by the trade furnishing and installing the material in which they are to be located.

Chases, conduits and openings shall be laid out in advance to permit provision in work.

Sleeves and inserts shall not be used in any portion of the building, where their use would impair strength or construction features of the building.

Extra work required where anchor bolts, supports, sleeves, chase openings, conduits or inserts have been omitted or improperly placed shall be performed at expense of trade which made error or omission.

- C. Slots, chases, openings and recesses through roof as specified will be provided for the various trades in their respective materials under general construction work, but the trade requiring them shall see that they are properly located and shall do any cutting and patching caused by the neglect to do so.
- D. Locations of pipes, ducts, electrical raceways, switches, panels, equipment, fixtures, etc. shall be adjusted to accommodate the worktop interferences anticipated and encountered.

Each Trade Contractor shall determine, and submit for approval, the exact route and location of each pipe, duct and electrical raceway prior to fabrication.

Approval by the Architect is required prior to any such <u>modifications</u>.

E. The General Contractor shall provide temporary weather tight and protected openings in structure to facilitate placement of equipment.

# 1.4 TRADE CONTRACTOR OBLIGATIONS

- A. The Trade Contractors are required to supply all necessary supervision and coordination information to any other trades who are supplying work to accommodate the electrical and mechanical installations.
- B. Where a trade is required to install items which it does not purchase, it shall include for such items:
  - 1. The coordination of their delivery
  - 2. Their unloading from delivery trucks driven in to any designated point on the property line at grade level
  - 3. Their safe handling and field storage up to the time of permanent placement in the project
  - 4. The correction of any damage, defacement or corrosion to which they may have been subjected
  - 5. Their field assembly and internal connection as may be necessary for their proper operation

- 6. Their mounting in place including the purchases and installation of all dunnage supporting members and fastenings necessary to adapt them to architectural and structural conditions unless support members are shown on structural or architectural drawings
- 7. Their connection to building systems including the purchase and installation of all terminating fittings necessary to adapt and connect them to the building systems
- C. Items which are to be installed but not purchased as part of the work of a particular trade shall be carefully examined by this trade upon delivery to the project.

Claims that any of these have been received in such condition that their installation will require procedures beyond the reasonable scope of the work of the installing trade will be considered only if presented in writing within one week of the date of delivery tithe project of the items in question.

The work of the installing trade shall include all procedures, regardless of how extensive, necessary to put into satisfactory operation, all items for which no claims have been submitted as outlined above.

# SECTION 013130 - PROJECT SCHEDULE

#### PART 1 - GENERAL

#### 1.1 SCOPE OF THIS SECTION:

- A. Project start and completion.
- B. Graphic project schedule.
- C. Working hours.
- D. Job meetings.

# 1.2 RELATED WORK:

- A. Site Specific Requirements see SECTION 011400.
- B. Other provisions related to Time and Schedule see SPECIAL CLAUSES.

#### 1.3 PROJECT START AND COMPLETION:

- A. The Project must be completed within the Project Schedule so that other projects at the site may be started and completed on time.
- B. Products and systems proposed for the work shall be available for delivery to the site without delay in the mandatory schedule.
- C. The work shall be completed within the following time limits:
  - 1. Submissions: within 7 days of Agreement or Notice to Proceed.
  - 2. Start of work at the site: within 21 days of Agreement or Notice to Proceed.
  - 3. Substantial completion: within 120 days of Agreement or Notice to Proceed.

# 1.4 GRAPHIC PROJECT SCHEDULE:

- A. The Contractor shall prepare a Graphic Project Schedule for presentation and review at the Project kickoff meeting.
- B. The Graphic Project Schedule shall be a simple 'bar line / date' graph describing all components of the Contract work and shall include:
  - 1. Date of each submission.

# CONTRACT NO. 21-527

# **DIVISION 1 - GENERAL REQUIREMENTS**

- 2. Time for submission review and return.
- 3. Date of order and delivery for each material and product.
- 4. Date of completion of each portion of the work.
- 5. Date of Substantial Completion.
- B. The Contractor shall review and revise the Project Schedule to reflect changes in the original for presentation and review at each Project meeting.

# 1.5 WORKING HOURS:

- A. At the end of each week, the Contractor shall propose a schedule for work at the Project for the following week, in written form, including hours and means of access so that the County Representative may notify building managers.
- B. The proposed schedule must be approved by the County Representative before the Contractor starts work.
- C. In general, work at the site may be performed at the following times, subject to approval of the proposed schedule:
  - 1. Working weekdays: 7 AM until 5 PM. Maintain quiet work until 8:00 a.m.
- D. In general, access to the site through the building shall be limited to traffic which cannot reach the work area by the exterior stair, shall be approved in advance by the County Representative, and shall be limited to working weekdays, 7AM until 5PM.
- E. All contractors, sub-contractors and personnel on the project must sign-in and sign-out at the main office visitor sign sheet each day.

#### 1.6 JOB MEETINGS:

- A. Job meetings will be scheduled by the County Representative every week or at other intervals according to the needs of the Project.
- B. Minutes of each job meeting will be forwarded to the Contractor for review and comment.

PART 2 - PRODUCTS - not used

PART 3 - EXECUTION - not used

# SECTION 013300 – SUBMITTAL REQUIREMENTS

# 1.1 GENERAL

- A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.
- B. Submittals shall be made in groupings where installations are complimentary, i.e. porcelain tile, grout, metal studs, gypsum board; etc. Failure to comply with this requirement will be cause for rejection of any or all submittals.

# 1.2 REQUIREMENTS INCLUDED

- A. Approved Equal Clause/Substitutions/Options
- B. Certification
- C. Manufacturer's Instructions
- D. Shop Drawings
- E. Samples
- F. Material Safety Data Sheet (MSDS) Submittals
- G. Scheduling of Submittals
- H. Job Progress Schedule
- I. Coordination Drawings
- J. Progress Photographs
- K. Certificates
- L. Construction Waste Management Procedures and Certifications See Section 01 74 19.
- M. V.O.C. Compliance certification See individual technical sections.

# 1.3 APPROVED EQUAL CLAUSE / SUBSTITUTIONS / OPTIONS

- A. Contractor shall notify Owner of any substitutions in products, layout, organization or field conditions that may alter the contract documents.
- B. All alternate submissions must be reviewed for conformance to specified or otherwise described criteria in the contract documents.

#### 1.4 CERTIFICATION

A. Certification of compliance with specification performance standards and manufacturers' specifications and directions shall be furnished for any portion of this work for which specific performance requirements and/or manufacturers' specifications are listed.

#### 1.5 MANUFACTURERS' INSTRUCTIONS

A. Where in these specifications an item is called for to be installed in accordance with the manufacturer's directions, specifications or recommendations, the Contractor shall furnish the Architect with two (2) printed copies of said directions, specifications or recommendations, before the item is installed.

# 1.6 SHOP DRAWINGS

- A. The following serves as a further definition of the requirements for shop drawings.
  - 1. The Contractor shall submit to the Architect with such promptness as to cause no delay in the work, layout, detail, schedule, setting, product data and shop drawings for each part of the work as specified or required.
  - 2. Before submitting any data for approval, the contractor shall check the submittals of all subcontractors for accuracy and contract compliance.

Contractor shall see that all work contiguous with and having bearing on work indicated on drawings is accurately and distinctly illustrated and that work shown is in conformity with contract requirements.

- 3. Shop drawings shall be numbered consecutively and shall represent:
  - a. All working and construction dimensions.
  - b. Arrangement and sectional views.
  - c. Necessary details, including information for making connections to other work.
  - d. Kinds of materials and finishes. Colors, where applicable.
- 4. Shop drawings shall be dated, and shall generally contain:
  - a. Name and Number of project.
  - b. Name, address and telephone number of submitting Contractor.
  - c. Description of required equipment, materials, and classification item numbers.
  - d. Locations at which materials or equipment are to be installed in the Work.
  - e. Identification of drawings, schedules, notes and/or details and specification sections and related paragraphs to which they apply.
  - f. Equipment or fixture identification corresponding to that used in Contract Documents.
  - g. Accessories and special or non-standard features and materials which are being furnished.
  - h. Properly marked with external connection identification as related to the project where they consist of standard factory assembly or field installation drawings.

In addition to the general data required above, applicable mechanical and electrical submissions shall contain:

- a. Manufacturer's specifications including materials of construction, metal gauge, thickness and finish.
- b. Certified dimensional drawings including clearances required for maintenance or access.
- c. Performance data, ratings, operating characteristics, and operating limits.
- d. Electrical ratings and characteristics.
- e. Wiring and control diagrams, where applicable.
- f. Certifications requested, including UL label or listing.
- g. List of accessories which are required but are NOT being provided by the product manufacturer or are NOT being furnished under this Section. Identify the Section(s) under which the accessories are being furnished.
- 5. Submission of data for approval shall be accompanied by letter of transmittal, in duplicate, containing the name of the project, Contractor's name, number of drawings, titles and other pertinent data.
- 6. Procedure for Submitting Shop Drawings and Product Data:

The contractor shall submit five (4) copies of data, for standard manufactured items, in the form of manufacturer's catalog sheets, showing illustrated cuts of the items to be furnished, scaled details, sizes, dimensions, performance characteristics, operating clearances, capacities, wiring diagrams and all other pertinent information.

<u>NOTE</u> - all such data shall have "review" stamp applied to each submittal prior to submittal.

Two copies of reviewed submissions will be returned to the contractor.

The average "turn around time" of any one in-house submittal by the Architect shall not exceed 15 business days for review and at least 20 business days when another consultant is involved.

- a. For drawings returned "Resubmit", "Amend & Resubmit". "disapproved", or "Rejected-Resubmit", the original drawings shall be corrected and resubmitted, without any additional charges to the Owner, until final approval.
- b. For drawings returned "Approved", "No Exceptions Taken", "approved as Noted", and "Make Corrections Noted", the contractor shall obtain and provide sufficient prints as required for the field.

NOTE: It is the responsibility of the contractor to confirm all dimensions, quantities, and the coordination of materials, systems and products supplied by him with other trades. Approval of shop drawings containing errors does not relieve the contractor from making corrections at his expense.

7. No work as called for by shop drawings shall be done until Architect's approval.

- 8. If submittals show variations from contract requirements because of standard shop practices, or other reasons, contractor shall make specific mention of such variation in their letter of transmittal.
- 9. Approval of shop drawings is general. It shall not relieve contractor of the responsibility for accuracy of such drawings, nor for the furnishing of materials or provision of work required by the contract and not shown on the shop drawings.
  - Unless it is an interpretation of design intent, approval of shop drawings shall not be construed as approval of departures from Contract.
- 10. If the Contractor should alter any information on previous submittals, besides the notations called for by the Architect, he must circle this new information to bring it to the Architect's attention.
- 11. In submitting data for approval, all associated drawings, product data and the like, relating to a complete assembly shall be submitted at one and the same time so that each may be checked in relation to the entire proposed assembly.

Partial submissions will be returned without action taken.

12. Contractor shall have copies of all approved shop drawings as listed in Paragraph 1.6.A.6 above on the job at all time sand shall make them available to the Architect or the Owner's representatives.

# 1.7 SAMPLES

- A. The following serves as a further definition of the requirements for sample submittals:
  - 1. Names of proposed manufacturers, materials men and dealers who are to furnish materials, fixtures, appliances or other fittings shall, where practical, be submitted to the Architect for early approval to afford proper investigation and check.
  - 2. No manufacturer will be approved for any materials to be furnished under this contract unless he shall be of good reputation and shall have plant of ample capacity and shall have successfully produced similar products.
  - 3. All transactions with manufacturers and subcontractors shall be through the Contractor.
  - 4. Unless otherwise specified, samples shall be in duplicate (2) and of adequate size to show quality, type, color, range, finish, texture, etc.

<u>Interrelated color selections will not be made until all pertinent samples are made available to architect.</u>

- Deliver one (1) sample to field office and one (1) sample to Architect's office unless otherwise directed.
- 5. Each sample shall be labeled, bearing material and quality names, submitting Contractor's name, and project name, and other pertinent data.

In accordance with OSHA regulation Number 1910.1200, a Manufacturers Material Safety Data Sheet (MSDS) shall be submitted for each product to be incorporated in the work.

Failure to observe these submittal requirements will be cause for rejection of the entire submittal.

The safe handling of products by the applicator according to MSDS warnings is a safety issue, like any other, entirely within the purview of the General Contractor.

- 6. Where Specifications require manufacturer's printed installation directions, such directions and diagrams shall accompany samples. Coordinate with Paragraph 1.05 herein.
- 7. A duplicate letter of transmittal from the submitting Contractor requesting approval of the sample shall accompany the samples.
- 8. Transportation charges to designated locations must be prepaid on all samples.
- 9. Materials shall not be ordered until approval is received in writing from the Architect. All materials shall be furnished equal in all respects to the samples which were approved.

# 1.8 MATERIAL SAFETY DATA SHEET (MSDS) SUBMITTALS

- A. As specified in Paragraph 1.7 of this Section and within the technical sections forming this Specification, the Contractor is directed to the following requirements concerning "MSDS" submittals:
  - 1. Submit MSDS's for all products used during construction whether incorporated within the work or used in the performance of the work.
  - 2. Identify which products may be harmful to construction workers or other building occupants.
  - 3. Develop means and methods for protection of construction workers and other building occupants from potentially harmful products. <u>Submit said means and methods to the Owner for review and approval.</u>
- B. Further, the General Contractor with assistance from each individual contractor shall maintain a "MSDS" file on site, accessible to workers and otherwise in compliance with jurisdiction's "Right To Know" legislation.

# 1.9 SCHEDULING OF SUBMITTALS

A. Within one (1) weeks after execution of the Contract, the Contractor shall submit a detailed listing of all items to be incorporated within the work, including all items of mechanical and electrical, as applicable.

Listing should state the following:

- 1. Date of shop drawing/sample submittals.
- 2. Guaranteed delivery date after shop drawing and/or sample approvals.
- 3. Date of installation start.
- 4. Date of installation completion.

# 1.10 PROGRESS PHOTOS

- A. This Article includes requirements for periodic construction photography by the General Contractor, utilizing digital camera equipment, to demonstrate construction progress and to serve as a communicative device when describing a given condition to others at a remote location, by means of the internet.
- B. Photography shall be taken using a digital camera and electronic program which will download the digital photos in a JPEG format to a computer with resolution adequate to demonstrate the item under discussion.
- C. One set of record prints will be required and filed with the monthly requisition. The JPEG files shall be transmitted to the appropriate parties who shall then have the option to view the picture(s) on screen or print them out using their own equipment.
- D. It is the intention of this Section to provide a tool to enhance communications and reduce the amount of time required to address questions arising at the Project site. In this end, the Contractor shall utilize good judgment in providing photographs that are informative, and not merely repeating what is shown in the other photographs.
- E. Provide factual representation of construction extent and conditions. Provide correct exposure and focus, high resolution and sharpness, maximum depth of field, and minimum distortion, utilizing a normal lens.
- F. Before starting work, the Contractor shall take photographs of the site from different points of view sufficient in number to show all present conditions.
- G. The minimum requirements, per requisition period are six (6) photographs of each of the Building units, and three (3) photographs of the Site Work, from different points of view designated by the Architect.

# 1.11 CERTIFICATES

- A. Submit a Summary of Solid Wastes Generated, manifests, weight tickets, and the like in accordance with requirements of Section 017419 -Construction Waste Management.
- B. Submit, as required by each technical section a certification for V.O.C. compliance.

# SECTION 013513 – SPECIAL REQUIREMENTS

#### 1.1 GENERAL

- A. Attention is directed to the Information For Bidders and the General Clauses and all Sections within Division 1 General Requirements which are hereby made a part of this Section of the Specifications.
- B. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 DESCRIPTION OF REQUIREMENTS

- A. Supplementary Definitions
- B. Field Engineering.
- C. Reference Standards and Applicable Laws and Permits.
- D. Protection of property and the public.
- E. Noise Control.
- F. Utility Shutdowns.

#### 1.3 SUPPLEMENTARY DEFINITIONS

- A. PROVIDE: The Term "provide" shall mean "furnish and install complete and ready for safe and regular use and/or operation of the item, material or service indicated".
- B. INDICATED AND SHOWN: Shall mean as detailed, scheduled, or called for in the Contract Documents.
- C. The terms "KNOWLEDGE," "RECOGNIZE" and "DISCOVER," their respective derivatives and similar terms in the Contract Documents, as used in reference to the Contractor, shall be interpreted to mean that which the Contractor knows (or should know), recognizes (or should recognize) and discovers (or should discover) in exercising the care, skill, and diligence required by the Contract Documents. Analogously, the expression "reasonably inferable" and similar terms in the Contract Documents shall be interpreted to mean reasonably inferable by a contractor familiar with the Project and exercising the care, skill and diligence required of the Contractor by the Contract Documents.
- D. The phrase "PERSISTENTLY FAILS" and other similar expressions, as used in reference to the Contractor, shall be interpreted to mean any combination of acts and omissions, which causes the County's Architect/Engineer to reasonably conclude that the Contractor will not complete the Work within the Contract Time, for the Contract Sum or in substantial compliance with the requirements of the Contract Documents.
- E. Words in the singular shall also mean and include the plural, wherever the context so indicates, and words in the plural shall mean the singular, wherever the context so indicates.
- F. Wherever the terms "shown on drawings" are used in the specifications, they shall mean "noted", "indicated", "scheduled", "detailed", or any other diagrammatic or written reference made on the drawings.
- G. The term "Furnish" shall mean "to fit out and/or supply" material required for project

use

- H. The term "INSTALL" shall mean "set", "connect", "erect", "apply" or to "otherwise fix into position for use".
- I. Whenever the terms "material" or "materials" are used in the specifications, they shall mean any "product", "equipment", "device".
- J. The terms "approved" or "approval" shall mean the written approval of the Architect/Engineer.
- K. The terms "directed", "required", "permitted, "ordered", "designated", "prescribed" and similar words shall mean the direction, requirement, permission, order, designation or prescription of the Architect/Engineer; the terms "approved", "acceptable", "satisfactory" and similar words shall mean approved by, acceptable or satisfactory to the Architect/Engineer; and the terms "necessary", "responsible", "proper", "correct" and similar words shall mean necessary, reasonable, proper, or correct, in the judgment of the Architect/Engineer.
- L. "Concealed" means hidden from sight in chases, furred spaces, shafts, hung ceiling, embedded in construction or in crawl spaces.
- M. "Exposed" means not installed underground or "concealed" as defined above as well as work visible to building occupants.
- N. "Invert Elevations" means the inside bottom of pipe.
- O. "The Contractor" or "Contractor" meaning that Contractor normally responsible for that work referenced;
  - 1. The term "Specialist" or "Specialty Contractor" as used in these specifications shall mean an individual or firm of established reputation, or, if newly organized, whose personnel have previously established a reputation in the same field, which is regularly engaged in, and which maintains a regular force of workmen skilled in either manufacturing or fabricating items required by the Contract, installing items required by the Contract, or otherwise performing work required by the Contract.
  - 2. Where the Contract Specifications require installation by a "Specialist", that term shall also be deemed to mean either the manufacturer of the item, an individual or firm licensed by the manufacturer, or an individual or firm who will perform such work under the manufacturer's direct supervision.

# 1.4 FIELD ENGINEERING

- A. Provide field engineering services; establish grades, lines and levels, by use of recognized engineering survey practices, as applicable.
- 1.5 REFERENCE STANDARDS AND APPLICABLE LAWS AND PERMITS Coordinate with Information for Bidders and the General Clauses.
  - A. All materials and work provided under this contract shall be in accordance with all applicable federal, state and local laws, regulations, ordinances, codes, standards and orders, and the contractor shall be responsible for all documents, applications, plans, etc. and payment of all fees to secure all required permits and approvals to complete the work

- in accordance with all requirements of this contract.
- B. For products specified by association or trade standards, comply with requirements of the standard, except when more rigid requirements are specified or are required by applicable codes or within these Contract Documents.
- C. The date of the standard is that in effect as of the Advertisement date, except when a specific date is specified.
- D. Obtain copies of standards when required by Contract Documents. Maintain copy at jobsite during progress of the specific work.
- E. Where specific performance requirements are listed herein, it is the intent of this specification that all manufacturers, fabricators, suppliers, installers, contractors, subcontractors, specialty and sub-subcontractors will provide services satisfying these requirements whether mentioned by trade or manufacturers name or submitted for approval as an approved or equal.
- F. Where no explicit quality or standards for materials or workmanship are established for work, such work shall be of such quality consistent with industry standards and of the construction quality established for the Project generally.

# 1.6 PROTECTION OF PROPERTY AND THE PUBLIC; USE OF PREMISES

- A. The Contractor shall provide adequate means for the purpose of preventing dust caused by construction operations throughout the period of the construction contract.
- B. This provision does not supersede any specific requirements for methods of construction or applicable conditions set forth in the General and General Clauses with added regard to performance obligations of the General Contractor.
- C. The General Contractor shall take steps to prevent the introduction of pollutants and dust into the ventilation system during construction.

# 1.7 NOISE CONTROL

- A. Develop and maintain a noise abatement program and enforce strict discipline over all personnel to keep noise to a minimum.
- B. Execute construction work and equipment use which will reduce excess noise.
- C. Equip air compressors with silencers, and power equipment with mufflers.
- D. Manage scheduling to reduce noise.

# 1.8 UTILITY SHUTDOWNS

A. When installation of a partial or a complete new system or modifications to an existing system requires shutdown of an operating system, the connection of the partial system shall be performed only after prior notification of the estimated shutdown time periods have been approved by the Owner and the Architect/Engineer and then only in the following time periods.

Advance Notification Time Required:

- Fire Alarm Shunts 7 days
- Electrical and/or Plumbing shutdowns 2 weeks
- B. The Contractor shall do all work involved in shutdown period when scheduled and/or directed by the Architect/Engineer and at no additional expense to County.
- C. Certain service "cut-in" may require overtime operations which will be accomplished at no extra cost to County.

# 1.9 ADDITIONAL INSURANCE REQUIREMENTS (ONLY FOR PROJECTS THAT INCLUDE ASBESTOS ABATEMENT WORK)

- A. The successful bidder shall submit with their bid, copies of the Insurance Policies in the types and amounts as stipulated above in the Information for Bidders Section "Insurance Requirements". In addition to the "claims made" insurance policies, the contractor shall maintain an Asbestos Abatement General Liability Occurrence Policy, in amounts not less than \$1,000,000 and naming owner as the certificate holder.
- B. "The County of Westchester" must be included as an Additional Named Insured under all insurance policies associated with this project.
- C. The hauler carrying asbestos to the disposed site in addition to the types and amounts stipulated in the Information for Bidders Section "Insurance Requirements" shall carry "Sudden and Accidental Pollution" Liability Insurance in the amount not less than \$1,000,000. Endorsements to an existing policy will be acceptable.
- D. The independent air-monitor in addition to the types and amounts stipulated in the Information for Bidders Section "Insurance Requirements" shall carry "Professional Liability" Insurance for "Environmental Consulting Services" including asbestos testing and air-monitoring in the amount not less than \$1,000,000.

# 1.10 SPECIAL PROVISIONS FOR CONSTRUCTION

- A. Work Times: Monday to Friday between 7:00 am and 5:00 pm.
- B. Contractors are to use area designated for dumpsters and staging as approved by the Owner. Contractor's storage of materials to be in secure containers.
- C. There will be contractor parking on site.
- D. There will be Contractor Criminal background checks as per Executive order 1-2009-8.

# SECTION 013529 HEALTH AND SAFTEY PLAN

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 REQUIREMENTS INCLUDE

- A. Provide all labor, equipment and materials and perform all operations in connection with monitoring air quality, decontaminating equipment and providing worker health and safety protection for all Contractor and Subcontractor personnel.
- B. Develop a site specific Health and Safety Plan (HASP) specifically addressing the potential hazards that may be encountered. This plan shall meet all Occupational Safety and Health Administration (OSHA) requirements.
- C. Review the requirements and data presented and supplement the program with any additional measures deemed necessary to fully comply with regulatory requirements and adequately protect personnel on the site.

# 1.3 REFERENCES

- A. OSHA Regulation 29 CFR 1910.120.
- B. OSHA Regulation 29 CFR 1926.62.

#### 1.4 DEFINITIONS

A. Site Safety Official (SSO): The individual who is responsible to the Contractor and has the authority and knowledge necessary to implement the site safety and health plan and verify compliance with applicable safety and health requirements

# 1.5 SUBMITTALS

- A. Provide within seven (7) days after execution of the Agreement.
  - 1. Site-specific HASP including the Emergency Response Plan to the Owner, Owner's Representative and Architect for review, including provisions for decontamination and a contingency plan for unforeseen emergencies. The review is only to determine if the HASP meets basic regulatory requirements and the minimum requirements of this Section. The review will not determine the adequacy of the HASP to address all potential hazards, as that remains the sole responsibility of the Contractor
  - 2. Current certification of employee's health and safety training and certification of employee's baseline medical exam status
  - 3. Certification of additional required health and safety training for Supervisors
  - 4. Qualifications and experience of the SSO for approval
- B. Submit minutes of weekly safety meetings at periodic progress meetings.

# 1.6 CONTRACTORS RESPONSIBILITIES

- A. Contractor is solely responsible for the health and safety of workers employed by the Contractor, any Subcontractor and anyone directly or indirectly employed by any of them
- B. Develop and follow a site specific Health and Safety Plan (HASP) in accordance with the requirements of paragraph 1.7
- C. Provide a full-time SSO regardless of whether or not the Work is at a defined Uncontrolled Hazardous Waste Site.
- D. Pre-arrange emergency medical care services at a nearby hospital, including establishment of emergency routes of travel.

# E. Meetings:

- 1. Conduct daily job briefings with all site personnel to discuss relevant health and safety issues including but not limited to hazards, monitoring, procedures and controls. Document attendance and topics covered.
- 2. At a minimum, conduct weekly safety meetings with all site personnel, documenting attendance and topics covered.

# 1.7 HEALTH AND SAFTEY PLAN (HASP) REQUIREMENTS

- A. Temporary overhead protection for interior of building:
  - 1. safety and health hazard assessment
  - 2. procedures for emergency medical treatment and first aid
  - 3. map indicating route to hospital for emergency medical care
  - 4. physical hazard evaluation
    - a. equipment operation
    - b. confined space entry
    - c. slips and falls
    - d. falling debris
    - e. encountering unmarked utilities
    - f. cold and heat stress
    - g. hot work (cutting and welding)
  - 5. Training requirements
  - 6. Recordkeeping requirements

# SECTION 015719 - ENVIRONMENTAL PROTECTION DURING CONSTRUCTION

#### 1.1 GENERAL

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 REQUIREMENTS INCLUDED

- A. Scope
- B. Applicable Regulations
- C. Notification
- D. Implementation
- F. Protection of Water Resources
- G. Burning
- H. Dust and Mud Control

#### 1.3 SCOPE

- A. The work covered by this section consists of furnishing all labor, material and equipment and performing all work required for the prevention of environmental pollution during and as the result of construction operations under this contract except for those measures set forth in other Technical Provisions of these specifications.
- B. Compliance with the provisions of this section by all Subcontractors shall be the responsibility of the Contractor.

# 1.4 APPLICABLE REGULATIONS

A. In order to provide for abatement and control of any environmental pollution arising from the construction activities of the Contractor and his subcontractors in the performance of this contract, they shall comply with all applicable Federal, State and local laws, and regulations concerning environmental pollution control and abatement as well as the specific requirements stated elsewhere in the contract specifications.

# 1.5 NOTIFICATION

A. The Architect will notify the Contractor in writing of any noncompliance with the foregoing provisions. The Contractor shall, after receipt of such notice, immediately take corrective action. Such notice, when delivered to the Contractor or his authorized representative at the site of the work, shall be deemed sufficient for the purpose. If the Contractor fails or refuses to comply promptly, the Architect may issue an order stopping all or part of the work until satisfactory corrective action has been taken. No part of the time lost on account of any such stop orders shall be made the subject of a claim for extension of time or for extra costs or damages by the Contractor unless it was later determined that the Contractor was in compliance.

# 1.6 PROTECTION OF WATER RESOURCES

- A. At all times of the year, special measures shall be taken to prevent chemicals, fuels, oils, grease, bituminous materials, waste washings, herbicides and insecticides, and cement and surface drainage from entering public waters.
- B. If any waste material is dumped in unauthorized areas the Contractor shall remove the material and restore the area to the condition of the adjacent undisturbed area.

If necessary, contaminated ground shall be excavated, disposed of as directed by the Architect, refilled with clean material and compacted all at the expense of the Contractor.

#### 1.7 BURNING

A. Burning will not be permitted.

# 1.8 DUST AND MUD CONTROL

A. The Contractor shall at all times provide adequate dust control measures. He shall accomplish this, without interference to the public/tenants.

# SECTION 016100 - MATERIAL AND EQUIPMENT

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 RELATED REQUIREMENTS

- A. General Standards
- B. Products
- C. Sustainability
- D. Transportation and Handling
- E. Storage and Protection

#### 1.3 GENERAL STANDARDS APPLICABLE TO ALL SPECIFICATION SECTIONS

- A. These provisions, standards, and tolerances shall apply to all work under this Contract. Where stricter standards and tolerances are specified elsewhere in these Specifications or in references specified in these Specifications, they shall take precedence over these standards and tolerances.
- B. Build and install parts of the Work level, plumb, square, and in correct position unless specifically shown or specified otherwise.
  - 1. No part shall be out of plumb, level, square, or correct position so much as to impair the proper functioning of the part or the Work as judged by the Architect.
  - 2. No part shall be out of plumb, level, square, or correct position so much as to impair the aesthetic effect of the part or the Work as judged by the Architect.
- C. Make joints tight and neat. Provide uniform joints in exposed work. Arrange joints to achieve the best visual effect. Refer choices of questionable visual effect to the Architect.
- D. Under potentially damp conditions, provide galvanic insulation between different metals which are not adjacent on the galvanic scale.
- E. Manufacturers, subcontractors, and workmen shall be experienced and skillful in performing the work assigned to them.
- F. All paint used on all products shall conform to ANSI Z66.1, Specifications for Paints and Coatings Accessible to Children to Minimize Dry Film Toxicity.
- G. The Drawings do not attempt to show every item of existing work to be demolished and every item of repair required to existing surfaces. Perform work required to remove existing materials which are not to be saved and to restore existing surfaces to condition equivalent to new as judged by Architect. If possible, repairs shall be indistinguishable from adjacent sound surfaces. Where it is impossible to achieve repairs which are indistinguishable from adjacent sound surfaces to remain, notify Architect, and proceed

according to his instructions.

#### 1.4 PRODUCTS

- A. Products include material, equipment and systems.
- B. Comply with Specifications and referenced standards as minimum requirements.
- C. Components required to be supplied in quantity within a Specification Section shall be the same, and shall be interchangeable.
- D. In the case of an inconsistency between Drawings and the Specifications, or within either document which is not clarified by addendum, the product of greater quality or greater quantity of work shall be provided in accordance with the Designer's interpretation.
- E. Provide environmentally preferable products to the greatest extent possible. To the greatest extent possible, provide products and materials that have a lesser or reduced effect on the environment considering raw materials acquisition, production, manufacturing, packaging, distribution, reuse, operation, maintenance, and/or disposal of the product.

# 1.5 TRANSPORTATION AND HANDLING

- A. Arrange deliveries of materials in accordance with construction schedules in order to avoid delay in, conflict with, or the impeding of the progress of the Work and conditions at the site.
- B. Deliveries shall be made during regular work hours, unless approved otherwise by the Owner.
- C. Deliver materials in undamaged condition, in manufacturer's original containers or packaging, with identifying labels intact and legible.

# 1.6 STORAGE AND PROTECTION

- A. Store materials in accordance with manufacturer's instructions, with seals and labels accessible for inspection
- B. Contractor shall be responsible for work and equipment until fully inspected, tested and accepted. Carefully store materials and equipment which are not immediately installed after delivery to site. Close open ends of work with temporary covers or plug during construction to prevent entry of obstructing material or damaging water.
- C. Materials stored on the Site shall be neatly arranged and protected, and shall be stored in an orderly fashion in locations that shall not interfere with the progress of the Work or with the operations of the Owner.
- D. Storage: Maintain temperature and humidity within the ranges required by manufacturer's instructions.
  - <u>NOTE</u>: If approval is given to store materials in any part of the building area, they shall be so stored as to cause no overloading of the existing structure.
- E. Deliver materials in undamaged condition, in manufacturer's original containers or packaging, with identifying labels intact and legible.

- 1. Store products subject to damage by the elements in weathertight enclosures
- 2. Store fabricated products above the ground, on blocking or skids; prevent soiling or staining. Cover products subject to damage or deterioration with impervious sheet coverings; provide adequate ventilation to avoid condensation.
- 3. Store loose granular materials in a well drained area on solid surfaces to prevent mixing with foreign matter. Locate away from drainage or areas subject to flooding or storm washes.

<u>NOTE</u>: Should it become necessary during the course of the Work to move materials or equipment stored on the Site, the Contractor, at the direction of the Owner's Representative, shall move such material or equipment at no additional cost to the Owner.

- F. If it becomes necessary to remove and restack materials to avoid impeding the progress of any part of the Work or interfering with the work to be done by any other contractor employed on the Work, the Contractor shall remove and restack such materials at no additional cost to the Owner.
- G. Protection After Installation.
  - 1. Provide adequate coverings to protect installed materials from damage resulting from natural elements, traffic, and subsequent construction.
  - 2. Remove when no longer needed.

# SECTION 017329 – CUTTING AND PATCHING

# 1.1 GENERAL

- A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.
- B. Provide materials, labor, equipment and services necessary and/or required to execute the work of this Section as shown on the drawings, specified herein and/or required by job conditions.
- C. All cutting, removing, relocation, fitting, altering and rough patching for the installation and completion of his work in other than finished surfaces noted below shall be performed by the Trade or Subcontractor requiring said cutting and patching. FINISH PATCHING SHALL BE BY THE RESPECTIVE TRADE OR SUBCONTRACTOR THAT NORMALLY DOES THAT FINISH WORK

# 1.2 REQUIREMENTS INCLUDED

- A. Definitions
- B. Cutting and Patching Requirements
- C. Specific Requirements -All Trades

# 1.3 DEFINITIONS

The following definitions shall apply to all work of this Contract involving cutting, patching, filling and the like.

- A. Cutting -those operations required to expose existing construction, or required to permit the installation of work under this contract, or passage of new or relocated work through existing construction.
- B. Patching -Those operations required to bring surfaces to a level to permit the application of a finish treatment.

The Contractor responsible for performing the patching shall be responsible for the restoration of the substrate to match adjacent areas, whether new or existing, except for the following conditions:

- 1. The Contractor responsible for performing the patching shall be responsible for the restoration of the substrate to match adjacent areas, whether new or existing, except for the following conditions:
- 2. Those patched surfaces which are wholly contained within an area which is to

receive a new finish treatment as called for elsewhere in the Contract Documents.

- C. Replace -Shall mean to furnish and install an entirely new element which matches the original element's material, color, dimension and design.
- D. Repair -Shall mean to make the existing element as nearly "new", as possible, by the means and methods indicated for each element.
- E. Fill -Shall mean to carefully and thoroughly remove, by approved methods, loose and deteriorated surface material and to install "new" material in the element so that the original contour is completely restored and color matched if exposed as a finished element. Follow manufacturers' instructions as applicable.
- F. Match Original -Where indicated, this type of replacement will match the best available representative element, in design, dimension, and installation, with improvements which represent the best standards of fabrication, so that even if an existing best example of an element is gouged or pitted, or otherwise worn, the new element shall be unworn and without defects and fabricated of new material. The Architect will provide identifications of all original elements.

# 1.4 CUTTING AND PATCHING REQUIREMENTS

A. Where cutting, drilling or removals are required in existing and/or newly constructed wall, floor or roof construction, the work shall be done in a manner that will safeguard and not endanger the structure, and shall, in all cases, be as approved by the Architect.

Prior to any cutting, drilling or removals, the Contractor shall investigate both sides of the surface involved, shall determine the exact location of adjacent structural members by visual examination, and shall avoid interference with such members.

No structural members such as joists, beams, columns supporting work that is to remain shall be cut, drilled or removed unless such conditions are shown in detail on the Contract Documents and reinforcing of members affected or new members to compensate for such drilling, cutting and removals are shown.

Positive instructions shall be obtained from the Architect before cutting beams or other structural members, arches, lintels and the like and the Contractor shall be guided by such instructions.

B. Each Trade Contractor shall provide all sleeves, inserts, hangers and the like required for the execution of their respective work; failing to provide such, said responsible Contractor shall reimburse the General Contractor who shall do all necessary cutting and patching required for the execution of his work.

#### C. No Contractor shall:

- 1. endanger any work by cutting or drilling or otherwise
- 2. cut or alter the work of any other contractor except with the written consent of the Architect
- 3. cut or drill above the minimum needed to install work
- D. All holes cut through masonry exposed to view in the finished work and concrete slabs shall be core drilled except for specific holes that have been structurally detailed per Contract Documents.

The Contractor shall locate adjacent structural members before core drilling to insure that structural members are not damaged.

No jack hammering will be permitted.

# 1.5 SPECIFIC REQUIREMENTS -ALL TRADES

A. The Contractor shall perform, or cause to have performed by nominated trade and/or subcontractors as defined in Paragraph 1.3herein, all cutting, rough and finish patching required to install the work under the Contract and as indicated on the drawings and/or as required.

Said contractor shall perform, or cause to have performed, all finish patching of openings at walls and slabs created by the removal of existing ductwork, piping, conduit, equipment or installation of new work.

# SECTION 017419 – CONSTRUCTION WASTE MANAGEMENT

#### 1.1 GENERAL

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 DESCRIPTION OF WORK

A. This Section specifies requirements for a complete program for implementation of waste management controls and systems for the duration of the Work.

#### 1.3 INTENT

- A. The Owner has established that this Project shall generate the least amount of waste practical and that processes that ensure the generation of as little waste as possible due to error, poor planning, breakage, mishandling, contamination, or other factors shall be employed.
- B. Of the waste that is generated, as many of the waste materials as economically feasible shall be reused, salvaged, or recycled. Waste disposal in landfills shall be minimized to the greatest extent practical.

With regard to these goals the Contractor shall develop, for Owner's Representative's review and Architect's review, a Waste Management Plan for this Project

Each Sub/Specialty Contractor shall be responsible for segregating their own waste into different dumpsters as directed by the Contractor

The Contractor shall be responsible for ensuring that debris will be disposed of at appropriately designated licensed solid waste disposal facilities, as defined by governing laws of the jurisdiction of the Work

# 1.4 WASTE MANAGEMENT PLAN

- A. Waste Management Plan: The Contractor shall provide a plan containing the following:
  - 1. Analysis of the proposed jobsite waste to be generated, including types and rough quantities
  - 2. Landfill Options: The name of the landfills where trash and building debris will be disposed of, the applicable landfill tipping fees, and the projected cost of disposing of all Project waste in the landfills
  - 3. Landfill Certification: Contractor's statement of verification that landfills proposed for use are licensed for types of waste to be deposited and have sufficient capacity to receive waste from this project
  - 4. Alternatives to Land filling: A list of each material proposed to be salvaged or

recycled during the course of the Project. Include the following and any additional items proposed:

- o Cardboard
- Clean dimensional wood
- Beverage containers
- o Concrete
- o Bricks and masonry
- o Gypsum boards
- o Acoustical ceiling material (grid separate)
- Metals from framing, banding, stud trim, ductwork, piping, rebar, roofing, other trim, steel, iron, galvanized sheet steel, stainless steel, aluminum, copper, zinc, lead, brass, and bronze
- 5. Meetings: A description of the regular meetings to be held to address waste management
- 6. Materials Handling Procedures: A description of the means by which any waste materials identified above will be protected from contamination, and a description of the means to be employed in recycling the above materials consistent with requirements for acceptance by designated facilities
- 7. Transportation: A description of the means of transportation of the recyclable materials (whether materials will be site-separated and self-hauled to designated centers, or whether mixed materials will be collected by a waste hauler and removed from the site) and destination of materials.

# Part 2 - PRODUCTS - NOT USED

#### Part 3 –EXECUTION

# 3.1 RECYCLING

- A. Metal, including but not limited to aluminum stairs, structural beams and sections, and reinforcing steel shall be recycled.
- B. Wood that is not painted and does not contain preservatives (i.e. creosote, arsenic, and chromium-containing preservatives) shall be segregated and recycled.

#### 3.1 WASTE MANAGEMENT PLAN IMPLEMENTATION

- A. All sorting will be done "off site" by a recognized construction and demolition processing facility who will be responsible for provision of all documentation as to where loads were processed and the recycling rate achieved.
- B. Hazardous Wastes: Any unforeseen hazardous wastes shall be separated, stored, and disposed of according to local regulations.

# SECTION 017700 - PROJECT CLOSE OUT

#### 1.01 GENERAL

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.02 REQUIREMENTS INCLUDED

- A. Final Cleanup
- B. Required Close Out Documentation
- C. Project Close Out Inspections

# 1.03 FINAL CLEANUP

- A. The Contractor shall leave the work ready for use and occupancy without the need of further cleaning of any kind.
- B. The Contractor shall remove all tools, appliances, project signs, material and equipment from the phased areas as soon as possible upon completion of the work.
- C. The work is to be turned over to the Owner in new condition, in proper repair and in perfect adjustment.

# 1.04 REQUIRED CLOSE OUT DOCUMENTATION

- A. Prior to final payment, *and as part of the final requisition*, the Owner shall receive, in addition to those documents required by the General Conditions, the following:
  - 1. Project record documents as per Section 017719.
  - 2. Coordination drawings related to the work.
  - 3. The Contractor's general guarantee.
  - 4. Specific guarantees of material, equipment and systems installed in the work.
  - 5. A copy of all test data taken in connection with the work.
  - 6. Three (3) copies of all operation and maintenance manuals which shall include:
    - a. Sequence of Operation and Control Diagrams, corrected for as-built conditions.
    - b. Parts List, including illustrations, assembly drawings and diagrams required for maintenance, predicted life of parts subject to wear, and recommendations for stocking spare parts.
    - c. Copies of accepted shop drawings, charts and diagrams.
    - d. Names, addresses and telephone numbers of manufacturer's representative and service company.
    - e. Letters from each manufacturer certifying that his equipment was properly installed and is operating in accordance with manufacturer's intent.
    - f. MSDS sheets tabulated and indexed as per specification sections.

- g. Copies of all test reports, including balancing, and with corrections confirmed, must be provided with the contractor's request for a substantial completion inspection.
- h. An "Underwriter's Certificate" shall be provided in the O&M manuals to be provided to the Owner.
- 7. Preventative Maintenance Schedule Sheets.
- 8. Copies of all Certification of Specifications Compliance as per Section 01 33 00.
- 9. Record of Manufacturers Material Safety Data Sheets (MSDS).
- 10. Certified Payroll Records.

#### 1.05 PROJECT CLOSE OUT INSPECTIONS

A. When the Work has reached such a point of completion that the building or buildings, equipment, apparatus or phase of construction or any part thereof required by the Owner for occupancy or use can be so occupied and used for the purpose intended, the Contractor, <u>prior to notification to the Architect</u>, shall make a preliminary inspection of the Work to insure that all the requirements of the Contract have been met and the Work is substantially complete and is acceptable.

Upon such notification, the Owner or the Architect shall make a detailed inspection of the Work to insure that all the requirements of the Contract have been met and that the Work is complete and is acceptable.

- B. A copy of the report of the inspection shall be furnished to the Contractor as the inspection progresses so that the Contractor may proceed without delay with any part of the Work found to be incomplete or defective.
- C. When the items appearing on the report of inspection have been completed or corrected, the Contractor shall so advise the Owner and the Architect. After receipt of this notification, the Owner or the Architect shall inform the Contractor of the date and time of final inspection.

A copy of the report of the final inspection containing all remaining contract exceptions, omissions and in completions shall be furnished to the Contractor.

D. After the receipt of notification of completion and all remaining contract exceptions, omissions and in completions from the Contractor, the Owner and the Architect will re-inspect the Work to verify completion of the exception items appearing on the report of final inspection.

Upon completion of re-inspection, the Architect will prepare a certificate of final acceptance or will furnish to the Contractor a copy of the report of the Architect's re-inspection detailing Work that is incomplete or obligations that have not been fulfilled but are required for final acceptance.

# <u>SECTION 017719 – PROJECT RECORD DOCUMENTS</u> (Coordinate with Article 53 of the General Clauses)

#### 1.1 GENERAL

A. All Contractors, Subcontractors, Sub-subcontractors, Vendors and the like shall be required to familiarize themselves with said provisions.

# 1.2 REQUIREMENTS INCLUDED

- A. Project Record Drawings
- B. Record Drawing Certification

# 1.3 PROJECT RECORD DRAWINGS

- A. The purpose of the project drawings is to record the actual location of the work in place, and to record changes in the work.
- B. In addition to the sets of contract drawings that are required by the Contractor on the site to perform the work, the Contractor shall maintain, at the site, one (1) copy of all drawings, specifications and addenda that are part of the Contract as awarded.

Each of these documents should be clearly marked "Project Record Copy", maintained in a clean and neat condition available at all times for inspection by the Owner or the Architect, and shall not be used for any other purpose during the progress of the work.

# C. Project Record Requirements

- 1. The Contractor shall mark-up the "Project Record Copy" to show:
  - a. Approved changes in the work
  - b. Location of concealed work
  - c. Details not shown in the original Contract Documents
  - d. Any relocation of work including piping, conduits, ducts and the like
  - e. All changes in dimensions
  - f. Revisions to any electrical circuitry
- D. The project record drawings are to be submitted by the Contractor to the Owner or the Architect when all the work is completed and is approved by the Owner and the Architect before the Contractor may request final payment
- E. In addition to the drawings required as mentioned above, the Contractor shall submit a list of all approved Shop Drawings of the Work as installed.

# 1.4 RECORD DRAWING CERTIFICATION

- A. The record drawings required under the terms and conditions of this Section shall be reviewed and processed by the Contractor as part of their overall contractual responsibility.
- B. This certification may be issued for individual trades or as a collective document to cover the entire record drawing requirements of the project

The	format	οf	this	certification	shall	he	as follows
1110	IVI IIIat	UI		cci micamon	SHAH	$\mathbf{n}$	as iumu ws

These record drawings prepared by:	
for	have
been reviewed by the undersigned and:	
Appear to be an accurate representation of the work incorporated within to and are accepted as submitted in accordance with the technical documents.	he project
This record document review made by this office is for determination of complian requirements of the contract documents.	ince to the
Firm Name:	
Review Date: By:	

# <u>SECTION 020750 – ASBESTOS ABATEMENT</u> – Alternate # 1:

# PART 1 - GENERAL

# 1.1. SUMMARY AND DESCRIPTION OF WORK

1. The work in this section includes the furnishing of all labor, supervision, materials, services, equipment, permits, personnel monitoring, insurance, and incidentals which are necessary for the complete removal of asbestos containing materials in accordance with the applicable guidelines & regulations, in areas shown on drawings, specifications, and such work shall include the removal of all related items required to perform the asbestos removal work for:

# a. 41 Church St., Bedford, New York

2. The amounts of asbestos removals are as shown on drawing and as described below:

ITEM	QUANTITY	ITEM
A	420	Square feet of 9x9 ACM floor tile & mastic removal

- 3. It is not intended that this description of work mention each particular item required, but that it give information concerning the general scope and areas of work for the convenience of the bidders. Contractor shall be responsible in identifying and removing all existing asbestos material in the above mentioned areas.
- 4. The work specified herein will be the removal of asbestos containing materials by persons who are knowledgeable, qualified, and trained in the removal, treatment, handling, and disposal of asbestos-containing material, and the subsequent cleaning of the affected environment. These persons must comply all regulations which mandate work practices, and be capable of performing the work of this contract.
- 5. The contractor shall conduct all work in a safe and professional manner insuring that the building occupants, workers, environment, and the public are not exposed to hazardous levels of any air bore asbestos. The contractor shall be responsible for any and all damages caused by the abatement activities to any of the building's components and systems.
- 6. All work shall be performed in accordance with the guidelines and regulations of the governing state agencies, EPA, OSHA, DEC and New York State Industrial Code Rule 56. Contractor shall follow Industrial Code Rule 56 as amended by New York State Department of Labor effective March 21, 2007 or the latest edition.
- 7. Prior to commencing work the contractor shall identify asbestos hazards in the workplace, select appropriate control strategy, take corrective measures to eliminate such

hazards, and conduct inspection to determine that the roofing material is intact and will likely remain intact during removal and disposal.

- 8. The contractor shall be responsible for securing openings or access points to the all abatement work areas. The contractor shall be required to isolate all roof level openings to the building including HVAC air intakes or shut-down the HVAC system. All Isolation measures per applicable code requirements.
- 9. A drop sheet of 6-mil poly shall be placed on the ground around the building to protect the landscape and facilitate clean-up of any debris that may fall from the roof during removal.
- 10. The materials are not friable and will not become friable by the nature of the removal. After lightly misting the surfaces, the roofing will be cut into sections using hatchets or other sharp tools (or other none dust generating methods), placing the waste directly into 6 mil poly lined waste containers (or wrapped in two layers of 6 mil poly), labeled with asbestos waste labels, and lowered to the ground. Any debris on the roof or adjacent ground will be HEPA vacuumed after each removal.
- 11. All removal work will be done by trained asbestos workers who have appropriate physical exams and experience. Workers will use a minimum of half face negative pressure respirators with high efficiency filters and full body "Tyvek" coveralls. Contractor shall provide goggles to personnel who engaged in asbestos abatement operations when the use of full face respirator is not required.
- 12. A licensed Asbestos Project Monitor shall be on-site every day until the asbestos removal of the day's work has been completed. The project monitor will document compliance with the plan.
- 13. The contractor will spray asbestos materials with amended water, using airless spray equipment capable of providing a "mist" application to reduce the release of fibers. The asbestos material will be sprayed with water mist containing a wetting agent to enhance penetration. The wetting agent will be a commercial product produced specifically as an asbestos wetting agent. A fine spray of the amended water will be applied to reduce fiber release preceding the removal of the asbestos material. Cutting machines shall be continuously misted. A HEPA dust collector shall collect all dust resulting from the cutting of a power roof cutter or HEPA vacuum along the cut line or by gently sweeping and then carefully and completely wiping up the still-wet dust and debris left along the cut line. Dry sweeping shall NEVER be allowed.
- 14. In order to maintain asbestos concentrations at a minimum, the wet asbestos will be removed in manageable sections. Materials will not be allowed to dry out. Materials that have been removed from the roof shall not be dropped or thrown to the ground. Material shall be carried or passed to the ground by hand or lowered to the ground via covered, dust tight chute, crane or hoist. All removed material must be down from the roof no later than at the end of the work shift. While the material remains on the roof, it shall be

kept wet. Upon being lowered, unwrapped material shall be transferred to a closed container in such a manner so as to preclude dispersion of the dust.

15. The asbestos materials shall be packaged in impermeable dust tight containers (ie. two heavy duty six (6) mil plastic bags of sealed fiber packed drums). The waster vehicle shall be lined and sealed with 6 mil poly. All containers shall be labeled in large legible letter

# DANGER CONTAINS ASBESTOS FIBERS AVOID CREATING DUST BREATHING ASBESTOS DUST MAY CAUSE CANCER AND LUNG DISEASE

- 16. Labels shall also have required generator identification and site label information. The land fill accepting the waste shipment shall be notified before shipping for scheduling to insure that adequate personnel and apparatus area available at the time of disposal. Asbestos materials shall not be transported with any other material. Contractor shall provide Construction Manager with signed waste manifest prior submitting final invoice for payment.
- 17. Contractor shall remove visible accumulations of asbestos material and debris. If the Construction Manager finds visible accumulations of dust or bulk asbestos containing materials in the Work Area, the Contractor will repeat the cleaning until the work area is in compliance.
- 18. Immediately after removals and clean-up, in order to prevent damage to the interior of the building, contractor shall cover and seal the abated areas with 2-layers of plastic, temporary flashing or new waterproofing membrane which would include the use of felts, hot moped asphalt or a comparable roofing product that has been approved by the project engineer in the least time consuming manner.
- 19. After completion of the removals, the Contractor and Construction Manager shall visually inspect the work area for any remaining visible residues of ACM. If project performance is not satisfactory as determined by the DPW Construction Manager or the evidence of any contamination shall require further cleaning at no additional cost to the County.

# 1.2. **SUBMITTALS**

- A. General: Submit each item in this Article according to the General and Special Clauses.
- B. All Permits and notifications.
- C. All Waste Shipment Records.

- D. Daily work logs.
- E. All certificates for verification of disposed asbestos as described in the next section.

# 1.3. APPLICABLE REGULATIONS AND CONTROLS

A. All work shall be performed in accordance with the guidelines and regulations of the governing state agencies, EPA, OSHA, the NYS Industrial Code Rule 56 of DOL with all its applicable up-to-date variances, DEC, NYS DOH, NYS DOT, any Specific Variance and these specifications.

# B. Licenses and Certificates

- 1. The Contractor shall submit proof that he possesses a current, valid asbestoshandling license issued by the New York State Department of Labor.
- 2. The Contractor shall submit proof that he possesses a current, valid license for any patented process or device utilized in the performance of the work as specified.
- 3. Prior to the work, the Contractor shall submit certificates for any person employed, whose duties shall involve the installation, removal, encapsulation, application or enclosure of any asbestos material or the disturbance of friable asbestos, or the supervision of such work, indicating that he has that training requirements as specified in the N.Y.S. Industrial Code Rule 56 and the OSHA Regulation 29 CFR 1926.58 (k) (3).

# C. Sites and Permits

- 1. <u>The Hauler</u>: All asbestos disposal carting agents shall have required a Waste Transport Permit pursuant to Article 27, Titles 3 and 15 of the Environmental Conservation Law from the New York Department of Environmental Conservation, DEC Permit, N.Y.S. Part 364.
- 2. <u>The Landfill</u>: All landfills for disposal of asbestos containing materials shall be approved by the U.S. Environmental Protection Agency and by the New York Department of Environmental Conservation, and shall have DEC Permit, N.Y.S. Part 360. The landfill shall not be approved for disposal of hazardous materials other than asbestos.
- 3. The contractor shall submit and maintain copies of documentation that the proposed hauler and landfill are permitted and willing to accept the asbestos waste.

4. The Contractor shall provide the County with a certificate verifying the final disposal of all removed asbestos containing materials of the approved waste disposal site prior to approval of the Contractor's final payment.

# 1.4 **AIR MONITORING**: Not applicable

- **1. NOTE:** The Owner shall hire an <u>Independent Project Monitor</u> who shall possess a valid Project Monitor's Certificate who shall serve as the Owner's consultant and shall oversee the scope, timing, phasing and/or remediation methods to be utilized in this Asbestos Project.
- 2. The Contractor shall make arrangements with the Engineer to have the Independent Project Monitor available at the time of asbestos removals. Contractor shall not start any asbestos removals without the presence of the Independent Project Monitor.

# 1.5 ADDITIONAL INSURANCE REQUIREMENTS:

1. See GENERAL REQUIREMENTS- Additional Insurance Requirements – page 1.5

# 1.6 **ALTERNATIVE PROCEDURES**:

1. Procedures described in this specification are to be utilized at all times. If specified procedure cannot be followed, a written request to the DPW Construction Manager providing details of the problem encountered and recommended alternatives shall be submitted. These alternative procedures shall provide equivalent or greater protection than procedures that they replace.

# <u>CONTRACT NO. 21-527</u> DIVISION 2-SITE CONSTRUCTION

# SECTION 024119 - SELECTIVE DEMOLITION

#### PART 1 - GENERAL

# 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including Information for Bidders, General Clauses and Special Clauses, apply to this Section.
- B. Provide all material, labor, equipment and operations required or reasonably implied to complete demolition and removal work or alterations and restoration work in accordance with drawings and specifications herein.

#### 1.2 SUMMARY

- A. This Section includes the following:
  - 1. Demolition, removal and dispose as shown on the contract drawings.
  - 2. Patching and repairs.

#### 1.3 WORK OF THIS SECTION

# Removals:

- 1. Perform demolition of roofing, windows, interior partitions, gyp. bd., pool, and other items as specified and in areas indicated in the drawings.
- 2. All cutting, patching and repairing in connection with the contract work shall be performed in such a manner that the finished work will be structurally sound and unmarred as though no cutting, patching and repairing had been executed.
- 3. All other work incidental thereto and reasonably inferable as needed to make the work of this Section complete.

# 1.4 GENERAL REQUIREMENTS

- 1 The premises shall be accepted as found at the start of demolition.
- 2. The Contractor shall refer to the applicable Special Clauses, e.g. Cutting and Patching, Protection and Clean-up, and Removal of Debris.

#### 1.5 DEFINITIONS

A. Remove: Remove and legally dispose of items except those indicated to be reinstalled, salvaged, or to remain the Owner's property.

# <u>CONTRACT NO. 21-527</u> DIVISION 2-SITE CONSTRUCTION

- B. Remove and Salvage: Items indicated to be removed and salvaged remain the Owner's property. Remove, clean, and pack or crate items to protect against damage. Identify contents of containers and deliver to Owner's designated storage area.
- C. Existing to Remain: Protect construction indicated to remain against damage and soiling during selective demolition. When permitted by the Architect, items may be removed to a suitable, protected storage location during selective demolition and then cleaned and reinstalled in their original locations.

#### 1.6 MATERIALS OWNERSHIP

A. Except for items or materials indicated to be reused, salvaged, reinstalled, or otherwise indicated to remain the Owner's property, demolished materials shall become the Contractor's property and shall be removed from the site with further disposition at the Contractor's option.

### 1.7 SUBMITTALS

- A. General: Submit each item in this Article according to the Conditions of the Contract.
- B. Proposed dust-control measures.
- C. Proposed noise-control measures.

# 1.8 QUALITY ASSURANCE

- A. Demolition Firm Qualifications: Engage an experienced firm that has successfully completed selective demolition Work similar to that indicated for this Project.
- B. Regulatory Requirements: Comply with governing EPA notification regulations before starting selective demolition. Comply with hauling and disposal regulations of authorities having jurisdiction.

### 1.9 PROJECT CONDITIONS

- A. Owner will occupy portions of the building immediately adjacent to selective demolition area. Conduct selective demolition so that Owner's operations will not be disrupted. Provide not less than 72 hours' notice to Owner of activities that will affect Owner's operations.
- B. The building to be protected from the weather at all times during demolition.
- C. Storage or sale of removed items or materials on-site will not be permitted.

# CONTRACT NO. 21-527 DIVISION 2-SITE CONSTRUCTION

### 1.10 SCHEDULING

A. Arrange selective demolition schedule so as not to interfere with Owner's on-site operations.

### **PART 3 - EXECUTION**

### 3.1 PREPARATION

- A. Conduct demolition operations to prevent injury to people and damage to adjacent buildings and facilities to remain. Ensure safe passage of people around selective demolition area.
  - 1. Provide temporary weather protection, during interval between demolition and removal of existing construction, on exterior surfaces and new construction to ensure that no water leakage or damage occurs to structure or interior areas.
  - 2. Protect walls, ceilings, floors, and other existing finish work that are to remain and are exposed during selective demolition operations.

# 3.3 POLLUTION CONTROLS

- A. Use water mist, temporary enclosures, and other suitable methods to limit the spread of dust and dirt. Comply with governing environmental protection regulations.
  - 1. Do not use water when it may damage existing construction or create hazardous or objectionable conditions, such as ice, flooding, and pollution.
- B. Clean adjacent structures and improvements of dust, dirt, and debris caused by selective demolition operations. Return adjacent areas to condition existing before start of selective demolition.

### 3.4 PROTECTION OF EXISTING SURFACES

- A. The Contractor shall protect all existing finishes including existing flooring materials by methods approved in advance by the County.
- B. The Contractor shall install dust barricades as shown on the drawings and in all other locations as required to contain debris within the work area.

### 3.5 PATCHING AND REPAIRS

A. Promptly patch and repair holes and damaged surfaces caused to adjacent construction by selective demolition operations.

# <u>CONTRACT NO. 21-527</u> DIVISION 2-SITE CONSTRUCTION

- B. Where repairs to existing surfaces are required, patch to produce surfaces suitable for new materials.
  - 1. Completely fill holes and depressions in existing walls to remain with an approved patching material, applied according to manufacturer's printed recommendations.
- D. Restore exposed finishes of patched areas and extend finish restoration into adjoining construction to remain in a manner that eliminates evidence of patching and refinishing.

### 3.6 DISPOSAL OF DEMOLISHED MATERIALS

- A. General: Promptly dispose of demolished materials. Do not allow demolished materials to accumulate on-site.
- B. Burning: Do not burn demolished materials.
- C. Disposal: Transport demolished materials off Owner's property and legally dispose of them.

# 3.7 CLEANING

A. The contractor shall wash-down, mop, sweep or utilize any other procedure approved by the County to clean all interior and exterior surfaces including but not limited to floors, walls, exposed structural steel and exposed mechanical and electrical components upon the completion of each phase of the selective demolition operation.

END OF SECTION 024119

# SECTION 02 83 00 - HANDLING OF LEAD-CONTAINING MATERIALS

### PART 1 GENERAL

#### 1.01 SCOPE OF WORK

A. This Section specifies the requirements for the detection and prevention of lead dust, paint chips, or debris contamination of lead dust control work areas and areas adjacent to them, protection of workers, post-work cleaning, predisposal testing and appropriate disposal of removed material.

#### B. Lead-Based Paint

The requirements of this specification apply to the management of lead-based paint (LBP) materials at the House Refurbishment - 41 Church Rd., Bedford, New York.

Lead based paint was found on painted wood clapboard surfaces and misc. wood trims within the house.

Housing and Urban Development (HUD) Guidelines indicate a concentration of 5,000 ppm (or 1.0 mg/cm²) is the maximum allowable lead concentration for dry paint surfaces scheduled for disturbance. Work activities in LBP areas that exceed the limit for dry paint on surfaces shall be performed in accordance with Occupational Safety and Health Act (OSHA) regulations as identified or inferred herein, and as indicated below.

C. Flame cutting, high speed grinding or welding is prohibited on lead painted surfaces.

# **1.02 RELATED WORK SPECIFIED ELSEWHERE -** Entire project specification with specific attention to:

A. Renovation Survey for Asbestos and Lead Based Paint.

# 1.03 REFERENCES

- A. New York State Department of Environmental Conservation (DEC) 6NYCRR:
  - 1. Part 360 Solid Waste Management Facilities.
  - 2. Part 364 Waste Transporter Permits.
  - 3. Part 370 Hazardous Waste Management System-General.
  - 4. Part 371 Identification and Listing of Hazardous Wastes.
  - 5. Part 372 Hazardous Waste Manifest System and Related Standards for Generators, Transporters and Facilities.
  - 6. Part 373 Hazardous Waste Management Facilities.
- B. Occupational Safety and Health Administration (OSHA): Lead Exposure in Construction: Interim Final Rule 29 CFR 1926.62.
- C. U.S. Environmental Protection Agency (EPA): Resource Conservation and Recovery Act (RCRA) Section 3004 Hazardous and Solid Waste Amendments.
- D. U.S. Environmental Protection Agency (EPA): Toxicity Characteristics Leaching Procedure EPA Method 1311.

- E. NYS DOH NYCRR 10 Part 67 Sub-part 67-2 Environmental Assessment and Abatement
- F. HUD Technical Guidelines for the Evaluation and Control of Lead-Based Paint Hazards in Housing
- G. U.S. Environmental Protection Agency (EPA): 40 CFR Part 745 Lead Fees for Accreditation of Training Programs and Certification of Lead-based Paint Activities

### 1.04 **DEFINITIONS**

- A. Lead Control Area: An enclosed area or structure with containment to prevent the spread of lead dust, paint chips, or debris from lead-containing paint abatement operations.
- B. The term "Trim" means all base, wall trim systems, standing and or running trim systems and the like.
- C. The term "Encapsulation" A method of abatement that makes lead paint inaccessible by covering or sealing surfaces with durable coatings specifically formulated to be elastomeric, long lasting, and resistant to cracking, peeling, algae and fungus.
- D. The term "Lead Paint" Paint, plaster or other surface coating material containing more than one half of one percent of metallic lead based on the total weight of the contained solids or dried film of the paint or plaster or other similar surface coating material.

  NYS DOH NYCRR 10 Section 67-2.2

### 1.05 SUBMITTALS

- A. Quality Control Submittals:
  - 1. Worker's Oualifications Data:
    - a. Name of each person who will be performing the Work and their employer's name, business address and telephone number.
    - b. Names and addresses of 3 similar projects that each person has worked on during the past 3 years.
  - 2. Work Plan: Submit one copy of the work plan required under Quality Assurance Article.
  - 3. Waste Transporter Permit: One copy of transporter's current waste transporter permit.
  - 4. U.S. Environmental Protection Agency (EPA) Notification of Lead Based Paint Activities.
  - 5. U.S. Environmental Protection Agency (EPA) Lead Based Paint Activities Training Notification.
  - 6. U.S. Environmental Protection Agency (EPA) Lead Based Paint Activities Post Training Notification.

# 1.06 QUALITY ASSURANCE

A. Worker Exposure to LBP: Contractor shall inform workers of the presence of LBP. Contractor shall assure that workers employed in LBP-areas are trained and certified as required in USEPA-approved state-of-the-art LBP abatement practices, prior to the start of work.

Worker exposure to LBP shall be minimized through complete compliance with procedures and respirator protection described herein, and by following precautionary measures described in the HUD document "Guidelines for the Evaluation and Control of

Lead-Based Paint Hazards in Housing", OSHA 29 CFR 1910.1025, "Lead Standard for General Industry, and OSHA 29 CRF 1926.62, "Lead Construction Standard," and other applicable Federal, State and Local regulations, whichever is more stringent and as applicable.

B. Regulatory Requirements: Comply with the referenced standards.

### 1.07 PROJECT CONDITIONS

- A. Shut-down of Air Handling System: Complete the Work of this Section within the time limitation allowed for shutdown of the air handling system serving the work area.
  - 1. The air handling system will not be restarted until approval of the post-work dust-wipe testing following the last cleaning.
- B. Cover and seal all fin-tube radiator covers, diffusers, duplex outlets, speakers, smoke and heat detectors, etc. Use temporary plasticized partitions as required.
  - 1. Prevent lead containing dust from entering hard to clean areas within the dust containment area.
  - 2. Items judged to be too difficult to protect may be disconnected, removed and replaced at contractor's option.
- C. Remove or encase all movable equipment in the work area with two layers of six mil fire retardant polyethylene sheeting.
- D. Cut and altar existing materials as required to perform the work. Limit cutting to the smallest amount necessary. Core drill round holes and saw cut other openings where possible for removal work. Flame cutting, high speed grinding or welding is prohibited on lead painted surfaces.

### 1.08 HEALTH AND SAFETY

- A. Where in the performance of the work, workers, supervisory personnel or sub-contractors may encounter, disturb, or otherwise function in the immediate vicinity of contaminated items and materials, all personnel shall take appropriate continuous measures as necessary to protect all ancillary building occupants from the potential lead exposure.
  - 1. Such measures shall include the procedures and methods described herein and shall be in compliance with all applicable regulations of Federal, State and Local agencies.

### 1.09 FIRE PROTECTION, EMERGENCY EGRESS AND SECURITY

- A. Establish emergency and fire exits from the lead dust control work area containment. Provide first aid kits and two full sets of protective clothing and respirators for use by qualified emergency personnel outside of the work area.
- B. Provide a logbook throughout the entire term of the project. All persons who enter the regulated lead dust control work area or containment shall sign the logbook. Document any intrusion or incident in the log book.

# 1.10 PERSONAL PROTECTIVE CLOTHING AND EQUIPMENT

- A. Workers must wear protective suits, protective gloves, eye protection and a minimum of half-face respirator with new HEPA filter cartridge for all projects. Respiratory protection shall be in accordance with OSHA regulation 1910.134 and ANSI Z88.2.
- B. Workers must be trained per EPA, have medical clearance and must have recently received pulmonary function test (PFT) and respirator fit tested by a trained professional.
  - 1. A personal air sampling program shall be in place as required by OSHA.
  - 2. The use of respirators must also follow a complete respiratory protection program as specified by OSHA.

### PART 2 PRODUCTS

### 2.01 RESPIRATORS

A. Type: Approved by the Mine Safety and Health Administration (MSHA), Department of Labor, or the National Institute for Occupational Safety and Health (NIOSH), Department of Health and Human Services.

### 2.02 VACUUM CLEANERS

A. Type: Vacuums equipped with new HEPA filters.

### 2.03 PLASTIC SHEETS

- A. Type: Minimum 6 mil., clear, fire retardant polyethylene sheets.
- B. Floor Protective Layer: Minimum 10 mil., reinforced polyethylene sheets.

### 2.04 DISPOSAL BAGS

A. Type: Minimum 6 mil thick, clear polyethylene bags with preprinted Caution Label. Properly containerize/drum prior to disposal.

### 2.05 EQUIPMENT

- A. Temporary lighting, heating, hot water heating units, ground fault interrupters, and all other equipment on site shall be UL listed and shall be safe, proper, and sufficient for the purpose intended.
- B. All electrical equipment shall be in compliance with the National Electric Code, Article 305 Temporary Wiring.

### PART 3 EXECUTION

### 3.01 PRE-WORK WIPE TESTING

- A. Testing: The Owner will employ the services of an independent testing laboratory to perform the pre-work testing within the lead dust control work area and the areas adjacent to the lead dust control work area.
  - 1. The testing lab will be New York State Department of Health, Environmental Laboratory Accreditation Program (NYS ELAP).

### 3.02 EMPLOYEE PROTECTION

A. Comply with all applicable Occupational Safety and Health Administration (OSHA) Requirements.

### 3.03 LEAD-CONTAINING/COATED MATERIAL HANDLING AND DISPOSAL

A. Handle and dispose of lead-containing materials in accordance with OSHA 1926.62 and the approved lead-containing material work plan. Use procedures and equipment required to limit occupational and environmental exposure to lead when material containing or coated with lead containing paint is handled and disposed of in accordance with referenced standards.

#### 3.04 POST-WORK WIPE TESTING

- A. Testing: The Owner will employ the services of an independent testing laboratory to perform the post-work testing within the lead dust control work area and the areas adjacent to the lead dust control work area.
  - 1. The testing lab will be New York State Department of Health, Environmental Laboratory Accreditation Program (NYS ELAP).

### 3.05 CLEANING CRITERIA

- A. Cleaning criteria is separated into two categories; areas within the lead dust control work area, and areas adjacent to the lead dust control work area:
  - 1. Surfaces within the Lead Dust Control Work Area: Where the lead containing/coated materials have been disturbed, compare the post work wipe sample values with the pre-work wipe sample values. If any of the sample values exceed the pre-work values, clean again and schedule retesting until the lead levels are equal to or less than the pre work values. Any other surfaces inside the lead dust control work area that are not listed below shall be cleaned to the pre-work values:
    - a. Floors: 40 micrograms of lead per square foot.
    - b. Window Sills: 250 micrograms of lead per square foot.
    - c. Window Troughs: 400 micrograms of lead per square foot.
    - d. Soil: 400 ppm in play areas and 1,200 ppm in bare soil in the remainder of the yard.
  - 2. Areas Adjacent to the Lead Dust Control Work Area: Where the work has been performed, compare the post work wipe sample values with the pre work wipe sample values. If any of the sample values exceed the pre work values, the area has been contaminated by the work and cleaning is mandatory.
    - a. Clean all affected surfaces and schedule retesting. If results still exceed pre-work wipe sample values, clean again and schedule retesting until the lead dust values are equal to or lower than the pre-work wipe sample values.

### 3.07 CERTIFICATION OF CLEANING

A. Schedule dust wipe testing with the Owner's Representative at the site, when work area is ready for clearance testing.

- B. The owner will employ the services of an independent testing lab to perform clearance testing.
  - 1. Prior to removal of any isolation barrier, the Owner's Representative will obtain a written affidavit and a final assessment report from the lab stating that the tests conform to all standards set forth by all authorities having jurisdiction, mentioned in the references.
  - 2. Schedule a walk-through inspection with the Owner's Representative and obtain his written approval.
- C. The Owner's Representative shall have final determination of an acceptable clearance level.

#### 3.08 PRE-DISPOSAL TESTING

- A. Prior to disposal, the Owner will employ the services of an independent testing lab to perform clearance testing of the removed materials for toxicity in accordance with EPA Method 1311, Toxicity Characteristic Leaching Procedure (TCLP).
  - 1. Test results indicating a value greater than 5 ppm lead or 5mg/L classifies the removed material as Hazardous Waste.

### 3.09 LEAD-CONTAINING MATERIAL REMOVAL

- A. All air vents in the work area shall be closed and covered with plastic. All mechanical systems shall be powered off prior to removal work and shall not be powered on until removal and cleaning work has been completed.
- B. Loose and peeling paint or plaster shall be removed wet, using water misting to reduce dust caused by the removal. Lead paint shall not be scraped or sanded when dry.
- C. When renovation work is completed, adjacent surfaces shall be washed with detergent.

# 3.10 DISPOSAL OF LEAD-CONTAINING/COATED MATERIAL AND RELATED DEBRIS

- A. Greater than or equal to 5 ppm Transport and dispose of lead-containing material classified as Hazardous Waste in accordance with the standards referenced in Part 1 of this Section.
- B. Less than 5 ppm Transport and dispose of lead-containing material classified as Non-Hazardous Waste in accordance with standards referenced in Part 1 of this Section.

### 3.11 RESTORATION

- A. Remove temporary decontamination facilities and restore area designated for these facilities to its original condition or better.
- B. Where existing construction is damaged or contaminated during the course of performing this project, restore area to its condition or better.

END OF SECTION 028300

### **DIVISION 3-CONCRETE**

### SECTION 033000 - CAST-IN-PLACE CONCRETE

### PART 1 - GENERAL

### 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including Information For Bidders, General Clauses And Special Clauses, apply to this Section.

# 1.2 SUMMARY

A. This Section specifies cast-in place concrete, reinforcement, concrete materials, mix design, placement procedures for the new slab repairs.

### 1.3 DEFINITIONS

A. Cementitious Materials: Portland cement alone or in combination with one or more of blended hydraulic cement, fly ash and other pozzolans, ground granulated blast-furnace slag, and silica fume.

### 1.4 SUBMITTALS

A. Product Data: For each type of manufactured material and product indicated.

### B. LEED Submittals:

- 1. Product Data for Credit MR 4: For products having recycled content, documentation indicating percentages by weight of postconsumer and preconsumer recycled content. Include statement indicating cost for each product having recycled content.
- 2. Product Data for Credit IEQ 4.3: For liquid floor treatments, documentation including printed statement of VOC content.
- 3. Design Mixtures for Credit ID 1.1: For each concrete mixture containing fly ash as a replacement for portland cement or other portland cement replacements, and for equivalent concrete mixtures that do not contain portland cement replacements.

# 1.5 QUALITY ASSURANCE

A. Installer Qualifications: An experienced installer who has completed concrete Work similar in material, design, and extent to that indicated for this Project and whose work has resulted in construction with a record of successful in-service performance.

### **DIVISION 3-CONCRETE**

- B. Manufacturer Qualifications: A firm experienced in manufacturing ready-mixed concrete products complying with ASTM C 94 requirements for production facilities and equipment.
  - 1. Manufacturer must be certified according to the National Ready Mixed Concrete Association's Certification of Ready Mixed Concrete Production Facilities.
- C. Source Limitations: Obtain each type or class of cementitious material of the same brand from the same manufacturer's plant, each aggregate from one source, and each admixture from the same manufacturer.
- D. ACI Publications: Comply with the following, unless more stringent provisions are indicated:
  - 1. ACI 301, "Specification for Structural Concrete."
  - 2. ACI 117, "Specifications for Tolerances for Concrete Construction and Materials."

### 1.6 DELIVERY, STORAGE, AND HANDLING

A. Deliver, store, and handle steel reinforcement to prevent bending and damage.

### PART 2 - PRODUCTS

### 2.1 STEEL REINFORCEMENT

- A. Recycled Content of Steel Products: Postconsumer recycled content plus one-half of preconsumer recycled content not less than 25 percent.
- B. Plain-Steel Welded Wire Reinforcement: ASTM A 185/A 185M, plain, fabricated from as-drawn steel wire into flat sheets.
- C. Deformed-Steel Welded Wire Reinforcement: ASTM A 497/A 497M, flat sheet.

### 2.2 CONCRETE MATERIALS

- A. Portland Cement: ASTM C 150, Type I.
  - 1. Fly Ash: ASTM C 618, Class C or F. dddd

# **DIVISION 3-CONCRETE**

- B. Normal-Weight Aggregate: ASTM C 33, uniformly graded, and as follows:
- C. Lightweight Aggregate: ASTM C 330.
- D. Water: Potable and complying with ASTM C 94.

### 2.3 ADMIXTURES

- A. General: Admixtures certified by manufacturer to contain not more than 0.1 percent water-soluble chloride ions by mass of cementitious material and to be compatible with other admixtures and cementitious materials. Do not use admixtures containing calcium chloride.
- B. Air-Entraining Admixture: ASTM C 260.
- C. Water-Reducing Admixture: ASTM C 494, Type A.
- D. High-Range, Water-Reducing Admixture: ASTM C 494, Type F.
- E. Water-Reducing and Accelerating Admixture: ASTM C 494, Type E.
- F. Water-Reducing and Retarding Admixture: ASTM C 494, Type D.
- G. Corrosion-Inhibiting Admixture: Commercially formulated, anodic inhibitor or mixed cathodic and anodic inhibitor; capable of forming a protective barrier and minimizing chloride reactions with steel reinforcement in concrete.
  - 1. Products: Subject to compliance with requirements, provide one of the following, or approved equal:
    - a. DCI; W. R. Grace & Co., Construction Products Div.

# 2.4 VAPOR RETARDERS

- A. Vapor Retarder: ASTM E 1745, Class C, or polyethylene sheet, ASTM D 4397, not less than 10 mils thick. Include manufacturer's recommended adhesive or pressure-sensitive joint tape.
- B. Granular Fill: Clean mixture of crushed stone or crushed or uncrushed gravel; ASTM D 448, Size 57, with 100 percent passing a 1-1/2-inch (37.5-mm) sieve and 0 to 5 percent passing a No. 8 (2.36-mm) sieve.

### **DIVISION 3-CONCRETE**

### 2.5 RELATED MATERIALS

- A. Expansion- and Isolation-Joint-Filler Strips: ASTM D 1751, asphalt-saturated cellulosic fiber or ASTM D 1752, cork or self-expanding cork.
- B. Bonding Agent: ASTM C 1059, Type II, non-redispersible, acrylic emulsion or styrene butadiene.

### 2.6 CONCRETE MIXES

- A. Prepare design mixes for each type and strength of concrete determined by either laboratory trial mix or field test data bases, as follows:
  - 1. Proportion normal-weight concrete according to ACI 211.1 and ACI 301.
- B. Use a qualified independent testing agency for preparing and reporting proposed mix designs for the laboratory trial mix basis.
- C. Slab-on-Grade: Proportion normal-weight concrete mix as follows:
  - 1. Compressive Strength (28 Days): 3000 psi.
  - 2. Maximum Slump: 4 inches.

### 2.7 FABRICATING REINFORCEMENT

A. Fabricate steel reinforcement according to CRSI's "Manual of Standard Practice."

### 2.8 CONCRETE MIXING

- A. Ready-Mixed Concrete: Measure, batch, mix, and deliver concrete according to ASTM C 94, and furnish batch ticket information.
  - 1. When air temperature is between 85 and 90 deg F (30 and 32 deg C), reduce mixing and delivery time from 1-1/2 hours to 75 minutes; when air temperature is above 90 deg F (32 deg C), reduce mixing and delivery time to 60 minutes.
- B. Project-Site Mixing: Measure, batch, and mix concrete materials and concrete according to ASTM C 94/C 94M. Mix concrete materials in appropriate drum-type batch machine mixer.

### **DIVISION 3-CONCRETE**

- 1. For mixer capacity of 1 cu. yd. (0.76 cu. m) or smaller, continue mixing at least 1-1/2 minutes, but not more than 5 minutes after ingredients are in mixer, before any part of batch is released.
- 2. For mixer capacity larger than 1 cu. yd. (0.76 cu. m), increase mixing time by 15 seconds for each additional 1 cu. yd. (0.76 cu. m).
- 3. Provide batch ticket for each batch discharged and used in the Work, indicating Project identification name and number, date, mixture type, mixture time, quantity, and amount of water added. Record approximate location of final deposit in structure.

### PART 3 - EXECUTION

### 3.1 COMPACTION OF SOIL BACKFILLS AND FILLS

A. Compact all earth & gravel substrates prior to placing conc. Repairs at floor slab openings.

### 3.2 VAPOR RETARDERS

- A. Vapor Retarder: Place, protect, and repair vapor-retarder sheets according to ASTM E 1643 and manufacturer's written instructions.
  - 1. Lap joints 6 inches and seal with manufacturer's recommended tape.
- B. Bituminous Vapor Retarders: Place, protect, and repair vapor retarders according to manufacturer's written instructions.
- C. Granular Course: Cover vapor retarder with granular fill, moisten, and compact with mechanical equipment to elevation tolerances of plus 0 inch or minus 3/4 inch.

### 3.3 STEEL REINFORCEMENT

- A. General: Comply with CRSI's "Manual of Standard Practice" for placing reinforcement.
  - 1. Do not cut or puncture vapor retarder. Repair damage and reseal vapor retarder before placing concrete.
- B. Clean reinforcement of loose rust and mill scale, earth, ice, and other foreign materials that would reduce bond to concrete.

### **DIVISION 3-CONCRETE**

- C. Accurately position, support, and secure reinforcement against displacement. Locate and support reinforcement with bar supports to maintain minimum concrete cover. Do not tack weld crossing reinforcing bars.
  - 1. Weld reinforcing bars according to AWS D1.4/D 1.4M, where indicated.
- D. Set wire ties with ends directed into concrete, not toward exposed concrete surfaces.
- E. Install welded wire reinforcement in longest practicable lengths on bar supports spaced to minimize sagging. Lap edges and ends of adjoining sheets at least one mesh spacing. Offset laps of adjoining sheet widths to prevent continuous laps in either direction. Lace overlaps with wire.

### 3.4 JOINTS

- A. General: Construct joints true to line with faces perpendicular to surface plane of concrete.
- B. Contraction Joints in Slabs-on-Grade: Form weakened-plane contraction joints, sectioning concrete into areas as indicated. Construct contraction joints for a depth equal to at least one-fourth of concrete thickness as follows:
  - 1. Sawed Joints: Form contraction joints with power saws equipped with shatterproof abrasive or diamond-rimmed blades. Cut 1/8-inch- wide joints into concrete when cutting action will not tear, abrade, or otherwise damage surface and before concrete develops random contraction cracks.
- C. Isolation Joints in Slabs-on-Grade: After removing formwork, install joint-filler strips at slab junctions with vertical surfaces, such as column pedestals, foundation walls, grade beams, and other locations, as indicated.
  - 1. Extend joint-filler strips full width and depth of joint, terminating flush with finished concrete surface unless otherwise indicated.
  - 2. Install joint-filler strips in lengths as long as practicable. Where more than one length is required, lace or clip sections together.

### 3.5 CONCRETE PLACEMENT

A. Before placing concrete, verify that installation of formwork, reinforcement, and embedded items is complete and that required inspections have been performed.

### **DIVISION 3-CONCRETE**

- B. Before placing concrete, water may be added at Project site, subject to limitations of ACI 301.
  - 1. Do not add water to concrete after adding high-range water-reducing admixtures to mix.
- C. Deposit concrete continuously or in layers of such thickness that no new concrete will be placed on concrete that has hardened enough to cause seams or planes of weakness. If a section cannot be placed continuously, provide construction joints as specified. Deposit concrete to avoid segregation.
- D. Deposit concrete in forms in horizontal layers no deeper than 24 inches and in a manner to avoid inclined construction joints. Place each layer while preceding layer is still plastic, to avoid cold joints.
  - 1. Consolidate placed concrete with mechanical vibrating equipment. Use equipment and procedures for consolidating concrete recommended by ACI 309R.
  - 2. Do not use vibrators to transport concrete inside forms. Insert and withdraw vibrators vertically at uniformly spaced locations no farther than the visible effectiveness of the vibrator. Place vibrators to rapidly penetrate placed layer and at least 6 inches into preceding layer. Do not insert vibrators into lower layers of concrete that have begun to lose plasticity. At each insertion, limit duration of vibration to time necessary to consolidate concrete and complete embedment of reinforcement and other embedded items without causing mix constituents to segregate.
- E. Deposit and consolidate concrete for floors and slabs in a continuous operation, within limits of construction joints, until placement of a panel or section is complete.
  - 1. Consolidate concrete during placement operations so concrete is thoroughly worked around reinforcement and other embedded items and into corners.
  - 2. Maintain reinforcement in position on chairs during concrete placement.
  - 3. Screed slab surfaces with a straightedge and strike off to correct elevations.
  - 4. Slope surfaces uniformly to drains where required.
  - 5. Begin initial floating using bull floats or darbies to form a uniform and open-textured surface plane, free of humps or hollows, before excess moisture or bleedwater appears on the surface. Do not further disturb slab surfaces before starting finishing operations.

# 3.6 FINISHING FLOORS AND SLABS

A. General: Comply with recommendations in ACI 302.1R for screeding, restraightening, and finishing operations for concrete surfaces. Do not wet concrete surfaces.

### **DIVISION 3-CONCRETE**

B. Trowel Finish: After applying float finish, apply first trowel finish and consolidate concrete by hand or power-driven trowel. Continue troweling passes and restraighten until surface is free of trowel marks and uniform in texture and appearance. Grind smooth any surface defects that would telegraph through applied coatings or floor coverings.

### 3.7 CONCRETE PROTECTION AND CURING

- A. General: Protect freshly placed concrete from premature drying and excessive cold or hot temperatures. Comply with ACI 306.1 for cold-weather protection and with recommendations in ACI 305R for hot-weather protection during curing.
- B. Unformed Surfaces: Begin curing immediately after finishing concrete. Cure unformed surfaces, including floors and slabs, concrete floor toppings, and other surfaces, by one or a combination of the following methods:
  - 1. Moisture Curing: Keep surfaces continuously moist for not less than seven days with the following materials:
    - a. Water.
    - b. Continuous water-fog spray.
    - c. Absorptive cover, water saturated, and kept continuously wet. Cover concrete surfaces and edges with 12-inch lap over adjacent absorptive covers.

### 3.8 CONCRETE SURFACE REPAIRS

- A. Defective Concrete: Repair and patch defective areas when approved by Architect. Remove and replace concrete that cannot be repaired and patched to Architect's approval.
- B. Patching Mortar: Mix dry-pack patching mortar, consisting of one part portland cement to two and one-half parts fine aggregate passing a No. 16 sieve, using only enough water for handling and placing.
- C. Repairing Unformed Surfaces: Test unformed surfaces, such as floors and slabs, for finish and verify surface tolerances specified for each surface. Correct low and high areas.
  - 1. Repair finished surfaces containing defects. Surface defects include spalls, popouts, honeycombs, rock pockets, crazing and cracks in excess of 0.01 inch wide or that penetrate to reinforcement or completely through unreinforced sections regardless of width, and other objectionable conditions.

### **DIVISION 3-CONCRETE**

- 2. After concrete has cured at least 14 days, correct high areas by grinding.
- 3. Correct localized low areas during or immediately after completing surface finishing operations by cutting out low areas and replacing with patching mortar. Finish repaired areas to blend into adjacent concrete.
- 4. Correct other low areas scheduled to remain exposed with a repair topping. Cut out low areas to ensure a minimum repair topping depth of 1/4 inch to match adjacent floor elevations. Prepare, mix, and apply repair topping and primer according to manufacturer's written instructions to produce a smooth, uniform, plane, and level surface.
- 5. Repair defective areas, except random cracks and single holes 1 inch or less in diameter, by cutting out and replacing with fresh concrete. Remove defective areas with clean, square cuts and expose steel reinforcement with at least a 3/4-inch clearance all around. Dampen concrete surfaces in contact with patching concrete and apply bonding agent. Mix patching concrete of same materials and mixture as original concrete except without coarse aggregate. Place, compact, and finish to blend with adjacent finished concrete. Cure in same manner as adjacent concrete.
- 6. Repair random cracks and single holes 1 inch or less in diameter with patching mortar. Groove top of cracks and cut out holes to sound concrete and clean off dust, dirt, and loose particles. Dampen cleaned concrete surfaces and apply bonding agent. Place patching mortar before bonding agent has dried. Compact patching mortar and finish to match adjacent concrete. Keep patched area continuously moist for at least 72 hours.

END OF SECTION 033000

# CONTRACT NO. 21-527 DIVISION 6 - CARPENTRY

# SECTION 061000 – WOOD CARPENTRY

# PART 1 - GENERAL

### 1.1 SCOPE OF THIS SECTION:

- A. Conventional wood framing & repairs at floors & walls.
- B. Miscellaneous wood blocking.
- C. Trims & interior repairs.
- D. <u>Alternate # 1:</u> Plywood subfloor at Attic.

### 1.2 RELATED WORK:

A. Paint - see SECTION 099000

### 1.3 SUBMITTALS:

- A. Make submittals as specified in Section 013300.
- B. Submit samples for all carpentry materials. Identify samples with clear labeling and product data for each item.

### 1.4 QUALIFICATIONS:

- A. Subcontractors, superintendents, workers and other persons or entities involved in managing or performing the work shall be qualified as specified and shall not be permitted to perform the work if not so qualified.
- B. Submit qualifications of subcontractors, fabricators or suppliers proposed for the work for approval prior to employment.

### 1.5 PRODUCT STORAGE:

- A. Store carpentry materials in a dry place, covered and protected from weather until installation. Protect wood products from weather by covering with waterproof sheeting, securely anchored.
- B. Store materials off the ground providing thorough ventilation around components. Store materials flat to prevent warping and bending.

# PART 2 - PRODUCTS

# 2.1 WOOD PRODUCTS, GENERAL

- A. Lumber: DOC PS 20 and applicable rules of grading agencies indicated. If no grading agency is indicated, comply with the applicable rules of any rules-writing agency certified by the ALSC Board of Review. Grade lumber by an agency certified by the ALSC Board of Review to inspect and grade lumber under the rules indicated. Factory mark each piece of lumber with grade stamp of grading agency.
- B. Maximum Moisture Content of Lumber: 15 percent for 2-inch nominal thickness or less; 19 percent for more than 2-inch nominal thickness unless otherwise indicated.

### 2.2 WOOD-PRESERVATIVE-TREATED LUMBER

- A. Preservative Treatment by Pressure Process: AWPA U1; Use Category UC2 for interior construction not in contact with ground, Use Category UC3b for exterior construction not in contact with ground, and Use Category UC4a for items in contact with ground.
  - 1. Preservative Chemicals: Acceptable to authorities having jurisdiction and containing no arsenic or chromium. Do not use inorganic boron (SBX) for sill plates.
- B. Kiln-dry lumber after treatment to a maximum moisture content of 19 percent. Do not use material that is warped or that does not comply with requirements for untreated material.
- C. Mark lumber with treatment quality mark of an inspection agency approved by the ALSC Board of Review.
- D. Application: Treat all rough carpentry unless otherwise indicated items indicated on Drawings, and the following:
  - 1. Wood cants, nailers, curbs, equipment support bases, blocking, stripping, and similar members in connection with roofing, flashing, vapor barriers, and waterproofing.
  - 2. Wood sills, sleepers, blocking, furring, stripping, and similar concealed members in contact with masonry or concrete.
  - 3. Wood framing and furring attached directly to the interior of below-grade exterior masonry or concrete walls.
  - 4. Wood framing members that are less than 18 inches above the ground in crawlspaces or unexcavated areas.
  - 5. Wood floor plates that are installed over concrete slabs-on-grade.

### 2.3 CONVENTIONAL WOOD FRAMING AND TIMBER FRAMING:

A. Timber framing and conventional framing shall comprise all structural framing

# CONTRACT NO. 21-527 DIVISION 6 - CARPENTRY

throughout the Main House and the Mechanical Rm. and Bathroom. Timber Species and Grade: Douglas fir-larch, Douglas fir-larch (North); Select Structural grade, NeLMA, NLGA, SPIB, WCLIB, or WWPA.

Minimum structural design values for timber framing shall meet or exceed:

a.	Modulus of elasticity	E= 1,800,000 psi
c.	Flexural stress	Fb = 1,500  psi
d.	Tension stress	Ft = 900  psi
e.	Compression perpendicular to grain	Fcl = 520 psi
f.	Compression parallel to grain	Fcll = 1,800  psi
g.	Horizontal shear parallel to grain	Fv = 180 psi

- B. Timber framing and conventional framing shall be nominal '2 x' and '4 x' lumber in 4", 6", 8", 10" and 12" nominal depths as described on the dwg's..
- B. Framing installed at the first floor over grade shall be pressure preservative treated for occasional water contact. Treatment shall be with 'ACQ', copper based preservatives, in conformance with 'AWPA U1'. Moisture content shall be 19 % max. after kiln drying. Product shall be free of water-borne arsenical preservatives.
- C. PPT framing shall be nominal '2 x' and '4 x' lumber in 4", 6", 8", 10" and 12" nominal depths as described on the dwg's.

### 2.4 PLYWOOD SHEATHING:

- A. Plywood sheathing shall be installed where ex'g. sheathing is deteriorated or damaged. Sheets shall be 4'-0" x 8'-0" x <sup>3</sup>/<sub>4</sub>" thick.
- B. Product shall be marked with: 'UL' Classification 'ASTM E 84'. Structural performance shall conform with: 'ASTM D 5516 & ASTM D 6305'.

# 2.5 TRIMS AND MOULDINGS:

- A. Wood trims and mouldings at eaves, rakes, interior door and window frames, and general repairs shall be clear Northern White Pine free of knots, checks, splits, warps or irregularities.
- B. Material shall be general  $1 \times 3^{4}$  actual thickness x a variety of sizes up to  $1 \times 8$  to suit applications and dimensions as detailed.

### 2.6 BLOCKING:

A. Wood blocking shall be installed in all conditions where new finishes require shimming or support to meet existing planes and dimensions. Wood blocking shall be Pressure

# CONTRACT NO. 21-527 DIVISION 6 - CARPENTRY

Preservative Treated for occasional water contact. Treatment shall be with 'ACQ', copper based preservatives, in conformance with 'AWPA U1'. Moisture content shall be 19 % max. after kiln drying. Product shall be free of water-borne arsenical preservatives.

B. PPT blocking shall be nominal 2 x lumber in 6", 8", 10" and 12" nominal widths. Blocking sizes shall conform to the application details and provide continuous blocking support between framing and finish panels.

### 2.7 FASTENERS:

- A. Fasteners for all exterior envelope & trim applications shall be galvanized or coated for corrosion resistance. Provide for a min. of 2" embedment into framing or wood blocking substrates.
- B. Fasteners for wood studs, joists & structure shall be '10 d' 3" long, galvanized or corrosion resistant.
- C. Fasteners for exterior and interior wood trims and mouldings, and porch soffits shall be finish nails: '6 d' 2" and '8 d' 2 ½" to provide a min. of 1 ½" penetration into framing or substrate material. Finish nails shall be galvanized or corrosion resistant coated. Nails shall be driven 1/8" below surface plane of clapboard and trim. Fill recess with non-shrink exterior patching compound.
  - C. Fasteners for wood blocking to steel structural members shall be 1/8" x 1 1/2" min., self tapping galv. or corrosion resistant screws. Install a min. of (2) screws in each end of each blocking member and screws at 6" o.c. for face attachment to structure.

### 2.8 ALTERNATE # 1: PLYWOOD SUBFLOOR:

- A. Plywood for entire attic floor & all related fasteners are part of Alternate # 1.
- B. Plywood shall be 1/4" Luan faced subfloor specifically for overlaying ex'g. plywood subfloors for a smooth finish suitable for future tile surfaces.

### PART 3 - EXECUTION

# 3.1 WOOD BLOCKING AND SHEATHING:

Measure and fit blocking to create a square, plumb and aligned surface to receive new carpentry items. Cut and shave blocking to accommodate existing surfaces that are settled and deviate from square.

### 3.2 WOOD TRIMS AND MOULDINGS:

- A. Measure and fit all trims and mouldings prior to final installation. Install all trims and mouldings with the suitable nails specified. Nails shall be approx. 16" o.c. or closer as required for proper support.
- D. Countersink all nails 1/8" below the face surface of all boards. Fill holes with professional non-shrink patching compound as specified or equal. Apply patch in 3 successive coats, allowing full drying and sanding after each application. Patch shall be sanded flush with adjacent board surface without over-run or mounding.

# 3.3 INSPECTION AND REPAIR:

A. Inspect entire carpentry installation for mis-alignment, excessive gaps or imperfections. Correct alignment, seal gaps and patch imperfections. Inspect final installation and prepare ready for final priming and painting.

# 3.4 INSTALLATION, GENERAL

- A. Framing Standard: Comply with AF&PA's WCD 1, "Details for Conventional Wood Frame Construction," unless otherwise indicated.
- B. Set rough carpentry to required levels and lines, with members plumb, true to line, cut, and fitted. Fit rough carpentry accurately to other construction. Locate furring, nailers, blocking, grounds, and similar supports to comply with requirements for attaching other construction.
- C. Provide blocking and framing as indicated and as required to support facing materials, fixtures, specialty items, and trim.
- D. Securely attach rough carpentry work to substrate by anchoring and fastening as indicated, complying with the following: Table 2304.9.1, "Fastening Schedule," in ICC's International Building Code (IBC). ICC-ES evaluation report for fastener.
- E. Use steel common nails unless otherwise indicated. Select fasteners of size that will not fully penetrate members where opposite side will be exposed to view or will receive finish materials. Make tight connections between members. Install fasteners without splitting wood. Drive nails snug but do not countersink nail heads unless otherwise indicated.
- F. For exposed work, arrange fasteners in straight rows parallel with edges of members, with fasteners evenly spaced, and with adjacent rows staggered. Comply with approved fastener patterns where applicable. Before fastening, mark fastener locations, using a template made of sheet metal, plastic, or cardboard. Use common nails unless otherwise

# END OF SECTION 061000

# <u>CONTRACT NO. 21-527</u> DIVISION 7-THERMAL AND MOISTURE PROTECTION

### SECTION 073250 – ASPHALT ROOF REPAIRS

### PART 1 GENERAL

#### 1.01 SECTION INCLUDES

- A Asphalt roofing shingle repairs.
- B Metal flashing repairs.
- C Sealants.
- D Gutter & leader cleaning.

### 1.02 RELATED SECTIONS

A General Conditions.

### 1.03 SUBMITTALS

A Submit copies of product data sheets and samples for each type of roofing product.

# 1.04 QUALITY ASSURANCE

- A Manufacturer Qualifications: Provide all primary roofing products, including shingles, underlayment, leak barrier, and ventilation, by a single manufacturer.
- B Installer Qualifications: Installer must be approved for installation of all roofing products to be installed under this section.

### 1.05 DELIVERY, STORAGE, AND HANDLING

- A Store all products in manufacturer's unopened, labeled packaging until they are ready for installation.
- B Store products in a covered, ventilated area, at temperature not more than 110 degrees F (43 degrees C); do not store near steam pipes, radiators, or in direct sunlight.
- C Store bundles on a flat surface. Maximum stacking height shall not exceed GAF-Elk's recommendations. Store all rolls on end.
- D Store and dispose of solvent-based materials in accordance with all federal, state and local regulations.

### 1.06 WEATHER CONDITIONS

A Proceed with work only when existing and forecasted weather conditions will permit work to be performed in accordance with manufacturer's recommendations.

### PART 2 PRODUCTS

### 2.01 MANUFACTURERS

A Acceptable Manufacturers of asphalt shingles: GAF, Johns Manville, or approved equal.

# <u>CONTRACT NO. 20-403</u> DIVISION 7-THERMAL AND MOISTURE PROTECTION

### 2.02 SHINGLES

- A. Midweight, granule surfaced self sealing asphalt shingle with a strong fiberglass reinforced core. Traditional 3-tab styling with a 5 inch or 5 5/8 inch exposure. UL 790 Class A rated with UL 997 Wind Resistance Label; ASTM D 7158, Class H; ASTM D 3161, Type 1; ASTM D 3018, Type 1; ASTM D 3462; AC438.
- B Color shall be selected to match or best approximate the ex'g. shingles.
- C. Nails shall be standard round wire, zinc-coated steel or aluminum; 10 to 12 gauge, smooth, barbed or deformed shank, with heads 3/8 inch to 7/16 inch in diameter. Length must be sufficient to penetrate into solid wood at least 3/4 inch or through plywood or oriented strand board by at least 1/8 inch.

### 2.03 METAL FLASHINGS

A Flashings shall be .050" alum. sheet flashing, white finish.

### 2.04 SEALANTS

A Sealants shall be silicone based, tube grade, white or clear. Review specific conditions & locations for each type.

### 2.05 GUTTERS & LEADERS

A Ex'g. gutters & leaders shall remain. Replacement components, if required, shall match ex'g. type, style, profile & size.

### PART 3 EXECUTION

#### 3.01 EXAMINATION

A Review conditions to be repaired with Arch. prior to work.

### 3.02 SHINGLES

- A. Remove approx. 20 s.f. of deteriorated shingles. Replace with new shingles to match. Insert new shingles below 1 1/2" course of shingles above. If required to maintain a full water-shed overlap: Insert alum. flashing material as a barrier, fully concealed from view.
- B. Install nails at shingle repairs in concealed positions. Apply black sealant or roofing mastic to seal nails if near exposure to water.

### 3.03 METAL FLASHINGS

A Remove approx. 20 l.f. of damaged or displaced flashing. Replace with new flashing to match. Insert flashing into ex'g. material conditions to prevent water from over-flowing above the upper concealed edge of the flashing.

# <u>CONTRACT NO. 20-403</u> DIVISI<u>ON 7-THERMAL AND MOISTURE PROTECTION</u>

B. Install nails at flashing repairs in concealed positions. Apply black sealant or roofing mastic to seal nails if near exposure to water.

### 3.04 SEALANTS

A Remove approx. 50 l.f. of deteriorated sealants. Replace with new sealant to match. Select color of sealant to best blend or be concealed with adjacent materials. Install foam back-up rods as required to support sealants where voids or gaps are large.

### 3.05 GUTTERS & LEADERS

- A Clean all gutters & leaders of leaves & debris.
- B Clean the exterior of gutters & leaders with cleaning solvents to remove organic growth, stains & discoloration.

END OF SECTION 073250

ASPHALT SHINGLES 073250 - 3

# <u>CONTRACT NO. 21-527</u> DIVISION 7-THERMAL AND MOISTURE PROTECTION

### SECTION 073350 - GUTTER AND LEADER REPAIRS

### PART 1 GENERAL

#### 1.01 SECTION INCLUDES

- A New gutters and leaders.
- B Gutter and leader repairs.
- C Gutter & leader cleaning.

### 1.02 RELATED SECTIONS

A General Conditions.

### 1.03 SUBMITTALS

A Submit copies of product data sheets and samples for each type of roofing product.

### 1.04 QUALITY ASSURANCE

- A Manufacturer Qualifications: Provide all primary roofing products, including shingles, underlayment, leak barrier, and ventilation, by a single manufacturer.
- B Installer Qualifications: Installer must be approved for installation of all roofing products to be installed under this section.

### 1.05 DELIVERY, STORAGE, AND HANDLING

- A Store all products in manufacturer's unopened, labeled packaging until they are ready for installation.
- B Store products in a covered, ventilated area, at temperature not more than 110 degrees F (43 degrees C); do not store near steam pipes, radiators, or in direct sunlight.
- C Store bundles on a flat surface. Maximum stacking height shall not exceed GAF-Elk's recommendations. Store all rolls on end.
- D Store and dispose of solvent-based materials in accordance with all federal, state and local regulations.

### 1.06 WEATHER CONDITIONS

A Proceed with work only when existing and forecasted weather conditions will permit work to be performed in accordance with manufacturer's recommendations.

# PART 2 PRODUCTS

### 2.01 GUTTERS AND LEADERS

- A Gutters shall be standard .050" alum., 5" wide x 4 1/2" high, 'Ogee' profile gutters.
- B Leaders shall be standard .050" alum., 4" wide x 3" deep, 'ribbed' profile leaders.
- C Provide all attachments, end closures, elbows, straps, spikes & fasteners for a complete installation.

# <u>CONTRACT NO. 20-404</u> DIVISION 7-THERMAL AND MOISTURE PROTECTION

### PART 3 EXECUTION

### 3.01 GUTTER AND LEADER INSTALLATION

- A. Install gutters in coordination with the related roof edge to assure proper water reception without overflow.
- B. Install gutters with a slight pitch to assure proper flow to the leaders.

### 3.02 GUTTER AND LEADER REPAIRS

- A Install supplemental gutters and leaders as shown on the dwg's.
- B Carefully cut holes in ex'g. gutters to receive the new leader spout. Secure the spout to the gutter with rivets. Bed the spout flange in sealant to provide a water-tight conection.
- C Secure the new leader to the spout & upper gutter. Secure the bottom of the new leader to the lower gutter to assure it will not be displaced from flowing into the lower gutter.
- D Clean all gutters & leaders of leaves & debris.
- E Clean the exterior of gutters & leaders with cleaning solvents to remove organic growth, stains & discoloration.

END OF SECTION 073350

# SECTION 081433 – DOOR, FRAME AND HARDWARE

# PART 1 - GENERAL

- 1.1\_ SCOPE OF THIS SECTION:
  - A. New rated fire door at Basement / Garage.
  - B. New door hardware.
- 1.2 RELATED WORK:
  - A. Carpentry see SECTION 061000.
  - B. Paint see SECTION 099200.
- 1.3 SUBMITTALS:
  - A. Make submittals in accordance with SECTION 013300.
  - B. Submit product and technical literature on all materials in this Section:

# 1.4 QUALIFICATIONS:

- A. Subcontractors, superintendents, workers and other persons or entities involved in managing or performing the work shall be qualified as specified and shall not be permitted to perform the work if not so qualified.
- B. Submit qualifications of subcontractors, fabricators or suppliers proposed for the work for approval prior to employment.

# PART 2 - PRODUCTS

### 2.1 NEW DOOR & FRAME:

- A. Door & frame assembly shall be fire rated for 90 min.: 3'-0" x 6'-8".
- B. Door shall be 18 ga. galv. steel. Frame shall be 16 ga. galv. steel.

# 2.2 DOOR HARDWARE:

A. New hardware shall be residential duty hardware:

# CONTRACT NO. 20-403 DIVISION 8 - OPENINGS

Entrance lock: bored lockset with lever handle. Provide all related strikes & escutcheons.

- 2. Butt hinges: ball bearing, heavy duty, non removable pin.
- 3. Provide new weatherstripping: 5" wide alum. saddle, bottom surface door sweep, bulb type weatherstripping at jambs & head.
- 4. Door Hardware finish shall be satin chrome.
- C. Manufacturers shall be: Schlage, York, Russwin, Baldwin or of similar quality.

### PART 3 - EXECUTION

### 3.1 PREPARATION:

- A. Review and confirm measurements of all doors and existing frame openings. Coordinate modifications with field conditions and provide adjustments to restore operation of the new doors into ex'g. frames.
- B. Verify all hardware requirements and test fit hardware onto ex'g. jambs and heads.
- C. Identify nature of door obstructions and adjust door or hardware for proper operation.

### 3.2 NEW DOOR:

- A. Doors shall be fully warrantied by the fabricator for a period of 2 years against disassembly, mis-alignment, component loosening, splitting and warping under normal use conditions.
- B. Install doors & frame doors into new rated gyp.wallboard partition. Coord. location & frame throat size. with partition.

### 3.3 INSTALLING HARDWARE:

A. Install hardware. Provide a complete assembly for a properly operating door with smooth reliable closing & locking performance.

### END OF SECTION 081443

# SECTION 092900 - GYPSUM BOARD

### PART 1 - GENERAL

### 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

### 1.2 SUMMARY

- A. Section Includes:
  - 1. Interior gypsum board for walls and ceilings.
- B. Related Requirements:
  - 1. Section 099000 "Painting" for interior walls and ceilings.

### 1.3 ACTION SUBMITTALS

A. Product Data: For each type of product.

### 1.4 DELIVERY, STORAGE AND HANDLING

A. Store materials inside under cover and keep them dry and protected against weather, condensation, direct sunlight, construction traffic, and other potential causes of damage. Stack panels flat and supported on risers on a flat platform to prevent sagging.

### 1.5 FIELD CONDITIONS

- A. Environmental Limitations: Comply with ASTM C 840 requirements or gypsum board manufacturer's written recommendations, whichever are more stringent.
- B. Do not install paper-faced gypsum panels until installation areas are enclosed and conditioned.
- C. Do not install panels that are wet, those that are moisture damaged, and those that are mold damaged.
  - 1. Indications that panels are wet or moisture damaged include, but are not limited to, discoloration, sagging, or irregular shape.
  - 2. Indications that panels are mold damaged include, but are not limited to, fuzzy or splotchy surface contamination and discoloration.

### PART 2 - PRODUCTS

# 2.1 PERFORMANCE REQUIREMENTS

- A. Fire-Resistance-Rated Assemblies: For fire-resistance-rated assemblies, provide materials and construction identical to those tested in assembly indicated according to ASTM E 119 by an independent testing agency.
- B. Low-Emitting Materials: For ceiling and wall assemblies, provide materials and construction identical to those tested in assembly and complying with the testing and product requirements of the California Department of Health Services' "Standard Practice for the Testing of Volatile Organic Emissions from Various Sources Using Small-Scale Environmental Chambers."

# 2.2 GYPSUM BOARD, GENERAL

- A. Recycled Content of Gypsum Panel Products: Postconsumer recycled content plus one-half of preconsumer recycled content not less than 99 percent.
- B. Regional Materials: Gypsum panel products shall be manufactured within 500 miles of Project site from materials that have been extracted, harvested, or recovered, as well as manufactured, within 500 miles of Project site.
- C. Regional Materials: Gypsum panel products shall be manufactured within 500 miles of Project site.
- D. Size: Provide maximum lengths and widths available that will minimize joints in each area and that correspond with support system indicated.

# 2.3 INTERIOR GYPSUM BOARD

- A. <u>Manufacturers</u>: Subject to compliance with requirements, available manufacturers offering products that may be incorporated into the Work include, but are not limited to, the following:
  - 1. American Gypsum.
  - 2. CertainTeed Corp.
  - 3. <u>Georgia-Pacific Gypsum LLC</u>.
  - 4. Lafarge North America Inc.
  - 5. National Gypsum Company.
  - 6. PABCO Gypsum.
  - 7. <u>Temple-Inland</u>.
  - 8. USG Corporation.
- B. Gypsum Wallboard: ASTM C 1396/C 1396M.

1. Thickness: 5/8"

2. Long Edges: Tapered.

- C. Moisture and Mold Resistance:
  - 1. Per ASTM C473, the average water absorption for panels is not greater than 5% by weight after 2 hour immersion.
  - 2. For use in all bath rooms and high moisture areas

### 2.4 TRIM ACCESSORIES

- A. Interior Trim: ASTM C 1047.
  - 1. Material: Galvanized or aluminum-coated steel sheet, rolled zinc, plastic, or paper-faced galvanized steel sheet.
  - 2. Shapes:
    - a. Cornerbead.
    - b. Bullnose bead.
    - c. LC-Bead: J-shaped; exposed long flange receives joint compound.
    - d. L-Bead: L-shaped; exposed long flange receives joint compound.
    - e. U-Bead: J-shaped; exposed short flange does not receive joint compound.
    - f. Expansion (control) joint.
    - g. Curved-Edge Cornerbead: With notched or flexible flanges.

### 2.5 JOINT TREATMENT MATERIALS

- A. General: Comply with ASTM C 475/C 475M.
- B. Joint Tape:
  - 1. Interior Gypsum Board: Paper.
  - 2. Exterior Gypsum Soffit Board: Paper.
  - 3. Glass-Mat Gypsum Sheathing Board: 10-by-10 glass mesh.
  - 4. Tile Backing Panels: As recommended by panel manufacturer.
- C. Joint Compound for Interior Gypsum Board: For each coat use formulation that is compatible with other compounds applied on previous or for successive coats.
  - 1. Prefilling: At open joints, rounded or beveled panel edges, and damaged surface areas, use setting-type taping compound.
  - 2. Embedding and First Coat: For embedding tape and first coat on joints, fasteners, and trim flanges, use setting-type taping, drying-type or all-purpose compound.
    - a. Use setting-type compound for installing paper-faced metal trim accessories.
  - 3. Fill Coat: For second coat, use setting-type, sandable topping, drying-type or all-purpose compound.
  - 4. Finish Coat: For third coat, use setting-type, sandable topping, drying-type or all-purpose compound.

### 2.6 AUXILIARY MATERIALS

- A. General: Provide auxiliary materials that comply with referenced installation standards and manufacturer's written recommendations.
- B. Laminating Adhesive: Adhesive or joint compound recommended for directly adhering gypsum panels to continuous substrate.
  - 1. Laminating adhesive shall have a VOC content of 50 g/L or less when calculated according to 40 CFR 59, Subpart D (EPA Method 24).
  - 2. Laminating adhesive shall comply with the testing and product requirements of the California Department of Health Services' "Standard Practice for the Testing of Volatile Organic Emissions from Various Sources Using Small-Scale Environmental Chambers."
- C. Steel Drill Screws: ASTM C 1002, unless otherwise indicated.
  - 1. Use screws complying with ASTM C 954 for fastening panels to steel members from 0.033 to 0.112 inch thick.
  - 2. For fastening cementitious backer units, use screws of type and size recommended by panel manufacturer.
- D. Thermal Insulation: As specified in Section 072100 "Thermal Insulation."
- E. Vapor Retarder: As specified in Section 072100 "Thermal Insulation."

### 2.7 EXAMINATION

- A. Examine areas and substrates including welded hollow-metal frames and framing, with Installer present, for compliance with requirements and other conditions affecting performance.
- B. Examine panels before installation. Reject panels that are wet, moisture damaged, and mold damaged.
- C. Proceed with installation only after unsatisfactory conditions have been corrected.

### 2.8 APPLYING AND FINISHING PANELS, GENERAL

- A. Comply with ASTM C 840.
- B. Install ceiling panels across framing to minimize the number of abutting end joints and to avoid abutting end joints in central area of each ceiling. Stagger abutting end joints of adjacent panels not less than one framing member.
- C. Install panels with face side out. Butt panels together for a light contact at edges and ends with not more than 1/16 inch of open space between panels. Do not force into place.
- D. Locate edge and end joints over supports, except in ceiling applications where intermediate supports or gypsum board back-blocking is provided behind end joints. Do not place tapered

edges against cut edges or ends. Stagger vertical joints on opposite sides of partitions. Do not make joints other than control joints at corners of framed openings.

- E. Form control and expansion joints with space between edges of adjoining gypsum panels.
- F. Cover both faces of support framing with gypsum panels in concealed spaces (above ceilings, etc.), except in chases braced internally.
  - 1. Unless concealed application is indicated or required for sound, fire, air, or smoke ratings, coverage may be accomplished with scraps of not less than 8 sq. ft. in area.
  - 2. Fit gypsum panels around ducts, pipes, and conduits.
  - 3. Where partitions intersect structural members projecting below underside of floor/roof slabs and decks, cut gypsum panels to fit profile formed by structural members; allow 1/4- to 3/8-inch- wide joints to install sealant.
- G. Isolate perimeter of gypsum board applied to non-load-bearing partitions at structural abutments, except floors. Provide 1/4- to 1/2-inch- wide spaces at these locations and trim edges with edge trim where edges of panels are exposed. Seal joints between edges and abutting structural surfaces with acoustical sealant.
- H. Attachment to Steel Framing: Attach panels so leading edge or end of each panel is attached to open (unsupported) edges of stud flanges first.
- I. Wood Framing: Install gypsum panels over wood framing, with floating internal corner construction. Do not attach gypsum panels across the flat grain of wide-dimension lumber, including floor joists and headers. Float gypsum panels over these members or provide control joints to counteract wood shrinkage.
- J. STC-Rated Assemblies: Seal construction at perimeters, behind control joints, and at openings and penetrations with a continuous bead of acoustical sealant. Install acoustical sealant at both faces of partitions at perimeters and through penetrations. Comply with ASTM C 919 and with manufacturer's written recommendations for locating edge trim and closing off sound-flanking paths around or through assemblies, including sealing partitions above acoustical ceilings.
- K. Install sound attenuation blankets before installing gypsum panels unless blankets are readily installed after panels have been installed on one side.

### 2.9 APPLYING INTERIOR GYPSUM BOARD

- A. Install interior gypsum board in the following locations:
  - 1. Wallboard Type: As indicated on Drawings.
- B. Single-Layer Application:
  - 1. On ceilings, apply gypsum panels before wall/partition board application to greatest extent possible and at right angles to framing unless otherwise indicated.
  - 2. On partitions/walls, apply gypsum panels vertically (parallel to framing) unless otherwise indicated or required by fire-resistance-rated assembly, and minimize end joints.

- a. Stagger abutting end joints not less than one framing member in alternate courses of panels.
- b. At stairwells and other high walls, install panels horizontally unless otherwise indicated or required by fire-resistance-rated assembly.
- 3. On Z-furring members, apply gypsum panels vertically (parallel to framing) with no end joints. Locate edge joints over furring members.
- 4. Fastening Methods: Apply gypsum panels to supports with steel drill screws.

### 2.10 INSTALLING TRIM ACCESSORIES

- A. General: For trim with back flanges intended for fasteners, attach to framing with same fasteners used for panels. Otherwise, attach trim according to manufacturer's written instructions.
- B. Interior Trim: Install in the following locations:
  - 1. Cornerbead: Use at outside corners.
  - 2. L-Bead: Use where indicated.

#### 2.11 FINISHING GYPSUM BOARD

- A. General: Treat gypsum board joints, interior angles, edge trim, control joints, penetrations, fastener heads, surface defects, and elsewhere as required to prepare gypsum board surfaces for decoration. Promptly remove residual joint compound from adjacent surfaces.
- B. Apply joint tape over gypsum board joints, except for trim products specifically indicated as not intended to receive tape.
- C. Gypsum Board Finish Levels: Finish panels to levels indicated below and according to ASTM C 840:
  - 1. Level 4: At panel surfaces that will be exposed to view unless otherwise indicated.
    - a. Primer and its application to surfaces are specified in Section 099100 "Interior Painting."

### 2.12 PROTECTION

- A. Protect adjacent surfaces from drywall compound and promptly remove from floors and other non-drywall surfaces. Repair surfaces stained, marred, or otherwise damaged during drywall application.
- B. Protect installed products from damage from weather, condensation, direct sunlight, construction, and other causes during remainder of the construction period.

- C. Remove and replace panels that are wet, moisture damaged, and mold damaged.
  - 1. Indications that panels are wet or moisture damaged include, but are not limited to, discoloration, sagging, or irregular shape.
  - 2. Indications that panels are mold damaged include, but are not limited to, fuzzy or splotchy surface contamination and discoloration.

END OF SECTION 092900

GYPSUM BOARD 092900 - 7

## SECTION 096516 - RESILIENT FLOORING

## PART 1 - GENERAL

## 1.1 SCOPE OF THIS SECTION:

- A. Resilient vinyl strip plank flooring.
- B. Adhesives.
- C. Spare flooring strips.

### 1.2 RELATED WORK:

A. Carpentry - see Section 061000.

### 1.3 SUBMITTALS:

- A. Make submissions in accordance with SECTION 013300.
- B. Submit samples of strip flooring color selections.
- C. Submit product data for adhesives.
- D. Prepare samples of strop flooring at the project site for review.

### 1.4 STANDARDS:

A. Follow manufacturer's guidelines proper layout, preparation & installation.

## PART 2 - PRODUCTS

## 2.1 RESILINT STRIP VINYL FLOORING:

- A. Flooring shall be: Shaw Contract 'LVT' Commercial grade Vinyl flooring with 'ExoGuard' finish. Application shall be direct glue down.
- B. Style shall be: 'Terrain 12', simulated wood grain. Color shall be: 'Bare' # 64200. Thickness shall be: 12 mil. Size shall be: 6" x 48".
- C. Adhesive shall be: Shaw 4100 or S150. Installation pattern shall be: staggered.

#### 2.2 SPARE TILE:

- A. Furnish 15 s.f. spare floor product.
- B. Furnish 1 gallon of spare adhesive.

## PART 3 - EXECUTION

### 3.1 SURFACES TO RECEIVE FLOORING:

- A. Floor surfaces to receive flooring shall be cleaned of all contaminants as: grease, dirt, adhesives, mortars and other contaminating surfaces that will compromise new adhesive performance.
- B. Floor surfaces shall be free of objects that will telegraph through the flooring product and be visible as a deformity in the surface.
- C. Inspect floor surfaces to determine that they are clean, level and absolutely well suited to a uniform flooring application and adhesion. Apply patching compounds to repair voids in the substrate surfaces prior to applying adhesives.

### 3.2 LAYOUT AND INSTALLATION:

- A. Layout flooring strips in advance of installation and review alignment and existing condition irregularities with the Owners field representative. Perform 'snap line' layouts for review and make several adjustments as required to achieve proper layout and alignments.
- B. Review alignment of flooring strips and random 'stagger' pattern with field rep. prior to setting flooring.
- C. Apply adhesive per manufacturer's recommendations and instructions. Follow recommendations for areas to be adhered at a single time.
- D. Begin setting flooring at the centerline of the room length, and progress symmetrically outward to the sides. Maintain a symmetrical and uniform parallel distance from the center. Flooring strips at the side walls shall be uniform thickness and joints shall be parallel to the side walls.
- E. Allow floor and adhesive to properly cure and set prior to applying traffic. Clean floor of all debris and objects. Protect finished flooring with plastic sheeting, heavy cardboard or Masonite cover boards, taped in place.

### END OF SECTION 096516

## <u>SECTION 099100 – PAINTING AND FINISHES</u>

#### PART 1 - GENERAL

## 1.1 SCOPE OF THIS SECTION

- A. Painting walls, trims & mouldings.
- B. Refinishing wood floors.

## 1.2 RELATED WORK:

A. Gypsum wallboard - see SECTION 092900

## 1.3 DEFINITIONS

- A. General: Standard coating terms defined in ASTM D 16 apply to this Section.
  - 1. Flat refers to a lusterless or matte finish with a gloss range below 15 when measured at an 85-degree meter.
  - 2. Eggshell refers to low-sheen finish with a gloss range between 5 and 20 when measured at a 60-degree meter.
  - 3. Satin refers to low-sheen finish with a gloss range between 15 and 35 when measured at a 60-degree meter.
  - 4. Semigloss refers to medium-sheen finish with a gloss range between 30 and 65 when measured at a 60-degree meter.
  - 5. Full gloss refers to high-sheen finish with a gloss range more than 65 when measured at a 60-degree meter.

#### 1.4 SUBMITTALS

- A. Product Data: For each paint system specified.
  - 1. Material List: Provide an inclusive list of required coating materials. Indicate each material and cross-reference specific coating, finish system, and application. Identify each material by manufacturer's catalog number and classification.
  - 2. Manufacturer's Information: Provide manufacturer's technical information, including label analysis and instructions for handling, storing, and applying each coating material proposed for use.
  - 3. Certification by the manufacturer that products supplied comply with local regulations controlling use of volatile organic compounds (VOCs).
- B. Samples for Initial Selection: Manufacturer's color charts showing the full range of colors available for each type of finish-coat material indicated.

- C. Samples per Architect specified Manufacturer and color for approval.
- D. Qualification Data: For firms and persons specified in the "Quality Assurance" Article to demonstrate their capabilities and experience. Include lists of completed projects with project names and addresses, names and addresses of architects and owners, and other information specified.

## 1.5 QUALITY ASSURANCE

- A. Applicator Qualifications: Engage an experienced applicator who has completed painting system applications similar in material and extent to that indicated for this Project with a record of successful in-service performance.
- B. Source Limitations: Obtain primers, and undercoat materials for each coating system from the same manufacturer as the finish coats.

## 1.6 DELIVERY, STORAGE, AND HANDLING

- A. Deliver materials to the Project Site in manufacturer's original, unopened packages and containers bearing manufacturer's name and label, and the following information:
  - 1. Product name or title of material.
  - 2. Product description (generic classification or binder type).
  - 3. Manufacturer's stock number and date of manufacture.
  - 4. Contents by volume, for pigment and vehicle constituents.
  - 5. Thinning instructions.
  - 6. Application instructions.
  - 7. Color name and number.
  - 8. VOC content.
- B. Store materials not in use in tightly covered containers in a well-ventilated area at a minimum ambient temperature of 45 deg F. Maintain containers used in storage in a clean condition, free of foreign materials and residue.
  - 1. Protect from freezing. Keep storage area neat and orderly. Remove oily rags and waste daily. Protect workers and work areas from fire and health hazards resulting from handling, mixing, and application.

## 1.7 PROJECT CONDITIONS

- A. Apply water-based paints only when the temperature of surfaces to be painted and surrounding air temperatures are between 50 and 90 deg F.
- B. Apply solvent-thinned paints only when the temperature of surfaces to be painted and surrounding air temperatures are between 45 and 95 deg F.

#### 1.8 EXTRA MATERIALS

- A. Furnish extra paint materials from the same production run as the materials applied in the quantities described below. Package paint materials in unopened, factory-sealed containers for storage and identify with labels describing contents. Deliver extra materials to the Owner.
  - 1. Quantity: Furnish the Owner with an additional 5 percent, but not less than 2 gal. or 1 case, as appropriate, of each material and color applied.

#### PART 2 - PRODUCTS

## 2.1 MANUFACTURERS

- A. Products: Subject to compliance with requirements, provide one of the products in the finish schedules, or approved equal. Underlined name indicates manufacturer specified herein for the purpose of establishing a standard of quality.
  - 1. Manufacturers Names:
    - a. Benjamin Moore & Co.
    - b. Sherwin Williams
    - c. Behr Co.

## 2.2 PAINT MATERIALS, GENERAL

- A. Material Compatibility: Provide primers, undercoats, and finish-coat materials that are compatible with one another and the substrates indicated under conditions of service and application, as demonstrated by manufacturer based on testing and field experience.
- B. Material Quality: Provide manufacturer's best-quality paint material of the various coating types specified. Paint-material containers not displaying manufacturer's product identification will not be acceptable.
- C. Colors: Provide color selections made by the architect.

### D. Paint Criteria:

- 1. For architectural paints, coatings and primers applied to interior walls and ceilings: do not exceed the VOC content limits established in Green Seal Standard GS-11, paints, First Edition, May 20, 1993: Flats: 50g/L, Non-flats: 150 g/L.
- 2. For anti-corrosive and anti-rust paints applied to interior metal substrates: do not exceed the VOC contents limit of 250 g/L established in Green Seal Standard GC-03, Anti-Corrosive Paints, Second Edition, January 7, 1997.
- 3. For clear wood finishes, floor coatings, stains, and shellacs applied to interior elements: Do not exceed the VOC content limits established in south coast Air Quality Management District (SCAQMD) Rule 1113, Architectural Coatings, rules in effect on January 1, 2004:
  - a. Clear wood finishes: varnish 350 g/L; lacquer 550 g/L

- b. Floor coatings: 100 g/L
- c. Sealers: waterproofing sealers 250 g/L; sanding sealers 275 g/L; all other sealers 200 g/L.
- d. Shellacs: Clear 730 g/L; pigmented 550 g/L
- e. Stains: 250 g/L

### 2.2 FLOOR REFINISHING

- A. Floor refinishing materials shall be by Minwax, Cabots, Benjamin Moore or equal.
- B. Products shall include:
  - 1. Stains to match ex'g floor colors.
  - 2. Polyurethane floor finish to match the sheen & lustre of the ex'g. conditions.

### PART 3 - EXECUTION

## 3.1 EXAMINATION

- A. Examine substrates, areas, and conditions, with the Applicator present, under which painting will be performed for compliance with paint application requirements.
  - 1. Do not begin to apply paint until unsatisfactory conditions have been corrected and surfaces receiving paint are thoroughly dry.
  - 2. Start of painting will be construed as the Applicator's acceptance of surfaces and conditions within a particular area.
- B. Coordination of Work: Review other Sections in which primers are provided to ensure compatibility of the total system for various substrates. On request, furnish information on characteristics of finish materials to ensure use of compatible primers.
  - 1. Notify the Architect about anticipated problems using the materials specified over substrates primed by others.

### 3.2 PREPARATION

- A. General: Remove hardware and hardware accessories, plates, machined surfaces, lighting fixtures, and similar items already installed that are not to be painted. If removal is impractical or impossible because of the size or weight of the item, provide surface-applied protection before surface preparation and painting.
  - 1. After completing painting operations in each space or area, reinstall items removed using workers skilled in the trades involved.
- B. Cleaning: Before applying paint or other surface treatments, clean the substrates of substances that could impair the bond of the various coatings. Remove oil and grease

before cleaning.

- 1. Schedule cleaning and painting so dust and other contaminants from the cleaning process will not fall on wet, newly painted surfaces.
- C. Surface Preparation: Clean and prepare surfaces to be painted according to manufacturer's written instructions for each particular substrate condition.
- D. Materials Preparation: Mix and prepare paint materials according to manufacturer's written instructions.
  - 1. Maintain containers used in mixing and applying paint in a clean condition, free of foreign materials and residue.
  - 2. Stir material before application to produce a mixture of uniform density. Stir as required during application. Do not stir surface film into material. If necessary, remove surface film and strain material before using.
  - 3. Use only thinners approved by paint manufacturer and only as recommended.

### 3.3 APPLICATION

- A. General: Apply paint according to manufacturer's written instructions. Use applicators and techniques best suited for substrate and type of material being applied.
  - 1. Paint colors, surface treatments, and finishes are indicated in the schedules.
  - 2. Do not paint over dirt, rust, scale, grease, moisture, scuffed surfaces, or conditions detrimental to formation of a durable paint film.
  - 3. Provide finish coats that are compatible with primers used.
  - 4. The term "exposed surfaces" includes areas visible when permanent or built-in fixtures, convector covers, covers for finned-tube radiation, grilles, and similar components are in place. Extend coatings in these areas, as required, to maintain the system integrity and provide desired protection.
  - 5. Finish doors on tops, bottoms, and side edges the same as exterior faces.
- B. Scheduling Painting: Apply first coat to surfaces that have been cleaned, pretreated, or otherwise prepared for painting as soon as practicable after preparation and before subsequent surface deterioration.
  - 1. The number of coats and the film thickness required are the same regardless of application method. Do not apply succeeding coats until the previous coat has cured as recommended by the manufacturer. If sanding is required to produce a smooth, even surface according to manufacturer's written instructions, sand between applications.
  - 2. Omit primer on metal surfaces that have been shop primed and touchup painted.
  - 3. If undercoats, stains, or other conditions show through final coat of paint, apply additional coats until paint film is of uniform finish, color, and appearance. Give special attention to ensure edges, corners, crevices, welds, and exposed fasteners receive a dry film thickness equivalent to that of flat surfaces.
  - 4. Allow sufficient time between successive coats to permit proper drying. Do not

recoat surfaces until paint has dried to where it feels firm, does not deform or feel sticky under moderate thumb pressure, and where application of another coat of paint does not cause the undercoat to lift or lose adhesion.

- C. Application Procedures: Apply paints and coatings by brush, roller, spray, or other applicators according to manufacturer's written instructions.
  - 1. Brushes: Use brushes best suited for the type of material applied. Use brush of appropriate size for the surface or item being painted.
  - 2. Rollers: Use rollers of carpet, velvet back, or high-pile sheep's wool as recommended by the manufacturer for the material and texture required.
  - 3. Spray.
- D. Minimum Coating Thickness: Apply paint materials no thinner than manufacturer's recommended spreading rate. Provide the total dry film thickness of the entire system as recommended by the manufacturer.
- E. Prime Coats: Before applying finish coats, apply a prime coat of material, as recommended by the manufacturer, to material that is required to be painted or finished and that has not been prime coated by others. Recoat primed and sealed surfaces where evidence of suction spots or unsealed areas in first coat appears, to ensure a finish coat with no burn through or other defects due to insufficient sealing.
- F. Pigmented (Opaque) Finishes: Completely cover surfaces as necessary to provide a smooth, opaque surface of uniform finish, color, appearance, and coverage. Cloudiness, spotting, holidays, laps, brush marks, runs, sags, ropiness, or other surface imperfections will not be acceptable.
- G. Completed Work: Match approved samples for color, texture, and coverage. Remove, refinish, or repaint work not complying with requirements.

#### 3.4 CLEANING

- A. Cleanup: At the end of each workday, remove empty cans, rags, rubbish, and other discarded paint materials from the site.
  - 1. After completing painting, clean glass and paint-spattered surfaces. Remove spattered paint by washing and scraping. Be careful not to scratch or damage adjacent finished surfaces.

#### 3.5 PROTECTION

A. Protect work of other trades, whether being painted or not, against damage by painting. Correct damage by cleaning, repairing or replacing, and repainting, as approved by Architect.

- B. Provide "Wet Paint" signs to protect newly painted finishes. Remove temporary protective wrappings provided by others to protect their work after completing painting operations.
  - 1. At completion of construction activities of other trades, touch up and restore damaged or defaced painted surfaces.

## 3.6 INTERIOR PAINT SCHEDULE

- A. Interior Gypsum Board Walls:
  - 1. Contractor shall spackle and tape all wall imperfections
  - 2. Prime coat: Behr Premium Plus paint & primer in one, eggshell
  - 3. Finish coat: Behr Premium Plus paint & primer in one, eggshell Note: Two coats required for all new gypsum board.
  - 4. Color: As noted on Paint Color Schedule.
- B. Interior doors, frames, trim, base molding, built in shelving, etc.:
  - 1. Contractor shall scuff sand & wipe all surfaces
  - 2. Prime coat: Behr Premium Plus paint & primer in one, semi-gloss
  - 3. Finish coat: Behr Premium Plus paint & primer in one, semi-gloss
  - 4. Color: White
- C. Interior Gypsum Board Walls in Baths
  - 1. Contractor shall spackle and tape all wall imperfections
  - 2. Prime coat: Behr Premium Plus paint & primer in one, semi-gloss
  - 3. Finish coat: Behr Premium Plus paint & primer in one, semi-gloss
  - 4. Color: Color: As noted on Paint Color Schedule.
- D. Ceilings.
  - 1. Contractor shall spackle and tape all wall imperfections
  - 2. Prime coat: Behr Premium Plus Interior Ceiling Paint, flat
  - 3. Finish coat: Behr Premium Plus Interior Ceiling Paint, flat
  - 4. Color: White.

### 3.7 FLOOR REFINISHING

- A. Perform spot touch-up of scratches, gouges and discolorations at floors, saddles and misc. stained wood trims.
- B. Perform color tests on each condition to assess the best color and appearance match.
- C. Blend stains over areas in vicinity of wood damage to best diffuse the stain repair.
- D. Apply polyurethane finish to scratches, gouges and discoloration repairs only.

- E. Blend polyurethane over areas in vicinity of wood damage to best diffuse the finish appearance to be relatively indistinguishable from the remainder of the floor.
- F. Clean floors and apply a light spray polish to unify sheen and lustre.

END OF SECTION 099100

## SECTION 112600 – KITCHEN AND BATHROOM CABINETS

## PART 1 - GENERAL

### 1.1 SCOPE OF THIS SECTION:

A. Kitchen and Bathroom Cabinets: Residential grade, wood & laminate clad, cabinets & laminate clad counters.

### 1.2 RELATED WORK:

A. Carpentry - see SECTION 061000.

#### 1.3 SUBMITTALS:

- A. Make submittals in accordance with SECTION 013300.
- B. Submit product data and cuts for: manufacturer, individual cabinet sizes, details, hinges, drawer slides, pull hardware & counter-tops.
- C. Submit shop drawing for entire assembly showing coordination with walls and space.

## 1.4 QUALIFICATIONS:

A. Subcontractors, superintendents, workers and other persons or entities involved in managing or performing the work shall be qualified as described in GENERAL REQUIREMENTS and shall not be permitted to perform the work if not so qualified.

#### 1.5 GUARANTEE:

- A. The completed kitchen equipment assembly shall be guaranteed for a period of five years against any defects in materials or workmanship.
- B. Furnish a written guarantee upon completion of the work.

### PART 2 - PRODUCTS

### 2.1 MANUFACTURER:

- A. System specified is: 'Home Depot', Hampton Bay Collection, 'Madison' Style, high quality kitchen components. Other local sources may be 'Lowes'.
- B. Other acceptable manufacturers shall be equal in specifications, construction, details,

## CONTRACT NO. 21-527 DIVISION 11 – EQUIPMENT

assembly and hardware quality, subject to evaluations and approval.

## 2.2 CABINETS:

- A. Cabinet body construction shall be: 5/8" thick compressed particle board. Counter-top substrate shell be 2 layers of 3/4" water–resistant plywood.
- B. Panels, doors, drawer fronts and end caps shall be: 5/8" thick clear wood or compressed particle board, milled to traditional 'stile & rail' profiles.
- C. Drawer boxes shall be: 9/16" thick compressed particle board.
- D. Shelves shall be: 9/16" thick compressed particle board.
- E. Standard toe kicks shall be: 5/8" thick compressed particle board.
- F. Handles shall be standard '4" hand loop' handles typically available with the manufacturer's standard series of cabinets. Handles shall be 'oil rubbed bronze' selected from a range of standard handles if available.
- H. Construction: All components shall be securely assembled using water-proof glues and stainless steel connectors.
- I. Finishes: All panels, doors, drawer fronts and end caps shall be in satin or low sheen, warm white color. Counter-top & self-edged finish shall be plastic laminate, horizontal grade, basic warm white or almond background with a 'sand speckle' pattern.
- J. Custom size cabinets: certain overhead wall cabinets shall be custom sized to accommodate a 30" wide refrigerator & other limited wall areas.
- K. Provide 5/8" thick compressed particle board closure panels to close gaps where they occur at the ends of cabinets and adjacent wall surfaces.

#### 2.3 HARDWARE:

- A. Hinges: Concealed, 125 degree opening, removable without tools. All nickel plate steel, fully adjustable in all axis, soft close feature, rated 200,000 cycles. 'Blumotion Clip-Top' hinges.
- B. Drawer slides: Full extension, stainless steel, soft close feature. 'Blumotion' slides.

## CONTRACT NO. 20-404 DIVISION 11 – EQUIPMENT

### 2.4 COUNTER-TOPS:

- A. Counters & edges shall be: plastic laminate, horizontal grade, basic warm white or almond background with a 'sand speckle' pattern.
- B. Backsplash shell be an integrated 4" high x 3/4" thick, plywood substrate, plastic laminate backsplash. Provide a sanitary cove corner where counter meets splash. Back splash shall wrap 3 sides of counter-top: back & both sides. Front edge of backsplash shall be flush with front edge of counter-top.
- C. Sink shall be an integrated double bowl sink with 4 holes for faucet and soap dispenser. Sink shall be: 16 ga. 304 # 4 brushed stainless steel. Sink size shall be: 32 3/8" x 18 1/4" overall size: (2) bowls at: 14 1/8" x 15 5/8" x 9" deep each.

### PART 3 - EXECUTION

## 3.1 LAYOUT:

A. Layout entire installation within built walls to confirm fit of all components and appliance prior to ordering all components. Verify all dimensions and clearances with Arch.

## 3.2 INSTALLATION:

- A. Install cabinets and counter-tops level and plumb. Provide closure panels to conceal gaps at walls & corners.
- B. Securely anchor base and wall cabinets in place. Install closure angles where needed. Make all anchorages and connections secure.
- C. Adjust doors and drawers for proper operation.
- D. Clean finished installation, ready for routine maintenance.
- E. Furnish written guarantee.

**END OF SECTION 112700** 

# <u>CONTRACT NO. 21-527</u> <u>DIVISION</u> 22 - PLUMBING

#### SECTION 220523 – GENERAL DUTY VALVES FOR PLUMBING PIPING

#### PART 1 - GENERAL

#### 1.1 SUMMARY

A. This Section includes the furnishing and installation of general duty valves for the domestic water piping.

## 1.2 SUBMITTALS

- A. General: Submit each item in this Article according to the Conditions of the Special Clauses.
- B. Product Data for each valve type. Include body material, valve design, pressure and temperature classification, end connection details, seating materials, trim material and arrangement, dimensions and required clearances, and installation instructions. Include list indicating valve and its application.

## 1.3 QUALITY ASSURANCE

A. ASME Compliance: Comply with ASME B31.9 for building services piping and ASME B31.1 for power piping.

## 1.4 DELIVERY, STORAGE, AND HANDLING

- A. Prepare valves for shipping as follows:
  - 1. Protect internal parts against rust and corrosion.
  - 2. Protect threads, flange faces, grooves, and weld ends.
- B. Use the following precautions during storage:
  - 1. Maintain valve end protection.
  - 2. Store indoors and maintain valve temperature higher than ambient dew-point temperature. If outdoor storage is necessary, store valves off the ground in watertight enclosures.

#### PART 2 - PRODUCTS

#### 2.1 MANUFACTURERS

- A. Available Manufacturers: Subject to compliance with requirements, manufacturers offering products that may be incorporated in the Work include, but are not limited to, the following:
  - 1. Ball Valves:

# <u>CONTRACT NO. 21-527</u> <u>DIVISION</u> 22 - PLUMBING

- a. Crane Company; Valves and Fitting Division.
- b. NIBCO Inc.
- c. Stockham Valves & Fittings, Inc.
- 2. Gate Valves:
  - a. Crane Company; Valves and Fitting Division.
  - b. Stockham Valves & Fittings, Inc.

## 2.2 BASIC, COMMON FEATURES

- A. Pressure and Temperature Ratings: As indicated in the "Application Schedule" of Part 3 of this Section and as required to suit system pressures and temperatures.
- B. Sizes: Same size as upstream pipe, unless otherwise indicated.
- C. Operators: Use specified operators and handwheels, except provide the following special operator features:
  - 1. Lever Handles: For quarter-turn valves 6 inches and smaller.
- D. Threads: ASME B1.20.1.
- E. Solder Joint: ASME B16.18.

#### 2.3 BALL VALVES

- 1. Ball Valves, 4 Inches and Smaller: MSS SP-110, Class 150, 600-psi CWP, ASTM B 584 bronze body and bonnet, 2-piece construction; chrome-plated brass ball, standard port for 1/2-inch valves and smaller and conventional port for 3/4-inch valves and larger; blowout proof; bronze or brass stem; teflon seats and seals; threaded or soldered end connections: Stockham Model S-206-BRI-R-T, or approved equal with extension stem when used for insulated pipe application.
- 2. Operator: Vinyl-covered steel lever handle.

## 2.4 BRONZE GATE VALVES

- 1. Valves 2-1/2" and smaller, Bronze, Rising-Stem, Solid Wedge, Union Bonnet Type, threaded, provide union for servicing:
  - a. Stockham Model B-105
  - b. Approved Equal

#### 2.5 HOSE VALVES

1. Heavy cast brass faucets with composition washer and 3/4" hose connection Chrome Plated angle silcock for toilet room installations with removable operating handle key.

Watts Inc., Nibco Inc., or approved equal.

#### 2.6 VACUUM BREAKERS

1. Install vacuum breakers on water supply piping to hose bibs located in mechanical equipment rooms. Vacuum breaker shall be Watts series 289 or approved equal.

#### **PART 3 - EXECUTION**

### 3.1 EXAMINATION

- A. Examine piping system for compliance with requirements for installation tolerances and other conditions affecting performance of valves. Do not proceed with installation until unsatisfactory conditions have been corrected.
- B. Examine valve interior for cleanliness, freedom from foreign matter, and corrosion. Remove special packing materials, such as blocks, used to prevent disc movement during shipping and handling.
- C. Operate valves from fully open to fully closed positions. Examine guides and seats made accessible by such operation.
- D. Examine threads on valve and mating pipe for form and cleanliness.
- E. Examine mating flange faces for conditions that might cause leakage. Check bolting for proper size, length, and material. Check gasket material for proper size, material composition suitable for service, and freedom from defects and damage.
- F. Do not attempt to repair defective valves; replace with new valves.

#### 3.2 INSTALLATION

- A. Install valves as indicated, according to manufacturer's written instructions.
- B. Piping installation requirements are specified in other Division 15 Sections.
- C. Install valves with unions at each piece of equipment arranged to allow servicing, maintenance, and equipment removal without system shutdown.
- D. Locate valves for easy access and provide separate support where necessary.
- E. Install valves in horizontal piping with stem at or above the center of the pipe.
- F. Install valves in a position to allow full stem movement.

### 3.3 SOLDERED CONNECTIONS

# <u>CONTRACT NO. 21-527</u> <u>DIVISION 22 - PLUMBING</u>

- A. Cut tube square and to exact lengths.
- B. Clean end of tube to depth of valve socket with steel wool, sand cloth, or a steel wire brush to a bright finish. Clean valve socket.
- C. Apply proper soldering flux in an even coat to inside of valve socket and outside of tube.
- D. Open gate valves to fully open position.
- E. Remove the cap and disc holder of swing check valves having composition discs.
- F. Insert tube into valve socket, making sure the end rests against the shoulder inside valve. Rotate tube or valve slightly to ensure even distribution of the flux.
- G. Apply heat evenly to outside of valve around joint until solder melts on contact. Feed solder until it completely fills the joint around tube. Avoid hot spots or overheating valve. Once the solder starts cooling, remove excess amounts around the joint with a cloth or brush.

#### 3.4 THREADED CONNECTIONS

- A. Note the internal length of threads in valve ends and proximity of valve internal seat or wall to determine how far pipe should be threaded into valve.
- B. Align threads at point of assembly.
- C. Apply appropriate tape or thread compound to the external pipe threads, except where dry seal threading is specified.
- D. Assemble joint, wrench tight. Wrench on valve shall be on the valve end into which the pipe is being threaded.

#### 3.5 APPLICATION SCHEDULE

- A. General Application: Use ball for throttling duty. Refer to piping system Specification Sections for specific valve applications and arrangements.
- B. Domestic Water Systems: Use the following valve types:
  - 1. Ball Valves: Class 150, 600-psi CWP, with stem extension.
  - 2. Gate Valves: Class 150, 600 psi CWP

#### 3.6 ADJUSTING

A. Adjust or replace packing after piping systems have been tested and put into service, but before final adjusting and balancing. Replace valves if leak persists.

#### **END OF SECTION 15100**

### SECTION 220719 – PLUMBING PIPING INSULATION

#### PART 1 - GENERAL

#### 1.1 SECTION INCLUDES

- A. Piping insulation.
- B. Jackets and accessories.
- C. Insulation of new and existing work.

#### 1.2 REFERENCES

- A. ASTM C195 Standard Specification for Mineral Fiber Thermal Insulating Cement.
- B. ASTM C449/C449M Standard Specification for Mineral Fiber Hydraulic-Setting Thermal Insulating and Finishing Cement.
- C. ASTM C547 Standard Specification for Mineral Fiber Preformed Pipe Insulation.
- D. ASTM C552 Standard Specification for Cellular Glass Thermal Insulation.
- E. ASTM C578 Standard Specification for Preformed, Cellular Polystyrene Thermal Insulation.
- F. ASTM E84 Standard Test Method for Surface Burning Characteristics of Building Materials.
- G. NAIMA National Insulation Standards.
- H. NFPA 255 Standard Method of Test of Surface Burning Characteristics of Building Materials.
- I. UL 723 Standard for Test for Surface Burning Characteristics of Building Materials.

### 1.3 SUBMITTALS FOR REVIEW

- A. Submittals as per contract requirements.
- B. Product Data: Provide product description, thermal characteristics, list of materials and thickness for each service, and locations.
- C. Manufacturer's Instructions: Indicate installation procedures that ensure acceptable workmanship and installation standards will be achieved.

### 1.4 QUALITY ASSURANCE

A. Manufacturer Qualifications: Company specializing in manufacturing the Products specified in this section with minimum three years experience.

## 1.5 REGULATORY REQUIREMENTS

- A. Conform to maximum flame spread/smoke developed rating of 25/50 in accordance with NFPA 255.
- B. Insulation thickness shall comply with applicable Energy Conservation Codes.

## PART 2 - PRODUCTS

### 2.1 ACCEPTABLE MANUFACTURERS

- A. Manufacturer: Knauf or equal
- B. Pex piping shall be insulated using flexible foam insulation Armacell, or approved equal ½".

PIPE INSULATION 220719 - 1

## <u>CONTRACT 21-527</u> DIVISION 22 - PLUMBING

### 2.2 INSULATION

A. Knauf Earthwool 1000° pipe insulation or approved equal meeting ASTM C547, ASTM C585, and ASTM C795 or approved equal.

#### 2.3 ACCESSORIES

- A. Insulation Bands: <sup>3</sup>/<sub>4</sub>" wide; 0.007 inch thick aluminum.
- B. Metal Jacket Bands: 3/8" wide; 0.015 inch thick aluminum.
- C. Insulating Cement: ANSI/ASTM C195; hydraulic setting mineral wool.
- D. Finishing Cement: ASTM C449
- E. Fibrous Glass Cloth: Untreated; 9 oz/sq. yd weight.
- F. Adhesives: Compatible with insulation and fire retardant.

#### **PART 3 - EXECUTION**

#### 3.1 EXAMINATION

- A. Verify that piping has been tested before applying insulation materials.
- B. Verify that surfaces are clean and dry, with all foreign material removed. This includes but is not limited to water, oil, dirt, scale and rust. Only insulation and finish materials including adhesive cements and mastic, which conform to the requirements of all-governing codes and ordinances, shall be used.

#### 3.2 INSTALLATION

- A. Install materials in accordance with manufacturer's instructions and the best practice of the trade.
- B. On insulated piping insulate all fittings, valves, unions, flanges, strainers, flexible connections, expansion joints, etc. Fit insulation to pipe staggering longitudinal joints. Apply fabricated segments of insulation or pre-molded fitting insulation covers of equal thickness of adjoining pipe covering on fittings, valves, and other specialties. Vapor seal all exposed edges with jacket material and vapor barrier type adhesive on cold piping.
- C. Repair or replace any existing insulation and surface finish disturbed or damaged by installation of new work using materials to match existing.
- D. Apply insulation to completely cover metal surface. Surface shall be applied to present a tight, smooth appearance. Exposed Piping: Locate insulation and cover seams in least visible locations.
- E. For hot piping conveying fluids 140 degrees F or less, and on insulated piping without vapor barrier, do not insulate flanges and unions at equipment, but bevel and seal ends of insulation.
- F. For hot piping conveying fluids over 140 degrees F, insulate flanges and unions at equipment. Neatly finish insulation at supports, protrusions, and interruptions.
- G. Do not use staples on vapor barrier insulation.

#### H. Jackets:

1. Indoor, Concealed or Exposed Applications: Insulated pipes conveying fluids above ambient temperature shall have standard jackets, with or without vapor barrier, factory-applied or field-applied. Insulate fittings, joints, and valves with insulation of like material and thickness as adjoining pipe, and finish with glass cloth and adhesive.

PIPE INSULATION 220719 - 2

## **CONTRACT 21-527**

## **DIVISION 22 - PLUMBING**

- I. Continue insulation through walls, sleeves, pipe hangers, and other pipe penetrations. Finish at supports, protrusions, and interruptions.
- J. Pipe Exposed in Mechanical Equipment Rooms or Finished. Finish with glass cloth jacket.

## 3.3 EXISTING WORK

A. If applicable, Repair and/or replace all existing insulation where missing and/or damaged by new work. Use materials to match existing.

## 3.4 SCHEDULE

<u>Piping</u>	Type	<u>Pipe Size</u>	Insulation Thickness
Domestic Hot Water	A	Up to 1"	1/2"
		Above 1"	1/2"
Domestic Cold Water	A	Up to 1 1/4"	1/2"
		Above 1 1/4"	1/2"

END OF SECTION 220719

PIPE INSULATION 220719 - 3

### SECTION 221116 - DOMESTIC WATER PIPING

### PART 1 - GENERAL

## 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Clauses, apply to this Section.

### 1.2 SUMMARY

A. This Section includes domestic water piping inside the building.

## 1.3 PERFORMANCE REQUIREMENTS

A. Provide components and installation capable of producing domestic water piping systems with 125 psig, unless otherwise indicated.

## 1.4 QUALITY ASSURANCE

- A. Piping materials shall bear label, stamp, or other markings of specified testing agency.
- B. Comply with NSF 61, "Drinking Water System Components Health Effects; Sections 1 through 9," for potable domestic water piping and components.

#### PART 2 - PRODUCTS

#### 2.1 MANUFACTURERS

- 1. Manufacturers: Subject to compliance with requirements, provide products by one of the manufacturers specified.
- 2. Nibco, Mueller copper pipe and fittings, or equal
- 3. As an alternate to copper the Contractor may use Uponor Aqua Pex with expansion rings and fittings system.

## 2.2 PIPING MATERIALS

A. Transition Couplings for Aboveground Pressure Piping: Coupling or other manufactured fitting the same size as, with pressure rating at least equal to and ends compatible with, piping to be joined.

### 2.3 COPPER TUBE AND FITTINGS

- 1. Comply with NSF 61, "Drinking Water System Components Health Effects; Sections 1 through 9," for potable domestic water piping and components.
- 2. Hard Copper Tube: ASTM B 88, Types L, water tube, drawn temper.
  - a. Copper Pressure Fittings: ASME B16.18, cast-copper-alloy or ASME B16.22, wrought- copper, solder-joint fittings. Furnish wrought-copper fittings if indicated.
  - b. Copper Unions: MSS SP-123, cast-copper-alloy, hexagonal-stock body, with ball-and-socket, metal-to-metal seating surfaces, and solder-joint or threaded ends.

#### 3. Joints

- a. Soldered Joints: Use ASTM B 813, water-flushable, lead-free flux; ASTM B 32, lead-free-alloy solder; and ASTM B 828 procedure, unless otherwise indicated.
- b. Threaded Joints: make up threaded joints with proper sealing compounds. Extruded-tee connections below can be used instead of tee fittings in copper tubing. Delete if prohibited.
- 4. Purge new piping and parts of existing domestic water piping that have been altered, extended, or repaired before placing into service. Use purging and disinfecting procedures prescribed either AWWA C651 or AWWA C652. Clean interior of domestic water piping system. Remove dirt and debris as work progresses.

#### 2.4 VALVES

- 1. Union Ball Valves: MSS SP-122, with full-port ball, threaded detachable end connectors, and pressure rating not less than 125 psig at 73 deg F.
- 2. Use bronze ball or gate valves for shutoff duty; Hose-end drain valves for drain duty.
  - a. Ball Valves shall be Stockham Model S-206-BRI-R-T ball valves, or approved equal.

- b. Gate Valves shall be Stockham Model B-105 bronze gate valves or approved equal.
- c. Sizes: Same size as upstream pipe, unless otherwise indicated.
- 3. Threads shall be according to ASME B1.20.1 and Solder Joints according to ASME B16.18.
- 4. Install valves as indicated, according to manufacturer's written instructions with unions at each piece of equipment arranged to allow servicing, maintenance, and equipment removal without system shutdown. Locate valves for easy access and provide separate support where necessary in horizontal piping with stem at or above the center of the pipe in a position to allow full stem movement.
- 5. Automatic Flow Regulating Valve: Contractor shall furnish new Passively Activated, Automatic Flow Regulating Valve shall be Kobold, or equal, on the cold water supply to the tankless water heater downstream of the tap to the thermostatic mixing valve; Brass Construction;
- 6. Contractor shall furnish and install Hot Water Extender Tempering Valve. Valve shall be <a href="#">3/4" Watts Series LF70A</a> or equal.
  - a. Install valve in cold water line to hot water extender tempering valve, to compensate for pressure drop through heater.
  - b. Minimum Flow Requirements to Maintain Set Temperature: 2 gpm.
  - c. Install pressure relief valve on the cold side of the tank-less coil before any valves.

#### PART 3 - EXECUTION

### 3.1 PIPE AND FITTING APPLICATIONS

- A. Transition and special fittings with pressure ratings at least equal to piping rating may be used in applications below, unless otherwise indicated.
- B. Flanges may be used on aboveground piping, unless otherwise indicated.
- C. Domestic Water Piping, NPS 4 and Smaller: Hard copper tube, Type L; copper pressure fittings; and soldered joints. Or AQUA PEX.
- D. Aboveground Domestic Water Piping: Use any of the following piping materials for each size range: Or AQUA PEX.
  - 1. NPS 1 and Smaller: Hard copper tube, Type L; copper pressure fittings; and soldered joints.
  - 2. NPS 1-1/4 and NPS 1-1/2: Hard copper tube, Type L; copper pressure fittings; and soldered joints.

### 3.2 VALVE APPLICATIONS

- A. Drawings indicate valve types to be used. Where specific valve types are not indicated, the following requirements apply:
  - 1. Shutoff Duty: Use bronze ball or gate valves for piping NPS 2 and smaller. Use gate valves with flanged ends for piping NPS 2-1/2 and larger.
  - 2. Throttling Duty: Use bronze ball or globe valves for piping NPS 2 and smaller. Use cast-iron butterfly valves with flanged ends for piping NPS 2-1/2 and larger.
  - 3. Drain Duty: Hose-end drain valves.
- B. Install shutoff valve close to water main on each branch and riser serving plumbing fixtures or equipment, on each water supply to equipment, and on each water supply to plumbing fixtures that do not have supply stops. Use ball or gate valves for piping NPS 2 and smaller. NPS 1/2 or NPS 3/4 (DN 15 or DN 20) inlet, hose-end drain valves may be adequate for this application.
- C. Install drain valves for equipment at base of each water riser, at low points in horizontal piping, and where required to drain water piping.
  - 1. Install hose-end drain valves at low points in water mains, risers, and branches.
  - 2. Install stop-and-waste drain valves where indicated.

### 3.3 PIPING INSTALLATION

- A. Install shutoff valve, hose-end drain valve, strainer, pressure gage, and test tee with valve, inside the building at each domestic water service entrance.
- B. Install domestic water piping level with 0.25 percent slope downward toward drain and plumb.

#### 3.4 JOINT CONSTRUCTION

- A. Soldered Joints: Use ASTM B 813, water-flushable, lead-free flux; ASTM B 32, lead-free-alloy solder; and ASTM B 828 procedure, unless otherwise indicated.
- B. Threaded Joints: make up threaded joints with proper sealing compounds.
- C. UPONOR PEX, FOLLOW UPONOR GUIDELINES.

#### 3.5 HANGER AND SUPPORT INSTALLATION

- A. Install the following:
  - 1. Vertical Piping: MSS Type 8 or Type 42, clamps.
  - 2. Individual, Straight, Horizontal Piping Runs: According to the following:
    - a. 100 Feet and Less: MSS Type 1, adjustable, steel clevis hangers.
    - b. Longer Than 100 Feet: MSS Type 43, adjustable roller hangers.
    - c. Longer Than 100 Feet: MSS Type 49, spring cushion rolls, if indicated.
  - 3. Multiple, Straight, Horizontal Piping Runs 100 Feet or Longer: MSS Type 44, pipe rolls. Support pipe rolls on trapeze.
  - 4. Base of Vertical Piping: MSS Type 52, spring hangers.
- B. Support vertical piping and tubing at base and at each floor.
- C. Rod diameter may be reduced 1 size for double-rod hangers, to a minimum of 3/8 inch.
- D. Install hangers for copper tubing with the following maximum horizontal spacing and minimum rod diameters:
  - 1. NPS 3/4 and Smaller: 60 inches with 3/8-inch rod.
  - 2. NPS 1 and NPS 1-1/4: 72 inches with 3/8-inch rod.
  - 3. NPS 1-1/2 and NPS 2: 96 inches with 3/8-inch rod.
  - 4. NPS 2-1/2: 108 inches with 1/2-inch rod.
  - 5. NPS 3 to NPS 5: 10 feet with 1/2-inch rod.
- E. Install supports for vertical copper tubing every 10 feet.
- F. Provide supports, guides, bends and protective sleeves suitable for PEX piping systems.

#### 3.6 CONNECTIONS

- A. Install piping adjacent to equipment and machines to allow service and maintenance.
- B. Connect domestic water piping to exterior water-service piping. Use transition fitting to join dissimilar piping materials.
- C. Connect domestic water piping to water-service piping with shutoff valve, and extend and connect to the following:
  - 1. Plumbing Fixtures: Cold- and hot-water supply piping in sizes indicated, but not smaller than required by plumbing code. Refer to Division 22 Section "Plumbing Fixtures." Valves shall be provide to isolate fixtures for service.
  - 2. Equipment: Cold- and hot-water supply piping as indicated, but not smaller than equipment connections. Provide shutoff valve and union for each connection. Use flanges instead of unions for NPS 2-1/2 and larger.

## 3.7 FIELD QUALITY CONTROL

- A. Inspect domestic water piping as follows:
  - 1. Do not enclose, cover, or put piping into operation until it has been inspected and approved by authorities having jurisdiction. Contractor responsible for fling for all permits required. Town of Cortlandt.
  - 2. During installation, notify authorities having jurisdiction to schedule before inspection must be made. Perform tests specified below in presence of authorities having jurisdiction:
    - a. Roughing-in Inspection: Arrange for inspection of piping before concealing or closing-in after roughing-in and before setting fixtures.
    - b. Final Inspection: Arrange final inspection for authorities having jurisdiction to observe tests specified below and to ensure compliance with requirements.
  - 3. Reinspection: If authorities having jurisdiction find that piping will not pass test or inspection, make required corrections and arrange for reinspection, no additional payment will be made..
  - 4. Reports: Prepare inspection reports and have them signed by authorities having jurisdiction.
- B. Test domestic water piping as follows:
  - 1. Fill domestic water piping. Check components to determine that they are not air bound and that piping is full of water.
  - 2. Test for leaks and defects in new piping and parts of existing piping that have been altered, extended, or repaired. If testing is performed in segments, submit separate report for each test, complete with diagram of portion of piping tested.

- 3. Leave new, altered, extended, or replaced domestic water piping uncovered and unconcealed until it has been tested and approved. Expose work that was covered or concealed before it was tested.
- 4. Cap and subject piping to static water pressure of 50 psig above operating pressure, without exceeding pressure rating of piping system materials. Isolate test source and allow to stand for four hours. Leaks and loss in test pressure constitute defects that must be repaired.
- 5. Repair leaks and defects with new materials and retest piping or portion thereof until satisfactory results are obtained.
- 6. Prepare reports for tests and required corrective action.

#### 3.8 ADJUSTING

- A. Perform the following adjustments before operation:
  - 1. Close drain valves, hydrants, and hose bibs.
  - 2. Open shutoff valves to fully open position.
  - 3. Open throttling valves to proper setting.
  - 4. Remove plugs used during testing of piping and plugs used for temporary sealing of piping during installation.
  - 5. Remove and clean strainer screens. Close drain valves and replace drain plugs.
  - 6. Remove filter cartridges from housings and verify that cartridges are as specified for application where used and are clean and ready for use.
  - 7. Check plumbing specialties and verify proper settings, adjustments, and operation.

## 3.9 CLEANING

- A. Clean and disinfect potable and non-potable domestic water piping as follows:
  - 1. Purge new piping and parts of existing domestic water piping that have been altered, extended, or repaired before using.
  - 2. Use purging and disinfecting procedures prescribed by authorities having jurisdiction or, if methods are not prescribed, procedures described in either AWWA C651 or AWWA C652:
- B. Clean interior of domestic water piping system. Remove dirt and debris as work progresses.

**END OF SECTION 221116** 

#### SECTION 221119 - DOMESTIC WATER PIPING SPECIALTIES

#### PART 1 - GENERAL

## 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. Section Includes:
  - 1. Domestic water expansion tank
  - 2. Hose bibs.

#### 1.3 ACTION SUBMITTALS

- A. Product Data: For each type of product.
- B. Shop Drawings: For domestic water piping specialties.
  - 1. Include diagrams for power, signal, and control wiring, if applicable.

#### 1.4 CLOSEOUT SUBMITTALS

A. Operation and Maintenance Data: For domestic water piping specialties to include in emergency, operation, and maintenance manuals.

### PART 2 - PRODUCTS

## 2.1 GENERAL REQUIREMENTS FOR PIPING SPECIALTIES

A. Potable-water piping and components shall comply with NSF 61[ and NSF 14].[ Mark "NSF-pw" on plastic piping components.]

## 2.2 PERFORMANCE REQUIREMENTS

- A. Minimum Working Pressure for Domestic Water Piping Specialties: [125 psig (860 kPa)].
- 2.3 Expansion Tank: Shall be <u>AMTROL THERM-X-TROL Model ST-5</u> or approved equal. Unit shall be factory pre-charged, operating temperature: 200 deg F, working pressure:

50 psig, 3/4" system connection, 2 gallons tank volume, 0.45 acceptance factor, Butyl/EPDM diaphragm, and polypropylene liner material. Unit shall be rated for domestic water application with NSF rating.

#### 2.4 HOSE BIBS

#### A. Hose Bibs:

## Outdoor: ZURN® ANTI-SIPHON FROST-PROOF SILLCOCK, 1/2X6 IN., CHROME

1. Z1345 Exposed non-freeze antisiphon automatic draining wall faucet complete with exterior chrome finish, brass casing, all bronze interior parts, anti-siphon integral vacuum breaker, operating rod with free-floating compression closure valve, wall support, replaceable seat washer, combination 1/2 [13] female solder inlet and 1/2 [13] male IP inlet connection, and 3/4 [19] male hose connection.

#### PART 3 - EXECUTION

#### 3.1 INSTALLATION

- A. Install water-control valves with inlet and outlet shutoff valves. Install pressure gages on inlet and outlet.
- B. Adjust all new material and equipment as needed.

## 3.2 CONNECTIONS

A. Comply with requirements for ground equipment in Section 260526 "Grounding and Bonding for Electrical Systems."

#### 3.3 FIELD QUALITY CONTROL

A. Domestic water piping specialties will be considered defective if they do not pass tests and inspections.

END OF SECTION 221119

#### SECTION 221316 - SANITARY WASTE AND VENT PIPING

#### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

### 1.2 SUMMARY

#### A. Section Includes:

1. Contractor shall check entire building sanitary mains for leaks after new fixtures are installed. All repairs to leaks shall be under Item W800 MAW. (See FIELD QUALITY CONTROL Section of this Specification for details on Sanitary System Testing).

### 1.3 PERFORMANCE REQUIREMENTS

- A. Components and installation shall be capable of withstanding the following minimum working pressure unless otherwise indicated:
  - 1. Soil, Waste, and Vent Piping: 10-foot head of water.

#### 1.4 ACTION SUBMITTALS

- A. Product Data: For each type of product indicated.
- B. Shop Drawings: Submittals: Product Data for pipe, tube, fittings, and couplings.
- C. Shop Drawings: For waste and vent/fresh air inlet drainage system, include plans, elevations, sections, and details.
- D. INFORMATIONAL SUBMITTALS
- E. Field quality-control reports.
- 1.5 Cleaning and Inspections of Existing Waste Piping:
  - A. Existing waste piping designated to remain shall be cleaned and inspected prior to re-use. The piping is, specifically, the
    - 1. Sections of buried sub grade building sanitary waste from the building out to street. Pipe shall be snaked, jet cleaned and inspected with a TV camera scope prior to re-use.

Contractor shall provide all service required and provide video and simple report to document the completion of this work.

#### PART 2 - PRODUCTS

- 2.1 HUB-AND-SPIGOT, CAST-IRON SOIL PIPE AND FITTINGS
  - A. Pipe and Fittings: ASTM A 74, [Service] [and] [Extra Heavy] class.
  - B. Gaskets: ASTM C 564, rubber.
  - C. Calking Materials: ASTM B 29, pure lead and oakum or hemp fiber.
- 2.2 HUBLESS, CAST-IRON SOIL PIPE AND FITTINGS
  - A. Pipe and Fittings: ASTM A 888 or CISPI 301.
  - B. Sovent Stack Fittings: ASME B16.45 or ASSE 1043, hubless, cast-iron aerator and deaerator drainage fittings.
  - C. CISPI, Hubless-Piping Couplings:
    - 1. Standards: ASTM C 1277 and CISPI 310.
    - 2. Description: Stainless-steel corrugated shield with stainless-steel bands and tightening devices; and ASTM C 564, rubber sleeve with integral, center pipe stop.
  - D. Heavy-Duty, Hubless-Piping Couplings:
    - 1. Standards: ASTM C 1277 and ASTM C 1540.
    - 2. Description: Stainless-steel shield with stainless-steel bands and tightening devices; and ASTM C 564, rubber sleeve with integral, center pipe stop.
  - E. Cast-Iron, Hubless-Piping Couplings:
    - 1. Standard: ASTM C 1277.
    - 2. Description: Two-piece ASTM A 48/A 48M, cast-iron housing; stainless-steel bolts and nuts; and ASTM C 564, rubber sleeve with integral, center pipe stop.

#### PART 3 - EXECUTION

## 3.1 JOINT CONSTRUCTION

- A. Plastic, Nonpressure-Piping, Solvent-Cement Joints: Clean and dry joining surfaces. Join pipe and fittings according to the following:
  - 1. Comply with ASTM F 402 for safe-handling practice of cleaners, primers, and solvent cements.

2. PVC Piping: Join according to ASTM D 2855 and ASTM D 2665 Appendixes.

#### 3.2 CONNECTIONS

- A. Drawings indicate general arrangement of piping, fittings, and specialties.
- B. Connect soil and waste piping to exterior sanitary sewerage piping. Use transition fitting to join dissimilar piping materials.
- C. Connect drainage and vent piping to the following:
  - 1. Plumbing Fixtures: Connect drainage piping in sizes indicated, but not smaller than required by plumbing code.
  - 2. Plumbing Fixtures and Equipment: Connect atmospheric vent piping in sizes indicated, but not smaller than required by authorities having jurisdiction.
  - 3. Plumbing Specialties: Connect drainage and vent piping in sizes indicated, but not smaller than required by plumbing code.
  - 4. Install test tees (wall cleanouts) in conductors near floor and floor cleanouts with cover flush with floor.
  - 5. Comply with requirements cleanouts and drains.
  - 6. Equipment: Connect drainage piping as indicated. Provide shutoff valve if indicated and union for each connection.
- D. Where installing piping adjacent to equipment, allow space for service and maintenance of equipment.

## 3.3 FIELD QUALITY CONTROL

- A. Reinspection: If authorities having jurisdiction find that piping will not pass test or inspection, make required corrections and arrange for reinspection, no additional payment will be made..
- B. Reports: Prepare inspection reports and have them signed by authorities having jurisdiction.
- C. Test sanitary drainage and vent piping according to procedures of authorities having jurisdiction or, in absence of published procedures, as follows:
  - 1. Test for leaks and defects in new piping and parts of existing piping that have been altered, extended, or repaired. If testing is performed in segments, submit separate report for each test, complete with diagram of portion of piping tested.
  - 2. Leave uncovered and unconcealed new, altered, extended, or replaced drainage and vent piping until it has been tested and approved. Expose work that was covered or concealed before it was tested.
  - 3. Roughing-in Plumbing Test Procedure: Test drainage and vent piping except outside leaders on completion of roughing-in. Close openings in piping system and fill with water to point of overflow, but not less than 10-foot head of water (30 kPa). From 15 minutes before inspection starts to completion of inspection, water level must not drop. Inspect joints for leaks.
  - 4. Finished Plumbing Test Procedure: After plumbing fixtures have been set and traps filled with water, test connections and prove they are gastight and watertight. Plug vent-

stack openings on roof and building drains where they leave building. Introduce air into piping system equal to pressure of 1-inch wg (250 Pa). Use U-tube or manometer inserted in trap of water closet to measure this pressure. Air pressure must remain constant without introducing additional air throughout period of inspection. Inspect plumbing fixture connections for gas and water leaks.

- 5. Repair leaks and defects with new materials and retest piping, or portion thereof, until satisfactory results are obtained.
- 6. Prepare reports for tests and required corrective action.

#### 3.4 CLEANING AND PROTECTION

- A. Clean interior of piping. Remove dirt and debris as work progresses.
- B. Protect drains during remainder of construction period to avoid clogging with dirt and debris and to prevent damage from traffic and construction work.

END OF SECTION 221316

## CONTRACT NO. 21-527 DIVISION 23 - MECHANICAL

#### SECTION 230719 – HVAC PIPING INSULATION

#### PART 1 - GENERAL

#### 1.1 SUMMARY

A. This Section includes furnishing and installing preformed, rigid and flexible pipe insulation; insulating cements; field-applied jackets; accessories and attachments.

#### 1.2 SUBMITTALS

A. Product Data: Identify thermal conductivity, thickness, and jackets (both factory and field applied, if any), for each type of product indicated.

## 1.3 QUALITY ASSURANCE

- A. Fire-Test-Response Characteristics: As determined by testing materials identical to those specified in this Section according to ASTM E 84, by a testing and inspecting agency acceptable to authorities having jurisdiction. Factory label insulation and jacket materials and sealer and cement material containers with appropriate markings of applicable testing and inspecting agency.
  - 1. Insulation Installed Indoors: Flame-spread rating of 25 or less and smoke-developed rating of 50 or less.

#### 1.4 COORDINATION

- A. Coordinate size and location of supports, hangers, and insulation shields.
- B. Coordinate clearance requirements with piping Installer for insulation application.

#### 1.5 SCHEDULING

A. Schedule insulation application after testing piping systems and, where required, Insulation application may begin on segments of piping that have satisfactory test results.

## <u>CONTRACT NO. 21-527</u> DIVISION 23 - MECHANICAL

#### **PART 2 - PRODUCTS**

#### 2.1 INSULATION MATERIALS

- A. Mineral-Fiber Insulation: Mineral fibers bonded with a thermosetting resin complying with the following:
  - 1. Preformed Pipe Insulation: Comply with ASTM C 547, Type 1, with factory-applied, all-purpose, vapor-retarder jacket.
  - 2. Blanket Insulation: Comply with ASTM C 553, Type II, without facing.
  - 3. Fire-Resistant Adhesive: Comply with MIL-A-3316C in the following classes and grades:
    - a. Class 1, Grade A for bonding glass cloth and tape to unfaced glass-fiber insulation, for sealing edges of glass-fiber insulation, and for bonding lagging cloth to unfaced glass-fiber insulation.
    - b. Class 2, Grade A for bonding glass-fiber insulation to metal surfaces.
  - 4. Vapor-Retarder Mastics: Fire- and water-resistant, vapor-retarder mastic for indoor applications. Comply with MIL-C-19565C, Type II.
  - 5. Mineral-Fiber Insulating Cements: Comply with ASTM C 195.
  - 6. Manufacturers: Subject to compliance with requirements, provide products by one of the following: Pipe insulation Knauf Ecose 1000F mineral fiber insulation, or approved equal. Zeston 2000 PVC insulated fitting and valve covers with Hi-Lo temperature insert covers for heating hot water and chilled water service, Johns Manville International, or approved equal. Other formed insultion fitting and valve covers may be used subject submission nd approval by the engineer. For exposed areas the fitting cover must have a minimum kraft paper scrim vapor barrier and be formed for the type of fitting or valves to be insulted. Cut pieces of straight pipe insulation for fittings and valves will not be accepted.
- B. Flexible Elastomeric: Closed-cell, sponge- or expanded-rubber materials. Comply with ASTM C 534, Type I for tubular materials and Type II for sheet materials.
  - 1. Products:
    - a. Aeroflex USA Inc.; Aerocel.
    - b. Armacell LLC; AP Armaflex.
    - c. RBX Corporation; Insul-Sheet 1800 and Insul-Tube 180.
    - d. Approved equal.
  - 2. Flexible insulation may be used for concealed in walls bhind sheetrock section of He Pex piping to facilitate application onto flexible piping. Pex heating piping should not be left bare without insulation.
- C. Prefabricated Thermal Insulating Fitting Covers: Comply with ASTM C 450 for dimensions used in preforming insulation to cover valves, elbows, tees, and flanges.
- D. All fitting and valves on piping systems for heating hot water requiring insulation shall be insulated with Zeston 2000 PVC insulation covers with Ho-lo temperature inserts, or approved

## CONTRACT NO. 21-527

# **DIVISION 23 - MECHANICAL**

- equal. All fitting covers shall be banded, taped and sealed according Manufacturer's requirements. Vapor retarder mastic shall be used.
- E. Fittings and valves on hot piping, if applicable, shall molded insulation fitting and shall be sealed with cement, mastic and compounds suitable for high temperature application.

## 2.2 ACCESSORIES AND ATTACHMENTS

- A. Glass Cloth and Tape: Comply with MIL-C-20079H, Type I for cloth and Type II for tape. Woven glass-fiber fabrics, plain weave, presized a minimum of 8 oz. /sq. yd.
  - 1. Tape Width: 4 inches.
- B. Wire: 0.080-inch, nickel-copper alloy; 0.062-inch, soft-annealed, stainless steel; or 0.062-inch, soft-annealed, galvanized steel.

## 2.3 VAPOR RETARDERS

A. Mastics: Materials recommended by insulation material manufacturer that are compatible with insulation materials, jackets, and substrates.

#### **PART 3 - EXECUTION**

#### 3.1 EXAMINATION

A. Examine substrates and conditions for compliance with requirements for installation and other conditions affecting performance of insulation application.

## 3.2 PREPARATION

A. Surface Preparation: Clean and dry pipe and fitting surfaces. Remove materials that will adversely affect insulation application.

# 3.3 GENERAL APPLICATION REQUIREMENTS

- A. Apply insulation materials, accessories, and finishes according to the manufacturer's written instructions; with smooth, straight, and even surfaces; free of voids throughout the length of piping, including fittings, valves, and specialties.
- B. Refer to schedules at the end of this Section for materials, forms, jackets, and thicknesses required for each piping system.
- C. Use accessories compatible with insulation materials and suitable for the service. Use accessories that do not corrode, soften, or otherwise attack insulation or jacket in either wet or dry state.
- D. Apply insulation with longitudinal seams at top and bottom of horizontal pipe runs.
- E. Apply multiple layers of insulation with longitudinal and end seams staggered.
- F. Do not weld brackets, clips, or other attachment devices to piping, fittings, and specialties.
- G. Seal joints and seams with vapor-retarder mastic on insulation indicated to receive a vapor retarder.
- H. Keep insulation materials dry during application and finishing.
- I. Apply insulation with tight longitudinal seams and end joints. Bond seams and joints with adhesive recommended by the insulation material manufacturer.
- J. Apply insulation with the least number of joints practical.
- K. Apply insulation over fittings, valves, and specialties, with continuous thermal and vaporretarder integrity, unless otherwise indicated. Refer to special instructions for applying insulation over fittings, valves, and specialties.
- L. Hangers and Anchors: Where vapor retarder is indicated, seal penetrations in insulation at hangers, supports, anchors, and other projections with vapor-retarder mastic.
  - 1. Apply insulation continuously through hangers and around anchor attachments.
  - 2. For insulation application where vapor retarders are indicated, extend insulation on anchor legs at least 12 inches from point of attachment to pipe and taper insulation ends. Seal tapered ends with a compound recommended by the insulation material manufacturer to maintain vapor retarder.
  - 3. Install insert materials and apply insulation to tightly join the insert. Seal insulation to insulation inserts with adhesive or sealing compound recommended by the insulation material manufacturer.

### CONTRACT NO. 21-527

## **DIVISION 23 - MECHANICAL**

- 4. Cover inserts with jacket material matching adjacent pipe insulation. Install shields over jacket, arranged to protect the jacket from tear or puncture by the hanger, support, and shield.
- M. Insulation Terminations: For insulation application where vapor retarders are indicated, taper insulation ends. Seal tapered ends with a compound recommended by the insulation material manufacturer to maintain vapor retarder.
- N. Apply adhesives and mastics at the manufacturer's recommended coverage rate.
- O. Apply insulation with integral jackets as follows:
  - 1. Pull jacket tight and smooth.
  - 2. Circumferential Joints: Cover with 3-inch-wide strips, of same material as insulation jacket. Secure strips with adhesive and outward clinching staples along both edges of strip and spaced 4 inches o.c.
  - 3. Longitudinal Seams: Overlap jacket seams at least 1-1/2 inches. Apply insulation with longitudinal seams at bottom of pipe. Clean and dry surface to receive self-sealing lap. Staple laps with outward clinching staples along edge at 4 inches o.c.
    - a. Exception: Do not staple longitudinal laps on insulation having a vapor retarder.
  - 4. Vapor-Retarder Mastics: Where vapor retarders are indicated, apply mastic on seams and joints and at ends adjacent to flanges, unions, valves, and fittings.
  - 5. At penetrations in jackets for thermometers and pressure gages, fill and seal voids with vapor-retarder mastic.
- P. Exterior Wall Penetrations: For penetrations of below-grade exterior walls, terminate insulation flush with mechanical sleeve seal. Seal terminations with vapor-retarder mastic.
- Q. Interior Wall and Partition Penetrations: Apply insulation continuously through walls and floors.
- R. Fire-Rated Wall and Partition Penetrations: Apply insulation continuously through penetrations of fire-rated walls and partitions. Fire-stop using jacket sleeve, intumescent strips. Refer to fire stopping requirements.

### 3.4 MINERAL-FIBER INSULATION APPLICATION

- A. Apply insulation to straight pipes and tubes as follows:
  - 1. Secure each layer of preformed pipe insulation to pipe with wire or tape without deforming insulation materials.
  - 2. Where vapor retarders are indicated, seal longitudinal seams and end joints with vapor-retarder mastic. Apply vapor retarder to ends of insulation at intervals of 15 to 20 feet to form a vapor retarder between pipe insulation segments.
  - 3. For insulation with factory-applied jackets with vapor retarders, do not staple longitudinal tabs but secure tabs with additional adhesive as recommended by the insulation material manufacturer and seal with vapor-retarder mastic.
- B. Apply insulation to fittings and elbows as follows:
  - 1. Apply premolded insulation sections of the same material as straight segments of pipe insulation when available. Secure according to manufacturer's instructions.

# CONTRACT NO. 21-527

### **DIVISION 23 - MECHANICAL**

- 2. When premolded insulation elbows and fittings are not available, apply mitered sections of pipe insulation, or glass-fiber blankets insulation, to a thickness equal to adjoining pipe insulation. Secure insulation materials with wire, tape, or bands.
- 3. Cover fittings with heavy PVC fitting covers for hot water supply and return. Overlap PVC covers on pipe insulation jackets at least 1 inch at each end. Secure fitting covers with manufacturer's attachments and accessories. Seal seams with tape and vapor-retarder mastic.
- C. Apply insulation to valves and specialties as follows:
  - 1. Apply premolded insulation sections of the same material as straight segments of pipe insulation when available. Secure according to manufacturer's written instructions.
  - 2. When premolded insulation sections are not available, apply glass-fiber blanket insulation to valve body. Arrange insulation to permit access to packing and to allow valve operation without disturbing insulation. For check valves, arrange insulation for access to stainer basket without disturbing insulation.
  - 3. Apply insulation to flanges as specified for flange insulation application.
  - 4. Use preformed heavy PVC fitting covers for valve sizes where available. Secure fitting covers with manufacturer's attachments and accessories. Seal seams with tape and vapor-retarder mastic.

### 3.5 INSULATION APPLICATION SCHEDULE, GENERAL

- A. Refer to insulation application schedules for required insulation materials, vapor retarders, and field-applied jackets.
- B. Application schedules identify piping system and indicate pipe size ranges and material, thickness, and jacket requirements.

### 3.6 INSULATION APPLICATION SCHEDULE

- A. Service: Heating Hot Water Supply and Return. Interior locations exposed or concealed.
  - 1. Operating Temperature: 200 deg F and below.
  - 2. Pipe Size: NPS 4" and Smaller
  - 3. Insulation Material: Mineral fiber
  - 4. Insulation Thickness:
    - a. Up to 2" Pipe: 1" thick with vapor barrier (residential applications must comply with energy code/ residential code)
    - b.  $2\frac{1}{2}$ " 6" Pipe: 2" thick
    - c. Over 6" Pipe: 2.5" thick
  - 5. Field-Applied Jacket: Foil and paper
  - 6. Vapor Retarder Required: Yes
  - 7. Premolded insulation fitting covers, covers PVC
- B. PEX insulated with armaflex ½" thickness. Must comply with energy code residential code.

# CONTRACT NO. 21-527 DIVISION 23 - MECHANICAL

END OF SECTION 230719

### SECTION 232113 – HYDRONIC PIPING

### PART 1 - GENERAL

### 1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Special Clauses apply to this Section.

## 1.2 SUMMARY

- A. This Section includes pipe and fitting materials, joining methods, special-duty valves, and specialties for the following:
  - 1. Hot-water heating piping.

### 1.3 SUBMITTALS

- A. Product Data: For each type of the following:
  - 1. Piping and fittings.
  - 2. Valves. Include flow and pressure drop curves based on manufacturer's testing for calibrated-orifice balancing valves and automatic flow-control valves.
  - 3. HVAC piping specialties.
- B. Field quality-control test reports.
- C. Operation and Maintenance Data: For valves, air vents, vacuum breakers, and piping related components in operation, and maintenance manuals.

# 1.4 QUALITY ASSURANCE

- A. Installer Qualifications:
  - 1. Installers shall be trained and qualified to join piping and equipment related to the work.

# PART 2 - PRODUCTS

# 2.1 <u>COPPER TUBE AND FITTINGS</u>:

- 1. Application:
  - a. Heating Hot Water Supply & Return Piping
- 2. Copper Tubing: ASTM B 88, Type L.
- 3. Type K Pressure Fittings.
- 4. Solder Fittings, 95-5 leadless solder.

- 5. Wrought-Copper Fittings: ASME B16.22.
  - a. Manufacturers offering products that may be incorporated into the Work include, but are not limited to Anvil International, Inc.; NIBCO; Chase; Anaconda; Revere; Approved equal.
- 6. Wrought-Copper Unions: ASME B16.22.
- 7. Flanges, if required, shall be class 150 ANSI B16.24

#### B. Insulation

- 1. Furnish and install Everbilt Foam Insulation or equal for the following:
  - a. Piping larger than 3/4-inch nominal diameter.
  - b. Piping from the water heater to kitchen outlets.
  - c. Piping located in the basement area the conditioned space.
  - d. Piping from the water heater to a distribution manifold.
  - e. Piping located under a floor slab.
  - f. Supply and return piping in recirculation systems other than demand recirculation systems.
  - g. Piping with run lengths greater than the maximum run lengths for the nominal pipe diameter given more than 20' runs of ½" pipe.

# 2.2 PIPING SPECIALTIES

- A. Automatic Air Vents:
  - 1. Install automatic air vents at high points of system piping in mechanical equipment rooms only. Manual vents at heat-transfer coils and elsewhere as required for air venting.
  - 2. Body: Bronze or cast iron.
  - 3. Internal Parts: Nonferrous.
  - 4. Operator: Noncorrosive metal float.
  - 5. Inlet Connection: NPS 1/2.
  - 6. Discharge Connection: NPS 1/4.
  - 7. CWP Rating: 150 psig.
  - 8. Maximum Operating Temperature: 240 deg F.
  - 9. Install air vent at each unit heater and at various additional high points in system piping. Contractor shall install a minimum of six air vents on system piping. Each air vent shall be provided with an isolated valve

### B. *Y-Pattern Strainers*:

- 1. Watts Regulator Co.; a division of Watts Water Technologies, Inc.
  - a. Body: ASTM A 126, Class B, cast iron with bolted cover and bottom drain connection.
  - b. End Connections: Threaded ends for NPS 2 and smaller;
  - c. Strainer Screen: 60-mesh startup strainer and perforated stainless-steel basket with 50 percent free area.
  - d. CWP Rating: 125 psig.
  - e. Contractors shall install strainers at supply piping to unit heaters and on the discharge side of new hot water circulator pumps.

### PART 3 - EXECUTION

### 3.1 PIPING APPLICATIONS

- A. Hot-water heating piping, aboveground or installed within pipe chase, NPS 4 and smaller shall be:
  - 1. Type L, drawn-temper copper tubing, wrought-copper fittings, and soldered joints.

### 3.2 VALVE APPLICATIONS

- A. Install shutoff-duty valves at each branch connection to supply mains, and at supply connection to each piece of equipment, and at outlet of steam traps.
- B. Install circuit setter, balancing valves at each branch connection to return main.

## 3.3 PIPING INSTALLATIONS

- A. Install piping indicated to be exposed and piping in equipment rooms and service areas at right angles or parallel to building walls. Install to permit valve servicing at (0.2 percent upward in direction of flow) free of sags and bends and to allow application of insulation.
- B. Install fittings for changes in direction and branch connections.
- C. Install drains, consisting of a tee fitting, NPS 3/4 full port ball valve, and short NPS 3/4 threaded nipple with cap, at low points in piping system mains and elsewhere as required for system drainage.
- D. Reduce pipe sizes using eccentric reducer fitting installed with level side up.
- E. Install unions in piping, NPS 3 and smaller, adjacent to valves, at final connections of equipment, and elsewhere as indicated. Contractor shall install unions to facilitate installation and service of pipe equipment and valves.
- F. Install strainers on supply side of control valves, traps, and elsewhere as indicated. Install NPS 3/4 nipple and ball valve in blow-down connection of strainers NPS 2 and larger. Match size of strainer blow-off connection for strainers smaller than NPS 2.

### 3.4 HANGERS AND SUPPORTS

- A. Hanger, support, and anchor devices are specified in Section 230529 "Hangers and Supports for Hvac Piping and Equipment" Comply with the following requirements for maximum spacing of supports.
- B. Install the following pipe attachments:
  - 1. Adjustable steel clevis hangers for individual horizontal piping less than 20 feet long.
  - 2. Spring hangers to support vertical runs.
  - 3. Provide copper-clad hangers and supports for hangers and supports in direct contact with copper pipe.

- C. Install hangers for steel piping with the following maximum spacing and minimum rod sizes:
  - 1. NPS 1-1/2: Maximum span, 9 feet; minimum rod size, 3/8 inch.
  - 2. NPS 2: Maximum span, 10 feet; minimum rod size, 3/8 inch.
- D. Install hangers for drawn-temper copper piping with the following maximum spacing and minimum rod sizes:
  - 1. NPS 3/4: Maximum span, 5 feet; minimum rod size, 1/4 inch.
  - 2. NPS 1: Maximum span, 6 feet; minimum rod size, 1/4 inch.
  - 3. NPS 1-1/2: Maximum span, 8 feet; minimum rod size, 3/8 inch.
  - 4. NPS 2: Maximum span, 8 feet; minimum rod size, 3/8 inch.
- E. Support vertical runs at roof, at each floor, and at 10-foot intervals between floors.

### 3.5 PIPE JOINT CONSTRUCTION

- A. Soldered Joints: ASTM B 813, water-flushable flux. Construct joints according to ASTM B 828 or CDA's "Copper Tube Handbook," using lead-free solder alloy complying with ASTM B 32.
- B. Threaded Joints: Thread pipe with tapered pipe threads according to ASME B1.20.1. Cut threads full and clean using sharp dies. Ream threaded pipe ends to remove burrs and restore full ID. Join pipe fittings and valves as follows:
- C. Flanged Joints: Select appropriate gasket material, size, type, and thickness for service application. Install gasket concentrically positioned. Use suitable lubricants on bolt threads.
- D. Valves
  - 1. Union Ball Valves: MSS SP-122, with full-port ball, threaded detachable end connectors, and pressure rating not less than 125 psig at 73 deg F.
  - 2. Use bronze ball or gate valves for shutoff duty; Hose-end drain valves for drain duty.
    - a. Ball Valves shall be Stockham Model S-206-BRI-R-T ball valves, or approved equal.
    - b. Gate Valves shall be Stockham Model B-105 bronze gate valves or approved equal.
    - c. Sizes: Same size as upstream pipe, unless otherwise indicated.
  - 3. Install drain valves for equipment at base of each water riser, at low points in horizontal piping, and where required to drain water piping. Install hose-end drain valves at low points in water mains, risers, and branches. Install domestic water piping level with 0.25 percent slope downward toward drain and plumb.
  - 4. Threads shall be according to ASME B1.20.1 and Solder Joints according to ASME B16.18.
  - 5. Install valves as indicated, according to manufacturer's written instructions with unions at each piece of equipment arranged to allow servicing, maintenance, and equipment removal without system shutdown. Locate valves for easy access and provide separate support where necessary in horizontal piping with stem at or above the center of the pipe in a position to allow full stem movement.

## 3.6 HYDRONIC SPECIALTIES INSTALLATION

A. Install automatic air vents at high points of system piping in mechanical equipment rooms only. Manual vents at heat-transfer coils and elsewhere as required for air venting.

## 3.7 FIELD QUALITY CONTROL

- A. Prepare hydronic piping according to ASME B31.9 and as follows:
  - 1. Leave joints, including welds, uninsulated and exposed for examination during test.
  - 2. Flush hydronic piping systems with clean water; then remove and clean or replace strainer screens.
  - 3. Isolate equipment from piping. If a valve is used to isolate equipment, its closure shall be capable of sealing against test pressure without damage to valve. Install blinds in flanged joints to isolate equipment.
  - 4. Install safety valve, set at a pressure no more than one-third higher than test pressure, to protect against damage by expanding liquid or other source of overpressure during test.
- B. Perform the following tests on hydronic piping:
  - 1. Use ambient temperature water as a testing medium unless there is risk of damage due to freezing. Another liquid that is safe for workers and compatible with piping may be used.
  - 2. While filling system, use vents installed at high points of system to release air. Use drains installed at low points for complete draining of test liquid.
  - 3. Isolate expansion tanks and determine that hydronic system is full of water.
  - 4. Subject piping system to hydrostatic test pressure that is not less than 1.5 times the system's working pressure. Test pressure shall not exceed maximum pressure for any vessel, pump, valve, or other component in system under test.
  - 5. After hydrostatic test pressure has been applied for at least 30 minutes, examine piping, joints, and connections for leakage. Eliminate leaks by tightening, repairing, or replacing components and repeat hydrostatic test until there are no leaks.
  - 6. Prepare written report of testing.
- C. Perform the following before operating the system:
  - 1. Open manual valves fully.
  - 2. Inspect air vents at high points of system and determine if all are installed and operating freely (automatic type), or bleed air completely (manual type).
  - 3. Set temperature controls so all coils are calling for full flow.
  - 4. Inspect and set operating temperatures of hydronic equipment to specified values.
  - 5. Verify lubrication of motors and bearings.

END OF SECTION 232113

CONTRACT NO: 21-527 DIVISION: MECHANICAL

# SECTION 235223 CAST IRON BOILERS AND RELATED ACCESSORIES

# I. GENERAL REQUIREMENTS

- A. Furnish and install ONE (1) low pressure, natural draft, cast iron sectional boiler.
- B. Install boiler unit in compliance with manufacturer's installation instructions. All work must be done in a neat and skillful manner.
- C. Weil-McLain Packaged WGO-3RD boiler capable of burning No. 2 fuel oil.
- D. Boiler assembly:
  - 1. P "Packaged" boiler(s) to be factory assembled, wired, and tested with jacket, circulator water only, burner, and controls. Boiler shall be shipped ready for field installation.
- E. Boiler(s) shall be 86% minimum efficient as rated by D.O.E. seasonal efficiency (AFUE) and listed in the current AHRI Directory of Certified Ratings.
  - "Levittown" boiler(s) (Packaged WTGO-3L only) shall be 86% minimum efficient as rated by D.O.E. seasonal efficiency (AFUE) and listed in the current AHRI Directory of Certified Ratings.
- F. Water boiler shall meet U.S. Environmental Protection Agency and Department of Energy guidelines for "ENERGY STAR" energy efficiency when installed with the additional ES Vent Damper kit.
- G. Boiler(s) shall have an AHRI gross output(s) at 100% firing rate 85 MBH.
- H. Boiler(s) shall be manufactured to conform to Section IV of the ASME Boiler and Pressure Vessel Code.
  - Individual sections and section assembly shall undergo hydrostatic pressure test at factory in accordance with ASME requirements for 50 PSIG working pressure and cast as part of section with ASME symbol.
  - 2. Water boiler(s) maximum allowable working pressure will be 50 PSIG.
- I. Regulatory requirements:
  - 1. Boiler(s) and controls shall comply with applicable regulations.
- J. Submittals
  - 1. Submit shop drawings and product data.
  - 2. Submittal packet to include boiler descriptive literature, installation instructions, operating instructions, and maintenance instructions.

# II. Product

- A. Acceptable boiler manufacturer(s) include(s):
  - Weil-McLain only, as specified in Part 1, Paragraph C.

<u>CONTRACT NO</u>: 21-527 DIVISION: MECHANICAL

- 2. Other manufacturer or other Weil-McLain boiler(s) must comply with specifying engineer's requirements, including:
  - Full intent of these specifications, and
  - Provide complete submittal including literature, wiring diagrams, fuel piping diagrams, and a list of similar installations.
  - Submittals to be presented to specifying engineer at least seven working days for approval before bid opening.

# B. Boiler construction

# 1. Boiler sections

- Factory assembled in one block with tie rods and sealed with high temperature sealant to assure a permanent gas-tight seal.
- Rear section shall encompass a recessed target wall to protect the combustion chamber from flue brush damage.
- Sealed watertight by elastomer sealing rings, not cast iron nipples. Each port opening shall be machined to completely capture sealing ring between sections in order to assure uniform compression of the sealing rings and to protect the sealing rings from contaminants.
- Provided with sufficient tappings to install required controls.
- Boiler(s)-
- Provided with cast-in air elimination to separate air from circulating water.
- Provided with a swing-away burner mounting door to allow greater ease of service.
- Provided with the means to vent out the top or out the rear of the boiler.
- Shipped with insulated heavy gauge steel jacket(s) with durable powdered paint enamel finish. Jacket designed to be installed after connecting supply and return piping.

# C. Boiler foundation(s)

1. Installer shall construct required level concrete foundation(s) and support(s) where boiler room floor is uneven or will not support the weight of the boiler(s).

# D. Boiler trim

- 1. All electrical components to be of high quality and third (3<sup>rd</sup>) party recognized.
- 2. Electrical wiring to utilize a labeled and color-coded wiring harness to help assure correct wiring.
- 3. Water boiler(s) standard controls furnished:

CONTRACT NO: 21-527 DIVISION: MECHANICAL

- Temperature limit control with circulator relay, integrated low water cut-off and power switch. (240 degrees F maximum allowable water temperature)
- Combination pressure-temperature gauge. Dial clearly marked and easy to read.
- A.S.M.E. certified pressure relief valve, set to relieve at 30 PSIG. Side outlet discharge type; installer to pipe outlet to floor drain or near floor.

# E. Optional Components

 The boiler(s) shall be able to be provided with an optional relief valve set to relieve at 50 PSIG.

## F. Boiler Manuals

- 1. The boiler(s) shall be provided with complete instruction manuals, including:
  - Boiler Installation Manual
  - Maintenance and Service Guide