

## PART 1 - GENERAL

## 1.01 SECTION INCLUDES

- A. Codes
- B. Governing agencies
- C. Permits

## 1.02 CODES

- A. Comply with the requirements of the various codes referred to in these Specifications. Such codes shall be the date of the latest revision in effect at the time of receiving bids.
- B. If there is a conflict between local, state, and/or Federal regulatory requirements, seek a consultation with the State Department of Labor. Resolve conflicts to the satisfaction of the State Department of Labor prior to commencing work.
- C. Elevator Work; conform to:
  - 1. American National Standard Safety Code for Elevators, Dumbwaiters, and Escalators as approved by American Standards Association, referred to herein as ANSI Code.

## 1.03 GOVERNING AGENCIES

- A. All work shall conform to and be performed in strict accordance with all governing agencies such as, but not limited to:
  - 1. Occupational Safety and Health Act - OSHA
  - 2. State Department of Environmental Conservation
  - 3. State Building Code
  - 4. State Fire Code
  - 5. National Fire Protection Association - NFPA
  - 6. National Electrical Code
  - 7. State Plumbing Code
  - 8. New York State Energy Code
  - 9. County Department of Health
  - 10. Town Codes, Rules, Laws and Ordinances
  - 11. Sewer District Sewer Use Code
  - 12. Local Water District
  - 13. Electric Utility
  - 14. Gas Utility
  - 15. Village Codes
  - 16. State Education Department

## 1.04 PERMITS AND INSPECTIONS

- A. Representatives of the Owner shall have access to the work for inspection purposes. The Contractor shall provide facilities suitable to the Owner to facilitate inspections of the installed work.
- B. Obtain and pay for all permits, fees, licenses, certificates, inspections and other use charges required in connection with the work.
- C. Such permits include, but are not limited to:
  - 1. Dewatering Permit
  - 2. Clearing and tree removal

3. Transportation and disposal of construction debris
- D. Comply with provisions and actions included in the Stormwater Pollution Prevention Plan (SWPPP) that has been prepared by the Architect for the project, in regard to erosion and sediment control and pollution prevention of surface waters. The SWPPP is available for review at the Architect's office.

#### 1.05 LISTINGS

- A. Equipment and materials for which Underwriters' Laboratories, Inc. (UL) provides product listing service, shall be listed and bear the listing mark. Alternately, ETL Testing Laboratories, Inc. Product Safety Testing Listing is acceptable if the listed product has been tested to the applicable UL Standard.

#### 1.06 FIRE RESISTANT CONSTRUCTION MATERIALS AND ASSEMBLIES

- A. Conform to the fire rating classifications based upon the test methods and acceptance criteria in the Standard, Fire Tests of Building Construction and Materials for which Underwriters' Laboratories, Inc. (UL) provides listings.
- B. Materials and assemblies shall comply with the acceptance criteria, detailed description of the assembly, its performance in the fire test and other pertinent details such as specification of materials, Classification coverage, and alternate assembly details.
- C. Alternatively, fire resistance rating classifications by other issuing organizations listed in the Fire and Building Codes are acceptable.

#### 1.07 COORDINATION WITH GAS UTILITY COMPANY

- A. Comply with the gas utility company requirements including inspection for the incoming gas service.
  1. Pay the utility company's charges in connection with the installation and inspection of the incoming service.
  2. An allowance for the utility company's charges is included in Section 012100.
- B. Comply with the gas utility company requirements including inspection for the incoming gas service. There are no utility charges associated with the installation and inspection of the incoming service.

#### 1.08 COORDINATION WITH WATER UTILITY

- A. Comply with the water utility requirements for water and fire service connections. Obtain and pay for all necessary permits from the water utility. Obtain authority to connect to the existing water mains.
  1. Make necessary connections to existing public water mains under supervision of the water utility representative.
  2. Connections to existing public water mains will be made by the water utility.
- B. Pay the water utility's charges for the connections.

#### 1.09 COORDINATION WITH SANITARY SEWER UTILITY

- A. Comply with the public utility requirements for the connection of sanitary sewer lines to the public utility services. Obtain and pay for all necessary permits from public sewer department. Obtain authority to connect to their existing sanitary sewers.

1. Make necessary connections to existing public sewer lines under the supervision of sewer department's representative.
2. Connections to the existing public sanitary sewer will be made by the public sewer department.

B. Pay the sewer department's charges for the connections.

#### 1.10 COORDINATION WITH TELEPHONE UTILITY COMPANY

- A. Comply with the utility company requirements for the incoming telephone service.
  1. An allowance for the utility company's charges is included in Section 012100.
- B. Comply with the utility company requirements for the incoming telephone service. There are no utility company charges associated with the installation of the incoming service.
- C. Contact the local telephone company and arrange for the removal and relocation of existing telephone equipment.
  1. Pay charges associated with relocation of telephone equipment by the utility.

#### 1.11 UTILITY WORK WITHIN STATE HIGHWAY RIGHT-OF-WAY

- A. Utility Work, either overhead or underground, within the boundaries of the state highway right-of-way, shall conform with procedures set forth in the Department of Transportation publications "Department Rules and Regulations Governing the Accommodation of Utilities Within State Highway Right-of-Way (Part 131 - Title 17 Transportation) and "Issuance of Highway Work Permits" (Code 7.12-2).

#### PART 2 - PRODUCTS

NOT USED

#### PART 3 - EXECUTION

NOT USED

**END OF SECTION**