

## PART 1 - GENERAL

## 1.01 SECTION INCLUDES

- A. Asbestos and lead-based paint certification.
- B. Moisture control.

## 1.02 ASBESTOS AND LEAD-BASED PAINT CERTIFICATION

- A. Contractor shall submit the enclosed "Asbestos and Lead-Based Paint Certification" upon completion of all work.

## 1.03 MOISTURE CONTROL

- A. The Contractor shall maintain a strict policy and protocol for the control of water infiltration and moisture build-up during the course of the project. The plans and specifications are not intended to depict each and every condition or detail of construction. As the knowledgeable party in the field, the Contractor is in the best position to verify that all construction is completed in a manner which will provide a watertight structure. The Contractor has the sole responsibility for ensuring the watertight integrity of the structure. The Contractor's contractual obligations include, but are not limited, to the following:
- B. Water Infiltration: If the Contractor observes water infiltration (unintended) into a completed building or an ongoing construction site, he must immediately report the condition to the Owner and Architect, and shall immediately take steps to investigate the source of the water infiltration, identify the responsible party (person who performed work that resulted in water infiltration) and devise a procedure to promptly eliminate water infiltration into the building.
- C. Handling of Water-Damaged Building Materials and Construction:
  - 1. Contractor shall inspect all building materials delivered to the site for pre-existing water damage, as well as existing mold growth.
  - 2. If in-place construction becomes wet, notify the Owner and Architect immediately. The Owner and Architect will determine whether or not the work shall be removed and replaced, or if the type of material can be permitted to dry.
  - 3. Under no circumstances may new or additional construction be placed over, or otherwise enclose, wet building materials.
- D. Visible Mold/Mildew:
  - 1. If the Contractor observes any substance that appears to be mold or other fungal growth and/or an unidentified substance within a completed building or the ongoing construction site, he shall immediately suspend construction operations in the area, and report the condition to the Owner and Architect.
  - 2. No person shall be allowed back into the affected area without permission of the Owner.

## 1.04 SUBMITTALS

- A. Contractor shall submit completed and notarized "Certification of Asbestos and Lead-Based Paint" form.

PART 2 - PRODUCTS

NOT USED

PART 3 - EXECUTION

NOT USED

**This space left intentionally blank.**

**Certificate of Asbestos and Lead-Based Paint  
(New Work)**

Client's Name: \_\_\_\_\_

Project Location: \_\_\_\_\_

Project Address: \_\_\_\_\_

Project Name: \_\_\_\_\_

Project Number: \_\_\_\_\_

**CERTIFICATION:**

This Contractor hereby certifies that no asbestos-containing material and lead-based paint, as defined by applicable federal and state regulations, has been furnished or installed at the referenced project:

Contractor Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Telephone: \_\_\_\_\_ Date Executed: \_\_\_\_\_

**This Form Shall Be Notarized**

**END OF SECTION**