

WALL CONSTRUCTION TYPES

- T/ PARTITION WALL: 6" (20 GA) METAL STUDS @ 16" OC V LAYER 5/8" GWB EACH SIDE TO ROOF DECK ON SALE SIDE AND TO 12'-0" AFF ON STOCKROOM SIDE. SEE DE 1/A4.1 FOR ADDITIONAL REQUIREMENTS AND BRACIN PER FINISH SCHEDULE, SHEET A4.
- 2/ PARTITION WALL: 6" (20 GA) METAL STUDS @ 16" OC \ LAYER 5/8" GWB EACH SIDE TO ROOF DECK ON SALES STOCKROOM SIDE AND TO FINISHED CEILING ON TOI / HALLWAY SIDE. SEE DETAIL 2/A4.1. FINISH PER FINI SCHEDULE, SHEET A4.

3 NOT USED

- 747 PLUMBING PARTITION: 6" (20 GA) METAL STUDS @ 16" OC WITH ONE LAYER 5/8" GWB EACH EXPOSED SIDE TO FINISHED CEILING OR UNDERSIDE OF DECK. PLUMBING WALLS SHALL HAVE WATER RESISTANT GWB. FINISH PER FINISH SCHEDULE. SHEET A4.
- ▼57 PARTITION WALL: 3 5/8" (20 GA) METAL STUDS @ 16" OC WITH ONE LAYER 5/8" GWB EACH EXPOSED SIDE TO FINISHED HARD CEILING OR 6" ABOVE SUSPENDED CEILING. PLUMBING WALLS ON INTERIOR OF TOILETS SHALL HAVE WATER RESISTANT GWB.
- 67 PARTITION WALL: 3 5/8" (20 GAGE) METAL STUDS @ 16" OC WITH ONE LAYER 5/8" GWB EACH SIDE TO 8'-0" AFF. SEE DETAIL 4/A1.1. FINISH PER FINISH SCHEDULE SHEET A4.
- 77 PARTITION WALL: 3 5/8" (20 GAGE) METAL STUDS @ 16" OC WITH ONE LAYER 5/8" GWB EACH EXPOSED SIDE TO 6" ABOVE FINISH CEILING. FINISH PER FINISH SCHEDULE SHEET A4.
- 8/ PARTITION WALL: 3 5/8" (20 GA) METAL STUDS @ 16" OC WITH ONE LAYER 5/8" GWB EACH EXPOSED SIDE TO FINISHED HARD CEILING OR 6" ABOVE SUSPENDED CEILING. PROVIDE VENT AND OPAQUE FILM ON INTERIOR OF STOREFRONT GLASS. SEE DETAIL 3/A4.1. FINISH PER FINISH SCHEDULE, SHEET A4.
- TENANT DEMISING WALL: EXISTING METAL STUDS AND GWB. PATCH AND REPAIR AS REQUIRED. PROVIDE FIRE TAPED GWB ON EXISTING STUDS WHERE WALL CAVITY HAS BEEN EXPOSED. FINISH PER FINISH SCHEDULE, SHEET A4.

| WITH ONE ES AREA DETAIL ING. FINISH | |
|--|--|
| WITH ONE ES / DILET ROOM NISH | |
| | |

