





A2 SCALE: 1 1/2"=1'-0"



- ATTACHED WITH (2)-#12 TEK SCREWS AT EACH STUD.


– GWB ON METAL STUDS. REFER TO SHEET A1 FOR WALL TYPES.

- BASE. REFER TO FINISH SCHEDULE, SHEET A4 (TYP.)



CEILING NOTES:

- 1. CONTRACTOR SHALL CLEAN ALL DUST AND DIRT FROM ROOF DECK, BEAMS AND JOIST, MECHANICAL EQUIPMENT, CONDUIT AND WIRES. PAINT DECK, MECHANICAL EQUIPMENT, AND STRUCTURE TRUSTY TAN ON SALES FLOOR AND IN HALLWAY ONLY - REFER TO FINISH SCHEDULE.
- 2. SEE DETAIL 3/A2 FOR LIGHT MOUNTING. 3. MOUNT LIGHTS AND SECURITY CAMERA DOMES AT 12'-0" AFF IN SALES AREA AND 10'-0 AFF IN STOCKROOM.
- 4. LIGHT FIXTURES AND SECURITY CAMERA DOMES, MIRROR PANELS, OCCUPANCY SENSOR AND POWER POLES (UON) ARE TENANT SUPPLIED / CONTRACTOR INSTALLED.



_____ EMPLOYEE AREA WALLS BELOW

NOTE 1. MAINTAIN MIN. 18" CLEAR BETWEEN SPRINKLERS AND ANY LIGHT OR OTHER OBSTRUCTION. NOTIFY FIRE PROTECTION ENGINEER AND ARCHITECT OF ANY ISSUES MEETING CLEARANCE REQUIREMENTS.

