



FAN SCHEDULE															
TAG	MANUFACTURER	MODEL	LOCATION	SERVICE	TYPE	DRIVE	AIR FLOW (CFM)	TSP (IN. WG)	ELECTRICAL				OPERATING WEIGHT (±LBS)	DIMENSIONS DlxWxH (IN)	NOTES
									HP	BHP	RPM	V-PH-HZ			
EF-1	GREENHECK	CSP-A390-VG	VENDOR SPACE 101 ATTIC	VENDOR SPACE 101	CENTRIFUGAL	DIRECT	200	0.20	0.07	0.03	887	115-1-60	24	12X14X11	1-5
NOTES:															
1. PROVIDE ALL CONTACTS, RELAYS, AND DEVICES NECESSARY FOR BMS CONTROL OF FANS PER SEQUENCE OF OPERATIONS.															
2. PROVIDE WALL MOUNT SWITCH FOR EF-1, REFER TO CONTROLS.															
3. PROVIDE THERMAL OVERLOAD FOR ALL SINGLE PHASE MOTORS.															
4. PROVIDE SALT WATER RESISTANT HI-PRO POLYESTER COATING FOR ALL FANS.															
5. FAN SHALL BE FURNISHED WITH NON FUSED DISCONNECT.															

LOUVER SCHEDULE												
TAG	MANUFACTURER	MODEL	SERVICE	LOCATION	MATERIAL	FINISH TYPE	WIDTH (INCH)	HEIGHT (INCH)	FREE AIR VELOCITY (FFM)	PRESSURE DROP (IN. WG)	MINIMUM FREE AREA (SQUARE FEET)	NOTES
LV-1	GREENHECK	ESD-635	EXHAUST	VENDOR SPACE ATTIC	ALUMINUM	BAKED ENAMEL	12	12	1053	0.14	0.19	1
NOTES:												
1. PROVIDE WITH ALUMINUM BIRD SCREEN AND BACKDRAFT DAMPERS.												

DIFFUSER SCHEDULE											
TAG	MANUFACTURER	MODEL	SERVICE	NECK SIZE (IN)	FACE SIZE (IN)	MOUNTING	CFM	MAX PD (wg)	MAX VELOCITY (FPM)	MAX NC	NOTES
EG-1	TITUS	50F	GENERAL EXHAUST	8X8	11.75X11.75	LAY-IN / GYP	177-354	0.05	600	20	1, 3, 4
NOTES:											
1. COORDINATE AND CONFIRM CEILING AND/OR WALL MOUNT (T-BAR, SURFACE, REINFORCEMENT, ETO) WITH ARCHITECTURAL RCP AND WALL CONSTRUCTION BEFORE ORDERING.											
2. PROVIDE WITH MOLDED INSULATION BLANKET.											
3. INTEGRAL VOLUME DAMPERS NOT ACCEPTABLE. VOLUME DAMPERS PROVIDED BY MECHANICAL CONTRACTOR ON ALL RUN-OUTS. EXCEPTIONS REQUIRE APPROVAL WHEN REQUIRED.											
4. PROVIDE ALL ALUMINUM CONSTRUCTION VERSION FOR GRDS LOCATED IN GYM, BATHROOM, LOCKER, SHOWER AREAS, AND IMAGING/MRI ROOMS.											

<div>CONSULTANT INFORMATION</div> <div><div>LiRo Engineers, Inc. <i>A LiRo Group Company</i> Syosset, N.Y. 516-214-8157[T]</div></div>		<div>CONSULTANT SEAL</div> <div></div>	<table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>REVISION NUMBER</td><td>DATE</td><td>MADE BY</td><td>APP'D BY</td><td>REVISION</td></tr></table>																										REVISION NUMBER	DATE	MADE BY	APP'D BY	REVISION	<div>RECORD DRAWING CERTIFICATION</div> <div><input type="checkbox"/> AS BUILT – CHANGES AS NOTED <input type="checkbox"/> AS BUILT – NO CHANGES</div> <table><tr><td colspan="2">CONTRACTOR</td><td colspan="2">PROJECT COORDINATOR</td></tr><tr><td>NAME _____</td><td>NAME _____</td><td>NAME _____</td><td>NAME _____</td></tr><tr><td>SIGNATURE _____</td><td>SIGNATURE _____</td><td>SIGNATURE _____</td><td>SIGNATURE _____</td></tr><tr><td>TITLE _____</td><td>TITLE _____</td><td>TITLE _____</td><td>TITLE _____</td></tr><tr><td>DATE _____</td><td>DATE _____</td><td>DATE _____</td><td>DATE _____</td></tr></table>	CONTRACTOR		PROJECT COORDINATOR		NAME _____	NAME _____	NAME _____	NAME _____	SIGNATURE _____	SIGNATURE _____	SIGNATURE _____	SIGNATURE _____	TITLE _____	TITLE _____	TITLE _____	TITLE _____	DATE _____	DATE _____	DATE _____	DATE _____	<div>WESTCHESTER COUNTY, NEW YORK</div> <div>DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION</div> <div>DIVISION OF ENGINEERING</div> <div>INFRASTRUCTURE REHABILITATION - PHASE 3</div> <div>PLAYLAND PARK, RYE, NEW YORK</div> <div>DRAGON COASTER VENDORS</div> <div>MECHANICAL SCHEDULES</div>	<table><tr><td>CONTRACT NUMBER</td><td>SHEET NUMBER</td></tr><tr><td>22-523</td><td>DCV-M-61</td></tr><tr><td>DWG NO.:</td><td>473 of 664</td></tr><tr><td>SCALE:</td><td>AS INDICATED</td></tr><tr><td>DATE:</td><td>08/23/2022</td></tr><tr><td>DPW FILE NUMBER</td><td>REV. NO.</td></tr><tr><td>1-118-M-1222-0</td><td>0</td></tr></table>	CONTRACT NUMBER	SHEET NUMBER	22-523	DCV-M-61	DWG NO.:	473 of 664	SCALE:	AS INDICATED	DATE:	08/23/2022	DPW FILE NUMBER	REV. NO.	1-118-M-1222-0	0
REVISION NUMBER	DATE	MADE BY	APP'D BY	REVISION																																																																		
CONTRACTOR		PROJECT COORDINATOR																																																																				
NAME _____	NAME _____	NAME _____	NAME _____																																																																			
SIGNATURE _____	SIGNATURE _____	SIGNATURE _____	SIGNATURE _____																																																																			
TITLE _____	TITLE _____	TITLE _____	TITLE _____																																																																			
DATE _____	DATE _____	DATE _____	DATE _____																																																																			
CONTRACT NUMBER	SHEET NUMBER																																																																					
22-523	DCV-M-61																																																																					
DWG NO.:	473 of 664																																																																					
SCALE:	AS INDICATED																																																																					
DATE:	08/23/2022																																																																					
DPW FILE NUMBER	REV. NO.																																																																					
1-118-M-1222-0	0																																																																					