




1 TYPICAL EXTERIOR BEARING WALL DETAIL
SCALE: 3/4" = 1'-0"




2 METAL STUD BEARING TRANSVERSE WALL
SCALE: 3/4" = 1'-0"




3 TYPICAL EXTERIOR WALL DETAIL AT FLOORS
SCALE: 3/4" = 1'-0"




4 DETAIL @ METAL STUD SHEAR OR BEARING WALL INTERSECTION
SCALE: 3/4" = 1'-0"




- NOTES:**
1. DETAIL PORTRAYS LOWER FLOOR BEARING WALLS. DETAIL IS SIMILAR AT ROOF.
 2. DETAIL PORTRAYS BEARING WALL CONDITIONS. DETAIL IS SIMILAR FOR SHEAR WALLS.




6 TYPICAL DETAIL @ BEARING WALL SUPPORTED BY STEEL BEAM
SCALE: 3/4" = 1'-0"



7 TYPICAL EXTERIOR SHEAR WALL BEARING DETAIL AT FLOORS
SCALE: 3/4" = 1'-0"




8 TYPICAL SHEAR WALL BEARING DETAIL @ FLOORS
SCALE: 3/4" = 1'-0"




HEADER CONNECTION SCHEDULE		
DEPTH (in.)	GAUGE	QUANTITY #14 TEK SCREWS PER HEADER MEMBER
6	16	6
8	12	14
12	12	14
12	10	14
14	12	16
14	10	18


9 DETAIL AT LIGHT GUAGE HEADER SUPPORT
SCALE: 3/4" = 1'-0"



10 TYPICAL DOUBLE METAL STUD ATTACHMENT DETAIL
SCALE: 3/4" = 1'-0"



11 TYPICAL EXTERIOR SHEAR WALL DETAIL AT FLOORS
SCALE: 3/4" = 1'-0"



12 TYPICAL SHEAR WALL DETAIL AT FLOORS
SCALE: 3/4" = 1'-0"

REVISIONS		DESCRIPTION
NO.	DATE	
1	7/1/2022	ISSUED FOR PERMIT

ENGINEERS
PLANNERS
SCIENTISTS
CONSTRUCTION MANAGERS

KCI
TECHNOLOGIES

5001 LOURIE DRIVE, SUITE 201
MIDLAND, MI 48605
PHONE: 717-691-1340
WWW.KCI.COM

SAA architects
client centered • smart solutions

600 North Hanley Street, Suite 150
T - 717-843-3200 F - 717-698-0205

TYPICAL FRAMING SECTIONS AND DETAILS
POUGHKEEPSIE NY STORAGE
DIAMOND POINT DEVELOPMENT

1999 SOUTH ROAD, POUGHKEEPSIE, NEW YORK 12601

STATE OF NEW YORK
OFFICE OF THE STATE ENGINEER
PROFESSIONAL ENGINEER

07/01/2022

FILE NO: 28220745
DATE: 07/01/2022
SCALE: AS NOTED
DRAWN BY: CTK
DRAWING NO.: **S-400**