

One Larkin Center, 3<sup>rd</sup> Floor Yonkers, New York 10701 (914) 377-6037 alex.schenck@YonkersNY.gov

Mike Spano, Mayor Thomas E. Collich, Director

BID No. IFB-6762 ADDENDUM NO. 3 DATE: April 19, 2022

**PROJECT NAME:** CAPITAL IMPROVEMENT REHABILITATION PHASE 3

CHARLES E. GORTON HIGH SCHOOLS - YPS #10909

SED #: 66-23-00-01-0-204-019

This Addendum is hereby included in and made a part of the Contract Documents, April 22, 2022, whether or not attached thereto. All requirements of the original project specifications and drawings shall remain in force except as amended by this addendum.

This addendum consists of One (1) page plus Sketch SK-A3.0.

# THE FOLLOWING ARE MODIFICATIONS, CLARIFICATIONS, DELETIONS OR ADDITIONS TO THE SPECIFICATIONS:

#### **SECTION 23 0125 – SCOPE OF WORK**

23 0125-10, 2.34 ADD "B. Pump Discharge Piping:

- 1. Piping: Galvanized steel pipe, Schedule 40 with marker's name rolled into each length.
- 2. Fittings:
  - a. Threaded: Galvanized malleable iron with flat band steam pattern. Cast iron drainage pattern for waste piping.
  - b. Mechanical Joints: Victaulic couplings style 07 for grooved piping only, with gasket.
  - c. Bolted flange with gasket.
- 3. Joints: Teflon tape for threaded, Victaulic couplings for gasket for mechanical joint.
- 4. Application: Schedule 40 steel for sump pump discharge.".

## **SECTION 26 0125 - SCOPE OF WORK**

26 0125-2, 1.1 B **DELETE** in its entirety.

THE FOLLOWING ARE MODIFICATIONS, CLARIFICATIONS, DELETIONS OR ADDITIONS TO THE DRAWINGS:

#### DRAWING AR200 - GROUND FLOOR REMOVAL REFLECTED CEILING PLANS

REVISE Ceiling Work Scope Notes as described on Sketch SK-A3.0 attached to this addendum.

### END OF BID ADDENDUM NO. 3

The Bid due date remains 2:00 pm on April 22, 2022.

## IFB-6762 ADDENDUM No. 3 ACKNOWLEDGEMENT

Please submit acknowledgements with your bid

Bidding Firm:		
Address:		
Bidder's Repentati	ve:	Title:
Signature:		Date: