

## **SECTION 220518 – ESCUTCHEONS FOR PLUMBING PIPING**

### **PART 1 - GENERAL**

#### **1.1 RELATED DOCUMENTS**

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

#### **1.2 SUMMARY**

- A. Section Includes:
  - 1. Escutcheons.

#### **1.3 DEFINITIONS**

- A. Existing Piping to Remain: Existing piping that is not to be removed and that is not otherwise indicated to be removed and salvaged, or removed and reinstalled.

#### **1.4 ACTION SUBMITTALS**

- A. Product Data: For each type of product.

### **PART 2 - PRODUCTS**

#### **2.1 MANUFACTURERS**

- A. Manufacturers: Subject to compliance with requirements, provide products by one of the following:
  - 1. BrassCraft Manufacturing Co.; a Masco company.
  - 2. Dearborn Brass.
  - 3. Jones Stephens Corp.
  - 4. Mid-America Fittings, Inc.
  - 5. ProFlo; a Ferguson Enterprises, Inc. brand.

#### **2.2 ESCUTCHEONS**

- A. One-Piece, Steel Type: With polished, chrome-plated finish and setscrew fastener.

### **PART 3 - EXECUTION**

#### **3.1 INSTALLATION**

- A. Install escutcheons for piping penetrations of walls, ceilings, and finished floors.
- B. Install escutcheons with ID to closely fit around pipe, tube, and insulation of insulated piping and with OD that completely covers opening.
  - 1. Escutcheons for New Piping and Relocated Existing Piping:
    - a. Chrome-Plated Piping: One-piece steel with polished, chrome-plated finish.

Purchase College  
State University of New York  
735 Anderson Hill Road, Purchase, NY 10577

Academic Restrooms Renovation Project  
#SU-050522

- b. Insulated Piping: One-piece steel with polished, chrome-plated finish.

### 3.2 FIELD QUALITY CONTROL

- A. Using new materials, replace broken and damaged escutcheons and floor plates.

END OF SECTION