

FILE PATH: I:\Projects\KGD\NKGD0239.00\Dwgs\M603 SAVE DATE:3/23/2022 8:12 AM SAVED BY: nwallingford

	Ventilation Index - DOAS-1 & DOAS-2 Classrooms																			
Served	Room	Room Name	Area	Occupar	псу Туре			Co	ode			Lab Area	Code EA	Design EA	Desig	ın SA	Desig	n OA	Code	e OA
Ву	No.		(sq.ft.)	Category	Туре	Pers./1000	No. of	OA CFM /	OA CFM /	Dist	EA CFM /	SF	CFM	CFM	CFM	CFM /	%	CFM	CFM	CFM /
						sq.ft.	Occ.	Pers.	sq.ft.	Effective	sq.ft.					sq.ft.	w/o Div.			sq.ft.
DOAS-1	150	CLASSROON	850	Education	Classroom	25	21	10	0.18	1.0	-	-	1	365.0	365.0	0.4	100%	365	363	0.43
DOAS-1	151	CLASSROON	950	Education	Classroom	25	23	10	0.18	1.0	-	-		415.0	415.0	0.4	100%	415	401	0.42
DOAS-1	152	CLASSROON	1040	Education	Science	25	26	10	0.18	1.0	1.0	350.0	350.0	450.0	450.0	0.4	100%	450	447	0.43
DOAS-1	153	CLASSROON	870	Education	Classroom	25	21	10	0.18	1.0		-1	-	370.0	370.0	0.4	100%	370	367	0.42
DOAS-1	250	CLASSROON	1120	Education	Science	25	28	10	0.18	1.0	1.0	560.0	560.0	700.0	700.0	0.6	100%	700	482	0.43
DOAS-2	252	CLASSROON	1090	Education	Science	25	27	10	0.18	1.0	1.0	600.0	600.0	700.0	700.0	0.6	100%	700	466	0.43
DOAS-2	251	PREP ROOM	140	Education	Science	25	3	10	0.18	1.0	1.0	140.0	140.0	250.0	250.0	1.8	100%	250	55	0.39
DOAS-1	253	CLASSROON	1150	Education	Science	25	28	10	0.18	1.0	1.0	550.0	550.0	700.0	700.0	0.6	100%	700	487	0.42
DOAS-2	350	CLASSROON	800	Education	Classroom	25	20	10	0.18	1.0	_	=1	-	350.0	350.0	0.4	100%	350	344	0.43
DOAS-2	351	CLASSROON	1020	Education	Science	25	25	10	0.18	1.0	1.0	350.0	350.0	450.0	450.0	0.4	100%	450	434	0.43
DOAS-2	352	CLASSROON	1020	Education	Science	25	25	10	0.18	1.0	1.0	350.0	350.0	450.0	450.0	0.4	100%	450	434	0.43
DOAS-2	353	CLASSROON	800	Education	Classroom	25	20	10	0.18	1.0	<u>=</u>	_		350.0	350.0	0.4	100%	350	344	0.43

	Ventilation Index - DOAS-3, DOAS-4, DOAS-5 OLD Classrooms																
Served	Room	Room Name	Area	Occupar	псу Туре		C	ode		Distributio	Desig	gn SA	EA	Design	OA	Code	e OA
Ву	No.		(sq.ft.)	Category	Type	Pers./1000	No. of	OA CFM /	OA CFM	n n	CFM	CFM /	CFM	%	CFM	CFM	CFM /
						sq.ft.	Occ.	Pers.	sq.ft.	Effectivne		sq.ft.		w/o Div.			sq.ft.
DOAS-3	112	CLASSROOM	690	Education	Classroom	35	25	10	0.12	1.0	350.0	0.5	350.0	100%	350	333	0.48
DOAS-3	113	CLASSROOM	715	Education	Classroom	35	26	10	0.12	1.0	350.0	0.5	350.0	100%	350	346	0.48
DOAS-4	202	CLASSROOM	630	Education	Classroom	35	23	10	0.12	1.0	310.0	0.5	310.0	100%	310	306	0.49
DOAS-4	202B	CLASSROOM	380	Education	Classroom		14	10	0.12	1.0	200.0	0.5	200.0	100%	200	186	0.49
DOAS-4	203	CLASSROOM	540	Education	Classroom		19	10	0.12	1.0	260.0	0.5	260.0	100%	260	255	0.47
DOAS-4	203A	CLASSROOM	700		Classroom		25	10	0.12	1.0	350.0	0.5	350.0	100%	350	334	0.48
DOAS-4	204	CLASSROOM	525		Classroom	35	19	10	0.12	1.0	260.0	0.5	260.0	100%	260	253	0.48
DOAS-5	210	CLASSROOM	455	Education	Classroom		16	10	0.12	1.0	230.0	0.5	230.0	100%	230	215	0.47
DOAS-5	211	CLASSROOM	665	Education	Classroom		24	10	0.12	1.0	350.0	0.5	350.0	100%	350	320	0.48
DOAS-5	212	CLASSROOM	580	Education	Classroom		21	10	0.12	1.0	300.0	0.5	300.0	100%	300	280	0.48
DOAS-5	205	CLASSROOM	275	Education	Classroom		10	10	0.12	1.0	150.0	0.5	150.0	100%	150	133	0.48
DOAS-3	206	CLASSROOM	715		Classroom	35	26	10	0.12	1.0	350.0	0.5	350.0	100%	350	346	0.48
DOAS-3	207	CLASSROOM	560	Education	Classroom		20	10	0.12	1.0	270.0	0.5	270.0	100%	270	267	0.48
DOAS-3	208	CLASSROOM	680		Classroom	35	24	10	0.12	1.0	325.0	0.5	325.0	100%	325	322	0.47
DOAS-3	209	CLASSROOM	660	Education	Classroom		24	10	0.12	1.0	325.0	0.5	325.0	100%	325	319	0.48
DOAS-4	301	CLASSROOM	315	Education	Classroom		12	10	0.12	1.0	170.0	0.5	170.0	100%	170	158	0.50
DOAS-4	302	CLASSROOM	380		Classroom	35	14	10	0.12	1.0	200.0	0.5	200.0	100%	200	186	0.49
DOAS-4	303	CLASSROOM	900		Classroom		32	10	0.12	1.0	450.0	0.5	450.0	100%	450	428	0.48
DOAS-4	304	CLASSROOM	500	Education	Classroom		18	10	0.12	1.0	250.0	0.5	250.0	100%	250	240	0.48
DOAS-5	312	CLASSROOM	500	Education	Classroom	35	18	10	0.12	1.0	250.0	0.5	250.0	100%	250	240	0.48
DOAS-5	313	CLASSROOM	700		Classroom		25	10	0.12	1.0	350.0	0.5	350.0	100%	350	334	0.48
DOAS-5	314	CLASSROOM	380		Classroom		14	10	0.12	1.0	200.0	0.5	200.0	100%	200	186	0.49
DOAS-5	309	CLASSROOM	715	Education	Classroom		26	10	0.12	1.0	350.0	0.5	350.0	100%	350	346	0.48
DOAS-3	308	CLASSROOM	780	Education	Classroom	35	28	10	0.12	1.0	375.0	0.5	375.0	100%	375	374	0.48
DOAS-3	310	CLASSROOM	490	Education	Classroom	35	18	10	0.12	1.0	250.0	0.5	250.0	100%	250	239	0.49

	Ventilation Index - RTU-1 Library																
Served	Room	Room Name	Area	Occupar	ісу Туре		Co	ode		Distributio	Desig	gn SA	EA	Design	OA	Code	e OA
Ву	No.		(sq.ft.)	Category	Туре	Pers./1000	No. of	OA CFM /	OA CFM /	n	CFM	CFM /	CFM	%	CFM	CFM	CFM /
						sq.ft.	Occ.	Pers.	sq.ft.	Effectivne		sq.ft.		w/o Div.			sq.ft.
RTU-1		LIBRARY	3,124	PUBLIC SI	Libraries	10	31	5.0	0.12	0.8	3,000.0	1.0	0.0	25%	736	664	0.21
RTU-1		MEDIA	495	EDUCATIO	Media	25	12	10.0	0.12	0.8	1,000.0	2.0	0.0	25%	245	229	0.46
RTU-1		CORRIDOR	265	PUBLIC SI	Corridor	0	0	0.0	0.06	0.8	300.0	1.1	0.0	25%	74	20	0.08

Ventilation Index - DOAS-6 Cafeteria

sq.ft. Effectivne

Pers./1000 No. of OA CFM / OA CFM /

Occ. Pers.

(sq.ft.)

Category

	Ventilation Index - RTU-2 Offices & Vestibule																
Served	Room	Room Name	Area	Occupar	псу Туре		Code				Design SA		EA	Design OA		Code OA	
Ву	No.		(sq.ft.)	Category	Туре	Pers./1000	No. of	OA CFM /	OA CFM /	n	CFM	CFM /	CFM	%	CFM	CFM	CFM /
						sq.ft.	Occ.	Pers.	sq.ft.	Effectivne		sq.ft.		w/o Div.			sq.ft.
RTU-2		OFFICE	98	OFFICE	Office	5	0	5.0	0.06	0.8	125.0	1.3	0.0	13%	16	10	0.11
RTU-2		OFFICE	137	OFFICE	Office	5	1	5.0	0.06	8.0	150.0	1.1	0.0	13%	20	15	0.11
RTU-2		OFFICE	135	OFFICE	Office	5	1	5.0	0.06	0.8	150.0	1.1	0.0	13%	20	14	0.11
RTU-2		OFFICE	115	OFFICE	Office	5	1	5.0	0.06	0.8	125.0	1.1	0.0	13%	16	12	0.11
RTU-2		OFFICE	135	OFFICE	Office	5	1	5.0	0.06	0.8	150.0	1.1	0.0	13%	20	14	0.11

TUCKAHOE MIDDLE/HIGH SCHOOL

ALTERATIONS TUCKAHOE UNION FREE SCHOOL DISTRICT

65 SIWANOY BLVD EASTCHESTER, N. Y. 10709



KG+D. ARCHITECTS PC 285 MAIN STREET MOUNT KISCO . NEW YORK . 10549 KGDARCHITECTS.COM



Code OA

CFM CFM /

sq.ft.

CFM

w/o Div.

CFM


OLA Consulting Engineers 50 Broadway, Hawthorne, NY 10532 914.747.2800

Suite 501 New York, NY 10018 646.849.4110

NY SED PROJECT CONTROL NO.

66-03-02-03-0-002-024

CONSTRUCTION DOCUMENTS




NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED FOR USE ON THIS PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER

WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY ALL ACTUAL DIMENSIONS AND CONDITIONS ON THE JOB AND THE ARCHITECT MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

WITHOUT THE WRITTEN PERMISSION OF (KG&D).

ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW. COPYRIGHT KAEYER, GARMENT + DAVIDSON ARCHITECTS & ENGINEERS, PC ALL RIGHTS RESERVED.



1	03/31/2022	ISSUED FOR BID							
No.	Date	Issue							
She	Sheet Title								

VENTILATION SCHEDULES

Job No. NKGD0239.00	Date 09/10/2021
Scale AS NOTED	Drawn / Checked NW / RS
Sheet Number	

M603