




1 HVAC - EQUIPMENT - RTU / MAU CURB DETAIL NTS




2 HVAC - EQUIPMENT, MAKE-UP AIR UNIT, 100% OA, THREE-WAY DIFFUSER NTS




3 HVAC - LOUVER DAMPER NTS




4 PIPING - GAS CONNECTION TO MAU, HIGH CONNECTION NTS




5 PIPING - GAS METER CONNECTION, ISO NTS




6 PIPING - PIPE THRU ROOF NTS




7 WIRING - 120V EF WITH THERMOSTAT NTS



8 HVAC - EQUIPMENT, EXHAUST FAN, INLINE NTS




9 HVAC - LIFE SAFETY, FIRE DAMPER, W/O DUCT CONNECTION NTS



10 PIPING - GAS PIPING EXPANSION JOINT NTS

SEAL
 THE PERSONAL SEAL AFFIXED TO THIS SHEET INDICATES THAT THE PROFESSIONAL ENGINEER WHOSE NAME APPEARS THEREON HAS PREPARED OR HAS SUPERVISED THE PREPARATION OF THE MATERIAL ON THIS SHEET. OTHER DRAWINGS, SPECIFICATIONS, REPORTS, NOTES, OR ANY OTHER MATERIAL WHICH MAY BE REFERRED TO OR INTENDED TO BE USED FOR ANY PART OR PART OF THE PROJECT IN WHICH THIS SHEET IS USED, SHALL NOT BE CONSIDERED PREPARED BY OR THE RESPONSIBILITY OF THE UNDERSIGNED AND IS HEREBY DISCLAIMED IN ACCORDANCE WITH SECTION 37.411.2 P.B. NO.

KEY PLAN



SUBMITTALS

NO.	DATE	DESCRIPTION
A	02/04/2022	QA/QC SET
B	03/29/2022	QA/QC SET
C	05/20/2022	QA/QC SET
D	06/16/2022	PERMIT SET
E	07/25/2022	BID REVIEW SET
F	08/05/2022	BID SET

PROJECT NO. J22006 DRAWN BY MT

SHEET TITLE

SHEET NO.

NOT FOR CONSTRUCTION



M500