



SUBMITTALS		
NO.	DATE	DESCRIPTION
1	4.12.22	100% TILT WALL REVIEW
2	6.9.22	PERMIT
3	7.8.22	FTG STEPS & JOIST SEAT @ A



EAST ELEVATION (9 1/4" PANEL TYP. U.N.O.)

SCALE: 1/8" = 1'-0"
(LOOKING FROM INSIDE OF BUILDING ALONG COLUMN LINE 11)

- NOTES:
1. VERIFY ALL PANEL AND OPENING DIMENSIONS W/GENERAL CONTRACTOR & ARCHITECT PRIOR TO CASTING PANELS W/DOORS AND WINDOWS.
 2. PROVIDE 1-#5 E.F. AROUND PERIMETER OF PANEL U.N.O.
 3. CONTINUE REINFORCING THROUGH KNOCK-OUT OPENINGS.
 4. BLOCKING AT TOP OF WALL TO REMAIN AFTER CONSTRUCTION OF PANELS.
 5. HORIZONTAL STEEL CONTINUES THROUGH PANEL LEGS AT ALL OPENINGS.



EAST ELEVATION (9 1/4" PANEL TYP. U.N.O.)

SCALE: 1/8" = 1'-0"
(LOOKING FROM INSIDE OF BUILDING ALONG COLUMN LINE 20)

- NOTES:
1. VERIFY ALL PANEL AND OPENING DIMENSIONS W/GENERAL CONTRACTOR & ARCHITECT PRIOR TO CASTING PANELS W/DOORS AND WINDOWS.
 2. PROVIDE 1-#5 E.F. AROUND PERIMETER OF PANEL U.N.O.
 3. CONTINUE REINFORCING THROUGH KNOCK-OUT OPENINGS.
 4. BLOCKING AT TOP OF WALL TO REMAIN AFTER CONSTRUCTION OF PANELS.
 5. HORIZONTAL STEEL CONTINUES THROUGH PANEL LEGS AT ALL OPENINGS.

REINFORCEMENT SCHEDULE

R1	#5 BARS @ 10' O.C. VERT. #4 BARS @ 10' O.C. HORIZ.
R2	#5 BARS @ 8' O.C. VERT. #4 BARS @ 10' O.C. HORIZ.
R3	#5 BARS @ 12' O.C. VERT. #4 BARS @ 10' O.C. HORIZ.
R4	#4 BARS @ 12' O.C. E.F. VERT. #4 BARS @ 12' O.C. E.F. HORIZ.
R5	#5 BARS @ 10' O.C. VERT. #4 BARS @ 12' O.C. HORIZ.
R6	#4 BARS @ 12' O.C. VERT. #4 BARS @ 12' O.C. HORIZ.