

**84 CHALET ROAD
KIAMESHA LAKE, NY 12751**

120 HUYSHOPE AVENUE
SUITE 400
HARTFORD, CT 06106
860.247.9226

CONSULTANTS:
MEP & FP ENGINEER
M/E ENGINEERING
60 LAKEFRONT BOULEVARD, SUITE 320
BUFFALO, NY 14202
716.845.5092

OWNERS CONSULTANT
AKRF ENGINEERING
34 SOUTH BROADWAY, SUITE
WHITE PLAINS, NY 10601
914-949-7336

| | |
|--------------|--------------|
| ISSUE | 09/30/21 |
| JOB | H18064.14 |
| DRAWN | EAS |
| SCALE | 1/8" = 1'-0" |

P-113

- 1 3" SANITARY FROM FLOOR DRAIN ABOVE.
- 2 3" SANITARY FROM MOP BASIN ABOVE.
- 3 3" SANITARY FROM LAVATORY ABOVE.
- 4 3" SANITARY FROM SINK ABOVE.
- 5 3" SANITARY FROM ELECTRIC WATER COOLER ABOVE.
- 6 4" SANITARY UP TO DECK PLATE CLEANOUT (DPCO) ABOVE.
- 7 4" SANITARY DOWN, 2" VENT UP.
- 8 4" SANITARY FROM WATER CLOSET AND URINAL, 2" VENT UP.
- 9 2" VENT UP THROUGH ROOF.
- 10 2" CW HEADER DOWN IN CHASE. BRANCH AND CONECT TO WATER CLOSETS
- 11 AND URINALS. PROVIDE WATER HAMMER ARRESTOR ON CONNECTION TO THE
- 12 FUTURE.
- 13 1" CW & 1" HW TO ELECTRIC WATER HEATER. REFER TO DETAIL 1 ON 0-002.
- 14 PARTS WASHER FURNISHED BY OWNER. VERIFY ALL EQUIPMENT
- 15 REQUIREMENTS, PRESSURES, AND DIMENSIONS AS REQUIRED AND MAKE ALL
- 16 FINAL CONNECTIONS TO EQUIPMENT.

