



PARTITION LEGEND

1 HOUR RATED ASSEMBLY

168,977 SF

168,977 SF

GRAND TOTAL

OCCUPANT LOAD

SPACE TAG

OCCUPANCY

FUNCTION
FUNCTION OF SPACE
AREA
XXX XXX,XXX SF
AREA
OCCUPANT LOAD

EXIT TAG

DOOR X
BOOR X
BOOR X
BOOR STAIR ID
WIDTH FACTOR

OCCUPANT LOAD (ACTUAL) ## (## MAX) OCCUPANT LOAD CAPACITY

EXIT ACCESS

EXIT ACCESS

EXIT ACCESS

START OF PATH OF TRAVEL
DISTANCE
END OF COMMON PATH OF TRAVEL
EXIT

FA

FIRE ACCESS DOOR

ACCESSIBLE ENTRANCE

ACCESSIBLE PATH OF TRAVEL

W/ MAX CROSS SLOPE 1:48 (2%)

LIFE SAFETY PLAN NOTES

1 EXITS AND EXIT ACCESS DOORS SHALL BE MARKED BY AN

1. EXITS AND EXIT ACCESS DOORS SHALL BE MARKED BY AN APPROVED EXIT SIGN READILY VISIBLE FROM ANY DIRECTION OF EGRESS TRAVEL. THE PATH OF EGRESS TRAVEL TO EXITS AND WITHIN EXITS SHALL BE MARKED BY READILY VISIBLE EXIT SIGNS TO CLEARLY INDICATE THE DIRECTION OF EGRESS TRAVEL IN CASES WHERE THE EXIT OR THE PATH OF EGRESS TRAVEL IS NOT IMMEDIATELY VISIBLE TO THE OCCUPANTS. INTERVENING MEANS OF EGRESS DOORS WITHIN EXITS SHALL BE MARKED BY EXIT SIGNS. EXIT SIGN PLACEMENT SHALL BE SUCH THAT ANY POINT IN AN EXIT ACCESS CORRIDOR OR EXIT PASSAGEWAY IS WITHIN 100 FEET OR THE LISTED VIEWING DISTANCE OF THE SIGN, WHICHEVER IS LESS, FROM THE NEAREST VISIBLE

A. EXCEPTIONS:

- 1. EXIT SIGNS ARE NOT REQUIRED IN ROOMS OR AREAS THAT REQUIRE ONLY ONE EXIT OR EXIT ACCESS.
- 2. MAIN EXTERIOR EXIT DOORS OR GATES THAT ARE OBVIOUSLY AND CLEARLY IDENTIFIABLE AS EXITS NEED NOT HAVE EXIT SIGNS WHERE APPROVED BY THE BUILDING OFFICIAL.
- 2. EXIT SIGNS SHALL BE INTERNALLY OR EXTERNALLY ILLUMINATED.
- A. EXCEPTIONS:
 - 1. TACTILE SIGNS NEED NOT BE PROVIDED WITH ILLUMINATION.
- 3. ALL REQUIRED EXITS SHALL HAVE A SINGLE SIGN WITH THE WORD "EXIT" IN RAISED CHARACTERS AND BRAILLE BELOW ADJACENT TO EACH DOOR TO AN AREA OF REFUGE, PROVIDING DIRECT ACCESS TO A STAIRWAY, AN EXTERIOR AREA FOR ASSISTED RESCUE, AN EXIT STAIRWAY OR RAMP, AN EXIT PASSAGEWAY AND THE EXIT DISCHARGE.

ARCO

DESIGN/BUILD

44 SOUTH BROADWAY, SUITE 1003
WHITE PLAINS, NY 10601

P: 914.821.5535 F: 914.306.6010

ADB | DESIGN SERVICES

ROCKLAND
LOGISTICS
CENTER BLDG 2

25 OLD MILL RD. SUFFERN, NY 10901

OWNER
BROOKFIELD PROPERTIES
1 MEADOWLANDS PLAZA SUITE 802
EAST RUTHERFORD, NJ 07073

ARCHITECT
ADB / DESIGN SERVICES LLC
44 SOUTH BROADWAY, SUITE 1003
WHITE PLAINS, NY 10601

CIVIL ENGINEER
DYNAMIC ENGINEERING CONSULTANTS

1904 MAIN STREET

LAKE COMO, NJ 07719

INDIANAPOLIS, IN 46204

STRUCTURAL ENGINEER
ADB STRUCTURAL ENGINEERING
325 S. ALABAMA ST, SUITE 200

MECHANICAL ENGINEER
NATIONAL DESIGN BUILD SERVICES
11840 BORMAN DRIVE
MARYLAND HEIGHTS, MO 63146

FXB ENGINEERING
5 CHRISTY DRIVE, SUITE 307
CHADDS FORD, PA 19317

ELECTRICAL ENGINEER

PLUMBING ENGINEER MCCARTHY ENGINEERING 2500 E HIGH STREET, SUITE 630 POTTSTOWN, PA 19464

FIRE PROTECTION ENGINEER S.A. COMUNALE 2900 NEWPARK DRIVE BARBERTON, OH 44203

SEAL

JOSEPH V. DIGIORGIO | NY: 042948

KEY PLAN

A

G

SUBMITTALS

DATE DESCRIPTION
02.09.2024 ISSUE FOR PERM

PROJECT NO. DRAWN BY
AS397-22 | NY154 DG

OVERALL LIFE SAFETY PLAN

SHEET NO.

G1.10