
DOOR SCHEDULE																	
#	COUNT	LOCATION		GENERAL								FRAME				HARDWARE	COMMENTS
		ROOM NO.	ROOM NAME	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	GLAZING	FIRE RATING	TYPE	MATERIAL	FINISH	GLAZING	SET	COMMENTS
LEVEL 01																	
A	12	<varies></varies>	<varies></varies>	FL	3' - 0"	7' - 0"	0' - 1 3/4"	HOLLOW METAL	PAINTED	-	-	F1	HOLLOW METAL	PAINTED		1B	
В	1			FL	4' - 0"	7' - 0"	0' - 1 3/4"	HOLLOW METAL	PAINTED	-	45MIN	F1				1A	45 MIN RATED DOOR
С	1			2FL	3' - 0" / 3' - 0"	7' - 0"	0' - 1 3/4"	HOLLOW METAL	PAINTED	-	45MIN	F1	TYPE			2A	45 MIN RATED DOOR
D2	9			DV	9' - 0"	10' - 0"	0' - 1 5/8"	GALV STL.	PREFINISHED	-	-	F2					
DIV	2			DIV	12' - 0"	14' - 0"	0' - 1 5/8"	GALV STL.	PREFINISHED	-	-	F2					
E	1	100	WAREHOUSE	2SF	3' - 0" / 3' - 0"	8' - 0"	0' - 1 3/4"	ALUMINIUM STOREFRONT	CLEAR ANODIZED	GL-02	-	SEE ELEVATIONS	ALUMINIUM S STOREFRONT	CLEAR ANODIZED		10A	NORTH-WEST OFFICE SF DOOR

FRAME TYPES

SEE SCHEDULE SCHEDULÉ F2 OVERHEAD STANDARD

DOOR TYPES




HARDWARE NOTES

- 1. SEE OUTLINE / OWNER SPECIFICATIONS FOR DETAILED HARDWARE REQUIREMENTS.
- DOOR HANDLES, PULLS, LATCHES, LOCKS AND OTHER OPERATING DEVICES SHALL NOT REQUIRE TIGHT GRASPING, TIGHT PINCHING OR TWISTING OF THE WRIST TO OPERATE. THE UNLATCHING OF ANY DOOR OR LEAF SHALL NOT REQUIRE MORE THAN ONE OPERATION.
- HOLLOW METAL DOOR FRAMES SHALL BE MIN. 14 GA WELDED AND PRIMED. ALL HOLLOW METAL DOORS SHALL BE MIN. 16 GA OR A-568 PRIMED COLD ROLLED STEEL. EXTERIOR HOLLOW METAL DOORS SHALL BE 1-3/4" THICK SEAMLESS FLUSH FOAM FILLED.
- EXTERIOR HARDWARE SHALL HAVE A DULL CHROME FINISH (626D) AND BE OF SERIES A COMMERCIAL QUALITY. DOOR HANDLES SHALL BE LEVER DESIGN. HINGES AND LATCHES SHALL BE STEEL WITH A CHROME BRUSHED FINISH AND ALL CLOSERS SHALL BE ALUMINUM.
- ENSURE LATCH GUARDS ARE COMPATIBLE WITH LOCKSET TYPE AND POSITION.
- DOCK DOORS SHOULD INCLUDED WITH 3" TRACKS, VISION PANEL(S) AND 50,000 CYCLE
- SPRINGS. DOORS SHALL BE MANUALLY OPERATED AND INSULATED (R-7), AND EQUIPPED WITH WEATHER-STRIPPING AT THE JAMBS, HEAD AND SILL.
- OVERHEAD DOORS SHALL BE COUNTERBALANCED SECTIONAL DOORS WITH A BAKED-ON
- ENAMEL PRIME FINISH.

INSTALL SLIDE BOLTS ABOVE LEVEL OF DOOR GUARDS. (Z-GUARD OR OTHER).

TYPICAL DOOR LOCATIONS



HARDWARE SETS (EXTERIOR)

SET 1: HM SINGLE - WAREHOUSE / UTILITY ROOM BALL-BEARING HINGES (3 @ 7'-0"H DOORS, 4 @ DOORS OVER 7'-0"H) SET 1A: STOREROOM LOCKSET

SET 1B: RIM EXIT DEVICE CYLINDER HOUSING

SMALL FORMAT INTERCHANGEABLE CORE CLOSER THRESHOLD

PERIMETER GASKETING DOOR SWEEP DRIP CAP LATCH GUARD CHAIN DOOR CHECK

SET 2: HM PAIR – WAREHOUSE / UTILITY ROOM

BALL-BEARING HINGES (6 @ 7'-0"H DOORS, 8 @ DOORS OVER 7'-0"H)

SET 2A: STOREROOM LOCKSET
SET 2B: RIM EXIT DEVICE (ACTIVE LEAF) FLUSH BOLTS (INACTIVE LEAF) CYLINDER HOÙSING SMALL FORMAT INTERCHANGEABLE CORE DUST PROOF STRIKE

CLOSER THRESHOLD PERIMETER GASKETING DOOR SWEEP DRIP CAP ASTRAGAL CHAIN DOOR CHECK

HARDWARE SETS (STOREFRONT)

SET 9: ALUM. SINGLE (INTERIOR / EXTERIOR) PIVOT SET

KEYED CYLINDER (ENTRANCE DOORS ONLY) SET 9A: PUSH BAR SET 9B: RIM EXIT DEVICE PULL HANDLE

10" BOTTOM RAIL THRESHOLD (EXTERIOR DOORS ONLY)

SET 10: ALUM. PAIR (INTERIOR / EXTERIOR)

KEYED CYLINDER (ENTRANCE DOORS ONLY) SET 10A: PUSH BARS SET 10B: CONCEALED VERTICAL ROD EXIT DEVICE PULL HANDLES CLOSERS 10" BOTTOM RAILS THRESHOLD (EXTERIOR DOORS ONLY) DOOR SWEEPS (EXTERIOR DOORS ONLY)

CLOSER

WEATHERSTRIPPING (EXTERIOR DOORS ONLY) DOOR SWEEP (EXTERIOR DOORS ONLY) SILENCERS

WEATHERSTRIPPING (EXTERIOR DOORS ONLY) SILENCERS



DESIGNER / BUILDER

DESIGN/BUILD

44 SOUTH BROADWAY, SUITE 1003

P: 914.821.5535 F: 914.306.6010

WHITE PLAINS, NY 10601

PROJECT TITLE

ROCKLAND

LOGISTICS

25 OLD MILL RD.

SUFFERN, NY 10901

CENTER BLDG 3

BROOKFIELD PROPERTIES 1 MEADOWLANDS PLAZA SUITE 802 EAST RUTHERFORD, NJ 07073

ARCHITECT ADB / DESIGN SERVICES LLC

44 SOUTH BROADWAY, SUITE 1003

WHITE PLAINS, NY 10601

LAKE COMO, NJ 07719

INDIANAPOLIS, IN 46204

CIVIL ENGINEER DYNAMIC ENGINEERING CONSULTANTS 1904 MAIN STREET

STRUCTURAL ENGINEER ADB STRUCTURAL ENGINEERING 325 S. ALABAMA ST, SUITE 200


MECHANICAL ENGINEER NATIONAL DESIGN BUILD SERVICES 11840 BORMAN DRIVE MARYLAND HEIGHTS, MO 63146

ELECTRICAL ENGINEER FXB ENGINEERING 5 CHRISTY DRIVE, SUITE 307 CHADDS FORD, PA 19317

PLUMBING ENGINEER MCCARTHY ENGINEERING 2500 E HIGH STREET, SUITE 630 POTTSTOWN, PA 19464

FIRE PROTECTION ENGINEER S.A. COMUNALE 2900 NEWPARK DRIVE BARBERTON, OH 44203

SEAL



SUBMITTALS	
002	

DESCRIPTION 02.09.2024 ISSUE FOR PERMIT

PROJECT NO.

AS397-22 | NY154 SHEET TITLE **DOOR & GLAZING SCHEDULE**

SHEET NO.

A7.00