



DLH SERIES JOISTS 7 1/2" SEATS.

ATTACH WOOD BLOCKING -

STAINLESS STEEL ANCHORS

TO PANELS W/ 1/2" DIA. x 0'-8" THREADED





DETAIL BOOK REF. S2.20-N 1/27/2023

ARCO
DESIGN/BUILD
44 SOUTH BROADWAY, SUITE 1003 WHITE PLAINS, NY 10601 P: 914.821.5535 F: 914.306.6010
ADB STRUCTURAL ENGINEERING
PROJECT TITLE ROCKLAND
LOGISTICS CENTER BLDG 3 25 OLD MILL RD. SUFFERN, NY 10901
OWNER BROOKFIELD PROPERTIES 1 MEADOWLANDS PLAZA, SUITE 802 EAST RUTHERFORD,NJ 07073
ARCHITECT ADB / DESIGN SERVICES LLC 44 SOUTH BROADWAY, SUITE 1003 WHITE PLAINS, NY 10601
CIVIL ENGINEER DYNAMIC ENGINEERING CONSULTANTS 1904 MAIN STREET LAKE COMO, NJ 07719
STRUCTURAL ENGINEER ADB STRUCTURAL ENGINEERING 325 S. ALABAMA ST , SUITE 200 INDIANAPOLIS, IN 46204
MECHANICAL ENGINEER NATIONAL DESIGN BUILD SERVICES 11840 BORMAN DRIVE MARYLAND HEIGHTS, MO 63146
ELECTRICAL ENGINEER FXB ENGINEERING 5 CHRISTY DRIVE, SUITE 307 CHADDS FORD, PA 19317
PLUMBING ENGINEER MCCARTHY ENGINEERING 2500 E HIGH STREET, SUITE 630 POTTSTOWN, PA 19464
FIRE PROTECTION ENGINEER S.A. COMUNALE 2900 NEWPARK DRIVE BARBERTON, OH 44203
SEAL
KEY PLAN (1) (7)
SUBMITTALS
NO. DATE DESCRIPTION 12-04-23 COORDINATION SET 12-08-23 75% PROGRESS SET 01-26-24 90% PROGRESS SET
02-09-24 PERMIT SET
PROJECT NO. DRAWN BY AS397-22 NY154 SEI-085-23 JWC
STRUCTURAL
DETAILS
SHEET NO.
S4.1
I

⁽COMPATIBLE WITH PRESSURE TREATED WOOD) @ 48" O.C. ALONG WALLS (STAGGERED) AND AT 24" O.C. SEE PLAN FOR 24'-0" FROM EACH CORNER (STAGGERED) PROVIDE 6" EMBED. PROVIDE 2 ANCHORS @ END OF EACH BOARD. TOP OF BLOCKING EL. PER ARCH. 2" CLR. ¬ MIN. TYP. CONT. CHORD ANGLE BEYOND SEE DETAIL 2/S4.2 BOTTOM OF METAL DECK JOIST BEARING EL. PER PLAN PROVIDE 1'-2" WIDE x 1'-0" TALL x 6 1/2" DEEP POCKET - SEE TILT WALL DRAWINGS. 6" GIRDER -DWGS. BRG. TILT WALL PANEL 3 1/2" EMBED @ BRIDGING JOIST GIRDER BEARING ON TILT WALL PANEL WITH PARAPET S4.1 SCALE: NO SCALE NOTES: * K SERIES JOISTS 2 1/2" OR 3 1/2" SEATS (PER PLAN). LH SERIES JOISTS 5" OR 6" SEATS (PER PLAN).