



ASBESTOS ABATEMENT LEGEND

—

WITHIN THIS SECTION OF THE ROOF, ALL ROOFING MATERIALS WITHIN THE PERIMETER ARE POSITIVE FOR ACM. ANY WORK ON THIS ROOF WILL REQUIRE ABATEMENT. REFER TO MEP DRAWINGS AND MOST RECENT ROOF SCAN DRAWINGS FOR EXACT REMOVALS.

C

X

WITHIN THIS SECTION OF THE ROOF, ALL ROOFING MATERIALS, (EXCEPT THE MATERIALS IN THE FIELD) ARE POSITIVE FOR ACM. REFER TO MEP DRAWINGS AND MOST RECENT ROOF SCAN DRAWING FOR EXACT REMOVALS.

ACM EQUIPMENT FLASHING TAR TO BE REMOVED

ACM FIELD DECK TARS TO BE REMOVED

ASBESTOS ABATEMENT NOTES

WALLKILL SENIOR HIGH SCHOOL – RECONSTRUCTION:

ASBESTOS ABATEMENT CONTRACTOR RESPONSIBLE FOR TOTAL AND COMPLETE REMOVAL AND DISPOSAL OF PERIMETER FLASHING TARS, ACM PERIMETER FLASHING AND ACM FIELD DECK.

REFER TO SPECIFICATION SECTION 020800 - SECTION 3.17 FOR A DESCRIPTION OF THE WORK.

1

Roof Abatement Plan

3/84" = 1'-0"

PROVIDE ROOF PROTECTION AGAINST WEATHER. COORDINATE ABATEMENT WORK ACTIVITIES WITH ROOFER.

A

B

C

D

E

Key Plan

N.T.S.

N

S.E.D. Control No. 62-18-01-06-0-007-019

Rev. No.:	Date:	Description:

C:\Users\jhealy\OneDrive\OneDriveTemp\wallkill\17597-22002_A\wallkill_senior_high_school\17597-22002.dwg

Quality Environmental Solutions & Technologies, Inc.
1298 NYS Route 9
Wappingers Falls, NY 12590
Tel: (845) 298-6031

Wallkill Central School District
Wallkill, New York

Reconstruction to:
Wallkill Senior High School

Roof Abatement Plan

Drawn By: AM/LG	Date: 06/30/2023	Drawing Number:
Project No.:		
17597-22002		

AHAZ052

