

STEEL & CONSTRUCTION PRODUCTS CATALOG

1949 – 2003

54

YEARS OF
EXCELLENCE

Admiral
STEEL

4152 West 123rd Street

Alsip, IL 60803-1869

PHONE: (708) 388-9600

FAX: (708) 388-3412

E-MAIL: sales@admiralsteel.com

WEB: www.admiralsteel.com




INDEX

Angles.....	19-20
Accessories - Rebar	3
Adhesives (Construction)	15
Anchor Bolts	3
Barricade Tape	12
Beams	16-17
Cement - Plastic Roof.....	15
Chalk Lines.....	12
Channels	18
Chemicals.....	8
Dowel Bars	3
Drain Tile - Plastic	10
Expanded Metals.....	25-26
Expansion Joint	10
Finials - Cast Iron	22
Flat Bars	23-24
Floor Plate	27
Floor Grating.....	26
Forms - Accessories.....	6
Forms - Concrete.....	5
Form Oil.....	8
Laser Levels	12
Marking Paint.....	12
Measuring Wheels.....	11
Molded Top Rail	20
Nails.....	13-15
Perforated Galvanized Angles.....	20
Plates.....	28
Post Caps.....	22
Rebar.....	2
Rounds	3,21
Sheets	27
Sprayers	10
Stakes.....	10
Strips	23
Squares	21
Tape Measures.....	11
Tees.....	20
Ties.....	7
Tie Bands	10
Tie Wire	2
Tools.....	11-12
Tubing.....	21-22
Vapor Barrier (Visqueen).....	10
Wheelbarrows.....	11
Windows, Wells, & Grates	9
Wire Mesh	5


*Admiral Steel purchases only 100% prime steels - absolutely no secondaries.
Certifications for all steels, rebar, and wire mesh are available if requested at time of ordering.*

CONCRETE REINFORCING BARS

ASTM A-615 GRADE 60 REBARS



Available as stock lengths or fabricated.
We offer complete estimating, detailing, & fabricating services.
Epoxy coating available for stock size or fabricated bars.



BAR SIZE	US METRIC	DIAMETER	WEIGHT	WEIGHT	GRADES & TYPES
#3	#10	.375	.376	.560	GRADE 60, EPOXY
>>>>>> #4	#13	.500	.668	.994	GRADE 40 & 60, EPOXY
FOR DOWELS	#16	.625	1.043	1.552	GRADE 60, EPOXY
AND REINFORCING	#19	.750	1.502	2.235	GRADE 60, EPOXY
	#22	.875	2.044	3.042	GRADE 60
	#25	1.000	2.670	3.973	GRADE 60
	#29	1.125	3.400	5.060	GRADE 60
	#32	1.270	4.303	6.404	GRADE 60
	#36	1.410	5.313	7.907	GRADE 60
	#43	1.693	7.650	11.380	SPECIAL ORDER
	#57	2.257	13.600	20.240	SPECIAL ORDER

* As of June 1996, the ASTM adopted a metric standard for rebar. The new standard calls for a "soft" conversion of the current sizing system. With the new "soft" metric standard there won't be any changes to the physical diameter of the bars, only the names will change.

BLACK ANNEALED TIE WIRE

>>>>>>>> 16 Gauge 3-1/2# "Hip Coils"
Soft Wire, Approximately 385' per roll
Available by the roll or in 20 roll boxes
Plastic coated for epoxy bars also available



9 Gauge 100# Shoulder Coils
Soft Wire, Approximately 1700' per roll



16 Gauge Looped End Wire Ties
6", 8", & 12" Lengths
5000 Pieces per Bundle
Other lengths available on special order




Pistol Grip Twisters
For Looped End Wire Ties

Automatic Twisters
For Looped End Wire Ties




REBAR SAFETY CAPS

Econ-o-guard Protection Caps
Made of brightly colored heavy duty polyethylene.
Intended as a visual warning of a possible hazard.



Not intended for use as fall or penetration protection.

Impalement Protection Caps
Made of high-impact plastic with a metal insert.
4 x 4 top surface area aids in protection.



Complies with OSHA 701(b)

Admiral
STEEL