No:	MC-01	
110.		

Construction Manager:

SUBMITTAL COVERSHEET Nanuet UFSD -Phase 3 Projects

Owner:

Architect:

215 W 40th Street,15th Floor		anuet Union F 01 Church Str anuet, NY 109	eet	vistrict		s enn Plaza, 54 th floor ork, NY 10019
Contractor:	rdo Plumbing & Heati	ng of Rocklan	d Inc		Contra	ct: Ron Lombardo
Address: 321 Spook Ro	ock Road Suite 109A				Teleph	845-357-6537 one:
Suffern, New				Fax:	845-357-8529	
School Name: Nanuet l	Jnion Free School Dis	strict Phase 3	Bond Projects	s @ Barr Middle Sc	hool & N	anuet High School
Type of Submittal:				Re-submittal:	[] No	[] Yes
[] Shop Drawings [] Test Report	[] Product Data [] Certificate	[] Sched	ule Sample	[] Sample [] Warranty	[]_	
Submittal Description:						
Product Name:	IDENTIFICATIO	N				
Manufacturer:k	KOLBY					
Subcontractor/ Supplier:						
References:						
Spec. Section No.: 230	0535			Drawin	g No(s):	
Paragraph:				Rm. or	Detail No	o(s):
Architect's/ Engineer's	Review Stamp		Contractor	Review Stateme	nt:	
			coordinate by this office	d with job condition	ons and found t	ed for accuracy and Contract requirements o comply with the ts.
			Ronald J.	Lombardo		10.9.23
			Name:			Date:
			Company Joe Lomba	Name: ardo Plumbing & I	Heating	of Rockland Inc.
			•			
Remarks:						

www.kolbipipemarkers.com



Since 1970...

Pipe Marker Co.

>>>>

Product Specification

Engraved Plastic Nameplates

>>>> Standard material: 1/16" rigid 2-ply blended acrylic extruded sheet with cap and core permanently fused together. Material is shatterproof and chip resisitant. Meets ASTM D 709 Type I spec.



Standard Colors (letters/background): white/black, black/white, white/green, green/white, white/blue, blue/white, white/red, red/white, black/yellow. Additional colors availble per user specifications.



Nameplates have beveled edges and either adhesive backing or holes



Available in sizes to 18" x 24" 21/2 X 3/4



Nameplates are available in various sizes, letters, and layouts to meet customer requirements.



Expected life: Indefinite for interior applications



Other available materials:

Outdoor 3-ply (for 2 sided engraving) 1/8" thick




Samples available per request.



Excel spreadsheet .xls and Adobe .pdf files are acceptable.

www.kolbipipemarkers.com



Product Specification: Adhesive Pipemarker

2.5 - PIPE MARKERS



Material: Gloss vinyl film

Permanent pressure sensitive adhesive

Range: Service range temperature: -40° to 180°F

Application: Clean surface, 50°F or above

Expected life: 4-6 years with arrow banding tape under normal conditions

Compliance: Meets ANSI/ASME A13.1 2007

Meets ANSI/ASME A13.1 1996

Standard Colors (letters/background): white/green, black/yellow, black/orange, white/black, white/red, white/blue, black/white, white/brown.

Pij	ое О	D"	Letter	Length of	Kolbi Marker
(include	e insi	ulation)	Size	Field	Size (Style)
3/4"	to	1-1/4"	1/2"	8"	1" x 9" (A)
1-1/2"	to	2"	3/4"	8"	1" x 9" (B)
2-1/2"	to	6"	1-1/4"	12"	2" x 14" (C)
8"	to	10"	2-1/2"	24"	3" x 24" (D)
ov	er 1	0"	3-1/2"	32"	4" x 32"(E)

1996 ANSI A13.1 Color Designation

Materials Inherently Dangerous

Materials of Inherently Low Hazard

Fire Quenchina Materials

Flammable or Explosive Chemically active or Toxic Extreme temperature/pressure Radioactive

Liquid or liquid admixture Gas or gaseous admixture

Water, Foam, C02, Halon


Black Letters

White Letters White Letters

White Letters

2007 ANSI A13.1 Color Designation

Fluid Service	Background Color	Letter Color	Colors and Letters
Fire quenching fluids	Safety Red	White	LETTERS
Toxic and corrosive fluids	Safety Orange	Black	LETTERS
Flammable liquids	Safety Yellow	Black	LETTERS
Combustible fluids	Safety Brown	White	LETTERS
Potable,cooling,boiler feed,other water	Safety Green	White	LETTERS
Compressed air	Safety Blue	White	LETTERS
To be defined by user	Safety Purple	White	LETTERS
To be defined by user	Safety White	Black	LETTERS
To be defined by user	Safety Gray	White	LETTERS
To be defined by user	Safety Black	White	LETTERS



2.5 PIPE MARKER ARROWS

Product Specifications

Arrow Banding Tape



Material: 4 mil Flexcon® Vinyl Film

Adhesive: Permanent

Range: Service temperature: -40°F to 180°F

Application temperature: 50°F or above

Expected life: 5-7 years


ANSI colors to match pipe markers

Available in 30 yard rolls.

Tape Width	Arrow Size	Kolbi Style Pipe Marker
1"	3/4"	В
2"	1-1/4"	С
3"	2-1/2"	D
4"	3-1/2"	E

Approximate coverage

Letter Size	Approximate number of markers per roll of arrow tape:
3/4"	50-250
1-1/4"	50-120
2-1/2"	35-50
3-1/2"	25-35



2.4 - STENCILS

Product Specifications

Stencils

HOT WATER

Material: .010 flexible polyester

Production method: Laser

Standard letter/arrow sizes 1/2", 3/4", 1", 1-1/2", 2-1/2", and 3-1/2"

Other letter sizes shapes available upon request

MCMASTER-CARR.

2.4 - A -4- STENCIL PAINT

12 oz. Aerosol Can of Stencil Ink for All Surfaces


\$7.57 Each 1641T31

Capacity	12 oz.
Container Type	Aerosol Can
For Surface Type	Nonporous, Porous
Drying Time	15-20 min.
Specifications Met	MIL-A-A-208B
Color	Black, Blue, Green, Orange, Red, White, Yellow

Ink for porous surfaces is good for boxes, fabrics, and paper.

Ink for nonporous surfaces is good for plastics, glass, and metal.





2.3 - B METAL - VALVE TAGS

Product Specifications


Brass Valve Tags

Material: Half Hard 19 gauge brass (70% Copper, 30% Zinc)


Method: Stamped and Black filled (other fill colors: red, white, yellow)

Dimensions: 1-1/2" & 2"

Dimension: 1-1/2" Sq.



Dimension: 2" Sq.



Shapes available:

Square Octagon r. Circle Triangle Also available:

Stainless Steel (.030) Lasered

Engraved Plastic (2-sided engraving available)

Anodized Aluminum (.020) Lasered



Product Information Bulletin

ACCESSORIES

P.O. Box 467 | 64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

Beaded Chain

- •#6 Beaded Chain
- 4-1/2" long with locking link
- 100 pieces per package.

Part #	Description
BCB	Brass
BCSS	Stainless Steel



Jack Chain

#16 jack chain is available in either stainless steel or brass. Approximately 6 to 12 inches is enough to fasten one tag. 50 feet of chain per package.

Part #	Description
3JC	Brass
SSJC	Stainless Steel



"S" Hooks

Use "S" hooks to attach valve tags. Sold 100 hooks per package. Available in Stainless Steel or Solid Brass.

Part #	Description
S1	Brass
SS2	Stainless Steel



Nylon Ties

Fast, easy and economical method of attaching pipe markers & tags.

Part #	Package Size	Size
NT6	100	6" Long
NT8	100	8" Long
NT34	Individual	34" Long
NT48	Individual	48" Long



Lead Seals

Copper or Stainless Steel Wire. The tamper resistant way to attach tags. 100, 10" long wire seals per package.

Part #	Description
CS	Brass
SSS	Stainless Steel



Stainless Steel Strapping

3/8" wide .015 S.S. strapping is easy to install and is used in corrosive environments, instead of nylon ties, to secure pipe markers.

Use Ceiling Markers on accessible ceiling tiles or T-bars to indicate the

location of balancing cocks, volume dampers, fire dampers, and other

Ceiling markers are made of plastic, 3/4" in diameter and supplied with

concealed mechanical items that may require service or adjustment.

Part #

CMAY

CMAG

CMAR

CMAR

CMAW

CMAO

Part #	Size
SSS38	3/8" x .015 x 200' Stainless Steel Strapping
SSP-38	3/8" Stainless Steel Wings Seals (100/Pkg)
RTST-1	Ratchet Type Strapping Tool

3/4" dia. Plastic Ceiling Markers

back adhesive, available in 6 different colors.

Solid Color

Pkg of 25

Hand Press This rugged steel hand press is used to secure Copper & Stainless Steel Meter Seals.





Steel Stamps

Make your own valve tags by using our blank brass tags and steel stamps to make the impression. Simply place blank valve tag on a solid surface, place steel stamp on the blank tag and strike with hammer

ilaiiiiiioi	1	Character Size	Number of Characters
Part #	Description		
SL4	Letter Set	1/4"	27
SN4	Number Set	1/4"	10
SL2	Letter Set	1/2"	27
SN2	Number Set	1/2"	10



>>> Valve Chart <<<<<

Use Valve Chart frames to display your valve tag charts. Available in rugged aluminum or economical plastic. Holds 8-1/2" x 11" valve tag chart. Custom sizes are available on aluminum frames only, call for pricing.

These 2-1/2" hooks are a popular alternative

to "S" hooks. Sold in packages of 100.

Part #	Description
VC1	Aluminum
VC2	Plastic

Zinc Hooks

Option 1: Solid Color Sold in packages of 25

Part #

CMSY

CMSG

CMSR

CMSB

CMSW

CMSO

COLOR

Yellow


Green

Red

Rlue

White

Orange





info are sold individually.

TO ORDER: Specify content to be



Part #

CMEY

CMEG

CMER

CMEB

CMEW

CMEO

Engraved Marker

w/ Equipment Info

Sold Individually



Engraved Arrow

Pkg of 25



Back Adhesive

Option 3: Engraved Markers

Engraved markers with equipment

