

LIFE SAFETY PLAN LEGEND

FIRE RATING WALL TYPES:

- SMOKE ZONE PARTITION
- - - 1 HR FIRE BARRIER
- - - 2 HR FIRE BARRIER
- - - 2 HR FIRE WALL

LIFE SAFETY SYBOLOGY:

- TD-XXX-X- TRAVEL PATH & DISTANCE
- XX OCCUPANCY LOAD PER EXIT
- XXX OCCUPANCY LOAD MAX PER DOOR (CLEAR WIDTH AT OPENINGS)
- RW RESCUE WINDOW

MOUNTED COMPONENTS:

- EXIT SIGN
- FEC FULL RECESSED FIRE EXTINGUISHER CABINET
- FEC SEMI-RECESSED FIRE EXTINGUISHER CABINET
- FE SURFACE MOUNTED FIRE EXTINGUISHER BRACKET

LIFE SAFETY PLAN NOTES

BUILDING CODE ANALYSIS NOTES:
 THE CURRENT SCOPE OF THE PROJECT:
 1. DOES NOT INCREASE THE EXISTING OCCUPANCY
 2. DOES NOT ALTER EXISTING EGRESS TRAVEL PATHS, EXITS, DISTANCES OR WIDTHS

LIFE SAFETY PLAN NOTES:
 1. REFER TO ELEC DWGS FOR FIRE ALARM AND EMERGENCY DEVICES

OCCUPANCY CLASSIFICATION

AREA	COMMENTS
5,056 SF	GROUP E

BUILDING CONSTRUCTION TYPE : IIB
 NOTE : OCCUPANCY CLASSIFICATION TAKE OFF'S ARE NET SF

OCCUPANT LOAD


SPACE TYPE	SQFT	AREA/OCCUPANT	CALCULATED OCCUPANCY
ACCESSORY/STORAGE/MECH	4758	300 SF	16
BUSINESS AREA	1182	150 SF	8
BUSINESS AREA- CONF ROOM	682	15 SF	84
CLASSROOM	19700	20 SF	985
KITCHEN	763	200 SF	4
Grand total			1097

NON CONSECUTIVE OCCUPANCIES:

LIBRARY	1133	50 SF	23
CAFETERIA	3808	15 SF	253
GYMNASIUM & STAGE	4554	15 SF	304
GYMNASIUM	3131	15 SF	209

EXISTING COMPLYING. EXISTING OCCUPANCY IS NOT INCREASED BY RENOVATIONS

2ND FLOOR LIFESAFETY PLAN
 3/32" = 1'-0" 1



ARCHITECT

ksqdesign

NEW YORK OKLAHOMA

KSQ Design
 215 W 40th Street 15th Floor
 New York, NY 10018
 646.435.0660 office
 www.ksq.design

Owner
Nanuet Union Free School District
 101 Church Street
 Nanuet, NY 10954
 845.627.9880
 www.nanuetd.org

Structural Engineer
Clapper Structural Engineering
 160 Partition Street
 Saugerties, NY 12477
 845.943.9801
 www.clapperstructural.com

MEP Engineer
Sage Engineering Associates, LLP
 9 Columbia Circle
 Albany, NY 12203
 518.453.6091
 www.sageeip.com

Environmental Engineer
Quest Environmental Solutions
 1376 Route 9
 Wappingers Falls, NY 12590
 845.298.6251
 www.qualityenv.com


Construction Manager
Jacobs
 One Penn Plaza
 24th Floor, Suite 2400
 New York, NY 10119
 646.906.6350
 www.jacobs.com

REGISTERED ARCHITECT
 ARMAND SAMUEL QUAINI
 022313
 STATE OF NEW YORK
 EXP. DATE: 3/31/2025



NUFSD BOND PROJECT PHASE 5 - HIGHVIEW ES

- SED#50-01-08-03-0-002-020 (HIGHVIEW ES)
 - SED#50-01-08-03-0-003-002 (Maintenance)
 - SED#50-01-08-03-0-004-004 (OEC)
 - SED#50-01-08-03-0-001-026 (MILLER ES)
 - SED#50-01-08-03-0-004-022 (BARR MS)
- Highview Elementary School**
 24 Highview Ave
 Nanuet, NY 10954
- OEC Building**
 135 Convent Rd
 Nanuet, NY 10954
- Maintenance Building**
 103 Church St.
 Nanuet, NY 10954
- Miller Elementary School**
 50 Blauvelt Rd Unit 1
 Nanuet, NY 10954
- A MacArthur Barr Middle School**
 143 Church St
 Nanuet, NY 10954



REVISIONS

No.	Description	Date
1	SED ADDENDUM #1	11/06/24
4	SED ADDENDUM #5	03/04/25

ISSUED: BID SET
DATE: 06/21/2024

SCALE: As indicated
SHEET NAME: 2ND FLOOR LIFE SAFETY PLAN
SHEET NUMBER:

HE-G102