


Ceiling Types		
MARK	DESCRIPTION	SYMBOL
CT-1	ARMSTRONG 2'x2' "ULTIMA" BEVELED REGULAR ACOUSTIC CEILING TILE W/ ARMSTRONG "SUPRAFINE" 9/16" EXPOSED TEE GRID	
CT-2	ARMSTRONG LYRA PB DIRECT APPLY SQUARE EDGED DIRECT ADHERED ACOUSTICAL CEILING SYSTEM. PATTERN AND LAYOUT AS SHOWN ON PLAN. V.I.F. ALL DIMENSIONS, CUT EDGES ARE TO BE FINISHED. PATTERN IS TO BE TRIMMED AND COORDINATED WITH A PAINTED WOOD MOLDING TO MATCH IN KIND THE EXISTING.	FIELD VARIES
CT-3	ARMSTRONG 2'x4' METAL WORKS ACOUSTICAL CEILING TILE SYSTEM. TILE PATTERN SHALL BE #56007 NAIL-UP OR EQUAL, WITH COORDINATING CORNICE STYLE #56095 NAIL-UP AND BORDER-FILL PANEL IN STYLE #6575 NAIL-UP GRID PATTERN AND LAYOUT AS SHOWN ON PLAN	
CT-4	PAINT EXISTING PLASTER CEILING TO REMAIN, PATCH AND REPAIR AS REQUIRED.	
CT-5	"ARMSTRONG" 2'x4'x1" "CALLA" REGULAR ACOUSTIC CEILING TILE WITH "SUPRAFINE" 9/16" EXPOSED TEE GRID. OFFSET GRID PATTERN AS SHOWN ON PLAN. TYP. TILE COLORS TO BE SELECTED BY OWNER /ARCHITECT, REFER TO RCPs FOR COLOR PATTERN, GRID AND TRIM COLOR. "WHITE" EACH FLOOR SHALL CONSIST OF WHITE, GRAY AND A COLORED TILE. COLOR 3 VARIES PER FLOOR.	(COLOR 1) (COLOR 2) (COLOR 3)
CT-6	"ARMSTRONG" 2'x2'x1" "CALLA" REGULAR ACOUSTIC CEILING TILE WITH "SUPRAFINE" 9/16" EXPOSED TEE GRID. TILE COLORS TO BE "WHITE, GRID AND TRIM COLOR: "WHITE"	
CT-7	PAINT EXISTING GYPSUM BOARD CEILING TO REMAIN, PATCH AND REPAIR AS REQUIRED.	
OTA	OPEN TO ABOVE, PAINT ALL EXPOSED CEILING STRUCTURE, TYP.	
ETR	EXISTING CEILING TO REMAIN	


- ### Typical Ceiling Notes
- PENETRATIONS THROUGH CEILINGS ARE TO BE PROTECTED PER RATED DESCRIPTIONS. REFER TO FIRE RESISTANT RATED ASSEMBLIES, WALL AND CEILING TYPES.
 - ALL ACCESS PANELS, HATCHES/LADDERS, GYPSUM BOARD SOFFITS, BULKHEAD, HVAC GRILLES AND REGISTERS, SHALL BE PAINTED TO MATCH CEILING FINISHES.
 - SUSPENDED ACOUSTIC TILE CEILINGS SHALL BE CENTERED IN SPACE IN BOTH DIRECTIONS TO MINIMIZE WASTE AS REQUIRED, UNLESS OTHERWISE INDICATED, FIELD VERIFY.
 - ALL AREAS NOT GRIDDED AS CEILING TILE SHALL BE OPEN TO ABOVE UNLESS OTHERWISE NOTED.
 - TENT ALL LIGHT FIXTURES IN RATED FLOOR/CEILING, ROOF/CEILING ASSEMBLIES AS REQUIRED. REFER TO FIRE RESISTANT RATED ASSEMBLIES DRAWING FOR ADDITIONAL INFORMATION.
 - ALL CONTRACTORS (I.E. MECHANICAL, ELECTRICAL, PLUMBING) ARE REQUIRED TO COORDINATE THEIR WORK WITH INDIVIDUAL CEILING FINISHES. ALL DISTURBED AREAS RESULTING FROM CONTRACTORS OPERATIONS SHALL BE PATCHED AND DAMAGED AREAS AS A RESULT OF CONTRACTORS OPERATIONS SHALL BE PATCHED AND REPAIRED TO MATCH.
 - FIELD VERIFY ALL DIMENSIONS AND CLEARANCES. COORDINATE INSTALLATION OF LIGHTING, EQUIPMENT, MECHANICAL DUCTWORK, ETC. TO ENSURE PROPER INSTALLATION.
 - ALL COLORS AND PATTERNS TO BE SELECTED BY OWNER, TYPICAL.
 - CONTRACTOR SHALL FURNISH AND INSTALL ALL NECESSARY ACCESSORIES INCLUDING PERIMETER MOLDINGS, FASTENERS, SUPPORT WIRES, TRIM, ETC. FOR A COMPLETE INSTALLATION.
 - ALL LIGHTING FIXTURES SHOWN ON REFLECTED CEILING PLAN ARE SHOWN FOR DIAGRAMMATIC PURPOSES ONLY, REFER TO ELECTRICAL LIGHTING PLAN FOR ACTUAL LOCATIONS.
 - AT LOCATIONS WHERE NEW CEILING ADJOINS, ABUTS, OR EXTENDS AN EXISTING CEILING, NEW CEILING GRID SHALL MATCH THAT OF EXISTING.

Symbol Legend	
SYMBOL	DESCRIPTION
	DATUM: FINISH CEILING HEIGHT ABOVE FINISH FLOOR
	CEILING TYPE (REFER TO CEILING TYPES SCHEDULE)
	LIGHTING FIXTURES - REFER TO ELECTRICAL PLANS FOR EXACT LIGHTING FIXTURE LOCATIONS. CONTRACTOR TO COORDINATE WITH MECHANICAL CONTRACTOR FOR CEILING DIFFUSER LOCATIONS.
	CEILING MOUNTED EQUIPMENT - REFER TO ELECTRICAL PLANS FOR EXACT FIXTURE LOCATIONS. CONTRACTOR TO COORDINATE WITH MECHANICAL CONTRACTOR FOR CEILING DIFFUSER LOCATIONS.
	MECHANICAL DIFFUSERS - REFER TO MECHANICAL PLANS FOR EXACT CEILING DIFFUSER LOCATIONS. CONTRACTOR TO COORDINATE WITH ELECTRICAL CONTRACTOR FOR LIGHT FIXTURE LOCATIONS.
	SPRINKLER HEADS AND PIPING - REFER TO FIRE PREVENTION DRAWINGS


- ### RCP Key Notes
- EXISTING ALL WALLS WITHIN THE MULTI PURPOSE MAIN SPACE, THE PROSCENIUM RETURNS AND THE WALLS UNDER THE BALCONY ARE TO BE PAINTED - PAINTING SHALL INCLUDE A TWO COLOR SYSTEM.
 - TYPICAL EXISTING SMOKE DETECTOR / FIRE DEVICE, V.I.F.
 - EXISTING PENDANT MOUNTED LIGHT AND DECORATIVE ROUND MOLDING, TYPICAL. LIGHT FIXTURE IS TO BE CLEANED AND INSPECTED. DECORATIVE ROUND MOLDING IS TO BE CLEANED, RESTORED TO LIKE NEW AND PAINTED
 - EXISTING PENDANT MOUNTED LIGHT BAR AND LIGHTS FOR STAGE LIGHTING SYSTEM, V.I.F.
 - EXISTING MECHANICAL LOUVER, V.I.F. ALL LOCATIONS AND COORDINATE TILE LAYOUT AS SHOWN
 - EXISTING TO REMAIN EXIT DEVICE, EMERGENCY LIGHT OR MISCELLANEOUS EMERGENCY COMMUNICATION DEVICE
 - EXISTING SURFACE MOUNTED LIGHT TO REMAIN - COORDINATE CEILING WORK
 - ALL CEILING SURFACES ARE TO BE PAINTED - CONTRACTOR TO INCLUDE A THREE COLOR SYSTEM - PLASTER MOLDING B, FILED 1 AND FIELD 2, LAYOUT TO BE DETERMINED IN THE FIELD
 - CEILING FIELD #2
 - CEILING FIELD #3
 - CEILING FIELD #1
 - EXISTING PLASTER MOLDING - STYLE 'C' - TO REMAIN, STRIP PAINT FROM MOLDING PROFILES, CLEAN AND RESTORE PROFILE TO LIKE NEW CONDITION, TYPICAL
 - COMBINED EXISTING PLASTER MOLDING AND ADJACENT WOOD MOLDING - STYLE 'B' TO REMAIN, CONTRACTOR SHALL REPAIR TO LIKE NEW CONDITION AND PAINT, TYPICAL
 - EXISTING PLASTER CHANDLER MOLDING - STYLE 'D', TYPICAL OF 6 - PAINTED TO MATCH MOLDING STYLE 'B'
 - SCHEDULED CEILING PANELS ARE TO BE BUTTED TIGHT UP AGAINST THE EXISTING MOLDING - COORDINATE LAYOUT WITH EXISTING VENTS, TILES ARE TO BE DIRECT ADHERED IN PLACE, CONFIRM AND COORDINATE IN WRITING WITH THE TILE MFR FOR PROPER INSTALLATION METHOD
 - EXISTING SPRINKLER PIPE, SPRINKLER HEAD AND/OR HANGERS TO REMAIN - COORDINATE WITH SCHEDULED WORK - NOTE HANGERS NEED TO BE COORDINATED WITH CEILING WORK, V.I.F. ALL LOCATIONS
 - EXISTING LIGHT FIXTURE MODIFY LOCATION AS NECESSARY TO ACCOMMODATE SCHEDULED WORK, TYPICAL FOR ALL CEILING MOUNTED LIGHTS
 - EXISTING LOW VOLTAGE WIRE MOLD LAYOUT AND ROUTING TO BE REVIEWED IN FIELD FOR POSSIBLE CONSOLIDATION - NOTE WIRES ARE TO BE REROUTED AS PART OF THE SCHEDULED CEILING WORK, TYPICAL
 - TYPICAL VERTICAL SPRINKLER PIPE OR SIMILAR - COORDINATE CEILING AND COVE MOLDING AS REQUIRED
 - BORDER AREA BETWEEN CEILING TILE FIELD AND CROWN MOLDING - NOTE BORDER AND CEILING FIELD ARE TO BE EQUALLY CENTERED, ALL MOLDING IS TO MITERED AND JOINTS ARE TO SMOOTH, TYPICAL.
 - HATCH INDICATES TYPICAL METAL CROWN MOLDING SYSTEM AS PART OF THE COMPLETE CEILING SYSTEM, ALL CROWN MOLDING IS TO MITERED AND JOINTS ARE TO SMOOTH, TYPICAL.
 - EXISTING SOFFIT CONCEALING A MECHANICAL UNIT TO REMAIN
 - COORDINATE DETAIL OF BORDER TRIM WITH EXISTING STEEL FRAMING, BALUSTRADE POSTS AND UNDERSIDE OF BALCONY IN THE FILED ALL EXPOSED METAL EDGES OF THE METAL CEILING SYSTEM ARE TO BE HEMMED CONCEALED, TYPICAL




A A5.00 3/8" = 1'-0" **Typ. Seismic Bracing**
SUSPENSION CEILING SYSTEM




C A5.00 1-1/2" = 1'-0" **Typ. Susp. Ceiling Detail**
SUSPENSION CEILING SYSTEM




F A5.00 N.T.S. **Typ. Susp. Profiles**
ACOUSTIC PANEL SUSP. SYSTEM




B A5.00 1-1/2" = 1'-0" **Typ. Hanger Wire Detail**
SUSPENSION CEILING SYSTEM




D A5.00 1-1/2" = 1'-0" **Typ. Cing. Edge Detail**
SUSPENSION CEILING SYSTEM



E A5.00 N.T.S. **Typ. Susp. Ceiling**
ACOUSTIC PANEL SUSP. SYSTEM



2 A5.00 3" = 1'-0" **Molding Detail - A**



1 A5.00 3" = 1'-0" **Molding Detail - B**
WORK AREA 'C'

Date: 1/10/20
Checked: MJM
Drawn: -

MICHAEL J. MCGOVERN, P.A.
REGISTERED ARCHITECT
License No. 022257-1

Revisions:
ISSUE TO BID 1/23/20

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DOCUMENT IS A VIOLATION OF SECTION 2209 OF THE NEW YORK STATE EDUCATION LAW. THESE DOCUMENTS REMAIN THE EXCLUSIVE PROPERTY OF THE ENGINEER, AND MAY NOT BE USED FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN CONSENT OF THE ENGINEER.

LAN ASSOCIATES
engineering • planning • architecture • surveying
252 MAIN STREET, GOSHEN, NEW YORK 10924 (845)615-0350

CEILING DETAILS AND SCHEDULES
2019 BOND REFERENDUM
MAMARONECK AVENUE ELEMENTARY SCHOOL
MAMARONECK UNION FREE SCHOOL DISTRICT
850 MAMARONECK AVENUE, MAMARONECK, NY 10543

Job No. 4.1092.72.2
File No. 10927202A500

A5.00

NYSed PROJECT # 66-07-01-03-0-004-030