

- GENERAL DEMOLITION NOTES**
1. LOCATIONS/ROUTINGS/SIZES OF EXIST. PLUMBING PIPING SHOWN ARE BASED ON SITE OBSERVATIONS & THEY ARE APPROXIMATE. PC IS RESPONSIBLE TO VERIFY THEM IN FIELD. GC TO SAWCUT EXIST. WALLS/FLOOR SLABS OR OPENING EXIST. CHASES AS REQUIRED TO ACCOMMODATE PLUMBING INSTALLATION. GC TO PATCH WALLS/CHASES/FLOOR SLABS AS REQUIRED TO MATCH EXISTING.
  2. ANY CUTTING, PATCHING, OR FINISH REPAIR WORK REQUIRED FOR PLUMBING WORK IS THE RESPONSIBILITY OF GC.
  3. PC IS RESPONSIBLE FOR SHUTDOWN AND/OR TO ISOLATE SECTIONS OF PLUMBING & SPRINKLER SYSTEMS, AND DRAIN WATER FROM THE SYSTEMS TO ACCOMMODATE FOR DEMOLITION. RESTORE THE SYSTEMS AS REQUIRED.
  4. GC IS RESPONSIBLE TO REMOVE EXISTING CEILING/GRIDS & RELOCATE EXISTING LIGHT FIXTURES, FIRE & COMMUNICATION DEVICES, ETC. TO ACCOMMODATE PLUMBING INSTALLATION. REINSTALL TO MATCH EXISTING. REPLACE ALL DAMAGED TILES. MODEL & TYPE OF NEW CEILING TILES SHALL MATCH EXISTING.
  5. ALL EXIST. CONDENSATE DRAIN PIPING THAT IS ASSOCIATED WITH DEMOLISHED HVAC UNITS SHALL BE REMOVED BY MC. REFER TO MECH. DWGS. FOR LOCATIONS.
  6. EXIST. CABINET SINKS THROUGHOUT THE SCHOOL ARE TO BE REPLACED. REFER TO DWGS. A2.03 THRU A2.05 FOR LOCATIONS. PC SHALL DISCONNECT EXIST. PLUMBING PIPING TO ACCOMMODATE REMOVAL OF EXIST. CABINETS. REMOVE EXIST. SINKS & FAUCETS & PLUMBING ACCESSORIES & DISPOSE OFF THE SITE.


Date: 1/10/20  
 Checked: AL  
 Drawn: IM/AL  
**MICHAEL J. MCGOVERN, P.E.**  
 THE REGISTERED ARCHITECT  
 License No. 022257-1

**Revisions:**  
 ISSUE TO BO 11/23/20

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DOCUMENT IS A VIOLATION OF SECTION 2209 OF THE NEW YORK STATE EDUCATION LAW. THESE DOCUMENTS REMAIN THE EXCLUSIVE PROPERTY OF THE ENGINEER, AND MAY NOT BE USED FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN CONSENT OF THE ENGINEER.

**LAN ASSOCIATES**  
 engineering • planning • architecture • surveying  
 252 MAIN STREET, GOSHEN, NEW YORK 10924 (845)815-0350

**LOWER LEVEL PLUMBING DEMOLITION PLAN**  
 2019 BOND REFERENDUM  
 MAMARONECK AVENUE ELEMENTARY SCHOOL  
 MAMARONECK UNION FREE SCHOOL DISTRICT  
 850 MAMARONECK AVENUE, MAMARONECK, NY 10543  
 Job No. 4.1092.72.2  
 File No. 10927202P201  
**P1.01**



**Partial Lower Level Plumbing Demolition Plan**  
 1/8" = 1'-0"  
 NORTH