



Legend	
	ROOF DRAIN
	ROOF EDGE SCUPPER W/ CONDUCTOR HEAD
	DENOTES SLOPE OF NEW ROOF INSULATION
	NEW TAPERED POLYISO INSULATION LAYOUT

- NOTES:**
- ALL DIMENSIONS ARE ±. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS PRIOR TO START OF WORK.
 - MAINTAIN POSITIVE DRAINAGE SLOPE OF MINIMUM 1/4" PER FOOT TO ALL ROOF DRAINS/SCUPPERS. TYPICAL.
 - SEE SHEET A8.10 FOR ROOF SYSTEMS AND DETAILS.
 - HATCH DENOTES ROOF AREAS NIC.

- REFER TO GENERAL NOTES ON SHEET A2.00
- # SYMBOL INDICATES CONSTRUCTION KEY NOTE. CONSTRUCTION TAGS CORRESPOND TO THE WORK AREA LETTER IN THE DRAWING TITLE INDICATOR LABELED "WORK AREA". REFER TO CONSTRUCTION KEY NOTES ON SHEET A2.00.
 - ♿ DENOTES LOCATION OF MOBILITY IMPAIRED FURNITURE LOCATION.

Date: 1/10/20
 Checked: MJM
 Drawn: LH
MICHAEL J. MCGOVERN, R.A.
 LICENSE NO. 022257-1
 REGISTERED ARCHITECT

Revisions:
 ISSUE TO BID 11/23/20

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DOCUMENT IS A VIOLATION OF SECTION 2209 OF THE NEW YORK STATE EDUCATION LAW. THESE DOCUMENTS REMAIN THE EXCLUSIVE PROPERTY OF THE ENGINEER, AND MAY NOT BE USED FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN CONSENT OF THE ENGINEER.

LAN ASSOCIATES
 engineering • planning • architecture • surveying
 252 MAIN STREET, GOSHEN, NEW YORK 10924 (845)615-0350

NYSED PROJECT # 66-07-01-03-0-004-030
ENLARGED PROPOSED ROOF PLAN
 2019 BOND REFERENDUM
 MAMARONECK AVENUE ELEMENTARY SCHOOL
 MAMARONECK UNION FREE SCHOOL DISTRICT
 850 MAMARONECK AVENUE, MAMARONECK, NY 10543
 Job No. 4.1092.72.2
 File No. 10927202A210
A2.14

1 Enlarged Partial Proposed Roof Plan
 A2.14 1/4" = 1'-0"

