

**DRAWING NOTES:**  
**MAMARONECK AVENUE ELEMENTARY SCHOOL**  
 DRAWING H1.03

**NOTE:**

- ASBESTOS ABATEMENT CONTRACTOR WILL BE RESPONSIBLE FOR THE REMOVAL AND DISPOSAL OF ACM PLASTER WALLS AROUND WINDOWS SCHEDULED FOR REMOVAL LEAVING A CLEAN EDGE. ABATEMENT CONTRACTOR RESPONSIBLE FOR PROVIDING ALL LABOR, MATERIALS AND EQUIPMENT NECESSARY TO COMPLETE WORK. APPROXIMATE QUANTITY IS 100 SQUARE FEET.
- ASBESTOS ABATEMENT CONTRACTOR WILL BE RESPONSIBLE FOR THE REMOVAL AND DISPOSAL OF ACM PLASTER WALLS. APPROXIMATE QUANTITY IS 1000 SQUARE FEET.

DRAWING H1.04

**GENERAL NOTE:**  
 ALL WALL PLASTER  
 IN THIS AREA TESTED  
 POSITIVE FOR ASBESTOS

**NOTE:**  
 SEE DRAWING A1.20 FOR  
 CEILING DEMOLITION

**NOTE:**  
 TEXTURED PLASTER  
 ELECTRICAL


**NOTE:**  
 SEE DRAWING A1.21  
 FOR CORRIDOR  
 CEILING DEMOLITION

Existing First Floor ACM Abatement Plan

H1.03 1/8" = 1'-0"

**QUALITY ENVIRONMENTAL SOLUTIONS  
 & TECHNOLOGIES, INC.**

1376 NYS ROUTE 9, WAPPINGERS FALLS, NY 12590 TEL: (845)298-6031 FAX (845)298-1325



Key Plan

NOT TO SCALE

Date	1/10/20
Checked	LG
Drawn	AM

**MICHAEL J. MCGOVERN, R.A.**  
 REGISTERED ARCHITECT  
 License No. 022257-1

**Revisions:**

UNAUTHORIZED ALTERATIONS OR ADDITIONS TO THIS DOCUMENT IS A VIOLATION OF SECTION 2209 OF THE NEW YORK STATE EDUCATION LAW. THESE DOCUMENTS REMAIN THE EXCLUSIVE PROPERTY OF THE ENGINEER AND MAY NOT BE USED FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN CONSENT OF THE ENGINEER.

**LAN ASSOCIATES**  
 engineering • planning • architecture • surveying  
 252 MAIN STREET, GOSHEN, NEW YORK 10924 (845)915-0350

**EXISTING FIRST FLOOR ABATEMENT PLAN**  
 2019 BOND REFERENDUM  
 MAMARONECK AVENUE ELEMENTARY SCHOOL  
 MAMARONECK UNION FREE SCHOOL DISTRICT  
 850 MAMARONECK AVENUE, MAMARONECK, NY 10543

Job No. 4.1092.72.2

File No. 10927202A101

**H1.03**