



**LEGEND:**  
 TLL - TOP LOWER LAYER  
 TUL - TOP UPPER LAYER  
 BLL - BOTTOM LOWER LAYER  
 BUL - BOTTOM UPPER LAYER  
 - - - - - INDICATES SLAB SLOPED  
 CHANGE IN EL

**STATION PLATFORM RAMP PART PLAN**  
 1/4" = 1'-0"

- NOTES:**
- ALL DIMENSIONS & ELEVATIONS SHALL BE VERIFIED IN FIELD BY CONTRACTOR
  - REFER TO CIVIL DRAWINGS FOR SCOPE OF WORK FOR DEMOLITION AND NEW WORK REGARDING PARTIAL REMOVAL OF EXISTING PLATFORM AND TEMPORARY PLATFORM INSTALLATION
  - GC TO COORDINATE WITH ALL TRADES FOR ALL UTILITIES THAT WILL BE IMPACTED WITHIN AREA OF WORK PRIOR TO ANY DEMOLITION/NEW WORK
  - REFER TO SCD-J-100 FOR OVERPASS STRUCTURAL SEPARATION DETAILS AND JACKING SEQUENCE
  - FOUNDATIONS ARE DESIGNED FOR A NOMINAL BEARING RESISTANCE OF 18 KSF AND A FACTORED BEARING RESISTANCE FOR STRENGTH LIMIT OF 8 KSF.

**100% RFC SUBMISSION**

DESIGNED	SD	CONFORMED									
DRAWN	SD										
CHECKED	RA										
APPROVED	MM										
		REVISION					REVISION				



TITLE		CONTRACT NO.	
HARTSDALE AND SCARSDALE STATION IMPROVEMENTS		1000106733	
SCALE	DATE		
1/4" = 1'-0"	08/03/2021		
DRAWING NO.			
SCARSDALE STATION		SCD-S-102	
		SHEET 49 OF 112	