

- NOTES:
1. FOR SYMBOLS, ABBREVIATIONS AND GENERAL NOTES
SEE DRAWING SCD-P-001
- SUMP PUMP DISCHARGE NOTES:
1. PROVIDE ELECTRICAL HEAT TRACING ON PUMP AND PUMP
DISCHARGE LINES CONTAINING STANDING WATER.

2. INSULATE ALL HEAT TRACED PUMP DISCHARGE LINES.


3. FIELD ROUTE AND COORDINATE WITH MNR DISCHARGE DRAIN LINE
AT 12" ABOVE GRADE. SPILL DISCHARGE ON GRADE AND PROVIDE
SLEEVE AND SEAL AT PENETRATION.

1

PLUMBING
PLATFORM PART PLAN

1/8"=1'-0"

0 4' 8' 16'



100% RFC SUBMISSION

DESIGNED	AD												CONFORMED																				 225 PARK AVENUE SOUTH, NEW YORK, NY 10003	 Metro-North Railroad 420 Lexington Avenue New York, NY 10017	TITLE HARTSDALE AND SCARSDALE STATION IMPROVEMENTS PLUMBING SCARSDALE STATION PLATFORM PART PLAN SCARSDALE STATION	CONTRACT NO. 1000106733		
DRAWN	AD																																			SCALE		DATE 08/03/2021
CHECKED	JP																																			DRAWING NO.		SCD-P-101
APPROVED	JP																																			SHEET 110 OF 112		
			REVISION										REVISION																									
			NO.	DATE				DRWN	CHKD	APPVD			NO.	DATE			DRWN	CHKD	APPVD																			