

Door Type Elevations

1/2" = 1'-0"

Date: 1/10/20  
 Drawn: JG  
 Check: CTB

**MICHAEL J. McGOVERN, R.A.**  
 REGISTERED ARCHITECT  
 License No. 02257-1

Revisions:  
 5562 to 50  
 11/20/19  
 50 ADDITION N.1  
 11/20/19

Architect's approval of these drawings is based on the information provided by the client. The architect does not assume any liability for the accuracy or completeness of the information provided. The architect's responsibility is limited to the design and construction of the building and its components.


**LAN ASSOCIATES**  
 engineering • planning • architecture • surveying  
 252 MAIN STREET, GOSHEN, NEW YORK 10924 • (845) 515-0350

**DOOR TYPES**  
 2019 BOND REDEMPTION  
 CHATSWORTH AVENUE ELEMENTARY SCHOOL  
 MAMARONECK UNION FREE SCHOOL DISTRICT  
 CHATSWORTH AVENUE, LARCHMONT, NY 10538

Project No. 4.1092.72.03  
 File No. 10927203A601

**A6.02**

NYS ED PROJECT # 66-07-01-03-0-005-020



Date: 1/10/20  
 Drawn: CJK  
 Check: KM

**MICHAEL J. MCGOVERN, R.A.**  
 REGISTERED ARCHITECT  
 License No. 02257-1

**Revisions:**  
 0502 to 00  
 11/20/20  
 00 ADDITION NO. 1  
 11/20/20

ARCHITECTURE & INTERIOR DESIGN  
 100 WEST 10TH STREET  
 NEW YORK, NY 10011  
 TEL: 212 255 1234  
 WWW: WWW.MJMC.COM

**LAN ASSOCIATES**  
 engineering • planning • architecture • surveying  
 252 MAIN STREET, GOSHEN, NEW YORK 10924 (845)515-0350

**INTERIOR ELEVATIONS - SKY 07M**  
 2019 BOND STREET  
 CHATSWORTH AVENUE ELEMENTARY SCHOOL  
 MAMARONECK UNION FREE SCHOOL DISTRICT  
 CHATSWORTH AVENUE, LARCHMONT, NY 10538

NYSED PROJECT # 66-07-01-03-0-005-020


10.1092.72.03  
 10.1092.72.03A730

**A7.30**

**ALTERNATE**  
 ALL WORK ASSOCIATED WITH WORK AREA 'D'.  
 REFER TO SPECIFICATION SECTION 012300

**NOTE:** GC TO ALLOW FOR A (4) COLOR PAINT SCHEME  
 WITHIN WORK AREA 'D'. COLORS AND LOCATIONS TO  
 BE SELECTED BY OWNER / ARCHITECT

- Work Area 'D' Key Notes**
- EXISTING WOOD TRIM TO BE PREPARED AND PAINTED, TYP.
  - EXISTING PLASTER AND LATH, GC TO CLEAN AND REMOVE ALL LOOSE OR UNSTABLE MATERIAL AND THEN TO REPAIR THE AREA TO MATCH EXISTING USING A TYPICAL THREE COAT PLASTER PROCEDURE. IN ADDITION TO AREAS SHOWN THE GC SHALL INCLUDE IN BASE BID AND ADJACENT OR ENTIRE PLASTER AREA TO BE REMOVED AND BUILT BACK UP FROM THE LATH SUBSTRATE. PREPARE AND PAINT ALL PLASTER, TYP.
  - EXISTING PLYWOOD OR EQUAL PROTECTION BOARD TO REMAIN, GC TO PREPARE AND PAINT, TYP.
  - EXISTING WOOD HANDSOT TO BE PREPARED AND PAINTED, TYP.
  - EXISTING WOOD WINDOW TRIM SYSTEM TO BE PREPARED AND PAINTED, TYP.
  - EXISTING WIRE WINDOW GUARD TO BE REMOVED, PREPARED, PAINTED AND REINSTALLED, TYP.
  - EXISTING HOMOSITE OR EQUAL WALL SHEATHING TO BE PREPARED AND PAINTED, TYP.
  - EXISTING EXPOSED METAL STUDS TO BE PREPARED AND PAINTED, TYP.
  - EXISTING METAL LINDER TO REMAIN, PROTECT DURING CONSTRUCTION.
  - EXISTING PADDED WALL PROTECTION SYSTEM TO REMAIN, PROTECT DURING CONSTRUCTION.
  - EXISTING PADDED WALL PROTECTION BOARD TO BE REINSTALLED, ANCHOR METHOD SHALL BE SIMILAR TO ADJACENT EXISTING PROTECTION BOARDS, V.I.F.
  - EXISTING PLASTER WRAPPED BEAM TO BE REPAIRED TO LIKE NEW AND PAINTED, TYP.
  - EXISTING MECHANICAL DUCTWORK AND ACCESSORIES, CONTRACTOR SHALL COORDINATE ALL WORK AND PROTECT MECHANICAL EQUIPMENT, GC TO PREPARE AND PAINT ALL EXPOSED DUCTWORK, TYP.
  - EXISTING STEEL FRAMED ROOF STRUCTURE TO BE PREPARED AND PAINTED, V.I.F. LAYOUT, ADJACENT EQUIPMENT TO BE PROTECTED.
  - ALL EXISTING ROUND BATTENS INCLUDING THE HANGING DEVICE ARE TO BE REMOVED, PROFESSIONALLY CLEANED AND REINSTALLED, TYP.
  - EXISTING MISCELLANEOUS MOUNTED OR SECURED CONDUIT, DEVICE, OR EQUIPMENT IS TO REMAIN AND BE PROTECTED WHILE SCHEDULED WORK IS BEING COMPLETED, U.O.N., TYP. PREPARE AND PAINT ALL CONDUIT AND PIPES WITHIN WORK AREA, TYP.
  - EXISTING CONDUIT, ANCHOR BONES, RECEPTACLES, SWITCHES AND ACCESSORIES ARE TO BE CLEANED AND PAINTED ACCORDINGLY, FACE PLATES THAT ARE BROKEN ARE TO BE REPLACED WITH A STAINLESS STEEL EQUIVALENT, TYP.
  - EXISTING BEAD BOARD WOOD CEILING TO BE PREPARED AND PAINTED, TYP.
  - EXISTING PLYWOOD PROTECTION BOARD IS TO BE REMOVED, THE PLASTER SURFACE UNDERNEATH IS TO BE COMPLETELY RESTORED FROM THE BASE SHEATHING TO THE FINISH COAT TO MATCH ADJACENT FINISH AND PAINTED, TYP.
  - EXISTING MISCELLANEOUS STOP AND HOOP TO REMAIN, COORDINATE REPAIR AND PAINTING WITH EXISTING EQUIPMENT AND ACCESSORIES IN FIELD, V.I.F. UNLESS OTHERWISE NOTED.
  - BOTH SIDES OF EXISTING DOOR FRAMES ARE TO BE PREPARED AND PAINTED, U.O.N., TYP.
  - GC TO PROVIDE AND INSTALL NEW ADA COMPLIANT LEVER HARDWARE AT EXISTING DOORS, GC TO REMOVE EXISTING DOOR HARDWARE AS REQUIRED AND MODIFY DOOR PANEL AND FRAME AS REQUIRED. LEVER DOOR HARDWARE INSTALLATION REQUIREMENTS IN THE FIELD COORDINATE OPERATION AND LOOKING REQUIREMENTS WITH OWNER PRIOR TO PLACING ORDER, HARDWARE STYLE AND FINISH TO BE SELECTED BY OWNER FROM MANUFACTURERS FULL RANGE.
  - EXISTING WOOD DOORS TO BE PREPARED AND PAINTED.



PROJECT NORTH