

OLD OAKS COUNTRY CLUB

PURCHASE, NEW YORK

WRITTEN SPECIFICATIONS

- ITEM 1: S/S SOILED DISHTABLE W/ PRE-RINSE SINK, SOAK SINK,
SCRAP TROUGH
EXISTING-RELOCATE
CHANGE SOAK SINK FAUCET TO T&S B-0300LN
- ITEM 2: CONVEYOR DISHWASHER
CMA-EST-66H
EXISTING-RELOCATE
- ITEM 3: CLEAN DISHTABLE
EXISTING-RELOCATE
- ITEM 4: BOOSTER HEATER
HUBBEL MODEL J645R
REMOVE PROTECTIVE SHIPPING PAPER
EXISTING-RELOCATE
- ITEM 5: POT FILLER FAUCET
MANUFACTURER: T&S BRASS
DESCRIPTION: MODEL B-0592
- ITEM 6: DISH DOLLIES
EXISTING-RELOCATE
- ITEM 7: DISH STORAGE SHELVING
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: SUPER ADJUSTABLE SUPER ERECTA SHELVING
(2) TWO 18" X 48" X 74" HIGH-5 SHELF UNITS
EACH WITH (2) 5M & (2) 5MB CASTERS
- ITEM 8: 3 COMPARTMENT POT SINK-300 SERIES S/S
SIZE: 10'-7" X 31-1/2" X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
262 STARR STREET, BROOKLYN, NEW YORK
DESCRIPTION: 14 GA. S/S WITH 10" BACKSPLASH, UP 2" @ 45°,
DOWN 3/4" AT REAR

ITEM 8 CONT'D: PROVIDE:

- (3) 20" X 28" X 14" DEEP COVERED SINKS
(DRAWN BOWLS ARE UNACCEPTABLE)
- (1) T&S B-231 FAUCET & (1) B-133/156/109
PRE-RINSE SPRAY, ADD-A-FAUCET & WALL BRACKET
- (3) 2" LEVER WASTES
- 30" LEFT & RIGHT INTEGRAL DRAIN BOARDS. RIGHT
HAND DRAIN BOARD TO HAVE 10" HIGH MATCHING
RETURN SPLASH 1-1/4" O.D. 16 GA. S/S TUBULAR
CROSSBRACING WELDED 3 SIDES AS SHOWN
- (8) 1-5/8" 16 GA. S/S LEGS, S/S ENCLOSED GUSSETS,
S/S ADJUSTABLE BULLET FEET

NOTE: B-113/156/109 TO SERVE RIGHT & MIDDLE SINK
B-0231 TO SERVE MIDDLE & LEFT SINK

ITEM 9: DISH CABINET-300 SERIES S/S
SIZE: 15" DEEP O.A. X 72" LONG X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP, 16 GA. S/S UNDERSHELF & INTERMEDIATE
SHELF. TOP SHALL BE TURNED UP 4" AT REAR, RAW WITH
HEMMED EDGE TURNED DOWN AT REAR. BODY SHALL BE
30" HIGH, OPEN CABINET CONSTRUCTION.
CABINET SHALL HAVE (4) FOUR 6" HIGH S/S LEGS
W/ ADJUSTABLE S/S BULLET FEET.

ITEM 10: SANDWICH REFRIGERATOR
MANUFACTURER: CONTINENTAL REFRIGERATOR
DESCRIPTION: MODEL SW-72N-18M
115V-W/5-15 PLUG & CORD

ITEM 11: DISH CABINET-300 SERIES S/S
SIZE: 15" DEEP X 15'-3" LONG X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: SAME GENERAL SPECIFICATIONS AS ITEM 9, BUT BODY
TO BE IN (3) THREE SEPARATE & EQUAL INDEPENDENT
PIECES AND TOP SHALL BE IN ONE PIECE.

ITEM 12: COOK'S WORK TABLE- 300 SERIES S/S
SIZE: 36" X 9'-8" X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP, WITH INVERTED "V" EDGES ALL 4 SIDES
OPEN CABINET BODY CONSTRUCTION WITH 16 GA. S/S
REAR & END PANELS. 42" PARTIAL UNDERSHELF, 16 GA.
S/S BELOW LEFT END, SUPPORTED BY (4) 1-5/8" O.D.

ITEM 12 CONT'D:

16 GA. S/S LEGS. ALL LEGS SHALL HAVE S/S ENCLOSED GUSSETS, S/S ADJUSTABLE BULLET FEET. SEE ITEM 118 & 122 FOR OVERSHELF & HEAT LAMP DETAILS. BALANCE OF CABINET SHALL BE OPEN BELOW TOP AND SUPPORTED BY (4) 1-5/8" O.D. 16 GA. S/S LEGS AND FULLY WELDED 1-1/4" CROSSBRACING AT 10" AFF. DETAILS: TOP SHALL HAVE A CUT-OUT FOR ITEM 13, ATLAS WIH-4 HOT PAN-CUT OUT SHALL BE SUPPORTED ON ALL 4 SIDES BY 1-1/4" X 1-1/4", 90° GALVANIZED ANGLES WELDED TO UNDERSIDE OF TOP.

ITEM 13: DROP IN HOT PAN-ELECTRICALLY HEATED W/INDIVIDUAL CONTROLS.
MANUFACTURER: ATLAS METAL
DESCRIPTION: MODEL WIH-4 W/1000 WATT HEATERS
208/1Ø W/ L6-30P PLUG & CORD
PROVIDE:
- 3 S/S LONG ADAPTER BARS & 4 SHORT ADAPTER BARS
- INDIVIDUAL DRAIN FOR EACH WELL W/ MANIFOLD TO SINGLE VALVE.

ITEM 14: SPARE NUMBER

ITEM 15: WORKTOP FREEZER W/ DRAWERS
MANUFACTURER: CONTINENTAL REFRIGERATOR
DESCRIPTION: MODEL CFA 68-D
PROVIDE:
- EXTERIOR DIGITAL THERMOMETER
W/5-15 PLUG & CORD

ITEM 16: RANGE HOOD
SIZE: 24'-0" X 54" X 24" HIGH
MANUFACTURER: LARKIN INDUSTRIES, BIRMINGHAM, AL.
DESCRIPTION: MODEL EO EXHAUST ONLY
HOOD SHALL BE MADE IN TWO (2) PIECES
18 GA. S/S ON ALL EXPOSED SURFACES
BALANCE OF HOOD TO BE GALVANIZED
3 UL LISTED PRE-WIRED INCANDESCENT LIGHTS
PER SECTION
PROVIDE:
- 18 GA. S/S FILLER PANELS FROM TOP OF HOOD TO CEILING
- 3" S/S STAND-OFF REAR & LEFT END OF HOOD

ITEM 16 CONT'D: PROVIDE:

- TO BE HUNG W/ ½" THREADED RODS
- COLLARS FOR EXHAUST & SUPPLY SHIPPED LOOSE AND OPENINGS TO BE CUT IN FIELD AND CONTINUOUSLY WELD TO TOP OF HOOD
- 18 GA. S/S WALL PANELS BEHIND RANGE HOOD FROM THE TOP OF THE COVERED BASE TO JUST UNDER THE HOOD WITH ALL T & J MOLDINGS

ITEM 17 & 18: EXHAUST & SUPPLY FANS
SEE HVAC MECHANICAL DRAWINGS FOR FANS, CONTROLLERS, AND STARTERS

ITEM 19: RANGE W/ 2 BURNERS, GRIDDLE & OVEN
GARLAND MST42R-E – EXISTING-RELOCATE-L.P. GAS

ITEM 20: FIRE SUPPRESSION SYSTEM
ANSUL R-102 WET CHEMICAL SYSTEM

ITEM 21: RANGE W/ 6 OPEN BURNERS AND (1) OVEN
GARLAND MST43R
EXISTING-RELOCATE- L.P. GAS

ITEM 22: SAME AS ITEM 21

ITEM 23: FRYER
PITCO MODEL SG-14
EXISTING-RELOCATE-L.P. GAS

ITEM 24: SAME AS ITEM 23

ITEM 25: MONTAGUE CHOP HOUSE BROILER W/GRIDDLE
THERE WAS NO SPEC. SHEET AVAILABLE, BUT IT LOOKS EXACTLY LIKE THE VULCAN IN THE SPEC. SHEET BOOKLET. NO MODEL NUMBER AVAILABLE
EXISTING-RELOCATE-L.P. GAS

ITEM 26: BROILER W/ WARMING OVEN ABOVE & REGULAR OVENBASE
BELOW. GARLAND M-100XRM
EXISTING-RELOCATE-L.P. GAS

ITEM 27: COMBI-OVENS
RATIONAL DOUBLE STACK SELF-COOKING CENTER
W/LEGS 62/102E-SEE NOTES ON DRAWING BR
THE SPEC. SHEET DRAWINGS ARE UNCLEAR AS TO
EXACT LOCATION OF UTILITIES. WE BELIEVE THE UNITS
ARE BOTH 208/3Ø. FIELD INSPECTION IS REQUIRED
EXISTING-RELOCATE

ITEM 28: HAND WASH SINK
MANUFACTURER: ADVANCE-TABCO
DESCRIPTION: MODEL 7-PS-131
WALL BLOCKING REQUIRED

ITEM 29: POT & PAN SHELVING
SIZE: (2) TWO 18" X 42" X 74" HIGH-4 SHELF UNITS
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: SUPER ADJUSTABLE SUPER ERECTA SHELVING
CHROME PLATED- 4 SHELVES PER UNIT
EACH UNIT W/ (2) TWO 5M & (2) 5MB CASTERS

ITEM 30: SUPPLY PLENUM FOR RANGE HOOD (ITEM 16)
SIZE: 12" DEEP X 6" HIGH X 24'-0" LONG
MANUFACTURER: LARKIN INDUSTRIES
DESCRIPTION: S/S WITH PERFORATED BALANCING PLATE & 23%
OPEN S/S PERFORATED PANEL
PLENUM TO BE SHIPPED SEPARATE FROM HOOD IN
(2) TWO EQUAL LENGTHS & TO BE FIELD INSTALLED

ITEM 31: WOOD TOP BAKERS TABLE
SIZE: 30" X 96" X 35" HIGH
MANUFACTURER: GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 1-3/4" MAPLE TOP WITH 6" COVERED RISERS
REAR & LEFT END ONLY. RIGHT END SQUARED DOWN
PROVIDE:
- SIX (6) 1-5/8" OD 16 GA. S/S LEGS, S/S GUSSETS,
S/S ADJUSTABLE BULLET FEET
- 1-1/4" TUBULAR S/S CROSSBRACING @ 10" AFF
AS PER DRAWING BL

ITEM 32: S/S TOP BAKERS TABLE-300 SERIES S/S
 SIZE: 30" X 96" X 35" HIGH
 MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
 DESCRIPTION: 14 GA. S/S TOP WITH 6" REARSPLASH & RIGHT HAND
 RETURN SPLASH- LEFT END TO BE SQUARED DOWN
 BACKSPLASH & RETURN SPLASH SHALL RETURN 2" AT
 90°, DOWN ½" AT REAR.
 PROVIDE: -LEGS & CROSSBRACING AS PER ITEM 31

ITEM 33: INGREDIENT BINS- EXISTING-RELOCATE

ITEM 34: HAND WASH SINK
 MANUFACTURER: ADVANCE-TABCO
 DESCRIPTION: MODEL 7-PS-131

ITEM 35: MIXER- HOBART H-600
 EXISTING-RELOCATE
 VERIFY VOLTS & PHASE

ITEM 36: ONE COMPARTMENT BAKERS SINK-300 SERIES S/S
 SIZE: 27" X 48" X 35" HIGH
 MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
 DESCRIPTION: 14 GA. S/S W/20" X 20" X 12" DEEP SINK
 INTEGRALLY WELDED AND 24" R.H. DRAINBOARD.
 FRONT & ENDS SHALL HAVE 3" HIGH ROLLED EDGES &
 BACKSPLASH SHALL BE 10" HIGH W/2" RETURN AT 45°,
 DOWN ½" AT REAR.
 PROVIDE:

- TWO (2) 6" LONG S/S Z CLIPS TO HOLD SINK &
DRAINBOARD TO WALL
- WALL BLOCKING REQUIRED
- T&S B-3970 LEVERWASTE
- T&S B-0231 FAUCET
- (4) FOUR 1-5/8" O.D.-16 GA. S/S LEGS, S/S ENCLOSED
GUSSETS, S/S ADJUSTABLE BULLET FEET
- 1-1/4" WELDED TUBULAR CROSSBRACING

ITEM 37: BAKER'S REFRIGERATOR
 MANUFACTURER: CONTINENTAL REFRIGERATOR
 DESCRIPTION: MODEL 2RN
 115/1Ø W/ PLUG & CORD, CASTERS
 DOORS STANDARD HINGING
 PAN SLIDES BOTH SIDES

ITEM 38: MOBILE SHEET PAN RACKS-EXISTING-RELOCATE
ITEM 39: SALAD & DESSERT PREP TABLE W/ (2) SINKS-300 S/S
SIZE: 30" X 120" X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP W/ 10" REAR SPLASH W/ 1" RETURN
@90° DOWN ½" AT REAR. FRONT & BOTH ENDS TO HAVE
INVERTED "V" EDGE.
PROVIDE:
- TWO (2) 20" X 20" X 12" DEEP COVED CORNERED SINKS
W/WELDED CORNERS (NO DRAWN BOWLS) INTEGRALLY
WELDED INTO TOP. RIGHT HAND SINK SHALL BE 27" FROM
RIGHT HAND END OF TABLE. BELOW THAT AREA SHALL BE
FOUR (4) S/S 1-5/8" OD 16 GA. LEGS WITH ENCLOSED
GUSSETS & S/S ADJUSTABLE BULLET FEET.
- LEGS SHALL HAVE 1-1/4" S/S TUBULAR CROSSBRACING
WELDED AT 10" AFF-TO THE LEFT OF THE SINKS SHALL BE
A 16 GA. S/S UNDERSHELF WELDED TO FOUR (4) 1-5/8" OD
16 GA. S/S LEGS, S/S ENCLOSED GUSSETS & S/S ADJUSTABLE
BULLET FEET. UNDERSHELF SHALL TURN UP 2" AT REAR &
DOWN 2" AT FRONT & ENDS.
- 20" X 20" X 5" DEEP H.D.-S/S COVED PAN DRAWER W/ S/S
FACE & HD ROLLER BEARING SLIDES
- (1) T&S B-0231 FAUCET
- (2) BASKET WASTES

ITEM 40: S/S OVERSHELVES FOR ITEM 39
SIZE: 12" X 7'-6"
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 16 GA. S/S WALL MOUNTED DOUBLE OVERSHELVES
EACH SUPPORTED BY THREE (3) TRIANGULAR S/S BRACKETS
BOTTOM SHELF AT 54" AFF AND TOP SHELF AT 66" AFF
SHELVES SHALL HAVE ROLLED EDGE AT FRONT, SQUARED
DOWN ENDS AND 2" RAW TURN UP AT REAR

ITEM 41: SLICER
MANUFACTURER: HOBART
DESCRIPTION: MODEL 2712
115/1Ø W/ 5-15 PLUG & CORD (VERIFY)

ITEM 42: S/S DEFROST SINK
EXISTING-RELOCATE

ITEM 43: POT & PAN STORAGE SHELVING- MOBILE
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: SUPER ADJUSTABLE SUPER ERECTA CHROME PLATED
(3) THREE UNITS EACH WITH (4) FOUR
18" X 48" X 74" HIGH -CHROME PLATED SHELVES
EACH UNIT W/ (2) TWO 5M & (2) 5MB CASTERS

ITEM 44: S/S MOBILE TABLE-300 S/S
SIZE: 30" X 48" X 35" HIGH INCLUDING CASTERS
MANUFACTURER: GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP W/INVERTED "V" EDGE ALL FOUR SIDES
PROVIDE:
- 16 GA. S/S UNDERSHELF TURNED DOWN ON ALL FOUR
SIDES AND FULLY WELDED TO FOUR 1-5/8 O.D. 16 GA.
S/S LEGS, S/S ENCLOSED GUSSETS AND (4) 5" CASTERS,
(2) WITH BRAKES
- 20" X 20" X 5" DRAWER W/ COVED PAN, H.D. ROLLER
BEARING SLIDES, S/S FACE

ITEM 45: BUFFALO CUTTER-HOBART 84145
EXISTING-RELOCATE
115/1Ø PLUG & CORD-VERIFY

ITEM 46-47-48/51-52-53/55-57-58/61-62-63:
MANUFACTURER: IMPERIAL-BROWN
DESCRIPTION: WALK-IN COOLERS & FREEZER
SEE MFG. SPEC SHEET BOOKLET FOR DETAILED SPEC SHEETS
ON ALL COMPRESSORS & BLOWER COILS AS NUMBERED ABOVE.
SEE IMPERIAL-BROWN "D" SIZE DRAWING 21-IB-60127-01 DATED
6-17-2021 FOR ACTUAL WALK-IN SPECIFICATIONS, PANEL
DETAILED, DOOR DETAILS AND SIZES.

COMPRESSOR LOCATIONS BY LONG ENGINEERING.

ALL PIPING, TUBING & REFRIGERANT BY KITCHEN EQUIPMENT
SUB-CONTRACTOR. CONDENSATE DRAIN LINES SHALL BE COPPER
ONLY. HEATER TAPE FOR FREEZER CONDENSATE LINE SHALL BE
BY K.E.C.

IN ADDITION TO FACTORY WARRANTIES THE K.E.C. SHALL PROVIDE
A (1) ONE- YEAR 24/7/365 LABOR SERVICE CONTRACT AT NO ADDITIONAL
COST TO OLD OAKS COUNTRY CLUB, WHICH SHALL INCLUDE START-UP.

THIS ONE YEAR CONTRACT BEGINS AT START-UP.

ITEM 49: SHELVING FOR FREEZER-ITEM 46
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: TWO (2) 18" X 48" SUPER ERECTA DUNNAGE RACKS
W/ MATS- METROSEAL 3
ONE (1) 18" X 42" SUPER ADJUSTABLE-SUPER ERECTA
METROSEAL 3, 4 SHELF UNIT X 74" HIGH
ONE (1) 18" X 48" SUPER ADJUSTABLE-SUPER ERECTA
METROSEAL 3- 4 SHELF UNIT- 74" HIGH

ITEM 50: SPARE NUMBER

ITEM 54: SHELVING FOR COOLER- ITEM 51
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: TWO (2) 18" X 48" SUPER ADJUSTABLE-SUPER ERECTA
METROSEAL 3- 4 SHELF UNIT- 74" HIGH
ONE (1) 18" X 60" SUPER ADJUSTABLE -SUPER ERECTA
METROSEAL 3- 4 SHELF UNIT 74" HIGH
PROVIDE (8) S-HOOKS AT 90° TURN

ITEM 56: SPARE NUMBER

ITEM 59: SHELVING FOR COOLER-ITEM 55
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: ALL SUPER ADJUSTABLE-SUPER ERECTA-METROSEAL 3
(1) 18" X 42" X 74" HIGH-4 SHELF UNIT W/ 2 POSTS & (8) S-HOOKS
(1) 18" X 48" X 74" HIGH-4 SHELF UNIT W/ 4 POSTS
(1) 18" X 48" X 74" HIGH-4 SHELF UNIT W/ 2 POSTS & (8) S-HOOKS
(2) 18" X 54" X 74" HIGH-4 SHELF UNITS W/ 2 POSTS & (8) S-HOOKS
(2) 18" X 60" X 74" HIGH-4 SHELF UNITS W/ 4 POSTS
(2) 18" X 54" X 74" HIGH-4 SHELF UNITS W/ 2 POSTS

ITEM 60: SPARE NUMBER

ITEM 64: PANTRY SHELVING
MANUFACTURER: INTERMETRO INDUSTRIES
DESCRIPTION: SUPER ADJUSTABLE SUPER ERECTA CHROME PLATED
(2) SUPER ERECTA DUNNAGE RACKS WITH MATS 18" X 36"
(1) 18" X 54" X 74" HIGH-5 SHELF UNIT W/ 2 POST & (10) S-HOOKS
(1) 18" X 54" X 74" HIGH-5 SHELF UNIT W/4 POSTS
(1) 18" X 48" X 74" HIGH-5 SHELF UNIT W/4 POSTS
(1) 18" X 36" X 74" HIGH-5 SHELF UNIT W/2 POSTS & (10) S-HOOKS
(1) 18" X 36" X 74" HIGH-5 SHELF UNIT W/ 4 POSTS

ITEM 65: PIZZA PREP REFRIGERATOR
MANUFACTURER: CONTINENTAL REFRIGERATOR
DESCRIPTION: MODEL CPA118
W/5-15 PLUG & CORD

ITEM 66: S/S MOBILE TABLE- TYPE 300 S/S
SIZE: 30" X 54" X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP WITH 6" REAR SPLASHBACK WITH 1" RETURN AT 90°, DOWN ½" AT REAR AND INVERTED "V" EDGE FRONT AND BOTH ENDS.
PROVIDE:

- 16 GA. S/S UNDERSHELF TURNED DOWN FRONT & SIDES 2" AND UP AT REAR WELDED TO FOUR (4) 1-5/8" OD, 16 GA. S/S LEGS, S/S ENCLOSED GUSSETS, AND (4) FOUR 5" CASTERS, TWO (2) WITH BRAKES.
- 20" X 20" X 5" COVED DRAWER ON H.D. ROLLER BEARING SLIDES W/ S/S FACE

ITEM 67: WALL MOUNTED ELECTRIC CHEESE MELTER
MANUFACTURER: VULCAN
DESCRIPTION: MODEL 1036 W/ WALL MOUNTS
208/1Ø – NO PLUG & CORD
MOUNT WITH BOTTOM 54" AFF
PROVIDE:

- WALL BLOCKING

ITEM 68: COOK'S WORK TABLE W/CUT-OUT-TYPE 300 S/S
SIZE: 36" X 144" X 35" IGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP W/INVERTED "V" EDGES ALL FOUR SIDES.
OPEN BODY CABINET TYPE CONSTRUCTION W/ 16 GA. S/S BACK & END PANELS. BELOW LEFT END OF CABINET SHALL BE A 30" UNDERSHELF & DRAWER AS PER ITEM 12. AT THE RIGHT END OF COOK'S TABLE SHALL BE A 72" UNDERSHELF FULLY WELDED TO FOUR (4) 1-5/8" OD 16 GA. S/S LEGS, S/S ENCLOSED GUSSETS, S/S ADJUSTABLE BULLET FEET.
TOP CUT OUT SHALL BE SIZE REQUIRED BY ITEM 69, ATLAS RM-6 COLD PAN AND SHALL BE SUPPORTED BY GALVANIZED ANGLES AS PER ITEM 12 SPECIFICATIONS.

ITEM 69: DROP-IN COLD PAN NSF 7
MANUFACTURER: ATLAS METAL
DESCRIPTION: MODEL RM-6
120/1Ø W/ 5-15P PLUG & CORD
PROVIDE:
- 5 YEAR COMPRESSOR WARRANTY
- S/S PERFORATED FALSE BOTTOM-WFB
- (5) S/S LONG ADAPTER BARS
- S/S COVER PLATE W/ HANDLES-CP

ITEM 70: DISH CABINET-300 SERIES S/S
SIZE: 15" X 144" X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: SAME CONSTRUCTION DETAILS AS ITEM 9,
BODY IN TWO EQUAL SECTIONS, TOP SHALL BE ONE PIECE.

ITEM 71: COFFEE-TEA-TOASTER COUNTER
EXISTING-RELOCATE
VERY IMPORTANT NOTE:
**THIS EXISTING UNIT WILL PROBABLY BE APPROXIMATELY
5" TOO LONG AND THE ACTUAL AVAILABLE SPACE WILL HAVE
TO BE FIELD MEASURED DURING THE CONSTRUCTION PHASE.
A SECTION JUST OFF THE LEFT END OF THE APPROPRIATE
LENGTH TO FIT THE ACTUAL SPACE SHOULD BE REMOVED AND
THE TWO REMAINING SECTIONS SHALL BE WELDED, GROUND
& POLISHED SO AS TO APPEAR NEW.
THE CHEF, LORCAN, HAS KNOWLEDGE OF A CLUB MEMBER WHO
CAN PERFORM THIS TYPE OF PROFESSIONAL CUTTING & WELDING.
PLEASE CONTACT LORCAN.**

ITEM 72: RANCILLE EXPRESSO MACHINE- TWO HEAD
EXISTING-RELOCATE

ITEM 73: COFFEE GRINDER- CURTIS
EXISTING – RELOCATE

ITEM 74: DUAL COFFEE URN- CURTIS
EXISTING- RELOCATE

ITEM 75: CONVEYOR TOASTER-HATCO TQ-400
EXISTING - RELOCATE

ITEM 76: CONVEYOR TOASTER- HATCO TQ-10
EXISTING – RELOCATE

ITEM 77: DOMESTIC MICROWAVE OVEN- BY OWNER
EXISTING – RELOCATE

ITEM 78: S/S OVER SHELVES- TYPE 300 S/S
SIZE: 12"/15" X 66" & 12" X 66"
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 16 GA. S/S WITH ROLLED DOWN FRONT EDGE, SQUARED DOWN
ENDS, 2" RAW TURN UP AT REAR- BOTTOM SHELF SHALL HAVE A 24"
WIDE X 15" DEEP BULGE OUT FOR MICROWAVE TRANSITIONING TO
12" DEEP FOR 42". TOP SHELF SHALL BE 12" DEEP ENTIRE LENGTH.
PROVIDE:
- (3) S/S TRIANGULAR BRACKETS FOR EACH SHELF

ITEM 79: LARGE CHEST FREEZER
EXISTING – RELOCATE

ITEM 80: SMALL CHEST FREEZER
EXISTING – RELOCATE

ITEM 81: LO-TEMP UPRIGHT FREEZER
MANUFACTURER: CONTINENTAL REFRIGERATOR
DESCRIPTION: MODEL 2F-LT
115/208/1Ø NO PLUG & CORD

ITEM 82: FISH FILE REFRIGERATOR
MANUFACTURER: CONTINENTAL REFRIGERATOR
DESCRIPTION: MODEL DL-1RS-SS-F
115/1Ø W/5-15 PLUG & CORD
PROVIDE:
- CASTERS

ITEM 83: SOFT SERVE ICE CREAM MACHINE
EXISTING – RELOCATE
VERIFY ELECTRIC

ITEM 84: S/S MOBILE TABLE -SERIES 300 S/S
SIZE: 30" X 30" X 35" HIGH
MANUFACTURER: GOLDENSHEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 14 GA. S/S TOP, SQUARED DOWN ON ALL FOUR SIDES.
16 GA. S/S UNDERSHELF WELDED TO FOUR (4) 1-5/8"
16 GA. S/S LEGS, S/S ENCLOSED GUSSETS, AND FOUR (4)
5" CASTERS, TWO (2) WITH BRAKES

ITEM 85: S/S MOBILE TABLE- SERIES 300 S/S
 SIZE: 30" X 72" X 35" HIGH
 MANUFACTURER: GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
 SAME SPECIFICATION AS ITEM 84

ITEM 86: S/S MOBILE TABLE- SERIES 300 S/S
 SAME AS ITEM 85

ITEM 87: S/S MOBILE TABLE W/TRAY HOLDERS
 SIZE: 30" X 84" X 35" HIGH
 MANUFACTURER: GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
 DESCRIPTION: SEE MFG. SPEC. SHEET BOOKLET FOR SHOP DRAWING.
 UNIT REQUIRES SIX (6) LEGS

ITEM 88: S/S MOBILE TABLE W/ TRAY HOLDERS
 SAME AS ITEM 87

ITEM 89: WORK TOP REFRIGERATOR
 MANUFACTURER: CONTINENTAL REFRIGERATOR
 DESCRIPTION: MODEL SW72N-STANDARD HINGING
 115/1Ø W/5-15 PLUG & CORD

ITEM 90: COOK'S WORK TABLE- SERIES 300 S/S
 SIZE: 36" X 96" X 35" HIGH
 MANUFACTURER: GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
 DESCRIPTION: 14 GA. S/S TOP WITH INVERTED "V" EDGE ALL FOUR
 SIDES WITH 16 GA. S/S REAR & END PANELS, CABINET
 BODY CONSTRUCTION. 30" PARTIAL 1-1/4" CROSSBRACING,
 THREE (3) SIDES AT 10" AFF, SUPPORTED BY FOUR (4)
 1-5/8" OD 16 GA. S/S LEGS, S/S ENCLOSED GUSSETS, S/S
 ADJUSTABLE BULLET FEET.
 PROVIDE:

- 20" X 20" X 5" HD COVERED PAN DRAWER W/S/S FACE
 & HD ROLLER BEARING SLIDES
- 1-1/4" TUBULAR S/S CROSSBRACING AS ABOVE FOR
 BALANCE OF UNIT
- TOP SHALL HAVE A CUT OUT FOR ITEM 91, ATLAS
 WIH-4 HOT PAN. CUT-OUT SHALL BE SUPPORTED
 ON ALL FOUR SIDES BY 1-1/4" X 1-1/4", 90° GALVANIZED
 ANGLES WELDED TO UNDERSIDE OF TOP.
- (2) ADDITIONAL S/S LEGS, GUSSETS, FEET W/ 1-1/4" OD
 S/S TUBULAR CROSS BRACING

ITEM 91:	FOUR (4) WELL DROP-IN STEAM TABLE
MANUFACTURER:	ATLAS METAL
DESCRIPTION:	MODEL WIH-4
	208/1Ø W/ L6-30P PLUG & CORD
	PROVIDE:
	- (3) LONG DIVIDER BARS
	- MANIFOLD DRAINS OF ALL FOUR WELLS TO GATE VALVE.
ITEM 92:	DISH CABINET- 300 SERIES S/S
SIZE:	15" WIDE X 14'-0" LONG X 35" HIGH
MANUFACTURER:	GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION:	SAME SPECIFICATIONS AS ITEM 9.
	BODY SHALL BE IN THREE (3) EQUAL SECTIONS, TOP SHALL BE IN ONE (1) PIECE.
ITEM 93:	REFRIGERATED SANDWICH UNIT
MANUFACTURER:	CONTINENTAL REFRIGERATOR
DESCRIPTION:	MODEL SW-48N-12M
	115/1Ø W/5-15 PLUG & CORD
ITEM 94:	DISH CABINET- 300 SERIES S/S
SIZE:	15" X 48" X 35" HIGH
MANUFACTURER:	GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION:	SAME SPECIFICATIONS AS ITEM 9.
ITEM 95:	RANGE HOOD
SIZE:	19'-6" X 54" X 24" HIGH
MANUFACTURER:	LARKIN INDUSTRIES
DESCRIPTION:	SAME SPECIFICATIONS AS ITEM 16, EXCEPT THERE WILL BE NO END STAND OFF.
ITEM 96:	SUPPLY PLENUM
SIZE:	19'-6" X 12" X 6" HIGH
MANUFACTURER:	LARKIN INDUSTRIES
DESCRIPTION:	SAME SPECIFICATIONS AS ITEM 30
ITEM 97 & 98:	EXHAUST FAN (S) & SUPPLY FAN (S) N.I.C. SEE HVAC MECHANICAL DRAWINGS FOR FANS, CONTROLLERS, & STARTERS.

- ITEM 99: FIRE SUPPRESSION SYSTEM
ANSUL R-102 WET CHEMICAL SYSTEM
- ITEM 100:
MANUFACTURER: DOUBLE CONVECTION OVEN -L.P. GAS
SOUTH BEND RANGE
DESCRIPTION: MODEL SLGS-22-SC- STANDARD DEPTH
S/S FRONT, SIDES & TOP
115/1Ø-W/ TWO (2) PLUGS & CORDS-5-15P
PROVIDE:
- 5" CASTERS, (2) W/BRAKES
- ¾" QUICK DISCONNECT 48" LONG
W/ 36" RESTRAINING WIRE, DORMONT 1675
BPQR-48
- DOORS W/ GLASS PANELS
- ITEM 101: DOUBLE CONVECTION OVEN
SPECIFICATIONS SAME AS ITEM 100.
- ITEM 102: RATIONAL SINGLE DECK COMBI-OVEN
EXISTING – RELOCATE
SEE NOTES ON ITEM 27 AND DRAWING BR.
- ITEM 103:
MANUFACTURER: (4) FOUR BURNER RANGE W/OVEN
GARLAND
DESCRIPTION: MODEL -MST-44R-L.P. GAS
PROVIDE:
- ¾" REAR GAS CONNECTION
- 5" CASTER, (2) TWO W/ BRAKES
- ¾" GAS REGULATOR
- (1) ONE ADDITIONAL OVEN RACK
- 1675 BPQR-48" DORMONT FLEXIBLE GAS
CONNECTOR W/ 36" RESTRAINING WIRE
- SD-SINGLE DECK HIGH SHELF
- ITEM 104:
MANUFACTURER: GRIDDLE TOP RANGE W/OVEN
GARLAND
DESCRIPTION: MODEL M47R-L.P. GAS
PROVIDE:
- ¾" REAR GAS CONNECTION
- 5" CASTERS, TWO (2) W/BRAKES
- ¾" GAS REGULATOR
- ONE (1) ADDITIONAL OVEN RACK
- 1675 BPQR-48 DORMONT FLEXIBLE GAS
CONNECTOR W/36" RESTRAINING WIRE
- SD SINGLE DECK HIGH SHELF

ITEM 105: PITCO SG-14 FRYER- L.P. GAS
EXISTING – RELOCATE

ITEM 106: ICE MACHINE
MANUFACTURER: MANITOWOC
DESCRIPTION: MODEL CAN NOT BE DETERMINED
VOLTS & PHASE CAN NOT BE DETERMINED.
NOTE: WE DID NOT SEE A FILTER SET-UP
PLEASE PROVIDE: - PRE-FILTER 20" LONG
AND A 10 MICRON FILTER PLUS (6) SIX
ADDITIONAL PRE-FILTERS AND TWO (2)
ADDITIONAL MACHINE FILTERS

ITEM 107: SOUP WELL UNIT
NO BRAND NAME, MODEL # OR VOLTAGE
PLEASE VERIFY UTILITIES
EXISTING – RELOCATE

ITEM 108: HAND WASH SINK
MANUFACTURER: ADVANCE-TABCO
DESCRIPTION: MODEL 7-PS-131

ITEM 109: POT RACK- CEILING HUNG -300 SERIES S/S
SIZE: 22" X 60"
MANUFACTURER: GOLDENSHTein RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: ¼" X 2" S/S FLAT BAR STOCK W/4 FLAT 2" HANGERS
LENGTH TO BE DETERMINED BY SITE CONDITIONS.
PROVIDE:
- OVAL ENDS
- (18) S/S DOUBLE SIDED POT HOOKS

ITEM 110: WALL SHELF-300 SERIES S/S
SIZE: 12" X 118"
MANUFACTURER: GOLDENSHTein RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 16 GA. S/S WITH ROLLED DOWN FRONT EDGE, UP
2" BOTH ENDS & REAR, RAW.
PROVIDE:
- SIX (6) S/S TRIANGULAR 14 GA. S/S WALL BRACKETS

ITEM 111: HAND WASH SINK
MANUFACTURER: ADVANCE-TABCO
DESCRIPTION: MODEL 7-PS-23-EC-SP
NOTE: USE EXISTING TOWEL CABINET AND SOAP DISPENSER
WALL OF WALK-IN MUST BE REINFORCED TO HOLD SINK,

CONT'D ITEM 111:

TOWEL CABINET & SOAP DISPENSER AS WALK-IN WALL
IS ONLY 0.40 ALUMINUM

ITEM 112: 12 FT. PREP TABLE W/ SINK
EXISTING – RELOCATE

ITEM 113: VACUUM PACKING MACHINE
115/1Ø W/5-15 PLUG & CORD
EXISTING – RELOCATE

ITEM 114: SHELVING FOR CUTTING ROOM
EXISTING – RELOCATE

ITEM 115: POT RACK CEILING HUNG- 300 SERIES S/S
SIZE: 22" X 36"
MANUFACTURER: GOLDENSHTein RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: ¼" X 2" S/S FLAT BAR STOCK W/ (4) FLAT 2" HANGERS.
LENGTH TO BE DETERMINED BY SITE CONDITIONS
PROVIDE:
- OVAL ENDS
- (12) S/S DOUBLE SIDED POT HOOKS

ITEM 116: TABLE MOUNTED S/S OVERSHELVES -300 SERIES S/S
SIZE: 12" X 7'-6"
MANUFACTURER: GOLDENSHTein RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: 16 GA. S/S DOUBLE OVER SHELVES, 12" APART WITH
1" S/S TUBULAR TABLE MOUNTED SUPPORTS.
SHELVES TO BE 2" ROLLED EDGE AT FRONT & REAR,
TURNED DOWN 2" AT ENDS.

ITEM 117: POT RACK -CEILING HUNG- 300 SERIES S/S
SIZE: 12" X 57"
MANUFACTURER: GOLDENSHTein RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION: SAME AS ITEM 109

ITEM 118: TABLE MOUNTED S/S OVER SHELVES
SIZE: 12" X 108"
MANUFACTURER: GOLDENSHTein RESTAURANT EQUIPMENT MFG. C.
DESCRIPTION: SAME AS ITEM 116.

ITEM 119:	POT RACK- CEILING HUNG -300 SERIES S/S
SIZE:	22" X 60"
MANUFACTURER:	GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION:	SAME AS ITEM 109
ITEM 120:	HEAT LAMP
MANUFACTURER:	HATCO
DESCRIPTION:	MODEL GRAH-84 208/1Ø MOUNT BELOW TOP SHELF OF ITEM 116
ITEM 121:	OPEN FRONT S/S CABINET CURRENTLY HUNG OVER ITEM 71 EXISTING – RELOCATE
ITEM 122:	HEAT LAMP
MANUFACTURER:	HATCO
DESCRIPTION:	MODEL GRAH-96 208/1Ø MOUNT BELOW TOP SHELF OF ITEM 118
ITEM 123:	HAND WASH SINK
MANUFACTURER:	ADVANCE-TABCO
DESCRIPTION:	MODEL 7-PS-73
ITEM 124:	MOP SINK
MANUFACTURER:	ADVANCE-TABCO
DESCRIPTION:	MODEL 9-0P-20 PROVIDE: - K-242 MOP RACK - T&S B-665 BSTR FAUCET
ITEM 125:	CHEMICAL STORAGE SHELVING FOR JANITORS CLOSET
MANUFACTURER:	INTERMETRO INDUSTRIES
DESCRIPTION:	ONE (1) 18" X 36" X 74" HIGH – 4 SHELF UNIT SUPER ADJUSTABLE- SUPER ERECTA- CHROME PLATED
ITEM 126:	TABLE MOUNTED OVER SHELF 300 SERIES S/S
SIZE:	12" X 96"
MANUFACTURER:	GOLDENSSTEIN RESTAURANT EQUIPMENT MFG. CO.
DESCRIPTION:	16 GA. S/S WITH ROLLED DOWN FRONT EDGE, UP 2" RAW AT ENDS & REAR.

ITEM 127:

TABLE MOUNTED OVER SHELF

SAME AS ITEM 126

PROVIDE:

- 1-1/4" TUBULAR S/S POSTS & BRACKETS TO
MOUNT THRU S/S TABLE BACKSPLASH RETURN
AND TO BACK OF WOOD TOP TABLE.