


1st FLOOR PLAN
SCALE: 1/8" = 1'-0"



- ### GENERAL NOTES
- ALL PLAN DIMENSIONS ARE NOMINAL U.O.N.
 - DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FINISH.
 - FIRST FLOOR REFERENCE ELEVATION 479.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 481.0' = 110'-0".
MECH/ELEC. FLOOR REFERENCE ELEVATION 484.47' = 110'-8".
THIRD FLOOR REFERENCE ELEVATION 499.0' = 120'-0".
 - TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED.
 - ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
 - A = ACTIVE DOOR LEAF.
 - IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
 - SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
 - SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C/J) IN C.M.U.
 - ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT TILED WALLS.
 - PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
 - SEE A100 FOR FFIE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
 - SEE 100.1, 101.1 & 102.1 FOR DIMENSION PLANS.
 - SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS.
 - SEE 4.1.5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES.

1st FLOOR ROOM LEGEND

NO.	NAME	NO.	NAME
101	APPARATUS BAY	16	HYDRATION ROOM
101A	VESTIBULE	17	DAY ROOM
102	RADIO ROOM	18	VESTIBULE
103	UNISEX LAVATORY	18A	CLOSET
104	JANITOR	19	H.C. STORAGE
105	RED BAG	20	BUNK ROOM #1
106	ENGINEER'S WORK ROOM	21	MEN'S LAV/SHOWER
107	LAUNDRY	22	CORRIDOR
108	SCBA FILL	23	CORRIDOR
109	COMPRESSOR	24	ELEVATOR
110	GEAR STORAGE	25	HOUSEKEEPING
111	STORAGE H	26	BUNK ROOM #2
112	HOSE STORAGE	27	WOMEN'S LAV/SHOWER
113	ELECTRICAL	28	STAR
114	FIRE PUMP	29	EXERCISE
115	DECON	30	PUMP ROOM

- ### KEYNOTE LEGEND
- GUARDIAN FALL PROTECTION (CONCRETE SUIVEL ANCHOR 400242, GALVANIZED 3/8" LADDER TIE OFF, 12" ABOVE FINISH SLAB, FILL SOLID W/ 3000 P.S.I. CONCRETE FIRST TUB BLOCK, ALIGN W/ TRAINING WINDOW CENTER LINE. SEE 3/A100).
 - ALIGN ENDS OF TRENCH DRAINS/CATCH BASINS.
 - IN LINE CATCH BASIN.
 - SOUND ATTENUATION BLANKETS IN WALL FRAMING FROM FLOOR TO UNDERSIDE OF STRUCTURE. G.W.B. TO EXTEND TO UNDERSIDE OF STRUCTURE. FILL VOIDS AT UNDERSIDE OF STRUCTURE PER DETAILS.
 - 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
 - EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.
 - DOWNSPOUT TO STORM. SEE ROOF PLAN, ELEVATIONS & CIVIL DRAWINGS.
 - DISPLAY CASE - SEE DETAIL 1/A130.
 - WATER HOSE REEL HIGH INSTALLATION. SEE 112/A43.
 - KEEP THIS WALL AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE LADDER ELEVATION TRAINING WINDOW, (SUCH AS SWITCHES, THERMOSTATS, LIGHT FIXTURES, ETC.). COORDINATE WITH ALL TRADES.
 - LOUVER. SEE 1/A302 AND MECHANICAL DRAWINGS.
 - AIR HOSE REEL. SEE A100's, 3/A43 & PLUMBING DRAWINGS.
 - TRUCK FILL - SEE PLUMBING DWGS & 3/A430.
 - COMPRESSED AIR TAP. WALL MOUNTED. SEE PLUMBING DRAWINGS.
 - FLOOR PENETRATION FOR DUCTWORK/PUMP ETC., COORDINATE SIZE OF OPENING WITH APPROPRIATE DRAWINGS AND DETAIL 4/A430. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
 - FIRE DEPARTMENT CONNECTION. SEE DETAIL 10/A304 & FIRE PROTECTION DRAWINGS.
 - THE WALL BETWEEN THE APPARATUS BAY AND THE BALANCE OF THE BUILDING IS TO BE AS AIRTIGHT AS POSSIBLE. ACCORDINGLY, ALL CONTRACTORS ARE TO MAKE ALL OF THEIR PENETRATIONS OF THIS WALL IN ACCORDANCE WITH MAXIMUM OPENING CRITERIA SET FORTH IN C100 AND SEAL AS REQUIRED.
 - O.H. DOOR SWITCH PANEL. SEE SHEET A432. CENTER IN WALL. TOP OF PANEL AT 40" A.F.F.
 - WALL MOUNTED SHOWER SYSTEM. SEE 11A/AT11 AND PLUMBING DRAWINGS.
 - STEEL BOLLARD. SEE STRUCTURAL DWGS.
 - DRYING RACK. SEE DETAIL 4/A430.
 - KEEP THIS CEILING AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE CONFINED SPACE EXTRACTION TRAINING OPENING, (SUCH AS LIGHT FIXTURES, SPRINKLER LINES, DUCTWORK, ETC.) COORDINATE WITH ALL TRADES.
 - ROUND OFF VERTICAL EDGE OF C.M.U. AT CORNER TO A FINISH OF 1/2" RADIUS.
 - FIRE ALARM PANEL. SEE FIRE PROTECTION DRAWINGS.
 - 4" DIA. S.S. SLEEVE IN C.M.U. FLUSH WITH EACH FACE OF WALL. (EASE ALL EDGES) FOR HOUSING SCBA COMPRESSOR LINE. FROM ROOM 108 TO 109. COORDINATE LOCATION WITH OWNER AND SCBA EQUIPMENT VENDOR RECOMMENDATIONS. PROVIDE COMPRESSIBLE FILLER AT INSIDE OF SLEEVE AT EACH END AROUND COMPRESSOR LINE RUNS. ENSURE CLEAN NEAT APPEARANCE AND MUST BE FLUSH WITH FACE OF WALLS. SEE 1/A300.
 - COAT RACK AT 48" MAX TO TOP OF SHELF FOR ADA PORTIONS.
 - FOAMED IN PLACE INSULATION (TYP). SEE SPECIFICATIONS FOR R-VALUE. ALL EXPOSED FOAMED IN PLACE INSULATION ABOVE CEILING IN TROUS/ATTIC SPACE Etc., REQUIRES INTUMESCENT COATING (TYP).
 - ENTRY MAT - SEE SPECIFICATIONS AND DETAIL 8/A430.
 - PLASTIC LAMINATE BASE AND WALL CABINETS. SEE DRAWING A100.
 - DOOR SIGNAGE. SEE DETAIL 1/A430. SEE SPECIFICATIONS.
 - X-BRACING. SEE STRUCTURAL DRAWINGS.
 - ELECTRICAL PANEL. SEE ELECTRICAL DRAWINGS.
 - MANFOLD CABINET FOR RADIANT PIPES. SEE DETAIL 2/A430, MECHANICAL & STRUCTURAL DRAWINGS.
 - CABINET UNIT HEATER. SEE MECHANICAL DRAWINGS.

MA

MITCHELL ASSOCIATES ARCHITECTS PLLC

29 THACHER PARK ROAD
VOORHEESVILLE, NY 12186
(518) 745-4571 FAX: (518) 745-2450
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY SERVICE FACILITIES

CONSULTANTS:

INSITE ENGINEERING SURVEYING & LANDSCAPE ARCHITECTURE, P.C.
3 GARRETT PLACE
CARMEL, NY 12012
(518) 225-4440 FAX: (518) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SPAIN, NY 12020
(518) 584-4444 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING, AND ELECTRICAL
223 MAIN STREET
GOSHEN, NY 10924
(845) 241-1212 FAX: (845) 241-1934

NEW STATION FOR PUTNAM VALLEY FIRE STATION #1

OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK

REVISION HISTORY

DATE	DESCRIPTION

1st FLOOR PLAN

SCALE: 1/8" = 1'-0"
DWG BY: RAM/JDA
DWG DATE: 8/14/2020
STATUS: BID DRAWINGS

A100