


3rd FLOOR PLAN
SCALE: 1/8" = 1'-0"



GENERAL NOTES

- ALL PLAN DIMENSIONS ARE NOTIAL U.O.N.
- DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FINISH.
- FIRST FLOOR REFERENCE ELEVATION 414.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 414.0' = 10'-0".
MECH/ELEC. FLOOR REFERENCE ELEVATION 488.617' = 10'-8".
THIRD FLOOR REFERENCE ELEVATION 499.0' = 120'-0".
- TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED.
- ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
- A = ACTIVE DOOR LEAF.
- IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
- SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
- SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C.J.) IN C.M.U.
- ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT TILED WALLS.
- PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
- SEE A100 FOR FFIE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
- SEE 1001, 1011 & 1021 FOR DIMENSION PLANS.
- SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS.
- SEE 4 & 5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES.

3rd FLOOR ROOM LEGEND

NO.	NAME	NO.	NAME
301	VESTIBULE	343	CLOSET
302	LOBBY	344	TABLE/CHAIR STORAGE
303	PUBLIC MEN'S LAVATORY	345	WOMEN'S LAVATORY
304	PUBLIC WOMEN'S LAVATORY	346	MEN'S LAVATORY
305	COAT ROOM	347	CORRIDOR
306	PAKTRY	348	ELEVATOR
307	REFRIGERATED STORAGE	349	STAIR
308	DISH STORAGE	350	FIRE PREVENTION STORAGE
309	KITCHEN	351	JANITOR
309A	DISH WASHING	352	HOUSEKEEPING
310	VESTIBULE	353	ASSISTANT CHIEF'S
311	SERVICE CENTER	354	JUNIOR OFFICERS
312	STORAGE	355	CHIEF'S OFFICE
313	AV	356	CONFERENCE ROOM
314	MEETING/TRAINING	357	VESTIBULE
315	MEMBERS ROOM	358	PRESIDENT/VP OFFICE
316	KITCHENETTE	359	BUSINESS OFFICE
317	CLOSET	360	WORK AREA

KEYNOTE LEGEND

- GUARDIAN FALL PROTECTION (CONCRETE SUIVEL ANCHOR #00242, GALVANIZED S.S.) LADDER TIE OFF. 12" ABOVE FINISH SLAB. FILL SOLID W/ 3000 P.S.I. CONCRETE FIRST TWO BLOCKS. ALIGN W/ TRAINING WINDOW CENTER LINE. SEE 3/A102.
- ALIGN ENDS OF TRENCH DRAINS/CATCH BASINS.
- IN LINE CATCH BASIN.
- SOUND ATTENUATION BLANKETS IN WALL FRAMING FROM FLOOR TO UNDERSIDE OF STRUCTURE. G.W.B. TO EXTEND TO UNDERSIDE OF STRUCTURE. FILL VOIDS AT UNDERSIDE OF STRUCTURE PER DETAILS.
- 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
- EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.
- DOWNSPOUT TO STORY. SEE ROOF PLAN, ELEVATIONS & CIVIL DRAWINGS.
- DISPLAY CASE - SEE DETAIL 9/A130.
- WATER HOSE REEL HIGH INSTALLATION. SEE 10/A431.
- KEEP THIS WALL AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE LADDER EVOLUTION TRAINING WINDOW. (SUCH AS SWITCHES, THERMOSTATS, LIGHT FIXTURES, ETC.) COORDINATE WITH ALL TRADES.
- LOUVER, SEE 1/A302 AND MECHANICAL DRAWINGS.
- AIR HOSE REEL. SEE A100'S, 3/A431 & PLUMBING DRAWINGS.
- TRUCK FILL - SEE PLUMBING DWGS & 3/A430.
- COMPRESSED AIR TAP, WALL MOUNTED. SEE PLUMBING DRAWINGS.
- FLOOR PENETRATION FOR DUCTWORK/PIPING ETC. COORDINATE SIZE OF OPENING WITH APPROPRIATE DRAWINGS AND DETAIL 1/A450. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
- FIRE DEPARTMENT CONNECTION. SEE DETAIL 10/A304 & FIRE PROTECTION DRAWINGS.
- THE WALL BETWEEN THE APPARATUS BAY AND THE BALANCE OF THE BUILDING IS TO BE AS AIRTIGHT AS POSSIBLE. ACCORDINGLY, ALL CONTRACTORS ARE TO MAKE ALL OF THEIR PENETRATIONS OF THIS WALL IN ACCORDANCE WITH MAXIMUM OPENING CRITERIA SET FORTH IN OM100 AND SEAL AS REQUIRED.
- O.H. DOOR SWITCH PANEL. SEE SHEET A432. CENTER IN WALL. TOP OF PANEL AT 40" A.F.F.
- WALL MOUNTED SHOWER SYSTEM. SEE 10/A471 AND PLUMBING DRAWINGS.
- STEEL BOLLARD. SEE STRUCTURAL DWGS.
- DRYING RACK. SEE DETAIL 4/A430.
- KEEP THIS CEILING AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE CONFINED SPACE EXTRACTION TRAINING OPENING. (SUCH AS LIGHT FIXTURES, SPRINKLER LINES, DUCTWORK, ETC.) COORDINATE WITH ALL TRADES.
- ROUND OFF VERTICAL EDGE OF C.M.U. AT CORNER TO A MINIMUM OF 1/2" RADIUS.
- FIRE ALARM PANEL. SEE FIRE PROTECTION DRAWINGS.
- 4" DIA. S.S. SLEEVE IN C.M.U. FLUSH WITH EACH FACE OF WALL. (EASE ALL EDGES) FOR HOUSING SCBA COMPRESSOR LINE. FROM ROOM 108 TO 109. COORDINATE LOCATION WITH OWNER AND SCBA EQUIPMENT VENDOR RECOMMENDATIONS. PROVIDE COMPRESSIBLE FILLER AT INSIDE OF SLEEVE AT EACH END AROUND COMPRESSOR LINE RUNS. ENSURE CLEAN NEAT APPEARANCE AND MUST BE FLUSH WITH FACE OF WALLS. SEE 1/A300.
- COAT RACK AT 48" MAX TO TOP OF SHELF FOR ADA PORTIONS.
- FOAMED IN PLACE INSULATION (TYP). SEE SPECIFICATIONS FOR R-VALUE. ALL EXPOSED FOAMED IN PLACE INSULATION ABOVE CEILING IN TRUSS/ATTIC SPACE ETC., REQUIRES INTUMESCENT COATING. (TYP).
- ENTRY MAT - SEE SPECIFICATIONS AND DETAIL 8/A430.
- PLASTIC LAMINATE BASE AND WALL CABINETS. SEE DRAWING A100.
- X-BRACING. SEE STRUCTURAL DRAWINGS.
- ELECTRICAL PANEL. SEE ELECTRICAL DRAWINGS.
- MANIFOLD CABINET FOR RADIANT PIPES. SEE DETAIL 2/A450. TECHNICAL & STRUCTURAL DRAWINGS.
- CARPINET UNIT HEATER. SEE MECHANICAL DRAWINGS.

MA

MITCHELL
ASSOCIATES
ARCHITECTS
PLLC

29 THACHER PARK ROAD
VOORHEESVILLE, NY 12186
(518) 765-4571 FAX (518) 765-2450
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY
SERVICE
FACILITIES

CONSULTANTS:
INSITE ENGINEERING SURVEYING
& LANDSCAPE ARCHITECTURE, P.C.
3 GARRETT PLACE
CARMEL, NY 10512
(845) 225-9410 FAX: (845) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SP, NY 12020
(518) 584-4444 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING,
AND ELECTRICAL
223 MAIN STREET
COSHEN, NY 10424
(845) 291-2122 FAX: (845) 291-1939

COPYRIGHT 2012
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION
FOR
PUTNAM VALLEY
FIRE STATION #1

OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK

REVISION HISTORY	
DATE	DESCRIPTION

3rd FLOOR PLAN

SCALE: 1/8" = 1'-0"
DWG BY: RAM/JDA
DWG DATE: 8/14/2020
STATUS: BID DRAWINGS

A102