


**GENERAL NOTES:**

- A. ALL PIPING IS ABOVE THE CEILING UNLESS OTHERWISE INDICATED.
- B. ALL PIPING SHALL BE INSTALLED CONCEALED UNLESS OTHERWISE INDICATED.
- C. COORDINATE ALL WORK WITH OTHER TRADES PRIOR TO BEGINNING WORK.
- D. ALL SANITARY PIPING SHALL SLOPE AT MINIMUM 1%.
- E. ALL STORM PIPING SHALL SLOPE AT MINIMUM 2% UNLESS OTHERWISE NOTED.
- F. PROVIDE LINK SEAL SEALING SLEEVES AT ALL LOCATIONS WHERE PIPING PENETRATES EXTERIOR WALLS AND FLOOR SLABS ON GRADE.

**DRAWING NOTES:**

- ① 2" P-TRAP UP TO SHOWER.
- ② 2" WET VENT UP.
- ③ 2" WASTE UP TO VANITY SINK.
- ④ 4" ELBOW UP TO WALL CLEANOUT.
- ⑤ 3" SANITARY UP TO TOILET.
- ⑥ 3" WET VENT UP.
- ⑦ 4" UP TO DECK PLATE CLEANOUT.
- ⑧ 4" 45° ELBOWS, DROP DOWN BELOW BASEMENT FLOOR.
- ⑨ 3" SANITARY UP TO 2ND FLOOR.
- ⑩ 3" P-TRAP UP TO MOP SINK.
- ⑪ 2" VENT UP.
- ⑫ 3" P-TRAP UP TO FLOOR DRAIN.
- ⑬ 3" ELBOW UP, TRANSITION TO 2" ABOVE SLAB.
- ⑭ 3" ELBOW UP TO WALL CLEANOUT.
- ⑮ 4" INLET AND OUTLET AT LINT TRAP. PROVIDE EXTENSION AS NECESSARY TO MAKE LID FLUSH WITH FINISH FLOOR SURFACE. SEE X/PX FOR DETAIL.
- ⑯ 4" STANDPIPE FOR ELEVATOR SUMP PUMP DISCHARGE, SEE X/PX.
- ⑰ 2" WASTE UP TO SINK.
- ⑱ 4" P-TRAP UP TO FLOOR DRAIN, 2" VENT UP.
- ⑲ 6" UP TO YARD CLEANOUT, SEE X/PX FOR DETAIL.
- ⑳ 6" SANITARY OUT 5' FROM FOUNDATION, CONTINUED BY SITE CONTRACTOR. SEE SITE PLANS FOR CONTINUATION.
- ㉑ 4" P-TRAP UP TO HUB DRAIN FOR DISHWASHER.
- ㉒ 4" P-TRAP UP TO HUB DRAIN FOR 3 BAY SINK.
- ㉓ GREASE TRAP RECESSED IN FLOOR. PROVIDE LID EXTENSION AS NECESSARY.
- ㉔ 2" WASTE UP TO GARBAGE DISPOSAL.
- ㉕ 3" P-TRAP UP TO CONVECTION OVEN FLOOR SINK.
- ㉖ 4" P-TRAP UP TO HUB DRAIN.

**BASEMENT FLOOR PLAN**  
SCALE: 1/8"=1'-0"



DATE: 9/18/2020  
REVISION: 10/21/2020  
ADDENDUM 1

PROJECT NO: 200095  
DESIGNED BY: MUC  
DRAWN BY: MUC  
CHECKED BY: RSA  
SCALE: AS NOTED  
NOTES:

**BASEMENT  
SANITARY PLAN**

**HARRIS A. SANDERS  
ARCHITECTS, P.C.**  
252 WASHINGTON AVENUE, ALBANY, NEW YORK 12210  
**L'DOR ADULT CARE FACILITY**  
156 WEST CLARKSTOWN ROAD  
NEW CITY, N.Y. 10956

SET NO  
**P101**