



**GENERAL NOTES:**

- A. ALL PIPING IS ABOVE THE CEILING UNLESS OTHERWISE INDICATED.
- B. ALL PIPING SHALL BE INSTALLED CONCEALED UNLESS OTHERWISE INDICATED.
- C. COORDINATE ALL WORK WITH OTHER TRADES PRIOR TO BEGINNING WORK.
- D. ALL SANITARY PIPING SHALL SLOPE AT MINIMUM 1%.
- E. ALL STORM PIPING SHALL SLOPE AT MINIMUM 2% UNLESS OTHERWISE NOTED.
- F. PROVIDE LINK SEAL SEALING SLEEVES AT ALL LOCATIONS WHERE PIPING PENETRATES EXTERIOR WALLS AND FLOOR SLABS ON GRADE.

**DRAWING NOTES:**

- 1 2" P-TRAP UP TO SHOWER.
- 2 2" WET VENT UP.
- 3 2" WASTE UP TO VANITY SINK.
- 4 4" ELBOW UP TO WALL CLEANOUT.
- 5 3" SANITARY UP TO TOILET.
- 6 3" WET VENT UP.
- 7 4" UP TO DECK PLATE CLEANOUT.
- 8 4" 45° ELBOWS, DROP DOWN BELOW BASEMENT FLOOR.
- 9 3" SANITARY UP TO 2ND FLOOR.
- 10 3" P-TRAP UP TO MOP SINK.
- 11 2" VENT UP.
- 12 3" P-TRAP UP TO FLOOR DRAIN.
- 13 3" ELBOW UP, TRANSITION TO 2" ABOVE SLAB.
- 14 3" ELBOW UP TO WALL CLEANOUT.
- 15 4" INLET AND OUTLET AT LINT TRAP, PROVIDE EXTENSION AS NECESSARY TO MAKE LID FLUSH WITH FINISH FLOOR SURFACE. SEE X/PX FOR DETAIL.
- 16 4" STANDPIPE FOR ELEVATOR SUMP PUMP DISCHARGE, SEE X/PX.
- 17 2" WASTE UP TO SINK.
- 18 4" P-TRAP UP TO FLOOR DRAIN, 2" VENT UP.
- 19 6" UP TO YARD CLEANOUT, SEE X/PX FOR DETAIL.
- 20 6" SANITARY OUT 5' FROM FOUNDATION, CONTINUED BY SITE CONTRACTOR. SEE SITE PLANS FOR CONTINUATION.
- 21 4" P-TRAP UP TO HUB DRAIN FOR DISHWASHER.
- 22 4" P-TRAP UP TO HUB DRAIN FOR 3 BAY SINK.
- 23 GREASE TRAP RECESSED IN FLOOR. PROVIDE LID EXTENSION AS NECESSARY.
- 24 2" WASTE UP TO GARBAGE DISPOSAL.
- 25 3" P-TRAP UP TO CONVECTION OVEN FLOOR SINK.



DATE: 9/18/2020  
REVISION:

PROJECT NO: 2020095  
DESIGNED BY: MUC  
DRAWN BY: MUC  
CHECKED BY: RSA  
SCALE: AS NOTED  
NOTES:

**BASEMENT  
SANITARY PLAN**

**HARRIS A. SANDERS  
ARCHITECTS, P.C.**  
252 WASHINGTON AVENUE, ALBANY, NEW YORK 12210

**L'DOR ADULT CARE FACILITY**  
156 WEST CLARKSTOWN ROAD  
NEW CITY, N.Y. 10956



SET NO

P101

**BASEMENT FLOOR PLAN**  
SCALE: 1/8"=1'-0"  
NORTH  
0 4' 8' 16'