


BEFORE FABRICATION THIS CONTRACTOR SHALL VERIFY ALL MEASUREMENTS AND CONDITIONS ON JOB AND COORDINATE HIS WORK WITH THE WORK

DBE: TAB: Layout1 - Y:\RYE CITY SD\Rye CSD - 2019 Bond - Phase 2A Osborn Addition (2030.00)\Drawings\Plumbing\203000P3-101-0ES.dwg - DATE: Aug 06, 2021 - 2:30pm

OF ALL OTHER CONTRACTORS



LEGEND				
	EXISTING PIPING, FIXTURES, ETC. TO REMAIN			
////	EXISTING PIPING, FIXTURES, ETC. TO BE REMOVED			
	NEW PIPING, FIXTURES, ETC.			
•	COLD WATER PIPING			
—·· —	HOT WATER PIPING			
	HOT WATER RETURN PIPING			
	PLUMBING VENT PIPING			
— SAN —	SANITARY PIPING			
= SAN =	SANITARY PIPING (UNDERGROUND)			
— ST —	STORM PIPING			
= ST =	STORM PIPING (UNDERGROUND)			
=ESAN=	EXISTING SANITARY PIPING (UNDERGROUND)			
<u> </u>	EXISTING STORM PIPING (UNDERGROUND)			
<u>=EPD</u> =	EXISTING PUMP DISCAHARGE PIPING (UNDERGROUND)			
— G —	GAS PIPING			
— ЕG —	EXISTING GAS PIPING			
	FLOW DIRECTION WITHIN PIPE			
<u> </u>	CLEANOUT			
<u> </u>	CLEANOUT DECK PLATE			
<u>—>—</u>	GATE VALVE			
<u> — </u>	COMBINATION BALANCING & SHUT-OFF VALVE			
<u> </u>	OS & Y VALVE			
<u> </u>	CHECK VALVE			
<u>ᡨᢇᢩᠣ</u>	PIPE CONNS. (BOTTOM; TOP 45 OR 90; PIPE UP)			
*	PLUMBING FIXTURE IDENTIFICATION			
O	POINT OF DISCONNECTION			
⊕ →	POINT OF CONNECTION, NEW TO EXISTING			
P.C.	PLUMBING CONTRACTOR			
G.C.	GENERAL CONTRACTOR			
HVAC	HVAC CONTRACTOR			
VTR	VENT THRU ROOF			
FAI	FRESH AIR INTAKE			
FD	FLOOR DRAIN			
PRV	PRESSURE REDUCING VALVE			
	PART PLAN, DETAIL, SECTION NUMBER DRAWING NUMBER SECTION IDENTIFICATION			

PLUMBING FIXTURE SCHEDULE

MADY	DESCRIPTION		BRANCH SIZE			
MARK	DESCRIPTION	W	V	Н	С	
Α	WATER CLOSET (HANDICAPPED)	4"	2"	_	1"	
B1	SINGLE SINK UNIT (HANDICAPPED)	1 1/2"	1-1/2"	1/2"	1/2	
B2	COUNTERTOP ENAMELED CAST IRON SINK	1 1/2"	1-1/2"	1/2"	1/2	
С	WATER COOLER	2"	1-1/2"	_	1/2	
D	FLOOR MOUNTED MOP RECEPTOR	3"	2"	1 "	1"	
R	EXISTING FIXTURE/TOILET ROOM TO REMAIN					
X	EXISTING FIXTURE/TOILET ROOM TO BE REMOVED					

REMOVAL NOTES

- 1) REMOVE ALL PLUMBING FIXTURES, EQUIPMENT, SPECIALTIES, DRAINS, CONTROLS, HANGERS, BASES, SUPPORTS, PIPING, VALVES, TUBING AND PLUMBING ACCESSORIES THAT ARE NOT INCORPORATED IN THE NEW LAYOUT.
- WHERE REMOVAL IS INDICATED OR IMPLIED OR NOT INCORPORATED IN THE NEW LAYOUT, THE ITEM ITSELF IS TO BE REMOVED COMPLETELY TOGETHER WITH ALL CONNECTING PIPING, SPECIALTIES, SUPPORTS, CONTROLS, ETC. CONNECTING PIPING IS TO BE REMOVED BACK TO MAINS WHERE THE ARE TO BE CAPPED OR DISCONNECTED. THIS INCLUDES ALL GAS, SANITARY, VENT, WATER, ACID WASTE AND PUMP DISCHARGE PIPING. REFER TO DIVISION I OF SPECIFICATION FOR CUTTING AND PATCHING REQUIREMENTS.
- (3) WHERE EXISTING PIPING ENTERS INACCESSIBLE TRENCHES, TUNNELS, SHAFTS, WALLS AND CEILINGS INSIDE THE EXISTING BUILDING, IT SHALL BE CUT BACK AT LEAST 2" INTO SUCH INACCESSIBLE SPACES AND SHALL BE SUITABLY CAPPED AND SEALED BY THE CONTRACTOR.
- 4) THE CONTRACTOR SHALL EXERCISE NORMAL CAUTION TO PREVENT UNNECESSARY CUTTING AND DAMAGE TO THE EXISTING BUILDING. ANY EXCESSIVE DAMAGE AS DETERMINED BY THE OWNER SHALL BE REPAIRED AND PAID FOR BY THE CONTRACTOR CAUSING THE DAMAGE.
- (5) ALL DEMOLISHED EQUIPMENT ETC. EXCEPT THOSE ITEMS SPECIFICALLY REQUESTED BY THE OWNER SHALL BECOME THE CONTRACTORS PROPERTY, SHALL BE REMOVED FROM THE PREMISES, AND DISPOSED OF LEGALLY.

	Revision Schedule
No.	Description
A	SED Submission
В	ISSUED FOR BID
	ז ל
	1 1
	<u> </u>
Π	
	Ĺ
<u> </u>	
	Geddis
12	Architect
	1101111001
Archite	ecture. Planning.
7 (1 01 111 0	croro. r rarming.
	71 Old Post Road
	P.O. Box 1020
 C	
 3	outhport, CT 068
	(203) 256-8700

. Interiors



Transforming Education by Design

259 Water Street Suite 1L Warren, RI 02885 USA +1 401-289-2789



CONSULTING ENGINEERS 39 MARBLE AVE PLEASANTVILLE, NY 10570 4.328.6060 GENERAL@BGA-ENG.com www.BGA-ENG.com

> Construction Manager SAVIN ENGINEERS, P.C. 3 Campus Drive Pleasantville, NY 10570 914-769-3200

Structural Engineer
ODEH ENGINEERS 1223 Mineral Spring Ave North Providence, RI 02904 401-724-1771

<u>Civil Engineer</u> WESTON & SAMPSON 1 Winners Circle, Suite 130 Albany, NY 12205 518-463-4400

Acoustic Consultant DP DESIGN 12 Cold Spring Street Providence, RI 401-861-3218

AV Consultant CAVANAUGH TOCCI 327 F Boston Post Road Sudbury, MA 01776-3027 978-443-7871

SED#: 6618-0001-0001-023

PROJECT

Rye City Schools 555 Theodore Fremd Ave, Suite B-101

Osborn Elementary School

10 Osborn Road, Rye NY 10580

LEGEND, SCHEDULE, DETAIL, NOTES AND FIRST FLOOR PLAN

SEAL & SIGNATURE | DATE: 02/12/20

PROJECT No: 9200 DRAWING BY: BGA BGA DWG No: P3-101