




A  
B  
C  
D  
E  
F




NOTE:  
DETAIL APPLIES TO OPENINGS UP TO 6'-0" MAX. WIDTH.



NOTE:  
THIS DETAIL APPLIES TO OPENINGS UP TO 2'-6" MAX. WIDTH.




NOTE:  
THIS DETAIL APPLIES TO RECTANGULAR OR CIRCULAR OPENINGS UP TO 6'-0" (SQ. OR DIA.) IN FLOOR SLABS.




NOTE:  
THIS DETAIL APPLIES TO RECTANGULAR OR CIRCULAR OPENINGS UP TO 2'-0" (SQ. OR DIA.) IN FLOOR SLABS.

FLOOR SLAB OPENING FRAMING DETAILS  
1" = 1'-0"




NOTE:  
FOR ADDITIONAL OPENINGS NOT SHOWN ON THE STRUCTURAL DRAWINGS, SEE ARCHITECTURAL AND MECHANICAL DRAWINGS.

TYPICAL MECHANICAL ROOF PENETRATION DETAIL  
1" = 1'-0"




NOTE:  
THIS DETAIL APPLIES TO OPENINGS UP TO 4'-0" MAX. WIDTH.

ROOF PENETRATION FRAMING DETAILS  
1" = 1'-0"




NOTE:  
FOR ADDITIONAL OPENINGS NOT SHOWN ON THE STRUCTURAL DRAWINGS, REFER TO ARCHITECTURAL AND MECHANICAL DRAWINGS.

SECTION A-A




NOTE: DETAIL APPLIES TO OPENINGS UP TO 2'-0" MAX. WIDTH.

REINF. AT OPENINGS IN SLAB W/ COMPOSITE STEEL DECK (2)  
1" = 1'-0"




NOTE: DETAIL APPLIES TO OPENINGS UP TO 6'-0" MAX. WIDTH.

REINF. AT OPENINGS IN SLAB W/ COMPOSITE STEEL DECK  
1" = 1'-0"




NOTES:  
1. DESIGN TRUSSES SUPPORTING HSS6x4x1/4 FOR 1,500 LBS VERTICAL LOAD (UP & DOWN) AT EACH ATTACHMENT POINT.  
2. FASTEN DECK TO HSS6x4x1/4 AND 600S250-54 WITH #12 SCREWS @ 12" O.C.  
3. CHORD TRUSS IS ASSUMED TO BE A MINIMUM OF 4" DEEP AND 0.054" THICK.

TYPICAL TIE OFF FRAMING PLAN  
1/4" = 1'-0"



TIE OFF DETAIL  
1 1/2" = 1'-0"



TYPICAL DRAG TRUSS TO SHEAR WALL CONNECTION DETAIL  
1 1/2" = 1'-0"

Revisions:	Date:

**CONSULTANT**

**NORRIS DESIGN**  
Landscape Architect  
416 North Toole Avenue  
Tucson, AZ 85711  
(520) 622-9565  
Josh Orth, P.L.A.

**HINMAN**  
Protective Design Specialist  
240 West 35th St, Suite 1004  
New York, NY 10001  
(212) 967-4890  
Corinne Tan, SE

**C.S. Davidson, Inc.**  
Structural  
315 West James Street, Suite 102  
Lancaster, PA 17603  
(717) 481-2991  
Jason Vannoy, SE, PE

**MES GROUP**  
MEP  
550 North Rio Street, Suite 203  
Tampa, FL 33609  
(813) 289-4700  
Nicholas Stephenson, PE

**ARCHITECT/ENGINEER OF RECORD**

**A/E:**  
TRIPLE C - The A/E Group  
201 E. Jefferson Street, Suite 200  
Syracuse, NY 13202  
(315) 484-5958  
Mat Perkins

**TRIPLE C - THE A&E GROUP**  
A MULTI-DISCIPLINE COMPANY

**STAMP**

STATE OF NEW YORK  
INSEL T. WEINER  
PROFESSIONAL ENGINEER  
098033  
5/09/2022 License valid through 11/09/2024

**Office of Construction and Facilities Management**

**VA** U.S. Department of Veterans Affairs

Drawing Title  
**FRAMING DETAILS**

Approved:

Phase  
**ISSUED FOR CONSTRUCTION**

**FULLY SPRINKLERED**

Project Title  
**NEW COMMUNITY LIVING CENTER**

Location  
2094 Albany Post Road, Montrose, NY 10548

Issue Date  
05/09/2022

Checked  
WCW

Drawn  
SIR

Project Number  
620-334

Building Number  
CLC

Drawing Number  
**S-302**