

GENERAL SHEET NOTES

- REFER TO A-001 FOR TYPICAL ARCHITECTURAL SYMBOLS, ABBREVIATIONS, DIMENSIONING PROTOCOLS, AND OTHER NOTES RELATED TO INTERPRETING THE DOCUMENTS.
- CONTRACTOR TO VALIDATE AND VERIFY ALL FIRE RATED AND/OR SMOKE RATED WALLS AND ASSEMBLIES INDICATED ON PLANS IN WORK AREA. PROVIDE ALL PIPING PENETRATIONS FOR ADDITIONAL INFORMATION. WALLS SHALL BE CALKED AIRTIGHT TO THE ADJACENT STRUCTURE BY MEANS OF U.L. APPROVED FIRE PROOF CALKING MATERIAL. SEE MECHANICAL AND PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- CONTRACTOR SHALL COORDINATE ALL PIPING, PLUMBING, AND CONDUIT PIPING WITH STRUCTURAL, MECHANICAL, AND ELECTRICAL SYSTEMS AND SHALL PROVIDE NECESSARY OFFSETS TO AVOID CONFLICTS AND TO MAINTAIN REQUIRED EQUIPMENT ACCESS AND SERVICEABILITY.
- EXISTING CONDITIONS ARE BASED ON EXISTING PLANS AND FIELD VERIFICATION WHERE FEASIBLE. ACTUAL CONDITIONS MAY DIFFER FROM THOSE INDICATED. CONTRACTOR TO FIELD VERIFY IN ADVANCE THE LOCATION AND CONDITION OF THOSE EXISTING SYSTEMS SHOWN TO BE MODIFIED OR REMOVED. CONTRACTOR TO NOTIFY ARCHITECT SHOULD CONDITIONS BE FOUND TO DIFFER SIGNIFICANTLY FROM CONSTRUCTION DOCUMENTS.
- CONTRACTOR TO COORDINATE ALL NEW EQUIPMENT LOCATIONS WITH ALL TRADES PRIOR TO INSTALLATION.
- CONTRACTOR TO PROVIDE GALVANIC PROTECTION AS REQUIRED AT CONNECTIONS BETWEEN DISSIMILAR METALS.
- ANY FLOOR, WALL, OR CEILING CUTTING OR FILLING THAT IS REQUIRED TO COMPLETE THIS PROJECT, THE CONTRACTOR SHALL PATCH AND PAINT AND RETURN TO MATCH EXISTING CONDITIONS AND FINISHES.
- CONTRACTOR TO PROVIDE TEMPORARY FLOORING WHILE MODIFYING SUBFLOORING.
- ALL INFORMATION SHOWN THIS SHEET IS EXCLUSIVELY INTENDED TO DESCRIBE SCOPE FOR RENOVATION OF EXISTING BUILDING 6 HALLWAY. ALL WORK DESCRIBED FOR BUILDING 6 HALLWAY IS CONSIDERED A DEDUCTIVE ALTERNATE. SEE COVER SHEET. ANY INFORMATION REGARDING NEW WORK IS SHOWN FOR COORDINATION AND REFERENCE ONLY. REFER TO OTHER SHEETS IN THE SET FOR DETAILED INFORMATION REGARDING NEW WORK SCOPE.

HAZARDOUS MATERIAL SHEET NOTES

- ALL HAZARDOUS MATERIAL REMOVAL SHALL BE PERFORMED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS AND ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, REGULATIONS, ORDERS AND DIRECTIVES INCLUDING, WITHOUT LIMITATIONS, THOSE OF THE RESPONSIBLE STATE OF NEW YORK AGENCIES, U.S. ENVIRONMENTAL PROTECTION AGENCY, U.S. DEPARTMENT OF LABOR, OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH, STATE OF NEW YORK DEPARTMENT OF PUBLIC HEALTH, AND THE STATE OF NEW YORK DEPARTMENT OF ENVIRONMENTAL CONSERVATION.
- CONTRACTOR SHALL COMPLY WITH OSHA REGULATIONS FOR SILICA DUST CONTROL 29 CFR 1926.1153, 29 CFR 1910.134.
- CONTRACTOR SHALL USE EXTREME CARE AND CAUTION DURING ALL ABATEMENT PROCEDURES. CONTRACTOR SHALL CONDUCT REMOVAL OF ALL MATERIALS FROM THE SITE WITH A MINIMUM DISTURBANCE AND PROVIDE REGULAR MAINTENANCE AND PROTECTION OF THE BUILDING PREMISES, STAGING AREA, TRANSPORTATION ROUTES, ETC. COORDINATE PHASING OF WORK AND HAZARDOUS MATERIAL CONTAINMENT PLANS WITH THE COR. THE ABATEMENT CONTRACTOR SHALL PREPARE THE WORK AREA FOR REMOVAL IN ACCORDANCE WITH APPLICABLE REGULATIONS. WHERE OVERLAPS OCCUR, THE MOST STRINGENT REQUIREMENTS APPLY.
- THE DISTURBANCE OF ANY HAZARDOUS MATERIALS, OR SUSPECTED HAZARDOUS MATERIALS, SHALL BE PERFORMED BY A NYS LICENSED ASBESTOS ABATEMENT CONTRACTOR. CONTAMINATED MATERIALS SHALL BE REMOVED AND DISPOSED OF IN COMPLIANCE WITH EPA AND OSHA REGULATIONS.
- CONTRACTOR TO MAINTAIN MEANS OF EGRESS PATHWAYS AT ALL TIMES. COORDINATE ALTERNATE PROVISIONS AND OBTAIN APPROVAL FROM OWNER AND AHJ IF EXISTING MEANS OF EGRESS MUST BE COMPROMISED OF MATERIAL EQUIPMENT, WASTE TRAILERS/DUMPSTERS, AS WELL AS CONTRACTOR PARKING SHALL BE COORDINATED WITH THE REST OF THE CONTRACT. THE GC AND THE COR. CONTRACTOR SHALL DEVELOP AND IMPLEMENT WRITTEN STANDARD OPERATING PROCEDURES FOR ABATEMENT WORK TO ENSURE MAXIMUM PROTECTION AND SAFEGUARDS FOR LEAD AND/OR ASBESTOS EXPOSURE TO WORKERS, PATIENTS, EMPLOYEES, GENERAL PUBLIC, AND THE ENVIRONMENT.
- THE LOCATION OF SITE STORAGE SHALL BE COORDINATED WITH VA COR.
- CONTRACTOR SHALL PROVIDE ALL TOOLS, SCAFFOLDING, LADDERS, BARRIERS, AND ASSOCIATED MATERIALS AND EQUIPMENT REQUIRED TO COMPLETE ALL WORK INDICATED.
- CONTRACTOR SHALL PROVIDE ALL SIGNS, LABELS, WARNINGS, AND POSTED INSTRUCTIONS THAT ARE NECESSARY TO PROTECT, INFORM, AND WARN OF THE HAZARD FROM ASBESTOS EXPOSURE.
- CONTRACTOR SHALL POST IN A PROMINENT AND CONVENIENT PLACE FOR LABORERS, A COPY OF THE LATEST APPLICABLE REGULATIONS FROM OSHA, EPA, NIOSH, AND NYSDEC.
- CONTRACTOR SHALL COMPLETELY PROTECT ALL CONTROLS, CONDUIT, TUBING, ELECTRICAL PANELS, EQUIPMENT, ETC. SCHEDULED TO REMAIN WITHIN THE WORK AREA.
- ALL BUILDING FINISHES, EQUIPMENT, OR OTHER COMPONENTS OF THE BUILDING WHICH ARE SCHEDULED TO REMAIN, THAT ARE DAMAGED OR ARE IN ANY WAY DISRUPTED AS A RESULT OF THE WORK, SHALL BE REPLACED OR RESTORED TO ORIGINAL CONDITIONS BY THE CONTRACTOR, WITHOUT ADDITIONAL COST TO THE OWNER.
- THE VA AND THE HAZARDOUS MATERIAL ABATEMENT CONTRACTOR SHALL MUTUALLY AGREE ON THE NUMBER AND LOCATION OF ANY REMOTE DECONTAMINATION UNITS DURING THE PRE-CONSTRUCTION MEETING. SUBMIT DRAWINGS INDICATING THE LOCATION AND NUMBER OF HEPA FILTER EQUIPPED NEGATIVE PRESSURE MACHINES, AIRLOCKS, AND DECONTAMINATION CHAMBERS. SUBMIT CALCULATIONS SHOWING THE NUMBER OF AIR CHANGES FOR EACH CONTAINMENT AREA.
- PHASE WORK AS REQUIRED BY THE GC AND VA. CONTRACTOR TO COORDINATE DEMOLITION ACTIVITIES WITH COR TO MAINTAIN FULL FUNCTIONALITY OF ADJACENT OCCUPIED SPACES. THE BUILDING IS INTENDED TO REMAIN OPERATIONAL DURING THIS PROJECT. UTILIZE GLOVEBAG METHODS TO MINIMIZE IMPACT ON BUILDING OPERATIONS.
- CONTRACTOR TO PROVIDE FIRE, SMOKE, DIRT, DUST AND NOISE CONTAINMENT BARRIERS BETWEEN WORK AREA AND ADJACENT OCCUPIED SPACES. COORDINATE WITH VA ICRA, ASBESTOS, AND LEAD ABATEMENT REQUIREMENTS, AND THE COR.
- CONTRACTOR TO COORDINATE ALL UTILITY SYSTEM SHUTDOWN ACTIVITIES IN ADVANCE WITH THE COR. ALL OCCUPIED SPACES ADJACENT TO THE AREA OF WORK ARE TO REMAIN OPERATIONAL.
- CONTRACTOR TO REMOVE ALL DEMOLITION AND CONSTRUCTION DEBRIS ON A DAILY BASIS. COORDINATE MEANS, METHODS AND ROUTES WITH VA ASBESTOS AND ICRA REQUIREMENTS, AND THE COR. ALL REMOVED HAZARDOUS MATERIALS AND HAZARDOUS MATERIAL CONTAMINATED WASTE SHALL BE PROPERLY PACKAGED PRIOR TO REMOVAL FROM THE WORK AREAS. WARNING LABELS SHALL BE APPLIED TO ASBESTOS WASTE AS APPROPRIATE. ALL ACM OR LCP REMOVED SHALL BE ACCOMPANIED BY A WASTE SHIPMENT RECORDS, COMPLETED WASTE SHIPMENT RECORDS SHALL BE PROVIDED TO THE OWNER AS A PART OF THE CLOSEOUT DOCUMENTATION. ORIGINAL RECORDS SHALL BE PROVIDED TO THE OWNER WITHIN 30 DAYS OF WASTE LEAVING THE SITE.
- CONTRACTOR TO ASSUME THAT ALL UNTESTED ORIGINAL BUILDING MATERIALS TO CONTAIN ASBESTOS OR LEAD, UNLESS SAID MATERIAL IS TESTED AND CONFIRMED AS CONTAINING LESS THAN THE REGULATED PERCENTAGE OF ASBESTOS AND/OR LEAD. EXISTING ACM HAS BEEN CONFIRMED IN SIMILAR BUILDINGS ON CAMPUS. IN FLOOR FINISH, CEILING GULCHES AND PIPE INSULATION. LEAD CONTAINING PAINT HAS BEEN IDENTIFIED IN AT LEAST ONE OTHER SIMILAR BUILDING ON CAMPUS. SHOULD ANY PREVIOUSLY UNIDENTIFIED OR OTHERWISE UNANTICIPATED SUSPECT MATERIAL BE IDENTIFIED DURING CONSTRUCTION, STOP WORK AND NOTIFY OWNER FOR FURTHER DIRECTION. UNDER NO CIRCUMSTANCES SHALL THE CONTRACTOR COLLECT OR ANALYZE BULK SAMPLES OF SUSPECT MATERIALS WITHOUT THE APPROVAL OF THE OWNER.
- ALL MATERIAL QUANTITIES AND LOCATIONS ARE APPROXIMATE AND FOR GENERAL ORIENTATION ONLY. AS HIDDEN CONDITIONS ARE UNCOVERED, ADDITIONAL HAZARDOUS MATERIAL MAY BE UNCOVERED THAT REQUIRE ABATEMENT. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION. REFER TO SPECIFICATIONS FOR APPROXIMATE QUANTITIES OF ACM FINISHES AND PIPE INSULATION.

FINISH LEGEND BUILDING 6 CORRIDOR


SYMBOL	FINISH TYPE	SPEC SECTION	MANUFACTURER	COLLECTION	COLOR	SIZE	STYLE / TYPE	NOTES
LVT-1	LUXURY VINYL TILE	09 65 19	ARMSTRONG*	NATURAL CREATIONS ARBOR ART	GRIZZLY NA237	6"X36"	WEATHERED ARBOR	
P-2	PAINT	09 91 00	SHERWIN WILLIAMS*	SW7577 HIGH REFLECTIVE WHITE	VELVET		GYP CEILING	
P-9	PAINT	09 91 00	SHERWIN WILLIAMS*	SW6237 BOLD BRICK			DOOR TRIM - FINAL COLOR SELECTION TO BE APPROVED BY OWNER	
RB-1	RESILIENT BASE	09 65 13	TARKETT*	PERCEPTIONS	29 MOON ROCK	4.25"	RWDC-XX	
TR-5	TRIM	09 30 13	SCHLUTER SYSTEMS*	PROFILES	SATIN NICKEL ANODIZED ALUMINUM		RENO-U	

ROOM FINISH SCHEDULE BUILDING 6

NO.	NAME	AREA	FINISH	BASE	WALLS				CEILING	NOTES
					NORTH	EAST	SOUTH	WEST		
23	CORRIDOR	515 SF	LVT-1	RB-1	EXIST	EXIST	EXIST	EXIST	EXIST	AT-1

SCHEDULE OF EXISTING FINISHES

FINISH #	FLOOR	BASE	WALL	MATL	WALL	FINISH	CEILING	MATL
1	VCCT	GB	GB	GB	AT			



ARCHITECTURAL SYMBOL LEGEND

- EXISTING ELEMENT
- DEMOLISHED ELEMENT
- NEW EXTERIOR WALL. SEE NEW WORK SCOPE DRAWINGS FOR ASSEMBLY AND RATING INFORMATION.
- NEW INTERIOR STUD FRAMED WALL. SEE WALL TYPES FINISHES.
- AREA OF NO WORK, FACILITY TO REMAIN OPERATIONAL
- DEDUCTIVE ALTERNATE


- ### KEYNOTES
- REMOVE EXISTING DOOR AND RETAIN EXISTING FRAME WALL. COORDINATE REMOVAL OF DOOR WITH STANDARD ICRA AND HAZARDOUS CONTAINMENT REQUIREMENTS FOR DEMOLITION OF INTERIOR FINISHES.
 - REMOVE FLOOR FINISH, ENTIRE LENGTH OF HALLWAY. TREAT AS ACM UNLESS TESTED NEGATIVE.
 - REMOVE CEILING TILE, GRID, AND ALL LIGHTS, ENTIRE LENGTH OF HALLWAY. TREAT REMOVED MATERIALS AS POSITIVE FOR ACM UNLESS TESTED NEGATIVE.
 - EXISTING RADIATORS TO REMAIN; PROTECT IN PLACE
 - REMOVE ANGLED CEILING GRID AT WINDOW POCKET, TYP.
 - SEAL DOORWAY AGAINST TRANSMISSION OF DUST, SMOKE, DIRT, AND NOISE DURING DEMOLITION PER STANDARD
 - PROVIDE REMOTE DECONTAMINATION UNIT. COORDINATE LOCATION WITH THE COR.
 - PROVIDE NEW FLOOR FINISH AS SCHEDULED
 - PROVIDE NEW CEILING AS SCHEDULED
 - PROVIDE NEW LIGHTS WIRE BACK TO EXISTING CIRCUITS PREVIOUSLY DEDICATED TO LIGHTS IN THIS HALLWAY.
 - NEW WINDOW GYPSUM POCKET, TYP
 - ABATE SURFACE OF PLASTER CEILING ABOVE EXISTING ACT. ENTIRE LENGTH OF HALLWAY. TREAT REMOVED MATERIALS AS POSITIVE FOR ACM UNLESS TESTED NEGATIVE.
 - REMOVE AND ABATE VIA GLOVEBAG METHOD ALL PIPE INSULATION FOR 6' BACK FROM CAPPED END AT PIPE BASEMENT
 - PROVIDE NEW 1/4" RATED HORIZONTAL ASSEMBLY TO EXISTING CONCRETE DECK ABOVE CEILING, ENTIRE EXTENT OF HALLWAY. SEE B2A-101C

INTERIOR FINISH SYMBOLS

REFER TO THIS SHEET FOR FINISH INFORMATION

- MATERIAL FLOOR CHANGE, SEE DETAIL C1A-101C FOR TYPICAL TRANSITION DETAIL
- DIRECTION OF FINISH
- PAINT COLOR / WALL FINISHES
- WALL BASE / FLOOR FINISH TAG

FINISH ABBREVIATIONS:
 AT - ACOUSTICAL CEILING TILE
 GB - GLAZED BLOCK
 P - PAINT
 RB - RESILIENT BASE
 T - TRIM
 VCCT - VINYL COMPOSITE TILE



DEDUCT ALTERNATE #4 - ELIMINATE WORK AT B6 CORRIDOR REMOVE ALL WORK ASSOCIATED WITH B6 CORRIDOR

CONSULTANT NORRIS DESIGN HINMAN C.S. Davidson, Inc. MES GROUP	ARCHITECT/ENGINEER OF RECORD A/E: TRIPLE C - The A/E Group 201 E. Jefferson Street, Suite 200 Syracuse, NY 13202 (315) 484-9958 Mat Perkins	Office of Construction and Facilities Management U.S. Department of Veterans Affairs	Drawing Title BUILDING 6 HALLWAY RENOVATION - DEDUCT ALT. 4	Phase ISSUED FOR CONSTRUCTION	Project Title NEW COMMUNITY LIVING CENTER	Project Number 620-334
			Approved:	FULLY SPRINKLERED	Location 2094 Albany Post Road, Montrose, NY 10548	Building Number CLC
Revisions:	Date:	VA FORM 08-6231	Issue Date 05/09/2022	Checked M. PERKINS	Drawn K. BICKEL	Drawing Number A-101C