

	STANDARD PLUM	BING A	BBREVIATIONS
AAV AD AFF ANSI APPE AV AWS BFP BTUH BTUH BTUH BTUH BTUH BTUH BTUH BTUH	AIR ADMITTANCE VALVE AREA DRAIN ABOVE FINISHED FLOOR ABOVE FINISHED GRADE AMERICAN NATIONAL STANDARDS INSTITUTE APPROXIMATE AMERICAN SOCIETY OF PLUMBING ENGINEERS ACID VENT ACID WASTE BUILDING AUTOMATION SYSTEM BACKFLOW PREVENTER BATHTUB BRITISH THERMAL UNIT BRITISH THERMAL UNIT BRITISH THERMAL UNIT PER HOUR BACK WATER VALVE COMPRESSED AIR CATCH BASIN CUBIC FEET PER HOUR CUBIC FEET PER MINUTE CAST IRON CLEAN OUT CARBON DIOXIDE CIRCULATION PUMP DOMESTIC COLD WATER DRINKING FOUNTAIN DEIONIZED WATER DIAMETER DOWN DOWNSPOUT DOWNSPOUT DOWNSPOUT DOWNSPOUT NOZZLE ELECTRICAL CONTRACTOR EXPANSION TANK ELECTRIC WATER COOLER ELECTRIC WATER COOLER	HW HWR IE IN WC KW KWH LPG LV MAU MAX MBH MIN MOCP MS MV N NC NIC NO NOM NTS O COCP OD OI PC PRV PSI RD RH RO RPZ RTU S SI	DOMESTIC HOT WATER HOT WATER RETURN INVERT ELEVATION INCH WATER COLUMN KILOWATT KILOWATT KILOWATT HOUR LIQUID PROPANE GAS LAVATORY MAKEUP AIR UNIT MAXIMUM 1000 BTUH MANHOLE MINIMUM MAXIMUM OVERCURRENT PROTECTION MOP SINK MIXING VALVE NITROGEN NORMALLY CLOSED NOT IN CONTRACT NITROUS OXIDE NOMINAL NOT TO SCALE OXYGEN OVER CURRENT PROTECTION OVERFLOW DRAIN OIL INTERCEPTOR PLUMBING CONTRACTOR PRESSURE REGULATING VALVE POUNDS PER SQUARE INCH ROOF DRAIN ROOF HYDRANT REVERSE OSMOSIS REDUCED PRESSURE ZONE VALVE ROOF TOP UNIT SANITARY SOLIDS INTERCEPTOR
EWH EX F FCO FD FFE FLA FS FT	ELECTRIC WATER HEATER EXISTING FAHRENHEIT FLOOR CLEAN OUT FLOOR DRAIN FINISHED FLOOR ELEVATION FULL LOAD AMPERES FLOOR SINK FEET	SI SK SOFT SPEC SQ FT ST TD TEMP TMV	SOLIDS INTERCEPTOR SINK SOFT WATER SPECIFICATION SQUARE FOOT (FEET) STORM PIPING TRENCH DRAIN TEMPERATURE THERMOSTATIC MIXING VALVE
FU FW GCWH GPH GPH GPR GPR HB HC HB HD HP	FEET FILTERED WATER GAS GRADE CLEAN OUT GAS FIRED WATER HEATER GREASE INTERCEPTOR GALLONS PER DAY GALLONS PER HOUR GALLONS PER MINUTE GAS PRESSURE REGULATOR GREASE WASTE HOT & COLD WATER HOSE BIBB HVAC CONTRACTOR HUB DRAIN HORSEPOWER	TMV TP UH UR VAC VFD VP VTR WAGD WB WC WCO WH WF YH	TRAP PRIMER UNIT HEATER URINAL VACUUM VARIABLE FREQUENCY DRIVE VACUUM PUMP VENT THRU ROOF WASTE ANESTHESIA GAS WASHER BOX WATER CLOSET WALL CLEAN OUT WALL HYDRANT WATER FILTER YARD HYDRANT


DOL	LAR T	REE PLUMBING ELEC	CTRIC	CAL (COORD	INAT	ON	SCHED	ULE	•														
ABBREVI	ATIONS		CONTRACTOR TYPE N						МС	MOTOR CONTROL TYPE								CONTROL TYPE						
DC MC SD CN TS C/B FUSE FLA MCA CP	DUCT SMC CONTROL TOGGLE S H.A.C.R. C FUSE AT L OPERATIN MINIMUM (ONTROL (POWER) OKE DETECTOR S	EC EX FC GC HC MFR PC OR	EXISTI FIRE P GENEI HVAC MANUI PLUME	RICAL CONTRA NG ROTECTION CO RAL CONTRACT CONTRACTOR FACTURER BING CONTRACT R OR OTHERS	ONTRACTOI OR	R		CS M(MC MS VF MS O\	CC N G N S N FD V SR N	MANUAL ST MARIABLE F	ITROL ST STARTER ARTER REQUEN ARTER W	TARTER OR CONTACT CY DRIVE I/ CONTROL RELA	Y				TC CPT BAS LOW LINE RLINE MAN FA CO INT	BUILDIN LOW VO LINE VO REVER: MANUA FIRE AL CARBO	OL POWEF NG AUTOM DLTAGE CO DLTAGE CO SE ACTING L LARM	ONTROLS LINE VOLT DE SENSOI	TEM	MOSTAT	
EQUIP	MENT MARK	DESCRIPTION	VOLTS (V)	PHASE	EMERGENCY	BHP (HP)	HP (HP)	HTG KW (kW)	WATTS (W	N) FLA (A)	MCA (A)	OCP (A)	DC TYPE	DC FURN	DC INST	DC WIRE	MC TYPE	MC FURN	MC INST	MC WIRE	CN TYPE	CN FURN	CN INST	CN WIRE
CP1		HOT WATER RECIRCULATING PUMP	120	1			1/40			.52				EC	EC	EC	MG	MFR	MFR	MFR	LINE	PC	PC	PC
DF1		DOMESTIC ELECTRIC WATER COOLER	120	1										EC	EC	EC	MG	MFR	MFR	MFR	INT	MFR		MFR
WH1	·	DOMESTIC ELECTRIC TANK-TYPE WATER HEATER	120	1				2						EC	EC	EC					INT	MFR	MFR	MFR

	DOLLAR TREE PLUMBING FIXTURE SCHEDULE													
MARK	DESCRIPTION	MANUFACTURER	MODEL	VALVE/FAUCET MFGR	VALVE/FAUCET MODEL	CW SIZE (in)	HW SIZE (in)		VENT SIZE (in)	TRAP SIZE (in)	INT TRAP	ACCESSORIES		
DF1	DOMESTIC ELECTRIC WATER COOLER	MURDOCK	A172-UG- BF			1/2		1-1/2	1-1/2		NO	FURNISH STD. CABINET FINISH FOUNTAIN, SUPPLY STOP & TUBE, DRAIN KIT, AND WALL HANGER KIT		
ET1	EXPANSION TANK	WATTS	PLT-5			3/4						FDA APPROVED, POTABLE WATER EXPANSION TANK, 2.1 GALLON ACCEPTANCE.		
LV1	LAVATORY	ZURN	Z5344	ZURN	Z86500-XL	1/2	1/2	1-1/2	1-1/2	1-1/2	NO	FURNISH LAVATORY, LEAD FREE METERING FAUCET, WALL HANGER KIT, SUPPLY STOPS & TUBES, DRAIN, AND ADA PIPING PROTECTION. PROVIDE ASSE 1070 VALVES.		
MS1	MOP SINK	ZURN	Z1996-36	ZURN	Z843MI	1/2	1/2	3	1-1/2	3	NO	FURNISH VACUUM BREAKER, HOSE AND BRACKET, MOP HANGER, AND DRAIN KIT.		
WC1	TANK WATER CLOSET	ZURN	Z5560			1/2		3	2		YES	FURNISH ADA CLOSET & TANK, ADA OPEN FRONT SEAT, SELF SUSTAINING HINGE, FLOOR FLANGE, CLOSET BOLTS & CAPS, WAX RING, SUPPLY STOP & TUBE. FLUSH CONTROL MUST BE LOCATED ON THE WIDE/ACCESS SIE OF THE WC (SIDE OPPOSITE THE WALL).		

	DOLLAR TREE PLUMBING WATER HEATER SCHEDULE														
MARK	DESCRIPTION	MANUFACTURER	MODEL	EFFICIENCY	EWT (DEG F)	LWT (DEG F)	STORAGE (GAL)	FUEL	HTG KW	VOLTS	PHASE	WEIGHT	ACCESS		
WH1	DOMESTIC ELECTRIC TANK-TYPE WATER HEATER	BRADFORD	RE110U6	98	56	140	10	ELECTRIC	2	120	1	30	PROVIDE WITH T & P RELIEF VALVE AND INTEGRAL HEAT TRAPS		













P-201

sheet

KLH PROJECT