

SEE DETAIL 7/GHS-A625
FOR ROOFING DETAILS.

EXISTING TRUSS.

3" CELLULAR ACOUSTICAL STEEL
ROOF 3NPA DECK BY NUCOR.

4"x4"x3/8"x5" LONG CLIP
ANGLE WELDED TO EXISTING
STEEL BEAM (PAINT).

CHIP OUT PLASTER / CONCRETE
BEAM COVER TO ACCESS STEEL
BEAM CONNECTION PAINT. PATCH
TO MATCH EXISTING ADJACENT
SURFACES.

W8x21 STEEL BEAM (PAINT).

S.E.D. CONTROL NUMBER: 66-23-00-01-0-204-019

JOB NAME: YONKERS SCHOOL DISTRICT GORTON HIGH SCHOOL CAPITAL IMPROVEMENT PHASE 3 100 SHONNARD PLACE, YONKERS, N.Y. 10703					
DRAWING TITLE: DECK INFILL DETAIL {REF. DWG. 2/A400}		11-19-2021	DATE	ADDENDUM #1	
		SCALE:	AS NOTED	ISSUED TO	
		FILE NO.	20373.00	DRAWING NO.	SK-A2.0

FULLER
D'ANGELO
P.C.

ARCHITECTS
PLANNERS

48 ENCLIFF ROAD ELMSFORD NEW YORK 10523
TEL 914-492-1100 FAX 914-492-1117
WWW.FULLERDANGELO.COM
Copyright 2021 All Rights Reserved by FULLER & D'ANGELO P.C.