

**888 resorts World Dr  
Monticello, NY 12701**

120 HUYSHOPE AVENUE  
SUITE 400  
HARTFORD, CT 06106  
860.247.9226


© 2021 JCJ Architecture

**CONSULTANT:**

**VANDERWEIL**

R.G. Vanderweil Engineers, LLP : 617.423.7423 TEL  
274 Summer Street : 617.423.7401 FAX  
Boston, MA 02210 : [vanderweil.com](http://vanderweil.com)

BIDDING &  
CONSTRUCTION  
07/06/2022



ISSUE	07/06/2022
JOB	30860.00
DRAWN	RD
SCALE	1/8" = 1'-0"
REVISIONS	

**DEMO THIRD FLOOR**

P-5

PLUMBING DEMOLITION GENERAL NOTES

1. EXISTING PIPING AND CONDITIONS ARE SHOWN FOR REFERENCE ONLY TO INDICATE NEW TIE-IN LOCATIONS, AND IS NOT INTENDED TO FULLY REPRESENT ALL EXISTING CONDITIONS, PIPING, VALVES, ACCESSORIES, ETC.

2. VERIFY EXACT LOCATIONS OF EXISTING PIPING SYSTEMS, FIXTURES, AND EQUIPMENT IN THE FIELD.

EXISTING 1/2" CW DROP TO  
REMAIN FOR CONNECTION  
TO NEW FOOD SERVICE  
EQUIPMENT IN THIS  
LOCATION. DISCONNECT  
FROM ETBR FOOD SERVICE  
EQUIPMENT.

EXISTING FLOOR SINK IS TO REMAIN AND BE ABANDONED. PROVIDE REMOVABLE PLUG (BASIS OF DESIGN OATEY INSIDE-OF-PIPE GRIPPER PLUG) WITHIN FLOOR SINK OUTLET PIPING. PROVIDE FLOOR SINK W/ NEW SECURELY FASTENED SOLID COVER. SECURE FLOOR SINK SOLID COVER BY DRILLING HOLE IN EXISTING FLOOR SINK FRAME AND TAPPING HOLE FOR SCREW. PROVIDE GASKET BENEATH SOLID COVER TO PREVENT WATER FROM ENTERING CAPPI FLOOR SINK.

EXISTING 1/2" CW DROP TO  
REMAIN FOR CONNECTION TO  
NEW FOOD SERVICE EQUIPMENT  
IN THIS LOCATION. DISCONNECT  
FROM ETBR FOOD SERVICE  
EQUIPMENT.

EXISTING VTR IN APPROXIMATELY THIS LOCATION. CONTRACTOR TO FIELD VERIFY EXACT LOCATION - IF EXISTING VENT IS WITHIN 10' OF NEW AIR HANDLING UNIT INTAKE, VTR MUST BE PARTIALLY DEMOLISHED AND RELOCATED TO BE MINIMUM 10' FROM AIR INTAKE

1 PLUMBING - DEMO THIRD FLOOR  
1/8" = 1'-0"

[illegible]