

777 Old Saw Mill River Road
Tarrytown, NY 10591-6707
T: 914.847.7400
F: 914.847.7991
www.regeneron.com

**Building #17
Campus Expansion Child
Day-care Center**

777 Old Saw Mill River Road
Mount Pleasant, NY 10591

Project No. B17-DAYCARE

Architect
Gensler
1700 Broadway, Suite 400
New York, NY 10019
(212) 492-1400 Phone
(212) 492-1472 Fax

Structural Engineer

Thornton Tomasetti
120 Broadway, 15th Floor
New York, NY 10018
(917) 661-7800 Phone
(917) 661-7801 Fax

MEP / IT / Security Engineer

Cosentini Associates
498 Seventh Avenue
New York, NY 10018
(212) 615-3600 Phone
(212) 615-3700 Fax


Civil Engineer

JMC
120 Bedford Road
Armonk, NY 10504
(914) 273-5225 Phone
(914) 273-2102 Fax

Landscape Architect

Langan
21 Penn Plaza, 360 West 31st Street, 8th Floor
New York, NY 10001
(212) 479-5400 Phone
(212) 479-5444 Fax

Key Plan



No.	Date	Description
06.20.2022		ISSUED FOR PERMIT
06.20.2022		100% CONSTRUCTION DOCUMENTS
07.01.2022		100% CONSTRUCTION DOCUMENT - 1

Plot Date: 03/08/22


ALL DRAWINGS AND WRITTEN MATERIALS REPRESENTED ON THIS SHEET CONSTITUTE THE CONTRACT DOCUMENTS AND ARE THE SOLE PROPERTY OF REGENERON PHARMACEUTICALS. THIS SHEET MAY NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART, NOR MAY ANY OF THE DRAWINGS OR WRITTEN MATERIALS BE REPRODUCED OR COPIED IN WHOLE OR IN PART, NOR MAY ANY OTHER WORK BE PERFORMED FOR ANY REASON WITHOUT THE WRITTEN CONSENT OF REGENERON PHARMACEUTICALS. THIS SHEET IS THE PROPERTY OF REGENERON PHARMACEUTICALS. IF REGENERON MAKES OR AUTHORIZES REUSE OF ANY SUCH DOCUMENTS OR INFORMATION PROVIDED BY SUCH PROFESSIONAL OUTSIDE OF THE PROJECT WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGN PROFESSIONAL, REGENERON ASSUMES FULL RESPONSIBILITY FOR ANY AND ALL RISKS INVOLVED IN SUCH REUSE.

Professional Seal and Signature

Vendor Name: GENSLER
Vendor Project No.: 006.3608.000
Discipline: Drawn By: Author
**LGMF BEARING WALL
DETAILS II**

Scale: As indicated Floor:

S-601




NOTES: DETAIL FOR INFORMATION ONLY. FINAL DESIGN OF LGMF SYSTEM IS DELEGATED TO THE CONTRACTOR BASED ON CONTRACT DOCUMENTS

1 TYPICAL INTERIOR HEADER AND JAMB CONNECTION

SCALE: 1" = 1'-0"

INTERIOR BOTTOM TRACK SILL ANCHOR SCHEDULE - W/ CURB	
ANCHOR TYPE	SIZE AND SPACING (MINIMUM, OR AS REQUIRED)
ANCHOR BOLT	3/8" @ 2'-8" OC W/ 5" EMBED
EXPANSION ANCHOR*	3/8" HILTI KB-TZ @ 2'-8" OC
SCREW ANCHOR*	3/8" @ 2'-8" OC


*EMBED PER GENERAL NOTES



NOTES: DETAIL FOR INFORMATION ONLY. FINAL DESIGN OF LGMF SYSTEM IS DELEGATED TO THE CONTRACTOR BASED ON CONTRACT DOCUMENTS

3 BOTTOM TRACK SECTION

SCALE: 1 1/2" = 1'-0"



JAMB STUD SCHEDULE	
MAX ALLOWABLE OPENING WIDTH L OR COMBINED OPENING WIDTH L1 + L2 AT ADJACENT OPENING	STUDS
11'-0"	2-18GA STUDS
18'-0"	3-18GA STUDS

NOTES:


- JAMB STUDS DEPTHS SHALL MATCH TYPICAL WALL STUD DEPTHS.
- WHEN OPENING WIDTH IS GREATER THAN 14'-0" AND STORY "HT" IS GREATER THAN 14'-0", PROVIDE TOP TRACK REINF AT JAMB STUDS PER

6 TYPICAL INTERIOR JAMBS

SCALE: 3" = 1'-0"

4 TYPICAL INTERIOR SILL AND JAMB CONNECTION

SCALE: 1" = 1'-0"




NOTES:

- WHEN $L > 14'-0"$, SEE FOR WALLS ON SLAB-ON-GRADE
- DETAIL FOR INFORMATION ONLY. FINAL DESIGN OF LGMF SYSTEM IS DELEGATED TO THE CONTRACTOR BASED ON CONTRACT DOCUMENTS

5 INTERIOR SILLS SECTION

SCALE: 3" = 1'-0"



7 SPICES

SCALE: 1 1/2" = 1'-0"