

THE WHITING-TURNER CONTRACTING COMPANY

300 EAST JOPPA ROAD | TOWSON, MD 21286

C. SPECIFIC SCOPE OF WORK

Unit 08A – Wood Framed Glass & Glazing

This work shall include all labor, supervision, material, tools, equipment, shop drawings, submittals, layout, unloading, scaffolding, ladders, hoisting, transportation, taxes, permits, engineering, support functions, insurance, bonds, and any other items or services necessary for and reasonably incidental to the proper execution and completion of the work, whether temporary or permanent, in accordance with all drawings, specifications, addenda, general conditions, requirements, and other related documents as indicated herein. The scope of work shall include but not be limited to the following: (All work shall be furnished and installed unless specifically noted otherwise herein.)

<u>Specific Scope of Work: Wood Framed Glass & Glazing</u>	Included	Excluded
1. This subcontractor is fully responsible for all drawings and specifications provided during and after the bid phase of this project. This subcontractor is also responsible for any additional/revised drawings & documents formally issued by Whiting-Turner throughout the bid phase via addendum. This includes drawings and specifications directly related to their respective scope, as well as all other drawings and specifications, regardless of their association with this respective scope of work. A complete listing of all drawings and specifications is attached hereto as Exhibit D.		
2. Applicable specification sections: 3. The work primarily includes but is not limited to the following specification sections as well as related work specified or shown elsewhere in the contract documents: a. Division 1 – General Requirements b. 074623 – Wood Siding c. 081416 – Flush Wood Doors d. 084411 – Glazed Wood Curtain Walls e. 085213 – Aluminum-Clad Wood Windows and Doors f. 088000- Glass & Glazing		
4. Subcontractor is responsible for all notes in the contract documents related to this scope of work.		
5. Provide all submittals, certifications, reports, source of supply, samples, shop drawings, mock-ups, product data, as-builts, O&Ms and warranties, as required by specifications.		
6. Provide all engineering as required from the specifications. Provide signed, sealed drawings and calculations by a New York licensed engineer for this scope of work.		
7. Work is not required to be union, open shop or prevailing wage. All qualified bidders are welcome to submit bids for the project. Submission will be awarded off 90% CDs in the spring of 2021 on a best-value basis.		
8. Schedule is working 4x10s, Monday through Thursday. See general scope for additional detail.		
9. Provide mockup installation and removal per specifications. Mockups are to be performed on site and shall not be assumed to be used as part of the final installation.		
10. Attend pre-installation meeting		
11. Furnish all wood framed glass, glazing & accessories to complete this scope of work. Install by others.		
12. Furnish wood framed entrances and storefronts including all glass, glazing and wood framing. Installed by others.		
13. Reference the <i>SKAC Door Matrix</i> attached for additional clarification on this scope of work.		
14. Wood clad at doors to be furnished and installed by others.		

THE WHITING-TURNER CONTRACTING COMPANY

300 EAST JOPPA ROAD | TOWSON, MD 21286

15. Provide all weather stripping, gaskets and accessories for wood framed doors.		
16. Coordinate fabrication of doors and frames with preparations for all finish hardware and openings.		
17. Furnish all exterior wood window assemblies. Include frames, glass, weather stripping, reinforcement, sealant/caulking, clips, anchors, aluminum extrusions, weep holes, gaskets and hardware required for complete installation.		
18. Furnish wood framed glazing assemblies within the Administration Building; including but not limited to; W01, W02 units, EST-1, C01, C02, C03, C04, E01, and E02.		
19. Furnish exterior wood framed doors/frames within the Administration Building; including but not, limited to, Openings #142, 143, 144, 145, 146, 147, and 148.		
20. Furnish wood framed interior doors/frames #103.2, and 103.3 within the Administration Building's Large Meeting Room 101.		
21. Furnish wood framed interior doors/frames #117.1 within the Administration Building's Vestibule Room 117.		
22. Furnish wood framed glazing assemblies within the Pond Pavilion; including but not limited to; W21, W22, EST-10, EST-11, A24, E21, and C21.		
23. Furnish wood and glass sliding track door assemblies within the Pond Pavilion; including but not limited to; 107 and 109.1.		
24. Furnish wood framed glass exterior doors within the Pond Pavilion; including but not, limited to, Openings #111.1, 111.2, 111.3, and 111.4.		
25. Furnish wood framed assemblies within the Welcome Restroom Pavilion; including but not limited to; E11, E12, E13.		
26. Furnish wood and glass sliding track door assemblies within the Welcome Restroom Pavilion; including but not limited to; R116, R117, R118, R119, R120.		
27. Furnish wood pivot doors with integral man door within the Welcome Restroom Pavilion; including but not limited to; R101 and R122.		
28. Furnish all hardware associated with the sliding track door assemblies and pivot doors within the Welcome Restroom Pavilion and Pond Pavilion including, but not limited to, thresholds, fasteners, closures, exit devices, weather stripping, gaskets, sliding track, hinges, pulls, levers, embedded hardware, etc. Cylinders and cores furnished by others.		
29. Furnish wood framed assemblies within the Welcome Ticketing Pavilion; including but not limited to; W12, W13, W14.		
30. Verify dimensions in the field prior to fabrication of wood-framed doors and windows.		
31. Comply with and provide required AWI certification documentation per the specifications.		
32. Include all hardware items and sets described in the specifications.		
33. Delivery to jobsite and unloading of material at jobsite.		
34. Prevent damage to glass and glazing materials from condensation, temperature changes, direct exposure to sun, or other causes.		
35. Examine glazing units to locate exterior and interior surfaces. Label or mark units as needed so that exterior and interior surfaces are readily identifiable. Do not use materials that leave visible marks in the completed work.		
36. Protect glass edges from damage during handling.		
37. Provide floor anchors for each jamb and mullion that extends to floor.		
38. Separate mobilizations as required to complete scope of work.		
39. All layout is included.		
40. Provide extended warranties per specifications.		
41. Provide Owner training in the proper methods of cleaning and maintaining the entire glazed wood curtain wall systems per specifications.		
42. Provide all specified warranties. Warranties are to begin from date of project substantial completion and last for one (1) year. This includes all labor performed and all materials provided and/ or installed in conjunction with this		

THE WHITING-TURNER CONTRACTING COMPANY

300 EAST JOPPA ROAD | TOWSON, MD 21286

project.		
43. Coordinate with other trades as required.		

Pricing Breakdown as Follows:

- Base Bid Administration Building Windows \$ _____
 - Base Bid Administration Building Wood Framed Glass Doors \$ _____

 - Base Bid Pond Pavilion Windows \$ _____
 - Base Bid Pond Pavilion Wood Framed Glass Doors \$ _____

 - Base Bid Restroom Pavilion Wood Sliding Doors \$ _____
 - Base Bid Restroom Pavilion Wood Pivot Doors \$ _____

 - Base Bid Ticketing Building Windows \$ _____
- Total = \$ _____**

Storm King Art Center
 Door Schedule Matrix
 11/13/2020
 50% CDs

08A - Wood Framed Glass & Glazing - Furnish Only
08B - Interior Glass & Glazing, Storefront - Furnish & Install
08C - Furnish Only DFH, excluding storefront
08E - Furnish/Install Overhead Doors
06A - Installation of 08A, 08C items

Administration Building - Door Schedule										
Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
102	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
103.1	08C	08C	06A	B03	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
103.2	08A	08C	06A	E01	19' - 4 1/2"	8' - 0"	2 1/2"	Glass/Wood	Wood	
103.3	08A	08C	06A	E02	15' - 4 1/2"	8' - 0"	2 1/2"	Glass/Wood		
103.4	08B	08B	08B	E03	4' - 6"	8' - 0"	1 1/2"	Glass		
104	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
105.1	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.2	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.3	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.4	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.5	08C	08C	06A	B04	2' - 0"	5' - 0"	1"	Wood		
105.6	08C	08C	06A	B04	2' - 0"	5' - 0"	1"	Wood		
105.7	08C	08C	06A	B04	2' - 0"	5' - 0"	1"	Wood		
106	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
110	08B	08B	08B	D04	3' - 0"	7' - 9"	1"	Glass		
111	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	Opening shown in plan, but missing from Door Schedule
112	08C	08C	06A	B03	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
113	08C	08C	06A	B04	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
114	08C	08C	06A	A.2	3' - 4 3/4"	7' - 11"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
117.1	08A	08C	06A	C04	3' - 11 1/2"	7' - 10 1/4"	2"	Glass/Wood	Wood	
117.2	08B	08B	08B	D01	4' - 0"	8' - 0"	1"	Glass		
118	08B	08B	08B	E03	4' - 6"	8' - 0"	1 1/2"			Assume this is glass door per 100% DD Set
121	08B	08B	08B	D05	2' - 10 1/2"	7' - 10 1/2"	1"			Assume this is glass door per 100% DD Set
122	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		
125	08B	08B	08B	D02	3' - 6 3/4"	7' - 10 1/2"	1"			Assume this is glass door per 100% DD Set
126	08B	08B	08B	D02	3' - 6 3/4"	7' - 10 1/2"	1"			Assume this is glass door per 100% DD Set
127	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
129	08C	08C	06A	A04	3' - 4 3/4"	7' - 11"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
130.1	08C	08C	06A	A04	3' - 4 3/4"	7' - 11"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
130.2	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
131	08C	08C	06A	B03	2' - 8"	7' - 0"	2"	Wood	Wood	
132	08C	08C	06A	B03	2' - 8"	7' - 0"	2"	Wood	Wood	
133	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
134	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
135	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
136	08C	08C	06A	B03	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
137	08C	08C	06A	A02	3' - 4 3/4"	8'-2 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
138	08C	08C	06A	A02	3' - 4 3/4"	8'-2 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
139	08C	08C	06A	A02	3' - 4 3/4"	8'-2 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
140.1	08C	08C	06A	A03	3' - 4 3/4"	8'-1 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
140.2	08C	08C	06A	A01	6' - 0"	8'-2 1/8"	2"	Wood to Match Cladding		Clad F&I in field by 06A - needs drip edge
142	08A	08C	06A	C02	3'-9"	8'-0"	3"			
143	08A	08C	06A	C02	3'-9"	8'-0"	3"			
144	08A	08C	06A	C02	3'-9"	8'-0"	3"			
145	08A	08C	06A	C02	3'-9"	8'-0"	3"			
146	08A	08C	06A	C03	3' 7 1/2"	7'-11"	3"			
147	08A	08C	06A	C02	3'-9"	8'-0"	3"			
148	08A	08C	06A	C03	3'-9"	8'-0"	3"			
202	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		
203	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		
204	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		

209	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
210	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
211	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
213	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
214	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
216	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
217	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
219	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		
220	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		
226	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
227	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
128	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		Located in Room 228
229	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	

Pond Pavilion Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
101	08C	08C	06A	A23	5'-8"	7'-6"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
102	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
103	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
104	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
105	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
106	08C	08C	06A	A22	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
107	08A	08A	06A	A24	3' - 0"	7' - 0"	2 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
109.1	08A	08A	06A	A24	3' - 0"	7' - 0"	2 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
109.2	08C	08C	06A	A22	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
110	08C	08C	06A	A23	5'-8"	7'-6"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
111.1	08A	08A	06A	E21	12'-4 1/4"	8'-0"	2 1/2"	Glass/Wood	Wood	
111.2	08A	08A	06A	E22	12'-4 1/4"	8'-0"	2 1/2"	Glass/Wood	Wood	
111.3	08A	08C	06A	C21	2'-8"	7'-10"	1 3/4"	Glass/Wood	Wood	
111.4	08A	08C	06A	C21	2'-8"	7'-10"	1 3/4"	Glass/Wood	Wood	

Welcome Pavilion -Restroom Building - Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
R101	08A	08A	06A	E11				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R102	08C	08C	06A	A11	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R103	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R104	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R105	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R106	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R107	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R108	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R109	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R110	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R111	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R112	08C	08C	06A	A13	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R113	08C	08C	06A	A13	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R114	08C	08C	06A	A13	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R115	08C	08C	06A	A14	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R116	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R117	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R118	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R119	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R120	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R122	08A	08A	06A	E12				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge

on - Ticketing Building - Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
T101.1	08C	08C	06A	A.10	3'-7 1/2"	9'-0"	1 3/4"	Wood	Wood	Clad F&I in field by 06A - drip edge
T101.2	08C	08C	06A	B13	2'- 10"	6'-7"	1 3/4"			
T102	08C	08C	06A	A15	3' - 10"	9' - 0"	1 3/4"	Wood	Wood	Clad F&I in field by 06A - drip edge, 08B - F&I Glass
T103	08C	08C	06A	B12	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	

T104	08C	08C	06A	B11	8'-0"	8'-0"	1 3/4"	Wood	Wood	
------	-----	-----	-----	-----	-------	-------	--------	------	------	--

CFM - Door Schedule										
Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
101.1	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
101.2	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.3	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.4	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.5	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.6	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
102	08C	08C	06A	B31	3'-0"	7'-0"	1 3/4"	Metal	Metal	
103.1	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
103.2	08C	08C	06A	B33	4'-6"	7'-8"	1 3/4"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
104.1	08C	08C	06A	B35	3'-0"	8'-0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
104.2	08C	08C	06A	B31	3'-0"	7'-0"	1 3/4"	Metal	Metal	
104.3	08C	08C	06A	B35	3'-0"	8'-0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
105	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
106	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
107	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
108	08C	08C	06A	B35	3'-0"	8'-0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
109.1	08C	08C	06A	B32	3' - 0"	7' - 0"		Metal	Metal	
109.2	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
109.6	08E	08E	08E	E32	12' - 0"	19'-10"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E - added
111	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
112	08C	08C	06A	B35	3' - 0"	7' - 0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
114	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
114.1	08E	08E	08E	E33	16'-0"	20'-0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E - added
116.1	08C	08C	06A	B34	3' - 0"	7'-9"		Metal	Metal	
116.2	08E	08E	08E	E32	12' - 0"	19'-10"		Metal		cylinder/core furnished by 08A. Installed by 08E
116.3	08E	08E	08E	E33	16' - 0"	20'-0"		Metal		cylinder/core furnished by 08A. Installed by 08E
116.4	08E	08E	08E	E33	16' - 0"	20'-0"		Metal		cylinder/core furnished by 08A. Installed by 08E
116.5	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
116.6	08E	08E	08E	E33	16' - 0"	20'-0"		Metal		cylinder/core furnished by 08A. Installed by 08E
117.1	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
127	08C	08C	06A	B35	3' - 0"	7' - 0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
203	08C	08C	06A	B34	6' - 0"	7' - 0"	1 3/4"	Metal	Metal	
203.1	08C	08C	06A		6' - 0"	7' - 0"	1 3/4"	Metal	Metal	
205	08B	08B	08B	D31	3'-0"	7'-0"		Glass	Glass	cylinder/core furnished by 08A. Installed by 08B
206	08C	08C	06A	B32	3' - 0"	7' - 0"		Metal/Glass	Metal	
207	08C	08C	06A	B31	3'-0"	7'-0"	1 3/4"	Metal	Metal	
208	08B	08B	08B	D31	2'-11 1/2"	7' - 10 1/2"		Glass	Glass	cylinder/core furnished by 08A. Installed by 08B
209	08C	08C	06A	B31	3'-0"	8'-0"	1 3/4"	Metal	Metal	
210	08C	08C	06A	B31	3' - 0"	8'-0"	1 3/4"	Metal	Metal	
215	08C	08C	06A	B43	6'-0"	7'-0"	1 3/4"	Metal	Metal	
216	08C	08C	06A	B43	6'-0"	7'-0"	1 3/4"	Metal	Metal	