

Storm King Art Center
 Door Schedule Matrix
 11/30/2020
 50% CDs

- 08A - Wood Framed Glass & Glazing - Furnish Only
- 08B - Interior Glass & Glazing, Storefront - Furnish & Install
- 08C - Furnish Only DFH, excluding storefront
- 08E - Furnish/Install Overhead Doors
- 06A - Installation of 08A, 08C items

Administration Building - Door Schedule										
Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
102	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
103.1	08C	08C	06A	B03	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
103.2	08A	08C	06A	E01	19' - 4 1/2"	8' - 0"	2 1/2"	Glass/Wood	Wood	
103.3	08A	08C	06A	E02	15' - 4 1/2"	8' - 0"	2 1/2"	Glass/Wood		
103.4	08B	08B	08B	E03	4' - 6"	8' - 0"	1 1/2"	Glass		
104	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
105.1	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.2	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.3	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.4	08C	08C	06A	B04	2' - 0"	8' - 0"	1"	Wood		
105.5	08C	08C	06A	B04	2' - 0"	5' - 0"	1"	Wood		
105.6	08C	08C	06A	B04	2' - 0"	5' - 0"	1"	Wood		
105.7	08C	08C	06A	B04	2' - 0"	5' - 0"	1"	Wood		
106	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
110	08B	08B	08B	D04	3' - 0"	7' - 9"	1"	Glass		
111	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	Opening shown in plan, but missing from Door Schedule
112	08C	08C	06A	B03	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
113	08C	08C	06A	B04	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
114	08C	08C	06A	A.2	3' - 4 3/4"	7' - 11"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
117.1	08A	08C	06A	C04	3' - 11 1/2"	7' - 10 1/4"	2"	Glass/Wood	Wood	
117.2	08B	08B	08B	D01	4' - 0"	8' - 0"	1"	Glass		
118	08B	08B	08B	E03	4' - 6"	8' - 0"	1 1/2"			Assume this is glass door per 100% DD Set
121	08C	08C	06A	D05	2' - 10 1/2"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
122	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		
125	08C	08C	06A	D02	3' - 6 3/4"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
126	08C	08C	06A	D02	3' - 6 3/4"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
127	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
129	08C	08C	06A	A04	3' - 4 3/4"	7' - 11"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
130.1	08C	08C	06A	A04	3' - 4 3/4"	7' - 11"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
130.2	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
131	08C	08C	06A	B03	2' - 8"	7' - 0"	2"	Wood	Wood	
132	08C	08C	06A	B03	2' - 8"	7' - 0"	2"	Wood	Wood	
133	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
134	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
135	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
136	08C	08C	06A	B03	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
137	08C	08C	06A	A02	3' - 4 3/4"	8'-2 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
138	08C	08C	06A	A02	3' - 4 3/4"	8'-2 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
139	08C	08C	06A	A02	3' - 4 3/4"	8'-2 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
140.1	08C	08C	06A	A03	3' - 4 3/4"	8'-1 1/8"	2"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
140.2	08C	08C	06A	A01	6' - 0"	8'-2 1/8"	2"	Wood to Match Cladding		Clad F&I in field by 06A - needs drip edge
142	08A	08C	06A	C02	3'-9"	8'-0"	3"			
143	08A	08C	06A	C02	3'-9"	8'-0"	3"			
144	08A	08C	06A	C02	3'-9"	8'-0"	3"			
145	08A	08C	06A	C02	3'-9"	8'-0"	3"			
146	08A	08C	06A	C03	3' 7 1/2"	7'-11"	3"			
147	08A	08C	06A	C02	3'-9"	8'-0"	3"			
148	08A	08C	06A	C03	3'-9"	8'-0"	3"			
202	08C	08C	06A	D03	3' - 0"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
203	08C	08C	06A	D03	3' - 0"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
204	08C	08C	06A	D03	3' - 0"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
209	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
210	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
211	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	

213	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
214	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
216	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
217	08C	08C	06A	B01	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
219	08C	08C	06A	D03	3' - 0"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
220	08C	08C	06A	D03	3' - 0"	7' - 10 1/2"	1"	Wood	Wood	Revised to Wood Door / Wood Frame per RFI #66
226	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
227	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
128	08B	08B	08B	D03	3' - 0"	7' - 10 1/2"	1"	Glass		Located in Room 228
229	08C	08C	06A	B02	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	

Pond Pavilion Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
101	08C	08C	06A	A23	5'-8"	7'-6"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
102	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
103	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
104	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
105	08C	08C	06A	A21	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
106	08C	08C	06A	A22	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
107	08A	08A	06A	A24	3' - 0"	7' - 0"	2 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
109.1	08A	08A	06A	A24	3' - 0"	7' - 0"	2 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
109.2	08C	08C	06A	A22	3' - 0"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
110	08C	08C	06A	A23	5'-8"	7'-6"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
111.1	08A	08A	06A	E21	12'-4 1/4"	8'-0"	2 1/2"	Glass/Wood	Wood	
111.2	08A	08A	06A	E22	12'-4 1/4"	8'-0"	2 1/2"	Glass/Wood	Wood	
111.3	08A	08C	06A	C21	2'-8"	7'-10"	1 3/4"	Glass/Wood	Wood	
111.4	08A	08C	06A	C21	2'-8"	7'-10"	1 3/4"	Glass/Wood	Wood	

Welcome Pavilion - Restroom Building - Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
R101	08A	08A	06A	E11				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R102	08C	08C	06A	A11	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R103	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R104	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R105	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R106	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R107	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R108	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R109	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R110	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R111	08C	08C	06A	A12	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R112	08C	08C	06A	A13	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A
R113	08C	08C	06A	A13	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R114	08C	08C	06A	A13	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R115	08C	08C	06A	A14	3' - 0 1/4"	7' - 0"	1 3/4"	Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R116	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R117	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R118	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R119	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R120	08A	08A	06A	E13				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge
R122	08A	08A	06A	E12				Wood to Match Cladding	Wood	Clad F&I in field by 06A - needs drip edge

Welcome Pavilion - Ticketing Building - Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
T101.1	08C	08C	06A	A.15	3'-7 1/2"	9'-0"	1 3/4"	Wood	Wood	Clad F&I in field by 06A - drip edge, 08B - F&I Glass. Revised Per RFI #96
T101.2	08C	08C	06A	B13	2'-10"	6'-7"	1 3/4"			
T102	08C	08C	06A	A15	3' - 10"	9' - 0"	1 3/4"	Wood	Wood	Clad F&I in field by 06A - drip edge, 08B - F&I Glass
T103	08C	08C	06A	B12	3' - 0"	8' - 0"	1 3/4"	Wood	Wood	
T104	08C	08C	06A	B11	8'-0"	8' - 0"	1 3/4"	Wood	Wood	

CFM - Door Schedule

Number	D/F Furnished By	HDW Furnished By	DFH Installed By	Door Type	Width	Height	Thickness	Door Material	Frame Material	Notes
101.1	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	

101.2	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.3	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.4	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.5	08E	08E	08E	E31	12' - 0"	12' - 0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E
101.6	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
102	08C	08C	06A	B31	3'-0"	7'-0"	1 3/4"	Metal	Metal	
103.1	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3.4"	Metal	Metal	
103.2	08C	08C	06A		4'-6"	7'-8"	1 3/4"	Metal	Metal	See RFI #94 Response.
104.1	08C	08C	06A	B35	3'-0"	8'-0"	1 1.2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
104.2	08C	08C	06A	B31	3'-0"	7'-0"	1 3/4"	Metal	Metal	
104.3	08C	08C	06A	B35	3'-0"	8'-0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
105	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
106	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
107	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
108	08C	08C	06A	B35	3'-0"	8'-0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
109.1	08C	08C	06A	B32	3' - 0"	7' - 0"		Metal	Metal	
109.2	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
109.6	08E	08E	08E	E32	12' - 0"	19'-10"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E - added
111	08C	08C	06A	B32	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
112	08C	08C	06A	B35	3' - 0"	7' - 0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
114	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
114.1	08E	08E	08E	E33	16'-0"	20'-0"		Metal	Metal	cylinder/core furnished by 08A. Installed by 08E - added
116.1	08C	08C	06A	B33	3' - 0"	7'-9"		Metal	Metal	08B - Furnish and Install Sidelight. Revises per RFI #93 Response
116.2	08E	08E	08E	E32	12' - 0"	19'-10"		Metal		cylinder/core furnished by 08A. Installed by 08E
116.3	08E	08E	08E	E33	16' - 0"	20'-0"		Metal		cylinder/core furnished by 08A. Installed by 08E
116.4	08E	08E	08E	E33	16' - 0"	20'-0"		Metal		cylinder/core furnished by 08A. Installed by 08E
116.5	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
116.6	08E	08E	08E	E33	16' - 0"	20'-0"		Metal		cylinder/core furnished by 08A. Installed by 08E
117.1	08C	08C	06A	B31	3' - 0"	7' - 0"	1 3/4"	Metal	Metal	
127	08C	08C	06A	B35	3' - 0"	7' - 0"	1 1/2"	Metal/Glass	Metal	08B - Furnish and Install Sidelight
203	08C	08C	06A	B34	6' - 0"	7' - 0"	1 3/4"	Metal	Metal	
203.1	08C	08C	06A		6' - 0"	7' - 0"	1 3/4"	Metal	Metal	
205	08B	08B	08B	D31	3'-0"	7'-0"		Glass	Glass	cylinder/core furnished by 08A. Installed by 08B
206	08C	08C	06A	B32	3' - 0"	7' - 0"		Metal/Glass	Metal	
207	08C	08C	06A	B31	3'-0"	7'-0"	1 3/4"	Metal	Metal	
208	08B	08B	08B	D31	2'-11 1/2"	7' - 10 1/2"		Glass	Glass	cylinder/core furnished by 08A. Installed by 08B
209	08C	08C	06A	B31	3'-0"	8'-0"	1 3/4"	Metal	Metal	
210	08C	08C	06A	B31	3' - 0"	8'-0"	1 3/4"	Metal	Metal	
215	08C	08C	06A	B43	6'-0"	7'-0"	1 3/4"	Metal	Metal	
216	08C	08C	06A	B43	6'-0"	7'-0"	1 3/4"	Metal	Metal	