





- ### CEILING REMOVAL LEGEND

- | | |
|---|--|
|  | 4'x8" SURFACE MOUNTED LIGHT
FIXTURE TO BE REMOVED. |
|  | 10'x12" 1/2" SURFACE MOUNTED
LIGHT FIXTURE TO BE REMOVED. |
|  | 46'x46" SURFACE MOUNTED LIGHT
FIXTURE TO BE REMOVED. |
|  | 24"x24" RECESSED OR SURFACE
MOUNTED LIGHT FIXTURE TO
BE REMOVED. |
|  | 12"x12" RECESSED LIGHT FIXTURE
TO BE REMOVED. |
|  | RECESSED CAN LIGHT FIXTURE TO
BE REMOVED. |
|  | CEILING MOUNTED RECESSED
SPRINKLER TO BE REMOVED. |
|  | FIRE ALARM SMOKE DETECTOR TO
BE REMOVED. |
|  | MOTION SENSOR TO BE REMOVED. |
|  | SURVEILLANCE CAMERA BUBBLE
TO BE REMOVED. |
|  | FIRE STROBE TO BE REMOVED. |
|  | FACE PLATE TO BE REMOVED. |
|  | CEILING MOUNTED EXIT SIGN TO
BE REMOVED. |
|  | EXIT SIGN, MOUNTED ABOVE DOOR,
TO BE REMOVED. |
|  | EXISTING CANTILEVER HANGER TO
REMAIN. |
|  | EXISTING 12"x12" CONCEALED SPRINKLER
SYSTEM TO REMAIN. |
|  | EXISTING 12"x24" CEILING PANEL
TO REMAIN. |
|  | EXISTING 6"x6" GRID CEILING SYSTEM
TO REMAIN. |
|  | NOTE: EXISTING DEVICES WITHIN
REMOVED CEILING AREAS SHALL BE
REMOVED AND REINSTALLED. SEE
ELECTRICAL DRAWINGS FOR
RELOCATION OF NEW DEVICES AND
RE-INSTALLATION OF DEVICES. |





KEY PLAN OF SITE
SCALE: 1/8" = 1'-0"



2 FIRST FLOOR REMOVAL REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"

CEILING WORKSCOPE NOTES:

- (RWS) REMOVE EXISTING SUSPENDED CEILING IN ITS ENTIRETY, INCLUDING ALL GRID, BLACK IRON SUPPORT FRAMING, SUPPLEMENTAL FRAMING AND PERIMETER TRIM. DISCONNECT AND REMOVE ALL ELECTRICAL DEVICES. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. TEMPORARILY SUPPORT ALL LOOSE AND HANGING WIRES OR PIPING.
- (RWS) AFTER REMOVAL OF CEILING SYSTEM AND PERIMETER TRIM, PREPARE AND PAINT EXISTING WALL SURFACE IN AN AREA 9" WIDE, IMMEDIATELY ABOVE AND BELOW THE EXISTING CEILING LINE PRIOR TO INSTALLATION OF NEW PERIMETER TRIM. MATCH EXISTING ADJACENT WALL COLOR AND FINISH. SEE SPECIFICATION SECTION 09 9000.
- (RWS) REMOVE EXISTING EXPOSED ELECTRICAL CONDUIT. INSTALL NEW CONDUIT ABOVE NEW SUSPENDED CEILING SYSTEM. SEE ELECTRICAL DRAWINGS FOR REMOVAL AND RE-INSTALLATION REQUIREMENTS. PATCH AND REPAIR OPENINGS IN EXISTING SOFFIT AT CONDUIT PENETRATIONS.
- (RWS) TEMPORARILY BRACE TOP OF EXISTING PARTITION PRIOR TO REMOVAL OF EXISTING CEILING GRID. INSTALL NEW METAL STUD FRAMING AND DIAGONAL BRACING IN ACCORDANCE WITH DETAIL 13/A-650.
- (RWS) EXISTING SUSPENDED CEILING SYSTEM TO REMAIN. CUT EXISTING GRID AND SUPPLEMENTAL FRAMING MEMBERS ALONG TOP OF EXISTING PARTITION. PROVIDE ADDITIONAL WIRE HANGERS TO SUPPORT CUT END OF SUPPLEMENTAL FRAMING AND GRID TO REMAIN.
- (RWS) EXISTING AIR OUTLETS TO REMAIN. MODIFY GRID TO FRAME AROUND EXISTING DUCT. EXISTING AIR DIFFUSER/GRILLE TO BE REMOVED. CLEANED, PREPARED AND PAINTED IN ACCORDANCE WITH SPECIFICATION SECTION 09 9000.
- (RWS) EXISTING CEILING MOUNTED CABINET HEATER TO REMAIN. CLEAN, PREPARE AND PAINT EXPOSED SURFACES IN ACCORDANCE WITH SPECIFICATION SECTION 09 9000. PROVIDE NEW PERIMETER TRIM AND INSTALL NEW CEILING AROUND EXISTING CABINET.
- (RWS) EXISTING LINEAR DIFFUSER TO REMAIN. MODIFY CEILING GRID TO FRAME AROUND EXISTING DUCT. REMOVE AND CLEAN EXISTING DIFFUSER. PROVIDE NEW PERIMETER TRIM, IF REQUIRED, AND REINSTALL AFTER NEW CEILING INSTALLATION.
- (RWS) EXISTING PLASTER SOFFIT TO REMAIN. REMOVE ANY LOOSE OR FLAKING PLASTER. FILL ANY OPEN HOLES. PREPARE AND PAINT ENTIRE AREA IN ACCORDANCE WITH SPECIFICATION SECTION 09 9000.
- (RWS) REMOVE EXISTING MASONRY CLOSURE BOARD. PROVIDE NEW 0.040 FINISHED ALUMINUM CLOSURE TRIM BETWEEN EXISTING LINEAR DIFFUSER AND DOOR FRAME FRAME.

CEILING REMOVAL LEGEND

- 4"x48" SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 10"/12"/14"x48" SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 24"x48" RECESSED LIGHT FIXTURE TO BE REMOVED.
 - - - 46"x46" SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 24"x24" RECESSED OR SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 12"x12" RECESSED LIGHT FIXTURE TO BE REMOVED.
 - - - RECESSED CAN LIGHT FIXTURE TO BE REMOVED.
 - - - CEILING MOUNTED RECESSED SPREADER TO BE REMOVED.
 - - - FIRE ALARM SMOKE DETECTOR TO BE REMOVED.
 - - - MOTION SENSOR TO BE REMOVED.
 - - - SURVEILLANCE CAMERA BUBBLE TO BE REMOVED.
 - - - FIRE STROBE TO BE REMOVED.
 - - - FACE PLATE TO BE REMOVED.
 - - - CEILING MOUNTED EXIT SIGN TO BE REMOVED.
 - - - CEILING MOUNTED EXIT SIGN W/ DIRECTIONAL ARROW TO BE REMOVED.
 - - - EXISTING ACCESS PANEL TO BE REMOVED.
 - - - EXISTING CABINET HEATER TO REMAIN.
 - - - EXISTING LINEAR DIFFUSER TO REMAIN.
 - - - EXISTING 12"x12" CONCEALED SPLINE CEILING SYSTEM TO BE REMOVED.
 - - - EXISTING 12"x24" CEILING PANEL, EXPOSED GRID CEILING SYSTEM TO BE REMOVED.
- NOTE: ALL EXISTING DEVICES WITHIN REMOVED CEILING AREAS SHALL BE DISCONNECTED AND REMOVED. SEE ELECTRICAL DRAWINGS FOR INSTALLATION OF NEW DEVICES AND RE-INSTALLATION OF EXISTING.




Fuller & Angelo P.C.
Architects Planners
445 Westchester Road
Roseland, New York 10962
TEL: 914.486.4444
FAX: 914.486.4444
WWW.FULLER-ANGELO.COM
Project 0311 Roosevelt High School
Fuller & Angelo P.C.

CONSTRUCTION




YONKERS PUBLIC SCHOOLS
ROOSEVELT HIGH SCHOOL
REPLACEMENT OF CEILINGS AND LIGHTS PHASE II
0311 (Lobbyroom Room, YONKERS N.Y. 10710)
2.9.2022

EAR PROJECT NO.	Y1800004
YPS NO.	10891
ADDENDUM 1	3.4.2022
REVISION	DATE BY
ISSUED FOR BID	JAN
DRAWN BY	JE
CHECKED BY	JE
SHEET SIZE	MIN 9" W x 4"
SCALE	AS NOTED
SHEET TITLE	ROOSEVELT HS FIRST FLOOR REMOVALS REFLECTED CEILING PLAN
SHEET NO.	AR-201



KEY PLAN OF SITE
SCALE: 1/8" = 1'-0"



2 SECOND FLOOR REMOVAL REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"

CEILING WORKSCOPE NOTES:

- (CWS) REMOVE EXISTING SUSPENDED CEILING IN ITS ENTIRETY, INCLUDING ALL GRID, BLACK IRON SUPPORT FRAMING, SUPPLEMENTAL FRAMING AND PERIMETER TRIM. DISCONNECT AND REMOVE ALL ELECTRICAL DEVICES. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. TEMPORARILY SUPPORT ALL LOOSE AND HANGING WIRES OR PIPING.
- (CWS) AFTER REMOVAL OF CEILING SYSTEM AND PERIMETER TRIM, PREPARE AND PAINT EXISTING WALL SURFACE IN AN AREA 9" WIDE, IMMEDIATELY ABOVE AND BELOW THE EXISTING CEILING LINE PRIOR TO INSTALLATION OF NEW PERIMETER TRIM. MATCH EXISTING ADJACENT WALL COLOR AND FINISH. SEE SPECIFICATION SECTION 09 9000.
- (CWS) REMOVE EXISTING EXPOSED ELECTRICAL CONDUIT. INSTALL NEW CONDUIT ABOVE NEW SUSPENDED CEILING SYSTEM. SEE ELECTRICAL DRAWINGS FOR REMOVAL AND RE-INSTALLATION REQUIREMENTS. PATCH AND REPAIR OPENINGS IN EXISTING SOFFIT AT CONDUIT PENETRATIONS.
- (CWS) TEMPORARILY BRACE TOP OF EXISTING PARTITION PRIOR TO REMOVAL OF EXISTING CEILING GRID. INSTALL NEW METAL STUD FRAMING AND DIAGONAL BRACING IN ACCORDANCE WITH DETAIL 13/A-650.
- (CWS) EXISTING SUSPENDED CEILING SYSTEM TO REMAIN. CUT EXISTING GRID AND SUPPLEMENTAL FRAMING MEMBERS ALONG TOP OF EXISTING PARTITION. PROVIDE ADDITIONAL WIRE HANGERS TO SUPPORT CUT END OF SUPPLEMENTAL FRAMING AND GRID TO REMAIN.
- (CWS) EXISTING AIR OUTLETS TO REMAIN. MODIFY GRID TO FRAME AROUND EXISTING DUCT. EXISTING AIR DIFFUSERS/GRILLE TO BE REMOVED. CLEANED, PREPARED AND PAINTED IN ACCORDANCE WITH SPECIFICATION SECTION 09 9000.
- (CWS) EXISTING CEILING MOUNTED CABINET HEATER TO REMAIN. CLEAN, PREPARE AND PAINT EXPOSED SURFACES IN ACCORDANCE WITH SPECIFICATION SECTION 09 9000. PROVIDE NEW PERIMETER TRIM AND INSTALL NEW CEILING AROUND EXISTING CABINET.
- (CWS) EXISTING LINEAR DIFFUSERS TO REMAIN. MODIFY CEILING GRID TO FRAME AROUND EXISTING DUCT. REMOVE AND CLEAN EXISTING DIFFUSERS. PROVIDE NEW PERIMETER TRIM, IF REQUIRED, AND REINSTALL AFTER NEW CEILING INSTALLATION.
- (CWS) EXISTING PLASTER SOFFIT TO REMAIN. REMOVE ANY LOOSE OR FLAKING PLASTER. FILL ANY OPEN HOLES. PREPARE AND PAINT ENTIRE AREA IN ACCORDANCE WITH SPECIFICATION SECTION 09 9000.
- (CWS) REMOVE EXISTING MAINTENANCE CLOSURE DOORS. PROVIDE NEW 0.040 FINISHED ALUMINUM CLOSURE TRIM BETWEEN EXISTING LINEAR DIFFUSER AND DOOR TRANSOM FRAME.

CEILING REMOVAL LEGEND

- 4"x48" SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 10"x12"/14"x48" SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 24"x48" RECESSED LIGHT FIXTURE TO BE REMOVED.
 - - - 46"x46" SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 24"x24" RECESSED OR SURFACE MOUNTED LIGHT FIXTURE TO BE REMOVED.
 - - - 12"x12" RECESSED LIGHT FIXTURE TO BE REMOVED.
 - - - RECESSED CAN LIGHT FIXTURE TO BE REMOVED.
 - - - CEILING MOUNTED RECESSED SPEAKER TO BE REMOVED.
 - - - FIRE ALARM SMOKE DETECTOR TO BE REMOVED.
 - - - MOTION SENSOR TO BE REMOVED.
 - - - SURVEILLANCE CAMERA BUBBLE TO BE REMOVED.
 - - - FIRE STROBE TO BE REMOVED.
 - - - FACE PLATE TO BE REMOVED.
 - - - CEILING MOUNTED EXIT SIGN TO BE REMOVED.
 - - - CEILING MOUNTED EXIT SIGN W/ DIRECTIONAL ARROW TO BE REMOVED.
 - - - EXISTING ACCESS PANEL TO BE REMOVED.
 - - - EXISTING CABINET HEATER TO REMAIN.
 - - - EXISTING LINEAR DIFFUSER TO REMAIN.
 - - - EXISTING 12"x12" CONCEALED SPLINE CEILING SYSTEM TO BE REMOVED.
 - - - EXISTING 12"x24" CEILING PANEL, EXPOSED GRID CEILING SYSTEM TO BE REMOVED.
- NOTE: ALL EXISTING DEVICES WITHIN REMOVED CEILING AREAS SHALL BE DISCONNECTED AND REMOVED. SEE ELECTRICAL DRAWINGS FOR INSTALLATION OF NEW DEVICES AND RE-INSTALLATION OF EXISTING.

OWNER
YONKERS PUBLIC SCHOOLS
ROOSEVELT HIGH SCHOOL
REPLACEMENT OF CEILINGS AND LIGHTS PHASE II
0.31 LUDLOW ROAD, YONKERS, N.Y. 10710
TEL: 914.936.4444
WWW.YONKERSPUBLICSCHOOLS.EDU

ARCHITECTS
FULLER & D'ANGELO P.C.
ARCHITECTS
PLANNERS
400 WALL STREET, SUITE 2000
NEW YORK, N.Y. 10038
TEL: 212.405.1111
WWW.FULLERANDANGELO.COM
DESIGNED BY: FULLER & D'ANGELO
DRAWN BY: FULLER & D'ANGELO

DATE: 3.4.2022
REVISION: DATE BY
ISSUED FOR BID: JAU
DRAWN BY: JAU
CHECKED BY: JAU
SHEET NO: 1001
SCALE: AS NOTED

SHEET TITLE
ROOSEVELT HS
SECOND FLOOR
REMOVALS REFLECTED
CEILING PLAN


PROJECT NO. 1001
SHEET NO. 1001

AR-202



- ## CEILING LEGEND
- | | |
|---|---|
|  | 2'x4"x48" RECESSED LIGHT FIXTURE. |
|  | 2'x4"x24" RECESSED LIGHT FIXTURE. |
|  | DYPHISM BOARD CEILING OR SOFFIT |
|  | CEILING MOUNTED RECESSED
SPEAKER |
|  | FIRE ALARM SMOKE DETECTOR |
|  | MOTION SENSOR |
|  | SURVEILLANCE CAMERA BUBBLE |
|  | FIRE STROBE |
|  | FACE PLATE |
|  | CEILING MOUNTED EXIT SIGN |
|  | CEILING MOUNTED EXIT SIGN W/
DIRECTIONAL ARROW |
|  | ACCESS PANEL |
|  | UNIT VENTILATOR |
|  | GRILLE |
|  | 2'x4"x24" CEILING PANELS |
|  | 2'x4"x48" CEILING PANELS |
|  | CEILING GRID STARTING POINT |
- NOTES:
1. NOT ALL SYMBOLS ARE NECESSARILY USED
ON THIS PROJECT.
2. REFER TO MECHANICAL AND ELECTRICAL
DRAWINGS FOR ADDITIONAL INFORMATION.






KEY PLAN OF SITE
SCALE: 1/8" = 1'-0"



2 FIRST FLOOR REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"



- CEILING WORKSCOPE NOTES:**
- (WS) REMOVE EXISTING SUSPENDED CEILING IN ITS ENTIRETY, INCLUDING ALL GRID, BLACK IRON SUPPORT FRAMING, SUPPLEMENTAL FRAMING AND PERIMETER TRIM. DISCONNECT AND REMOVE ALL ELECTRICAL DEVICES. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. TEMPORARILY SUPPORT ALL LOOSE AND HANGING WIRES OR PIPING.
 - (WS) AFTER REMOVAL OF CEILING SYSTEM AND PERIMETER TRIM, PREPARE AND PAINT EXISTING WALL SURFACE IN AN AREA 9" WIDE, IMMEDIATELY ABOVE AND BELOW THE EXISTING CEILING LINE PRIOR TO INSTALLATION OF NEW PERIMETER TRIM. MATCH EXISTING ADJACENT WALL COLOR AND FINISH. SEE SPECIFICATION SECTION 09 5000.
 - (WS) REMOVE EXISTING EXPOSED ELECTRICAL CONDUIT. INSTALL NEW CONDUIT ABOVE NEW SUSPENDED CEILING SYSTEM. SEE ELECTRICAL DRAWINGS FOR REMOVAL AND RE-INSTALLATION REQUIREMENTS. PATCH AND REPAIR OPENINGS IN EXISTING SOFFIT AT CONDUIT PENETRATIONS.
 - (WS) TEMPORARILY BRACE TOP OF EXISTING PARTITION PRIOR TO REMOVAL OF EXISTING CEILING GRID. INSTALL NEW METAL STUD FRAMING AND DIAGONAL BRACING IN ACCORDANCE WITH DETAIL 13/A-600.
 - (WS) EXISTING SUSPENDED CEILING SYSTEM TO REMAIN. CUT EXISTING GRID AND SUPPLEMENTAL FRAMING MEMBERS ALONG TOP OF EXISTING PARTITION. PROVIDE ADDITIONAL WIRE HANGERS TO SUPPORT CUT END OF SUPPLEMENTAL FRAMING AND GRID TO REMAIN.
 - (WS) EXISTING AIR OUTLETS TO REMAIN. WOOLY GRID TO FRAME AROUND EXISTING DUCT. EXISTING AIR DIFFUSER/GRILLE TO BE REMOVED, CLEANED, PREPARED AND PAINTED IN ACCORDANCE WITH SPECIFICATION SECTION 09 5000.
 - (WS) EXISTING CEILING MOUNTED HEATER TO REMAIN. CLEAN, PREPARE AND PAINT EXISTING SURFACES IN ACCORDANCE WITH SPECIFICATION SECTION 09 5000. PROVIDE NEW PERIMETER TRIM AND INSTALL NEW CEILING AROUND EXISTING CORNER.
 - (WS) EXISTING LINEAR DIFFUSER TO REMAIN. WOOLY CEILING GRID TO FRAME AROUND EXISTING DUCT. REMOVE AND CLEAN EXISTING DIFFUSER. PROVIDE NEW PERIMETER TRIM, IF REQUIRED, AND REINSTALL AFTER NEW CEILING INSTALLATION.
 - (WS) EXISTING PLASTER SOFFIT TO REMAIN. REMOVE ANY LOOSE OR FLAKING PAINT. FILL ANY OPEN HOLES. PREPARE AND PAINT ENTIRE AREA IN ACCORDANCE WITH SPECIFICATION SECTION 09 5000.
 - (WS) REMOVE EXISTING MAGNETIC CLOSURE BOARD. PROVIDE NEW 0.040 FINISHED ALUMINUM CLOSURE TRIM BETWEEN EXISTING LINEAR DIFFUSER AND DOOR TRANSOM FRAME.

- CEILING LEGEND**
- 24"x48" RECESSED LIGHT FIXTURE.
 - 24"x24" RECESSED LIGHT FIXTURE.
 - GYPSON BOARD CEILING OR SOFFIT
 - CEILING MOUNTED RECESSED SPEAKER
 - FIRE ALARM SMOKE DETECTOR
 - MOTION SENSOR
 - SURVEILLANCE CAMERA BUBBLE
 - FIRE STROBE
 - FACE PLATE
 - CEILING MOUNTED EXIT SIGN
 - CEILING MOUNTED EXIT SIGN W/ DIRECTIONAL ARROW
 - ACCESS PANEL
 - UNIT VENTILATOR
 - GRILLE
 - 24"x24" CEILING PANELS
 - 24"x48" CEILING PANELS
 - CEILING GRID STARTING POINT
- NOTES:
1. NOT ALL SYMBOLS ARE NECESSARILY USED
2. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.

OWNER
YONKERS PUBLIC SCHOOLS
ROOSEVELT HIGH SCHOOL
REPLACEMENT OF CEILINGS AND LIGHTS PHASE II
0.311 YONKERS PUBLIC SCHOOLS, YONKERS, N.Y. 10710
10.10.2022 10.10.2022 10.10.2022

DESIGNER
FULLER D'ANGELO P.C.A.
ARCHITECTS PLANNERS
405 E. 10TH STREET, SUITE 200
ALBANY, NEW YORK 12206
TEL: 518.486.4444
FAX: 518.486.4444
WWW.FULLERDANGELO.COM
PROJECT NO. 2022-001
SHEET NO. 101 OF 101

DATE
2.9.2022

PROJECT NO.
1000000000

YPS NO.
10001

ADDENDUM 1
3.4.2022

REVISION
ISSUED FOR BID
DRAWN BY
CHECKED BY
SHEET NO.
SCALE

SHEET TITLE
ROOSEVELT HS
FIRST FLOOR
REFLECTED CEILING
PLAN

SHEET NO.
A-201



- CEILING LEGEND

-

NOTES:
1. NOT ALL SYMBOLS ARE NECESSARILY USED ON THIS PROJECT
2. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.

ENGINEER:

ER

Clearbach & Roberts Engineering, P.C.

FULLER
D'ANGELO
P.C.
ARCHITECTS
PLANNERS

48 HOLLYWOOD ROAD
ELMSFORD NEW YORK 10523
TEL 914.898.6666
FAX 914.898.1717
WWW.FULLERDANBELSON
Copyright 2020 All Rights Reserved By
FULLER & D'ANGELO P.C.

CONSULTANT(S):





**YONKERS PUBLIC SCHOOLS
ROOSEVELT HIGH SCHOOL
REPLACEMENT OF CEILINGS AND LIGHTS PHASE II**

10

E&R PROJECT NO.		Y18R00204	
YPS NO.		10891	
ADDENDUM 1		3.4.2022	
REVISION		DATE	BY
ISSUED FOR BID			
DRAWN BY		JMU	
CHECKED BY		JE	
SHEET SIZE		ARCH (8" 3/4" x 4")	
SCALE		AS NOTED	
SHEET TITLE			
ROOSEVELT HS SECOND FLOOR REFLECTED CEILING PLAN			
SHEET NO.			

A-202







1 PARTIAL BASEMENT FLOOR PLAN - NEW WORK
SCALE: 1/16"=1'-0"

NOTE: FOR ACTUAL CEILING GRID LAYOUT REFER TO
MECHANICAL DRAWINGS

Schedule	Label	Quantity	Description	Quantity	Notes	Notes	Notes	Notes	Notes	Notes
1	D	1	0018 SERVICE AREA	1	0018 SERVICE AREA	1	0018 SERVICE AREA	1	0018 SERVICE AREA	1
2	E	1	0019 PUMP AREA	1	0019 PUMP AREA	1	0019 PUMP AREA	1	0019 PUMP AREA	1

EM - EMERGENCY BATTERY BACKUP



KEY-PLAN
SCALE: NONE

OWNER:
Fuller & Baker Engineering, P.C.
200 West 10th Street, Suite 100
New York, NY 10011
Tel: 212.691.1000
Fax: 212.691.1001
www.fullerandbaker.com

CONSULTANT:
FULLER & BAKER
P.C.
ARCHITECTS
PLANNERS

AS NOTED, UNLESS NOTED
ELSEWHERE NEW WORK IS TO BE
IN ACCORDANCE WITH THE
NEW YORK STATE DESIGN
LAW, 2010, 2011, 2012, 2013
AND 2014, 2015, 2016, 2017, 2018
AND 2019, 2020, 2021, 2022, 2023
AND 2024, 2025, 2026, 2027, 2028
AND 2029, 2030, 2031, 2032, 2033
AND 2034, 2035, 2036, 2037, 2038
AND 2039, 2040, 2041, 2042, 2043
AND 2044, 2045, 2046, 2047, 2048
AND 2049, 2050, 2051, 2052, 2053
AND 2054, 2055, 2056, 2057, 2058
AND 2059, 2060, 2061, 2062, 2063
AND 2064, 2065, 2066, 2067, 2068
AND 2069, 2070, 2071, 2072, 2073
AND 2074, 2075, 2076, 2077, 2078
AND 2079, 2080, 2081, 2082, 2083
AND 2084, 2085, 2086, 2087, 2088
AND 2089, 2090, 2091, 2092, 2093
AND 2094, 2095, 2096, 2097, 2098
AND 2099, 2100, 2101, 2102, 2103
AND 2104, 2105, 2106, 2107, 2108
AND 2109, 2110, 2111, 2112, 2113
AND 2114, 2115, 2116, 2117, 2118
AND 2119, 2120, 2121, 2122, 2123
AND 2124, 2125, 2126, 2127, 2128
AND 2129, 2130, 2131, 2132, 2133
AND 2134, 2135, 2136, 2137, 2138
AND 2139, 2140, 2141, 2142, 2143
AND 2144, 2145, 2146, 2147, 2148
AND 2149, 2150, 2151, 2152, 2153
AND 2154, 2155, 2156, 2157, 2158
AND 2159, 2160, 2161, 2162, 2163
AND 2164, 2165, 2166, 2167, 2168
AND 2169, 2170, 2171, 2172, 2173
AND 2174, 2175, 2176, 2177, 2178
AND 2179, 2180, 2181, 2182, 2183
AND 2184, 2185, 2186, 2187, 2188
AND 2189, 2190, 2191, 2192, 2193
AND 2194, 2195, 2196, 2197, 2198
AND 2199, 2200, 2201, 2202, 2203
AND 2204, 2205, 2206, 2207, 2208
AND 2209, 2210, 2211, 2212, 2213
AND 2214, 2215, 2216, 2217, 2218
AND 2219, 2220, 2221, 2222, 2223
AND 2224, 2225, 2226, 2227, 2228
AND 2229, 2230, 2231, 2232, 2233
AND 2234, 2235, 2236, 2237, 2238
AND 2239, 2240, 2241, 2242, 2243
AND 2244, 2245, 2246, 2247, 2248
AND 2249, 2250, 2251, 2252, 2253
AND 2254, 2255, 2256, 2257, 2258
AND 2259, 2260, 2261, 2262, 2263
AND 2264, 2265, 2266, 2267, 2268
AND 2269, 2270, 2271, 2272, 2273
AND 2274, 2275, 2276, 2277, 2278
AND 2279, 2280, 2281, 2282, 2283
AND 2284, 2285, 2286, 2287, 2288
AND 2289, 2290, 2291, 2292, 2293
AND 2294, 2295, 2296, 2297, 2298
AND 2299, 2300, 2301, 2302, 2303
AND 2304, 2305, 2306, 2307, 2308
AND 2309, 2310, 2311, 2312, 2313
AND 2314, 2315, 2316, 2317, 2318
AND 2319, 2320, 2321, 2322, 2323
AND 2324, 2325, 2326, 2327, 2328
AND 2329, 2330, 2331, 2332, 2333
AND 2334, 2335, 2336, 2337, 2338
AND 2339, 2340, 2341, 2342, 2343
AND 2344, 2345, 2346, 2347, 2348
AND 2349, 2350, 2351, 2352, 2353
AND 2354, 2355, 2356, 2357, 2358
AND 2359, 2360, 2361, 2362, 2363
AND 2364, 2365, 2366, 2367, 2368
AND 2369, 2370, 2371, 2372, 2373
AND 2374, 2375, 2376, 2377, 2378
AND 2379, 2380, 2381, 2382, 2383
AND 2384, 2385, 2386, 2387, 2388
AND 2389, 2390, 2391, 2392, 2393
AND 2394, 2395, 2396, 2397, 2398
AND 2399, 2400, 2401, 2402, 2403
AND 2404, 2405, 2406, 2407, 2408
AND 2409, 2410, 2411, 2412, 2413
AND 2414, 2415, 2416, 2417, 2418
AND 2419, 2420, 2421, 2422, 2423
AND 2424, 2425, 2426, 2427, 2428
AND 2429, 2430, 2431, 2432, 2433
AND 2434, 2435, 2436, 2437, 2438
AND 2439, 2440, 2441, 2442, 2443
AND 2444, 2445, 2446, 2447, 2448
AND 2449, 2450, 2451, 2452, 2453
AND 2454, 2455, 2456, 2457, 2458
AND 2459, 2460, 2461, 2462, 2463
AND 2464, 2465, 2466, 2467, 2468
AND 2469, 2470, 2471, 2472, 2473
AND 2474, 2475, 2476, 2477, 2478
AND 2479, 2480, 2481, 2482, 2483
AND 2484, 2485, 2486, 2487, 2488
AND 2489, 2490, 2491, 2492, 2493
AND 2494, 2495, 2496, 2497, 2498
AND 2499, 2500, 2501, 2502, 2503
AND 2504, 2505, 2506, 2507, 2508
AND 2509, 2510, 2511, 2512, 2513
AND 2514, 2515, 2516, 2517, 2518
AND 2519, 2520, 2521, 2522, 2523
AND 2524, 2525, 2526, 2527, 2528
AND 2529, 2530, 2531, 2532, 2533
AND 2534, 2535, 2536, 2537, 2538
AND 2539, 2540, 2541, 2542, 2543
AND 2544, 2545, 2546, 2547, 2548
AND 2549, 2550, 2551, 2552, 2553
AND 2554, 2555, 2556, 2557, 2558
AND 2559, 2560, 2561, 2562, 2563
AND 2564, 2565, 2566, 2567, 2568
AND 2569, 2570, 2571, 2572, 2573
AND 2574, 2575, 2576, 2577, 2578
AND 2579, 2580, 2581, 2582, 2583
AND 2584, 2585, 2586, 2587, 2588
AND 2589, 2590, 2591, 2592, 2593
AND 2594, 2595, 2596, 2597, 2598
AND 2599, 2600, 2601, 2602, 2603
AND 2604, 2605, 2606, 2607, 2608
AND 2609, 2610, 2611, 2612, 2613
AND 2614, 2615, 2616, 2617, 2618
AND 2619, 2620, 2621, 2622, 2623
AND 2624, 2625, 2626, 2627, 2628
AND 2629, 2630, 2631, 2632, 2633
AND 2634, 2635, 2636, 2637, 2638
AND 2639, 2640, 2641, 2642, 2643
AND 2644, 2645, 2646, 2647, 2648
AND 2649, 2650, 2651, 2652, 2653
AND 2654, 2655, 2656, 2657, 2658
AND 2659, 2660, 2661, 2662, 2663
AND 2664, 2665, 2666, 2667, 2668
AND 2669, 2670, 2671, 2672, 2673
AND 2674, 2675, 2676, 2677, 2678
AND 2679, 2680, 2681, 2682, 2683
AND 2684, 2685, 2686, 2687, 2688
AND 2689, 2690, 2691, 2692, 2693
AND 2694, 2695, 2696, 2697, 2698
AND 2699, 2700, 2701, 2702, 2703
AND 2704, 2705, 2706, 2707, 2708
AND 2709, 2710, 2711, 2712, 2713
AND 2714, 2715, 2716, 2717, 2718
AND 2719, 2720, 2721, 2722, 2723
AND 2724, 2725, 2726, 2727, 2728
AND 2729, 2730, 2731, 2732, 2733
AND 2734, 2735, 2736, 2737, 2738
AND 2739, 2740, 2741, 2742, 2743
AND 2744, 2745, 2746, 2747, 2748
AND 2749, 2750, 2751, 2752, 2753
AND 2754, 2755, 2756, 2757, 2758
AND 2759, 2760, 2761, 2762, 2763
AND 2764, 2765, 2766, 2767, 2768
AND 2769, 2770, 2771, 2772, 2773
AND 2774, 2775, 2776, 2777, 2778
AND 2779, 2780, 2781, 2782, 2783
AND 2784, 2785, 2786, 2787, 2788
AND 2789, 2790, 2791, 2792, 2793
AND 2794, 2795, 2796, 2797, 2798
AND 2799, 2800, 2801, 2802, 2803
AND 2804, 2805, 2806, 2807, 2808
AND 2809, 2810, 2811, 2812, 2813
AND 2814, 2815, 2816, 2817, 2818
AND 2819, 2820, 2821, 2822, 2823
AND 2824, 2825, 2826, 2827, 2828
AND 2829, 2830, 2831, 2832, 2833
AND 2834, 2835, 2836, 2837, 2838
AND 2839, 2840, 2841, 2842, 2843
AND 2844, 2845, 2846, 2847, 2848
AND 2849, 2850, 2851, 2852, 2853
AND 2854, 2855, 2856, 2857, 2858
AND 2859, 2860, 2861, 2862, 2863
AND 2864, 2865, 2866, 2867, 2868
AND 2869, 2870, 2871, 2872, 2873
AND 2874, 2875, 2876, 2877, 2878
AND 2879, 2880, 2881, 2882, 2883
AND 2884, 2885, 2886, 2887, 2888
AND 2889, 2890, 2891, 2892, 2893
AND 2894, 2895, 2896, 2897, 2898
AND 2899, 2900, 2901, 2902, 2903
AND 2904, 2905, 2906, 2907, 2908
AND 2909, 2910, 2911, 2912, 2913
AND 2914, 2915, 2916, 2917, 2918
AND 2919, 2920, 2921, 2922, 2923
AND 2924, 2925, 2926, 2927, 2928
AND 2929, 2930, 2931, 2932, 2933
AND 2934, 2935, 2936, 2937, 2938
AND 2939, 2940, 2941, 2942, 2943
AND 2944, 2945, 2946, 2947, 2948
AND 2949, 2950, 2951, 2952, 2953
AND 2954, 2955, 2956, 2957, 2958
AND 2959, 2960, 2961, 2962, 2963
AND 2964, 2965, 2966, 2967, 2968
AND 2969, 2970, 2971, 2972, 2973
AND 2974, 2975, 2976, 2977, 2978
AND 2979, 2980, 2981, 2982, 2983
AND 2984, 2985, 2986, 2987, 2988
AND 2989, 2990, 2991, 2992, 2993
AND 2994, 2995, 2996, 2997, 2998
AND 2999, 3000, 3001, 3002, 3003
AND 3004, 3005, 3006, 3007, 3008
AND 3009, 3010, 3011, 3012, 3013
AND 3014, 3015, 3016, 3017, 3018
AND 3019, 3020, 3021, 3022, 3023
AND 3024, 3025, 3026, 3027, 3028
AND 3029, 3030, 3031, 3032, 3033
AND 3034, 3035, 3036, 3037, 3038
AND 3039, 3040, 3041, 3042, 3043
AND 3044, 3045, 3046, 3047, 3048
AND 3049, 3050, 3051, 3052, 3053
AND 3054, 3055, 3056, 3057, 3058
AND 3059, 3060, 3061, 3062, 3063
AND 3064, 3065, 3066, 3067, 3068
AND 3069, 3070, 3071, 3072, 3073
AND 3074, 3075, 3076, 3077, 3078
AND 3079, 3080, 3081, 3082, 3083
AND 3084, 3085, 3086, 3087, 3088
AND 3089, 3090, 3091, 3092, 3093
AND 3094, 3095, 3096, 3097, 3098
AND 3099, 3100, 3101, 3102, 3103
AND 3104, 3105, 3106, 3107, 3108
AND 3109, 3110, 3111, 3112, 3113
AND 3114, 3115, 3116, 3117, 3118
AND 3119, 3120, 3121, 3122, 3123
AND 3124, 3125, 3126, 3127, 3128
AND 3129, 3130, 3131, 3132, 3133
AND 3134, 3135, 3136, 3137, 3138
AND 3139, 3140, 3141, 3142, 3143
AND 3144, 3145, 3146, 3147, 3148
AND 3149, 3150, 3151, 3152, 3153
AND 3154, 3155, 3156, 3157, 3158
AND 3159, 3160, 3161, 3162, 3163
AND 3164, 3165, 3166, 3167, 3168
AND 3169, 3170, 3171, 3172, 3173
AND 3174, 3175, 3176, 3177, 3178
AND 3179, 3180, 3181, 3182, 3183
AND 3184, 3185, 3186, 3187, 3188
AND 3189, 3190, 3191, 3192, 3193
AND 3194, 3195, 3196, 3197, 3198
AND 3199, 3200, 3201, 3202, 3203
AND 3204, 3205, 3206, 3207, 3208
AND 3209, 3210, 3211, 3212, 3213
AND 3214, 3215, 3216, 3217, 3218
AND 3219, 3220, 3221, 3222, 3223
AND 3224, 3225, 3226, 3227, 3228
AND 3229, 3230, 3231, 3232, 3233
AND 3234, 3235, 3236, 3237, 3238
AND 3239, 3240, 3241, 3242, 3243
AND 3244, 3245, 3246, 3247, 3248
AND 3249, 3250, 3251, 3252, 3253
AND 3254, 3255, 3256, 3257, 3258
AND 3259, 3260, 3261, 3262, 3263
AND 3264, 3265, 3266, 3267, 3268
AND 3269, 3270, 3271, 3272, 3273
AND 3274, 3275, 3276, 3277, 3278
AND 3279, 3280, 3281, 3282, 3283
AND 3284, 3285, 3286, 3287, 3288
AND 3289, 3290, 3291, 3292, 3293
AND 3294, 3295, 3296, 3297, 3298
AND 3299, 3300, 3301, 3302, 3303
AND 3304, 3305, 3306, 3307, 3308
AND 3309, 3310, 3311, 3312, 3313
AND 3314, 3315, 3316, 3317, 3318
AND 3319, 3320, 3321, 3322, 3323
AND 3324, 3325, 3326, 3327, 3328
AND 3329, 3330, 3331, 3332, 3333
AND 3334, 3335, 3336, 3337, 3338
AND 3339, 3340, 3341, 3342, 3343
AND 3344, 3345, 3346, 3347, 3348
AND 3349, 3350, 3351, 3352, 3353
AND 3354, 3355, 3356, 3357, 3358
AND 3359, 3360, 3361, 3362, 3363
AND 3364, 3365, 3366, 3367, 3368
AND 3369, 3370, 3371, 3372, 3373
AND 3374, 3375, 3376, 3377, 3378
AND 3379, 3380, 3381, 3382, 3383
AND 3384, 3385, 3386, 3387, 3388
AND 3389, 3390, 3391, 3392, 3393
AND 3394, 3395, 3396, 3397, 3398
AND 3399, 3400, 3401, 3402, 3403
AND 3404, 3405, 3406, 3407, 3408
AND 3409, 3410, 3411, 3412, 3413
AND 3414, 3415, 3416, 3417, 3418
AND 3419, 3420, 3421, 3422, 3423
AND 3424, 3425, 3426, 3427, 3428
AND 3429, 3430, 3431, 3432, 3433
AND 3434, 3435, 3436, 3437, 3438
AND 3439, 3440, 3441, 3442, 3443
AND 3444, 3445, 3446, 3447, 3448
AND 3449, 3450, 3451, 3452, 3453
AND 3454, 3455, 3456, 3457, 3458
AND 3459, 3460, 3461, 3462, 3463
AND 3464, 3465, 3466, 3467, 3468
AND 3469, 3470, 3471, 3472, 3473
AND 3474, 3475, 3476, 3477, 3478
AND 3479, 3480, 3481, 3482, 3483
AND 3484, 3485, 3486, 3487, 3488
AND 3489, 3490, 3491, 3492, 3493
AND 3494, 3495, 3496, 3497, 3498
AND 3499, 3500, 3501, 3502, 3503
AND 3504, 3505, 3506, 3507, 3508
AND 3509, 3510, 3511, 3512, 3513
AND 3514, 3515, 3516, 3517, 3518
AND 3519, 3520, 3521, 3522, 3523
AND 3524, 3525, 3526, 3527, 3528
AND 3529, 3530, 3531, 3532, 3533
AND 3534, 3535, 3536, 3537, 3538
AND 3539, 3540, 3541, 3542, 3543
AND 3544, 3545, 3546, 3547, 3548
AND 3549, 3550, 3551, 3552, 3553
AND 3554, 3555, 3556, 3557, 3558
AND 3559, 3560, 3561, 3562, 3563
AND 3564, 3565, 3566, 3567, 3568
AND 3569, 3570, 3571, 3572, 3573
AND 3574, 3575, 3576, 3577, 3578
AND 3579, 3580, 3581, 3582, 3583
AND 3584, 3585, 3586, 3587, 3588
AND 3589, 3590, 3591, 3592, 3593
AND 3594, 3595, 3596, 3597, 3598
AND 3599, 3600, 3601, 3602, 3603
AND 3604, 3605, 3606, 3607, 3608
AND 3609, 3610, 3611, 3612, 3613
AND 3614, 3615, 3616, 3617, 3618
AND 3619, 3620, 3621, 3622, 3623
AND 3624, 3625, 3626, 3627, 3628
AND 3629, 3630, 3631, 3632, 3633
AND 3634, 3635, 3636, 3637, 3638
AND 3639, 3640, 3641, 3642, 3643
AND 3644, 3645, 3646, 3647, 3648
AND 3649, 3650, 3651, 3652, 3653
AND 3654, 3655, 3656, 3657, 3658
AND 3659, 3660, 3661, 3662, 3663
AND 3664, 3665, 3666, 3667, 3668
AND 3669, 3670, 3671, 3672, 3673
AND 3674, 3675, 3676, 3677, 3678
AND 3679, 3680, 3681, 3682, 3683
AND 3684, 3685, 3686, 3687, 3688
AND 3689, 3690, 3691, 3692, 3693
AND 3694, 3695, 3696, 3697, 3698
AND 3699, 3700, 3701, 3702, 3703
AND 3704, 3705, 3706, 3707, 3708
AND 3709, 3710, 3711, 3712, 3713
AND 3714, 3715, 3716, 3717, 3718
AND 3719, 3720, 3721, 3722, 3723
AND 3724, 3725, 3726, 3727, 3728
AND 3729, 3730, 3731, 3732, 3733
AND 3734, 3735, 3736, 3737, 3738
AND 3739, 3740, 3741, 3742, 3743
AND 3744, 3745, 3746, 3747, 3748
AND 3749, 3750, 3751, 3752, 3753
AND 3754, 3755, 3756, 3757, 3758
AND 3759, 3760, 3761, 3762, 3763
AND 3764, 3765, 3766, 3767, 3768
AND 3769, 3770, 3771, 3772, 377



Symbol	Label	Category	Description	Catalog Number	Description	Lamp	Number	Distance	Lumen Per Lamp	Light Loss Factor	Voltage
	A	SEE LAMP	Johnson Lighting	SPINAL 20 3400LM RCTH 40W 4000K	SPINAL 20 3000 RCTH 40W 4000K		1	SPINAL_20_3400LM_RCTH_40W_4000K	3100	0.9	24.9V
	B	SEE LAMP	JOHNSON LIGHTING	SPINAL 20 3400LM RCTH 40W 4000K	SPINAL 20 3000 RCTH 40W 4000K		1	SPINAL_20_3400LM_RCTH_40W_4000K	3100	0.9	24.9V
	C	SEE LAMP	JOHNSON LIGHTING	SPINAL 20 3400LM RCTH 40W 4000K	SPINAL 20 3000 RCTH 40W 4000K		1	SPINAL_20_3400LM_RCTH_40W_4000K	3100	0.9	24.9V
	D	SEE LAMP	JOHNSON LIGHTING	SPINAL 20 3400LM RCTH 40W 4000K	SPINAL 20 3000 RCTH 40W 4000K		1	SPINAL_20_3400LM_RCTH_40W_4000K	3100	0.9	24.9V

KEY-PLAN
SCALE: NONE