



NOTE: - IF MULTIPLE LAYERS OF INSULATION, STAGGER JOINTS
 - SEE TO STRUCTURAL FOR DECK ORIENTATION AND STRUCTURAL SUPPORT
 - ALL STAINLESS STEEL FASTENERS INTO WOOD BLOCKING



ROOF EXPANSION JOINT 17
 A3.15 | REVISION DATE: 04.04.2019 | SCALE: 3" = 1'-0"

DESIGN BUILD MANAGER TO VERIFY DIMENSIONS


NOTE: - IF MULTIPLE LAYERS OF INSULATION, STAGGER JOINTS
 - SEE TO STRUCTURAL FOR DECK ORIENTATION AND STRUCTURAL SUPPORT
 - ALL STAINLESS STEEL FASTENERS INTO WOOD BLOCKING



PARAPET GRAVEL STOP-TILT-UP PNL 12
 A3.26 | REVISION DATE: 07.31.2019 | SCALE: 3" = 1'-0"

DESIGN BUILD MANAGER TO VERIFY DIMENSIONS

NOTE: - IF MULTIPLE LAYERS OF INSULATION, STAGGER JOINTS
 - SEE TO STRUCTURAL FOR DECK ORIENTATION AND STRUCTURAL SUPPORT
 - ALL STAINLESS STEEL FASTENERS INTO WOOD BLOCKING




NOTES:
 (1) DO NOT OVERLAP THE FLANGES FROM ADJACENT PIPE FLASHINGS.
 (2) ANY SEAM UNDER BOOT FLANGE TO BE TREATED AS T-JOINT.

PIPE VENT 18
 A3.19 | REVISION DATE: 11.12.2018 | SCALE: 6" = 1'-0"

DESIGN BUILD MANAGER TO VERIFY DIMENSIONS


NOTE: - IF MULTIPLE LAYERS OF INSULATION, STAGGER JOINTS
 - SEE TO STRUCTURAL FOR DECK ORIENTATION AND STRUCTURAL SUPPORT
 - ALL STAINLESS STEEL FASTENERS INTO WOOD BLOCKING




NON-PARAPET GRAVEL STOP 9
 A3.12 | REVISION DATE: 04.04.2019 | SCALE: 3" = 1'-0"

DESIGN BUILD MANAGER TO VERIFY DIMENSIONS

NOTE: - IF MULTIPLE LAYERS OF INSULATION, STAGGER JOINTS
 - SEE TO STRUCTURAL FOR DECK ORIENTATION AND STRUCTURAL SUPPORT
 - ALL STAINLESS STEEL FASTENERS INTO WOOD BLOCKING




PARAPET OVERFLOW - TILT-UP PNL 14
 A3.27 | REVISION DATE: 07.31.2019 | SCALE: 3" = 1'-0"




NOTES:
 1. WITH MECHANICALLY FASTENED SPEC. MEMBRANE MUST BE MECHANICALLY ATTACHED WITH ROOFING ANCHOR DISC WITH ACCEPTABLE FASTENERS (6" [150mm] CENTERS AROUND PROJECTION)
 2. DO NOT OVERLAP THE FLANGES FROM ADJACENT PIPE FLASHINGS.
 3. 15 YEAR AND 20 YEAR GUARANTEES REQUIRE DOUBLE WRAP.


HOT PIPE FLASHING 19
 A3.20 | REVISION DATE: 11.12.2018 | SCALE: 6" = 1'-0"



GRAVEL STOP TO COPING TRANSITION 15
 A3.18 | REVISION DATE: 11.12.2018 | SCALE: 3/4" = 1'-0"



COPING ISOMETRIC 10
 A3.14 | REVISION DATE: 04.04.2019 | SCALE: 12" = 1'-0"



GRAVEL STOP ISOMETRIC 5
 A3.13 | REVISION DATE: 04.04.2019 | SCALE: 12" = 1'-0"